Prices valid from : November 7th 2007

Fujitsu Siemens Computers

Nov' 07 UK Price List RRP



Content

Windows Vista Capable **3**
News and Highlights **4**
Positioning **6**

WTBG Mobile 8
WTBG LIFEBOOK Accessories 9
WTBG Esprimo P,E CELCIUS & Mon 10
WTBG Esprimo Accessories 11
WTBG Server 12
WTBG FibreCAT SX 13
WTBG FibreCAT NX 14
WTBG FibreCAT TX 15
PRS 16

Positioning Tablet PC **18**
STYLISTIC ST511X 19
TABLET PC Accessories 20
TABLET PC Services 23

Positioning LIFEBOOK **24**
AMILO Pro Accessories 26
Amilo Mobile Services 32
ESPRIMO Mobile U9200 33
ESPRIMO Mobile M9400 34
ESPRIMO Mobile D9500 35
ESPRIMO Mobile Accessories 36
ESPRIMO Mobile Services 42
LIFEBOOK S7210 43
LIFEBOOK S6410 44
LIFEBOOK E8310_E8410 45
LIFEBOOK P7230 46
LIFEBOOK P1610 47
LIFEBOOK Q2010 48
LIFEBOOK T4220 49
LIFEBOOK Accessories 50
LIFEBOOK Services 54

Positioning FUTRO **55**
FUTRO A 56
FUTRO S 57
FUTRO A250 58
FUTRO S400 59
FUTRO ESPRIMO C5910 60
FUTRO Accessories 61
FUTRO Services 62

Positioning ESPRIMO **63**
ESPRIMO C 64
ESPRIMO E 65
ESPRIMO P 66
ESPRIMO Q 67
ESPRIMO E3500_P3500 68
ESPRIMO Accessories 69
ESPRIMO Services 73

CELSIUS Positioning **74**
CELSIUS H250 75
CELSIUS W360 76
CELSIUS M450 77
CELSIUS R540 78
CELSIUS R640 79
CELSIUS V840 80
CELSIUS Accessories 81
CELSIUS Services 90

Positioning Displays **91**
Displays 92

Positioning Keyboard & Security **93**
Keyboards 94

Positioning PRIMERGY Economy **95**
PRIMERGY Econel 100 96
PRIMERGY Econel 100 S2 97
PRIMERGY Econel 200 S2 99
PRIMERGY Econel 230R S1 101
Economy Servers Accessories 102
Economy Servers Services 144

Positioning PRIMERGY Tower **146**
PRIMERGY TX120 147
PRIMERGY TX150 S5 148
PRIMERGY TX200 S3 149
PRIMERGY TX300 S3 150
PRIMERGY TX600 S3 151
Tower Servers Accessories 153
Tower Servers Services 183

Positioning PRIMERGY Rack **186**
PRIMERGY RX100 S4 188
PRIMERGY RX200 S3 189
PRIMERGY RX220 190
PRIMERGY RX300 S3 191
PRIMERGY RX330S1 192
PRIMERGY RXI300 193
PRIMERGY RX600 S3 194
PRIMERGY RX600 S4 195
PRIMERGY RX800 S3 196
PRIMECENTER 198
Rack Servers Accessories 200
Rack Servers Services 225

Positioning PRIMERGY Blade **228**
PRIMERGY BX600 S2 229
PRIMERGY BX600 S3 230
PRIMERGY BX620 S3 231
PRIMERGY BX630 233
Blade Servers Accessories 237
Blade Servers Services 253

Positioning PRIMERGY Storage **256**
PRIMERGY SX10 257
PRIMERGY SX30 258
PRIMERGY Storage Accessories 259
PRIMERGY Storage Services 277

Positioning SPARC Enterprise **278**
SES T1000 279
SES T2000 280
SES M4000 281
SES M5000 282
SES M8000 283
SES M9000 284
SES Accessories 287
SES Options 289

Positioning PRIMEPOWER Servers **291**
PRIMEPOWER 250 293
PRIMEPOWER 450 295
PRIMEPOWER 650 8U 297
PRIMEPOWER 850 16U 299
PRIMEPOWER 900 301
PRIMEPOWER 1500 302
PRIMEPOWER 2500 308
PRIMECENTER 309
Console systems 312
PRIMEPOWER Accessories 313
PRIMEPOWER Services 315
PRIMEPOWER Options 316

Positioning PRIMEQUEST **331**
PRIMEQUEST 520_540_580 332
PRIMEQUEST Accessories 336
PRIMEQUEST Services 337
PRIMEQUEST Options 339

Positioning Storage Disk Sys. **341**
FibreCAT NX20 342
FibreCAT NX40 343
FibreCAT SX30 344
FibreCAT SX40 345
FibreCAT CX3 346
FibreCAT CX300 351
FibreCAT SX60 352
FibreCAT SX80 353
FibreCAT SX88 354
Accessories Storage Disk Sys. 355
Options Storage Disk Sys. 385

Positioning Storage Tape Sys. **391**
CentricStor 393
LTO Desktop 399
FibreCAT TX10 PacketLoader 405
FibreCAT TX08 406
FibreCAT TX24 407
FibreCAT TX48 410
SL500 413
SCALAR i500 414
Accessories Storage Tape Sys. 415
Options Storage Tape Sys. 438

Positioning SAN Components **439**
Storage SAN Components 440
Accessories SAN Components 442
Options SAN Components 444

Positioning Unint. Power Supply **449**
Uninterruptible Power Supply 450
Accessories Unint. Power Supply 452
Options Unint. Power Supply 453

Windows Vista Capable **http://www.fujitsu-siemens.com/vista**

Not all Windows Vista™ features are available for use on all Windows Vista Capable PCs. All Windows Vista Capable PCs will run the core experiences of Windows Vista, such as innovations in organizing and finding information, security, and reliability. Some features available in premium editions of Windows Vista -- like the new Windows® Aero™ user interface -- require advanced or additional hardware. Check www.windowsvista.com/getready for details.

Fujitsu Siemens Computers recommends Windows Vista® Business.

News and Highlights

LIFEBOOK T4220

The LIFEBOOK T Series makes you more productive in mobile situations and defines a new way of mobile working: On your way to an appointment, giving a presentation or taking notes in a meeting. The LIFEBOOK T4220 gives you ultimate freedom of choice: handwriting or keyboard. The integrated fingerprint sensor provides highest security for your data.

ESPRIMO Mobile, LIFEBOOK

The new ESPRIMO Mobile professional notebooks are a logical complement to our mobile portfolio. Due to their outstanding functionality and attractive pricing they are particularly well suited to the European market and they complement our LIFEBOOK perfectly to create a comprehensive range of professional notebooks

Your best friend as a frequent traveller. The LIFEBOOK S Series is the perfect balance of high performance and best mobility.

FUTRO

Without fan and rotating parts, the new FUTRO A250 is reliable, fail-safe and silent. This, combined with the space saving design, turns the FUTRO A250 into the ideal thin client for your project and into a minimizer of Total Cost of Ownership.

ESPRIMO

The new ESPRIMO C5720 proves that high-end technology is not a matter of size. This ultra-small form factor PC combines the advantages of the new Intel® iQ33 chipset with a new product design. The ESPRIMO C5720 offers superior performance in a compact design and full software compatibility to the whole ESPRIMO 5720 series. For example, the integrated powered serial ports mean that the PC can be implemented easily in POS

CELSIUS

The new high-end workstations CELSIUS R650 and CELSIUS R550 feature the latest Dual Core Intel® Xeon® and Quad Core Intel® Xeon® processors and the most powerfull professional OpenGL graphics NVIDIA Quadro FX 5600.
If you need more power and more expandability than a standard PC can offer, choose the high-end PC / entry-level workstation CELSIUS W360. This "Green" system features the latest Intel® Core™ 2 Quad processor. If you need more power and more expandability than an entry-level workstation can offer, opt for the mid-range workstation CELSIUS M460.

Displays & Peripherals

New group of black lifestyle displays: the SCALEOVIEW D line offers a glossy piano black front frame in a stylish look.

Always something new in the Peripherals Portfolio: e.g. Keyboard Slim Piano Black in classy design fitting perfectly to the new lifestyle displays. Accessories and Security Devices according to latest technologies meet the latest market needs.

PRIMERGY

PRIMERGY RX100 S4
Mono Socket Intel® Xeon® UP based Rack Server – Optimized in cost, size and complexity for easy deployment

PRIMERGY RX600 S3 and TX600 S3
4-Socket Dual-Core Intel® Xeon® MP 7100 Series Rack Server - Scaled-up performance and assured quality of data center operation

New PRIMEPOWER midrange and enterprise models (PW650 - 2500) are available which based on SPARC64™ V RISC

PRIMEPOWER

New PRIMEPOWER midrange and enterprise models (PW650 - 2500) are available which based on SPARC64™ V RISC processors, operating at clock rates exceeding 2GHz. The new models continue to offer the superior reliability and scalability of previous models while delivering enhanced performance. The server support Solaris 8, 9 and 10. The virtualization technology in Solaris 10 gives your customers greater flexibility in administrating their systems

PRIMEQUEST

PRIMEQUEST 520 / 540 / 580 - 8 / 16 / 32-way mission critical IA servers for Linux & Windows industry standards

Storage

The FibreCAT NX40 system is a file and print server for small and medium-sized enterprises. The system is very reliable and attractively priced.

Web Configurator

Web Configurator enables partners to configure and order on line PRIMERGY value4you servers in an easy way; no technical knowledge is required and only valid solutions can be created. During configuration, daily updated product availability from distributors and Net Reseller Buying Prices are shown.
You will find it on our country-specific CPP/Extranet.

Fujitsu Siemens Computers recommends Windows Vista™ Business.

Professional Products Positioning

Pocket LOOX

As the mobile revolution gains momentum, Fujitsu Siemens Computers offers its high-end handheld, the Pocket LOOX, a powerful enabler of mobility for business users. Key features of the Pocket LOOX are its high connectivity, speed and modularity, which allow busy mobile warriors to work seamlessly whether they are at home, in the office or on the move.

STYLISTIC

The STYLISTIC Series from Fujitsu Siemens Computers combines the simple use of pencil and paper with the performance and ergonomics of a notebook.
With the STYLISTIC tablet PC you are able to use a full-featured computer, runnig all standard Windows XP applications, while standing and walking.

AMILO Pro & LIFEBOOK

Faster, lighter, easier: notebooks designed and built by Fujitsu Siemens Computers. Latest technologies and processors, brilliant graphics, high performance and manageability combined with security features make your professional notebook perfect for life on the move.

FUTRO

The FUTRO product line of smart, expandable thin clients is the ideal solution for server-based networks, particularly in terms of availability and data security. The user can neither access the operating system nor store data on the smart terminal.

ESPRIMO

ESPRIMO professional PC is the right solution for every business customer requiring a high quality system with best-in-class feature set. They are highly reliable and truly ergonomic with comprehensive client management tools and easy to use security functionalities. The new global brand product concept and the latest technology make ESPRIMO professional PC to a perfect partner fitting in every business environment.

CELSIUS

Computing power, memory space, graphics systems, expansion possibilities – even the most powerful of standard PCs are quick to reach their limits outside classic office and communication applications. Application fields such as simulation, animation, construction, and digital content creation require systems that offer maximum performance on all levels: CELSIUS workstations.

Fujitsu Siemens Computers recommends Windows Vista™ Business.

Professional Products Positioning

Displays & Peripherals

Positioned in three lines SCENICVIEW displays offer the right model for every desire - affordable Value Line and Advanced Value Line, comfortable Business Line and Premium Line for highest demands.
The SCALEOVIEW H Line is offering lifestyle design for home and office use.

PRIMERGY

PRIMERGY is based on the standard architecture for good reason. Due to their high level of standardization, x86/EM64T and Dual-Core servers deliver the best price/performance ratio. The Fujitsu Siemens Computers extensive product range, coupled with more than 20 years of experience in the IT market, means that we can build reliable and flexible IT infrastructures for our customers. PRIMERGY servers are the ideal choice for ensuring greater competitiveness and success in modern e-business environments.

PRIMEPOWER

PRIMEPOWER servers are proven UNIX computers based on the latest high performance processor architecture (SPARC64™V) and running the worldwide number 1 UNIX Operating Environment Solaris™. PRIMEPOWER gives you the confidence that your IT business processes are always up and running. PRIMEPOWER servers make sure that variable IT production loads will always finish in time, by using all of the system resources with no resources wasted and with unique flexibility to adopt changing priorities.

PRIMEQUEST

PRIMEQUEST servers are mission critical IA servers which enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services.

Storage

As part of its "Dynamic IT for storage" concept, Fujitsu Siemens Computers offers complete storage solutions consisting of the best components available from a single source. Close partnerships and collaboration with leading manufacturers of storage products means that the world's leading technology is available for every segment of the storage market. And if the market does not have any appropriate solutions, Fujitsu Siemens Computers will invest in developing its own specific storage systems.

value4you

Distribution
What to Buy Guide - November 2007

FUJITSU COMPUTERS SIEMENS

Fujitsu Siemens Computers recommends Windows® XP Professional.

AMILO Pro/LIFEBOOK Notebooks

Product ID	Product Description	Previous Code	Product Status				RRP (£)
ESPRIMO Mobile V5515							
VFY:EM79V5515AA5GB	V5515, Intel CEL M520 (1.6GHz), 1*512MB, 80GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Basic Home	VFY:EM77V3515AA5GB	Current				294
VFY:EM79V5515AT4GB	V5515, Intel CEL M520 (1.6GHz), 1*1GB, 80GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business	VFY:EM77V3515AA1GB	Current				351
VFY:EM79V5515AD4GB	V5515, Intel Core Duo T2450 (2GHz), 1*1GB, 120GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business	VFY:EM77V3515AA4GB	Current				408
VFY:EM7BV5515BD4GB	V5515, Intel PM Dual Core T2130 (1.8GHz), 1*1GB, 120GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business		Current				385
VFY:EM7BV5515BF5GB	V5515, Intel PM Dual-Core T2130 (1.73GHz), 2*1GB, 160GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Basic - OFFICE READY		Current				374
ESPRIMO Mobile V5535							
VFY:EM7BV5535AA5GB	V5535, Intel CEL M530 (1.73GHz), 1*512MB, 80GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Home Basic		Current				283
VFY:EM7BV5535BA5GB	V5535, Intel CEL M530 (1.73GHz), 1gb, 80GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Home Basic		Current				306
VFY:EM7BV5535BA6GB	V5535, Intel CEL M530 (1.73GHz), 1 GB, 80GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Premium		Current				335
VFY:EM7BV5535BA4GB	V5535, Intel CEL M530 (1.73GHz), 1 GB, 80GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business		Current				340
VFY:EM7BV5535AC4GB	V5535, Intel PM Dual Core T2330 (1.8GHz), 1*1GB, 120GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business		Current				408
VFY:EM7BV5535BB5GB	V5535, Intel CEL M530 (1.73GHz), 1GB, 160GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Basic - OFFICE READY		Current				317
VFY:EM7BV5535BG6GB	V5535, Intel PM Dual-Core T5250 (1.5GHz), 2*1GB, 160GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Premium - OFFICE READY		Current				453
VFY:EM7BV5535BG4GB	V5535, Intel PM Dual-Core T5250 (1.6GHz), 2*1GB, 160GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business - OFFICE READY		Current				465
ESPRIMO Mobile V5505							
VFY:EM79V5505AH4GB	V5505, Intel Core2 Duo T5250 (1.5GHz), 1*1GB, 80GB, DVD-R/w (super multi), 15.4" WXGA, WLAN, Vista Business		Current				453
VFY:EM79V5505AJ4GB	V5505, Intel Core2 Duo T5450 (1.66GHz), 1*1GB, 120GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, BT, Vista Business		Current				487
VFY:EM7BV5505AH4GB	V5505, Intel Core2 Duo T5250 (1.5GHz), 1*1GB, 80GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business		Current				431
VFY:EM7BV5505AW4GB	V5505, Intel Core2 Duo T5250 (1.5GHz), 1*1GB, 160GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business		Current				442
VFY:EM7BV5505AL4GB	V5505, Intel PM Dual-Core T7300 (1.6GHz), 2*1GB, 250GB, Bluetooth, DVD-R/W (super multi), 15.4" WXGA, WLAN, Vista Business - OFFICE READY		Current				544
ESPRIMO Mobile V5545							
VFY:EM7BV5545BJ6GB	V5545, Intel Core Duo T5550, 2*1GB, 120GB, DVD-R/W (super multi), 15.4" WXGA, WLAN, Ext graphics, Vista Premium - OFFICE READY		Current				567
Warranty Upgrade Packages for ESPRIMO Mobile Edition							
FSP:GB3C00000GBCN3	3 years courier collect & return service (Upgrade from 1year) for ESPRIMO Mobile V5XXX		Current				79
LBY:GBD-INS3NBK	3 years fully comprehensive Notebook Insurance		Current				126
ESPRIMO Mobile Series U9200							
LKN:GBR-230100-007	U9200 Intel Core 2 Duo T7300 (2GHz), 1*1GB, 80GB, 12.1" WXGA, DVD+/-RW Super Multi, WLAN, BT, Vista Business - OFFICE READY	LKN:GBR-230100-001	Current				681
LKN:GBR-230100-002	U9200 Intel Core 2 Duo T7500 (2.2GHz), 2*1GB, 120GB, 12.1" WXGA, DVD+/-RW Super Multi, WLAN, 3G, Vista Business - OFFICE READY		Current				806
LKN:GBR-230100-008	U9200 Intel Core2 Duo T7700 (2.4GHz), 2*1GB, 120GB, 12.1" WXGA, DVD+/-RW Super Multi, WLAN, BT, Vista Business - OFFICE READY	LKN:GBR-230100-006	Current				851
ESPRIMO Mobile Series M9400							
LKN:GBR-231100-003	M9400, Intel Core 2 Duo T7250 (2GHz), 1*1GB, 80GB, 14.1" WXGA, DVD+/-RW Super Multi, WLAN, BT, Vista Business - OFFICE READY	LKN:GBR-231100-001	NEW				681
LKN:GBR-231100-004	M9400, Intel Core 2 Duo T7700 (2.4GHz), 2*1GB, 120GB, 14.1" WXGA, DVD+/-RW Super Multi,, WLAN, BT, Vista Business - OFFICE READY	LKN:GBR-231100-002	NEW				794
ESPRIMO Mobile Series D9500							
LKN:GBR-232100-005	D9500, Intel Core 2 Duo T7250 (2GHz), 1*1GB, 80GB, 15.4" WXGA, DVD+/-RW Super Multi, WLAN, BT, Vista Business - OFFICE READY	LKN:GBR-232100-004	NEW				647
LKN:GBR-232200-003	D9500, Intel Core 2 Duo T7700 (2.4GHz), 2*1GB, 120GB, 15.4" WXGA+, DVD+/-RW Super Multi, WLAN, BT, Vista Business - OFFICE READY	LKN:GBR-230100-005	NEW				795
Warranty Upgrade Packages for ESPRIMO Mobile Series							
FSP:GB3C00000GBNBL	3 years courier collect & return service for ESPRIMO Mobile family		Current				75
LBY:GBD-INS3NBK	3 years fully comprehensive Notebook Insurance		Current				120
LIFEBOOK S7110							
LKN:GBR-210300-108	S7110, Intel Core2 Duo T5600 (1.83GHz) 1*512MB, 80GB, DVD+/-RW Super Multi, 14.1" XGA, WLAN, BT, XP Pro		Clerance				870
LKN:GBR-210300-065	S7110, Intel Core2 Duo T7200 (2GHz) 1*1GB, 80GB, DVD+/-RW Super Multi, 14.1" XGA, WLAN, BT, XP Pro		Clerance				941
LKN:GBR-210300-086	S7110, Intel Core2 Duo T5600 (1.83GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 14.1" XGA, WLAN, BT, Vista Business		Clerance				893
LIFEBOOK S7210							
LKN:GBR-235100-001	S7210, Intel Core2 Duo T7300 (2GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 14.1" WXGA, WLAN, BT, Vista Business - OFFICE READY		NEW				905
LKN:GBR-235100-006	S7210, Intel Core2 Duo T7300 (2GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 14.1" WXGA, WLAN, BT, 3G, Vista Business - OFFICE READY		NEW				1,023
LKN:GBR-235100-003	S7210, Intel Core2 Duo T7500 (2.2GHz), 2*1GB, 120GB, DVD+/-RW Super Multi, 14.1" WXGA, BT,, Vista Business - OFFICE READY		NEW				1,058
LIFEBOOK S6410							
LKN:GBR-233100-019	S6410, Intel Core2 Duo T7250 (2GHz) 1*1GB, 80GB, DVD+/-RW Super Multi, 13.3" WXGA, WLAN, BT, Vista Business	LKN:GBR-233100-002	Current				1,035
LKN:GBR-233100-012	S6410, Intel Core2 Duo T7300 (2GHz) 1*1GB, 80GB, DVD+/-RW Super Multi, 13.3" WXGA, 3G, WLAN, BT, Vista Business	LKN:GBR-233100-001	Current				1,235
Warranty Upgrade Packages for LIFEBOOK Sxxxx							
FSP:GC3S20000GBNBS	3 years on site service, NBD Response for LIFEBOOK Sxxxx		Current				88
LBY:GBD-INS3NBK	3 years fully comprehensive Notebook Insurance		Current				120
LIFEBOOK P7230							
LKN:GBR-208100-004	P7230, Intel Core U2500 (1.2GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 10.6"WXGA, WLAN, BT, Vista Business, OFFICE READY	LKN:GBR-198100-014	Current				1,293
LKN:GBR-208100-005	P7230, Intel Core U2500 (1.2GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 10.6"WXGA, 3G, WLAN, BT, Vista Business, OFFICE READY	LKN:GBR-198100-004	Current				1,411
LBY:GBD-INS3NBK	3 years fully comprehensive Notebook Insurance		Current				120
LIFEBOOK P1610 - Convertible							
LKN:GBR-223100-011	P1610, Intel Core U1400 (1.2GHz), 1*512MB, 80GB, 8.9" WXGA, 6-Cell Battery, WLAN, BT, XP Tab - 2 YR WARRANTY	LKN:GBR-223100-007	Current				1,117
LKN:GBR-223200-008	P1610, Intel Core U1400 (1.2GHz), 1*1GB, 80GB, 8.9" WGA, 6-Cell Battery, WLAN, BT, 3G, XP Tab - 2 YEAR WARRANTY	LKN:GBR-223200-001	Current				1,353
LIFEBOOK T4220 - Convertible							
LKN:GBR-250100-016	Intel Core2 Duo T7250 (2GHz) , 1*1GB, 80GB, DVD+/-RW Super Multi, 12.1 XGA, WLAN, BT, Vista Business - 2 YR WARRANTY	LKN:GBR-221100-027	Current				1,058
LKN:GBR-250200-009	Intel Core2 Duo T7250 (2GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 12.1" XGA, WLAN, BT, 3G, Vista Business - 2 YR WARRANTY	LKN:GBR-250200-001	Current				1,294
Warranty Upgrade Packages for Tablet PCs							
FSP:GB3C00000GBPEN	3 Yr, Collect and return service for LIFEBOOK P, T and Stylistic models		Current				36
LBY:GBD-INS3PTP	3 years fully comprehensive Notebook Insurance for LIFEBOOK P,T and Stylistic models		Current				180
LIFEBOOK E8310							
LKN:GBR-225100-008	E8310, Intel Core2 Duo T7250 (2GHz), 2*512MB, 80GB, DVD+/-RW Super Multi, 15" XGA, WLAN, BT, Vista Business	LKN:GBR-225100-001	Current				834
LKN:GBR-225200-005	E8310, Intel Core2 Duo T7300 (2GHz), 2*512MB, 80GB, DVD+/-RW Super Multi, 15" SXGA, WLAN, BT, 3G, Vista Business	LKN:GBR-225200-001	Current				1,047
LIFEBOOK E8410							
LKN:GBR-225100-009	E8410, Intel Core2 Duo T7250 (2GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 15.4" WSXGA, WLAN, BT, Vista Business	LKN:GBR-226410-002	Current				964
LKN:GBR-226410-004	E8410, Intel Core2 Duo T7300 (2GHz), 1*1GB, 80GB, DVD+/-RW Super Multi, 15.4" WSXGA, WLAN, BT, 3G, Ext Graphics, Vista Business	LKN:GBR-226410-001	Current				1,176
Warranty Upgrade Packages for LIFEBOOK E8XXX							
FSP:GC3S20000GBNBS	3 years on site service, NBD Response for LIFEBOOK E8xxx		Current				88
LBY:GBD-INS3NBK	3 years fully comprehensive Notebook Insurance		Current				120
LIFEBOOK Q2010							
PDP:GBR-216100-004	Q2010, Intel Core U1400, 1*1GB, 80GB, 12.1" WXGA, 3G, WLAN, BT, Win XP Pro	PDP:GBR-216100-001	Current				2,118
PDP:GBR-216100-003	Q2010, Intel Core U1400, 1*1GB, 80GB, 12.1" WXGA, 3G, WLAN, BT, Win XP Pro (Inc Port Rep with DVD+/- RW)	PDP:GBR-216100-002	Current				2,353
Microsoft OFFICE 2007 Media-less Key							
S26361-F2727-L556	Microsoft OFFICE 2007 Basic Media-Less Key		Current				102
S26361-F2727-L557	Microsoft OFFICE 2007 SBE Media-Less Key		Current				135
S26361-F2727-L558	Microsoft OFFICE 2007 Pro Media-Less Key		Current				171

value4you

ESPRIMO Mobile / Lifebook Accessories Matrix

FUJITSU COMPUTERS SIEMENS

Please Refer to the Price Book for further details and the corresponding price

Category	Description	ESPRIMO Mobile Edition V5515 / V5535	ESPRIMO Mobile Edition V5505 / V5545	ESPRIMO Mobile U9200	ESPRIMO Mobile M9400	ESPRIMO Mobile D9500	LIFEBOOK S7210	LIFEBOOK S6410	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK P7230	LIFEBOOK P1610	LIFEBOOK Q2010 Executive	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK T4220	STYLISTIC ST511X	Product Code
Memory																			
	512MB DDR2-667							x	x					x	x	x			S26391-F668-L100
	1GB DDR2-667						x	x	x	x				x	x	x	x		S26391-F668-L200
	512MB DDR2-667	x	x	x	x	x													S26391-F6120-L480
	1GB DDR2-667	x	x	x	x	x													S26391-F6120-L481
	2GB DDR2-533						x	x	x	x				x	x	x	x	x	S26391-F668-L310
Removable Media Drives																			
	mini SD Card 2GB	x		x	x	x			x	x	x		x	x	x	x			S26391-F2486-L820
	FDD USB (external)								x	x	x		x	x	x	x			S26391-F264-L226
	Modular bay								x	x				x	x	x			S26391-F405-L100
	MEMORYBIRD P 2GB								x	x	x		x	x	x	x			S26391-F6046-L48
	DVD Super Multi							x											S26391-F405-L602
	DVD Super Multi								x	x				x	x	x	x		S26391-F405-L700
	DVD Super Multi										x								S26391-F5046-L200
Hard Disk Drives																			
	2nd HDD SATA 120GB 5.4k	x	x	x	x	x			x	x				x	x	x	x		S26391-F401-L402
Communication/Network																			
	Modem adapter set 1	x	x						x	x	x			x	x	x			S26361-F3145-L10
	Modem adapter set 2	x	x						x	x	x			x	x	x			S26361-F3145-L20
	Modem adapter set 3	x	x						x	x	x			x	x	x			S26361-F3145-L30
	VGA/LAN ADAPTER												x						S26391-F340-L800
	AVM Fritz!Card Express, ISDN			x	x				x	x			x	x	x	x			S26391-F6122-L1
	AVM FRITZ ISDN V2.0	x	x	x	x	x			x	x	x			x	x	x			S26361-F1904-L100
UPS/Power supply																			
	AC adapter 20V (90W)			x	x	x													S26391-F696-L200
	Ac adapter 100W						x	x	x	x									S26391-F408-L300
	AC adapter 20V (90W)	x	x																S26391-F321-L400
	AC adapter 19V (80W)													x	x	x	x		S26391-F2474-L600
	AC adapter 16V (65)										x	x	x						S26391-F5031-L800
	1st Battery 6cells	x																	S26391-F6120-L470
	1st Battery 6cells		x																S26391-F400-L400
	1st battery 8cells								x	x									S26391-F2592-L500
	1st battery			x	x	x													S26391-F405-L840
	1st battery													x	x	x			S26391-F405-L500
	1st battery																x		S26391-F405-L600
	1st Battery 6cells						x												S26391-F405-L820
	1st Battery 6cells										x								S26391-F5046-L410
	1st Battery 3cells												x						S26391-F340-L200
	1st Battery 4cells												x						S26391-F340-L220
	1st Battery 6cells												x						S26391-F340-L250
	1st Battery 3cells											x							S26391-F6120-L450
	1st Battery 6cells											x							S26391-F5031-L400
	2nd battery						x		x	x				x	x	x	x		S26391-F405-L200
	2nd battery							x											S26391-F405-L821
	2nd battery			x	x	x													S26391-F405-L841
	2nd battery										x								S26391-F5046-L400
	Car/Air adapter	x	x	x	x	x			x	x	x		x	x	x	x			S26391-F2613-L600
	External battery charger, incl. 16V AC										x		x	x	x	x			S26391-F5031-L600
	External battery charger										x		x	x	x	x			S26391-F5031-L610
	power cable EU	x	x	x	x	x			x	x	x		x	x	x	x			T26139-Y2540-V113
	power cable UK	x	x	x	x	x			x	x	x		x	x	x	x			T26139-Y2540-V213
	power cable US	x	x	x	x	x			x	x	x		x	x	x	x			T26139-Y2540-V313
OS/Application-SW																			
Security																			
	SmartCase SmartCard (qty. 1)							x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201
	SmartCase SmartCard (qty. 10)							x	x	x	x	x	x	x	x	x	x		S26361-F1571-L210
	Smart Security API	x	x	x	x	x		x	x	x	x	x	x	x	x	x			S26361-F1571-L310
	Smart USB Token	x	x	x	x	x													S26361-F2542-L300
	MicroSaver	x	x	x	x	x		x	x	x	x	x	x	x	x		x		S26361-F1650-L200
	MicroSaver Combination	x	x	x	x	x		x	x	x	x	x	x	x	x		x		S26361-F1650-L500
	MicroSaver Twin	x	x	x	x	x		x	x	x	x	x	x	x	x		x		S26361-F1650-L600
	MicroSaver DS	x	x	x	x	x		x	x	x	x	x	x	x	x		x		S26361-F1650-L700
	SmartCase Cardholder (PC Card)												x	x	x				S26361-F2432-L600
	SmartCase SCR (PC Card)	x	x			x					x			x	x				S26361-F2432-L700
	SmartCase SCR (Express Card)				x								x	x	x				S26361-F2432-L710
	SmartCase SCR (USB)	x	x		x	x			x	x	x	x	x	x	x			x	S26361-F2542-L220
	MicroSaver Portable	x	x	x	x	x			x	x	x	x	x	x	x			x	S26391-F6045-L100
Mouse																			
	Logitech Bluetooth Mouse	x	x	x	x	x			x	x	x		x	x	x	x			LTC:M-RBB93
Miscellaneous																			
	LIFEBOOK driver CD							x	x			x	x	x	x	x			S22452-P919-L100
	Liquid View CD							x	x										S26361-F1850-L800
	Screen Protector 3M 12.1"																	x	S26391-F2592-L460
	Replacement cord																	x	S26391-F2592-L600
	Keyboard Rubber caps							x	x					x	x	x			S26391-F2602-V1
	Pen																		S26391-F413-L400
	Cross Pen (1 piece)																	x	S26391-F6004-L100
	Notebook Ergonomic Stand	x	x	x	x	x		x	x	x	x	x	x	x	x				S26391-F6047-L1
	3M Privacy filter 14,1"				x					x		x	x	x	x				S26391-F6097-L314
	3M Privacy filter 15"							x											S26391-F6097-L315
	QuickCam pro	x	x	x	x	x		x	x	x	x	x	x	x	x			x	S26391-F6215-L1
	Downgrade Pack XP Prof. 32bit M	x	x					x											S26361-F2007-L815
Cables																			
	USB-Parallel cable	x	x	x	x	x			x	x	x	x	x	x	x	x		x	S26391-F6055-L100
	S-Video cable													x	x	x			S26391-F6071-L400
	Scart cable			x					x	x				x	x	x			S26391-F6105-L1
Notebook Cases																			
	Case DataDesk 80								x	x				x	x	x			S26391-F119-L97
	Case DataCart 80								x	x				x	x	x			S26391-F119-L101
	Case DataCart 80 B									x				x	x	x			S26391-F119-L102
	Case DataCart 460									x				x	x	x			S26391-F119-L103
	Notebook case Slim 12"w												x						S26391-F119-L104
	Pouch case	x	x						x	x	x	x		x	x	x			S26391-F119-L105
	Value case	x	x																S26391-F119-L50
	Value case								x	x	x	x		x	x	x			S26391-F119-L50
	Slipcover								x	x	x		x	x	x	x			S26391-F119-L57
	Prestige case solid	x	x																S26391-F119-L59
	Prestige case midi	x	x						x	x	x		x	x	x	x		x	S26391-F119-L60
	Prestige case maxi	x	x						x	x	x			x	x	x		x	S26391-F119-L61
	Prestige case scooter	x	x						x	x	x		x	x	x	x		x	S26391-F119-L62
	Prestige case Top L	x	x																S26391-F119-L64
	Prestige case L66	x	x																S26391-F119-L66
	Prestige Sportive	x	x																S26391-F119-L67
	Prestige cover L	x	x																S26391-F119-L69
	Supreme case midi										x	x	x	x	x				S26391-F119-L70
	Supreme case maxi										x	x	x	x	x				S26391-F119-L71
	Supreme case midiII	x	x						x	x	x	x	x	x	x			x	S26391-F119-L73
	Supreme maxiII	x	x						x	x	x	x	x	x	x				S26391-F119-L74
	Notebook case Slim										x								S26391-F119-L81
	Notebook case Exclusive Slim										x								S26391-F119-L82
	Notebook case Exclusive Slim 12"w												x						S26391-F119-L86
Input Devices																			
	Cardreader All-in-1 USB 2.0	x	x						x	x	x		x	x	x	x			S26361-F3172-L1
Docking																			
	Docking station												x						S26391-F340-L500
	Port Replicator USB - PR04	x	x	x	x	x													S26391-F6007-L100
	Portreplicator																x		S26391-F413-L100
	Port Replicator\AC adapter (100W)\EU cable kit						x	x	x	x									S26391-F408-L100
	Portreplicator													x	x	x			S26391-F5031-L550
	Portreplicator										x								S26391-F5046-L900
	Portreplicator\AC adapter\EU-cable			x	x	x													S26391-F696-L100
	Port Replicator\AC adapter\UK cable kit																x		S26391-F413-L300
	Portreplicator\AC adapter\UK-cable kit							x	x					x	x	x			S26391-F5031-L570

value4you

Distribution
What to Buy Guide - November 2007

FUJITSU COMPUTERS SIEMENS

Fujitsu Siemens Computers recommends Windows® XP Professional and Windows® Vista.

Product ID	Product Description	Previous Code	Product Status				RRP (£)
ESPRIMO Edition Professional Computers							
Esprimo P2511 Edition 7A - Microtower							
VFY:EE7AP2511AA1GB	Celeron D420 1.6GHz, 1 x 512MB, 80GB, DVD, XP Pro (1yr on-site warranty)	VFY:EE78P2511AB1GB	Price drop				222
VFY:EE7AP2511AC1GB	Pentium Dual Core 2140 1.6GHz, 1 x 1GB, 160GB, DVD-RW, XP Pro (1yr on-site warranty)	VFY:EE78P2511AF1GB	Price drop				328
VFY:EE7AP2511AD1GB	Core2Duo E4400 1.8GHz, 1 x 1GB, 160GB, DVD-RW, XP Pro (1yr on-site warranty)	VFY:EE78P2511AD1GB	Price drop				340
E3500 - Small Form Factor - as Edition 78							
VFY:E3500-01GB	Pentium Dual Core 2160, 1 x 512MB, 80GB, DVD, XP Pro (1yr on-site warranty)		Current				324
VFY:E3500-02GB	Pentium Dual Core 2160, 1GB (2 x 512MB), 160GB, DVD-RW, XP Pro (1yr on-site warranty)		Current				358
Esprimo P2411 Edition 7A - AMD Microtower							
VFY:EE7AP2411AD1GB	Sempron 3600+, 1 x 512MB, 80GB, DVD-RW, XP Pro (1yr on-site warranty)		Price drop				215
VFY:EE7AP2411AF1GB	Athlon 64 X2 5000+, 1 x 1GB, 80GB, DVD-RW, XP Pro (1yr on-site warranty)	VFY:EE78P2411AE1GB	Price drop				306
ESPRIMO Professional Computers							
ESPRIMO P - Microtower							
VFY:P5615-02GB	Esprimo P5615, Athlon 64 3800+, 1 x 512MB, 80GB, DVD, XP Pro (3yrs on-site)		Current				306
VFY:P5615-01GB	Esprimo P5615, Athlon 64 X2 4000+, 1GB (2 x 512MB), 160GB, DVD-RW, XP Pro (3yrs on-site)		Current				363
VFY:P5720-01GB	Esprimo P5720, Core 2 Duo E4500, 1 x 512MB, 80GB, DVD, Vista Business / XP Pro TwinLoad (3yrs on-site)	VFY:P5710-08GB	Current				380
VFY:P5720-02GB	Esprimo P5720, Core 2 Duo E4500, 1GB (2 x 512MB), 160GB, DVD-RW, Vista Business / XP Pro TwinLoad (3yrs on-site)	VFY:P5710-09GB	Current				414
VFY:P5916-08GB	Esprimo P5916, Core 2 Duo E6420, 1 x 512MB, 80GB, DVD, XP Pro (3yrs on-site)	VFY:P5916-04GB	Clearance				453
VFY:P5916-09GB	Esprimo P5916, Core 2 Duo E6420, 1GB (2 x 512MB), 160GB, DVD SuperMulti Writer, XP Pro (3yrs on-site)	VFY:P5916-03GB	Clearance				510
VFY:P5925PG-07GB	Esprimo P5925, Core 2 Duo E6550, 1GB DDR2-667 (2 x 512MB), 80GB, DVD, Vista Business / XP Pro TwinLoad (3yrs on-site)	*SPECIAL PROMO OFFER*	Current				419
VFY:P5925-03GB	Esprimo P5925, Core 2 Duo E6550, 1GB DDR2-800 (2 x 512MB), 160GB, DVD-RW, Vista Business / XP Pro TwinLoad (3yrs on-site)	VFY:P5916-03GB	Current				522
VFY:P5925-02GB	Esprimo P5925, Core 2 Duo E6550, 2GB DDR2-800 (2 x 1GB), 250GB, DVD-RW, Vista Business / XP Pro TwinLoad (3yrs on-		Current				544
ESPRIMO E - Small Form Factor Desktop							
VFY:E5916-08GB	Esprimo E5916, Core 2 Duo E6420, 1 x 512MB, 80GB, DVD, XP Pro (3yrs on-site)	VFY:E5916-04GB	Clearance				453
VFY:E5916-09GB	Esprimo E5916, Core 2 Duo E6420, 1GB (2 x 512MB), 160GB, DVD SuperMulti Writer, XP Pro (3yrs on-site)	VFY:E5916-03GB	Clearance				510
VFY:E5925-01GB	Esprimo E5925, Core 2 Duo E6550, 1GB DDR2-800 (2 x 512MB), 160GB, DVD-RW, Vista Business / XP Pro TwinLoad (3yrs on-site)	VFY:E5916-09GB	Current				522
VFY:E5925-02GB	Esprimo E5925, Core 2 Duo E6550, 2GB DDR2-800 (2 x 1GB), 250GB, DVD-RW, Vista Business / XP Pro TwinLoad (3yrs on-site)		Current				544
ESPRIMO Q5020 - Ultra small, ultra fashionable PC based on mobile technology - Office Ready - NEW							
VFY:Q5020-01GB	Q5020, Celeron 540, 1 x 1GB, 80GB, DVD+/-RW, WLAN, Vista Business / XP Pro TwinLoad (wheelmouse, no keyboard)		Current				431
VFY:Q5020-02GB	Q5020, Core Duo T7250, 1 x 1GB, 80GB, DVD+/-RW, WLAN, Vista Business / XP Pro TwinLoad (wheelmouse, no keyboard)	VFY:Q5010-02GB	Current				510
Warranty Upgrade Packages							
FSP:GB3S10000GBBD2	Upgrade to 3 years on site 48 hour response for Esprimo Edition P/E25xx and P24xx		Current				39
FSP:GB3S20000GBBD2	Upgrade to 3 years on site nbd response for Esprimo Edition P/E25xx and P24xx		Current				51
FSP:GB3S20000GBBD3	Upgrade to 3 years on site nbd response for Esprimo (not incl Esprimo Edition P/E25xx, P/E35xx and P24xx)		Current				51
FSP:GB4S20000GBBD3	Upgrade to 4th year on site nbd response for Esprimo (not incl Esprimo Edition P/E25xx, P/E35xx and P24xx)		Current				68
FSP:GB4S10000GBBD3	Upgrade to 4th year on site 48 hour response for Esprimo (not incl Esprimo Edition P/E25xx, P/E35xx and P24xx)		Current				51
CELSIUS Workstations							
CELSIUS W360 Workstations - NEW							
VFY:W360-02GB	W360, Pentium D 2160, 1GB DDR2-800 (1 x 1GB), 160GB, DVD SuperMulti, Vista Business / XP Pro TwinLoad - no graphics ca	VFY:W350-14GB	Current				442
VFY:W360-03GB	W360, Core 2 Duo E4500, 1GB DDR2-800 (1 x 1GB), 160GB, DVD SuperMulti, Vista Business / XP Pro TwinLoad - no graphics car	VFY:W350-13GB	Current				465
VFY:W360-04GB	W360, Core 2 Duo E4500, 2GB DDR2-800 (2 x 1GB), 250GB, DVD SuperMulti, Vista Business / XP Pro TwinLoad - no graphics car	VFY:W350-12GB	Current				506
VFY:W360-05GB	W360, Core 2 Duo E6550, 2GB DDR2-800 (2 x1GB), 250GB, DVD SuperMulti, Vista Business / XP Pro TwinLoad - no graphics card	VFY:W350-11GB	Current				551
VFY:W360-06GB	W360, Core 2 Duo E6750, 2GB DDR2-800 (2 x 1GB), 250GB, DVD SuperMulti, Vista Business / XP Pro TwinLoad - no graphics car	VFY:W350-10GB	Current				578
CELSIUS M450 Workstations							
VFY:M450-07GB	M450, Core 2 Duo E4500, 1GB DDR2 (2 x 512MB), 250GB, DVD SuperMulti, XP Pro - no graphics card	VFY:M450-03GB	Current				567
VFY:M450-04GB	M450, Core 2 Duo E6600, 2GB DDR2 (2 x 1GB), 250GB, DVD SuperMulti, XP Pro - no graphics card		Current				817
CELSIUS R540 Workstations							
VFY:R540-01GB	R540, Dual Core Xeon 5130 2.00GHz (4MB cache), 1GB (2 x 512MB), 250GB, DVD SuperMulti, XP Pro - no graphics card		Current				999
CELSIUS H250 Mobile Workstation - Office Ready - NEW							
VFY:H250-03GB	Intel Core2 Duo T7500 2.2GHz, 1 x 1GB DDR2, 120GB, DVD SuperMulti , Bluetooth, WLAN, Vista Business	VFY:H240-03GB	Current				1192
CELSIUS Graphics cards							
S26361-F2856-L55	NVIDIA Quadro FX550 128MB	S26361-F2856-L254	Current				90
S26361-F2856-L215	NVIDIA Quadro FX1500 256MB		Current				260
S26361-F2748-L232	NVIDIA Quadro NVS 285 128MB		Current				67
S26361-F3000-L129	NVIDIA GeForce 7300LE 128MB		Current				56
S26361-F3000-L256	NVIDIA GeForce 7300LE 256MB		Current				67
S26361-F2530-L256	ATI Fire GL V5200 256MB		Current				272
S26361-F2757-L610	DVI Extension Adapter		Current				19
Displays							
ScaleoView L-Line - Entry Level							
S26361-K1223-V203	SCALEOVIEW **L19W-9** Widescreen Entry Level, response time 5ms, integrated speakers, silver and black - includes UK power cable, no DVI		New				113
S26361-K1188-V202	SCALEOVIEW **L22W-7SD** Widescreen Entry Level, 1 x DVD-D Digital, response time 5ms, silver and black - includes UK power cable		Current				158
S26361-K1224-V203	SCALEOVIEW **L22W-8** Widescreen Entry Level, response time 5ms, silver and black - includes UK power cable, no DVI		New				153
S26361-K1236-V203	SCALEOVIEW **L24W-2** Widescreen Entry Level, 1 x DVD-D Digital, response time 5ms, silver and black - includes UK power cable		New				260
ScenicView A-Line - corporate panel with >12 month lifecycle							
S26361-K1146-V150	SCENICVIEW **A17-3** Value Line, 1 x D-SUB, response time 5ms, integrated speakers, grey - no UK power cable included		Current				113
S26361-K1063-V150	SCENICVIEW **A19-1** Value Line, 1 x D-SUB, response time 8ms, integrated speakers, grey - no UK power cable included		Current				113
S26361-K1147-V150	SCENICVIEW **A19-3** Value Line, 1 x D-SUB, response time 5 ms, integrated speakers, grey - no UK power cable included		Current				128
S26361-K1177-V150	SCENICVIEW **A20W-3** Value Line, 1 x D-SUB, response time 5 ms, integrated speakers, grey - no UK power cable included		New				142
S26361-K1178-V150	SCENICVIEW **A22W-3** Value Line, 1 x D-SUB, response time 5 ms, integrated speakers, grey - no UK power cable included		New				158
ScaleoView D-Line - piano black design							
S26361-K1229-V170	SCALEOVIEW **D19-1**, 1 x D-SUB, 1 x DVI-D, response time 5ms, integrated speakers, piano black - no UK power cable included		New				139
S26361-K1230-V170	SCALEOVIEW **D22W-1**, 1 x D-SUB, 1 x DVI-D, response time 5ms, integrated speakers, piano black - no UK power cable included		New				173
ScenicView A-A Line - advanced value line, corporate panel with >12 month lifecycle, 4-in-1 stand, DVI							
S26361-K1098-V150	SCENICVIEW **A17-2A,** height-adjust 110mm, 1 x D-SUB, 1 x DVI-D Digital, response time 8ms, integrated speakers, grey - no UK power cable included		Current				113
S26361-K1150-V150	SCENICVIEW **A19-3A,** height-adjust 110mm, 1 x D-SUB, 1 x DVI-D Digital, response time 5 ms, integrated speakers, grey - no UK power cable included		New				147
S26361-K1180-V150	SCENICVIEW **A20W-3A,** height-adjust 110mm, 1 x D-SUB, 1 x DVI-D Digital, response time 5 ms, integrated speakers, grey - no UK power cable included		Price drop				173
S26361-K1181-V150	SCENICVIEW **A22W-3A,** height-adjust 110mm, 1 x D-SUB, 1 x DVI-D Digital, response time 5 ms, integrated speakers, grey - no UK power cable included		New				188
ScaleoView H-Line - Premium TN Panel (HDMI on selected models)							
S26361-K1183-V170	SCALEOVIEW **H19-2,** 1 x D-SUB, 1 x DVI-D, response time 5ms, integrated speakers, black and silver - no UK power cable included		Current				165
S26361-K1185-V170	SCALEOVIEW **H19W-2**, 1 x D-SUB, 1 x DVI-D, response time 5ms, integrated speakers, black and silver - no UK power cable included		Current				159
S26361-K1118-V170	SCALEOVIEW **H22-1W**, 1 x D-SUB, 1 x DVI-D, HDMI, response time 5ms, integrated speakers, black and silver - no UK power cable included		Current				226
ScenicView B-Line - Premium TN Panel, 5-in-1 stand, dual hinge axis management							
S26361-K1142-V150	SCENICVIEW **B17-3** height-adjust 120mm, 1 x D-SUB, 1 x DVI-D digital, response time 5ms, integrated speakers, grey - no UK power cable included		Current				142
ScaleoView Q-Line - piano black design, 3000:1 ultra high contrast, built-in webcam							
S26361-K1213-V170	SCALEOVIEW **Q22W-1** Widescreen Multifunctional VoIP display, D-SUB, DVI-D, HDMI, 5ms response time, piano black - no UK cable included		New				260
ScenicView P-Line - Premium Panel Technology, enhanced ergonomic stand, dual interface (& HDMI / HDCP on selected models)							
S26361-K983-V151	SCENICVIEW **P19-2P** height-adjust 120 mm, 1 x D-SUB, 1 x DVI-D digital, response time 8 ms, integrated spks, grey - no UK cable included		Current				203
S26361-K984-V150	SCENICVIEW **P20-2** height-adjust 120mm, 1 x D-SUB, 1 x DVI-D digital, response time 8ms, integrated speakers, grey - no UK cable included		Current				286
S26361-K1174-V150	SCENICVIEW **P20W-3** height-adjust 120mm, 1 x D-SUB, 1 x DVI-D digital, HDMI, response time 5ms, integrated speakers, grey - no UK cable included		Price drop				226
S26361-K1175-V150	SCENICVIEW **P22W-3** height-adjust 120mm, 1 x D-SUB, 1 x DVI-D digital, HDMI, response time 5ms, integrated speakers, grey - no UK cable included		Price drop				260
S26361-K1176-V150	SCENICVIEW **P24W-3** height-adjust 120mm, 1 x D-SUB, 1 x DVI-D digital, HDMI, response time 6ms, integrated speakers, grey - no UK cable included		New				488

All monitors and displays come with 3 years standard warranty, door to door exchange service
For all Monitors please note new partcode for UK cable - T26139-Y1744-**V10**

value4you

Esprimo Accessories Matrix

FUJITSU COMPUTERS SIEMENS

Please Refer to the Price Book for further details and the corresponding price

Category	Description	ESPRIMO P5925 iQ35	ESPRIMO P5720 iQ33	ESPRIMO P3500 i945G	ESPRIMO P5905 i945G	ESPRIMO P5915 iQ965	ESPRIMO P5916 iQ965 iAMT	ESPRIMO P5700 i915GV	ESPRIMO P5710 ATI Radeon Xpress 1100	ESPRIMO P5600 SiS761	ESPRIMO P5615/ 5616 nForce4	ESPRIMO Q5000 i945GM	ESPRIMO Q5010 i945GM	Product Code
Accessories & services matrix														
Memory														
	512MB DDR2 533			X	X	X	X	X	X		X			S26361-F2888-L112
	1GB DDR2 533			X	X	X	X	X	X		X			S26361-F2888-L114
	512MB DDR2-667	X	X	X		X	X		X		X			S26361-F2989-L112
	1GB DDR2-667	X	X	X		X	X		X		X			S26361-F2989-L114
	1GB DDR2-667											X	X	S26361-F2992-L114
Graphics														
	DVI Ext. Adapter i915GV i945G iQ965 ATI	X	X	X	X	X	X	X	X					S26361-F2757-L610
	DVI Extension Adapter, nForce4										X			S26361-F3305-L200
	Dual DVI Ext. Adapter i945G iQ965	X	X	X	X	X	X							S26361-F2757-L650
	NVIDIA GeForce 7300LE 128MB TrueMemoryLP				X									S26361-F3000-L128
	NVIDIA GeForce 7300LE 128MB TrueMemory	X	X	X	X	X	X		X		X			S26361-F3000-L129
	NVIDIA GeForce 7300LE 256MB TrueMemory	X	X	X	X	X	X		X		X			S26361-F3000-L256
Removable Media Drives														
	DVD SATA	X	X	X		X	X		X		X			S26361-F3418-L10
	CD-RW \ DVD SATA			X		X	X		X		X			S26361-F3419-L10
	DVD SuperMulti SATA	X	X	X		X	X		X		X			S26361-F3420-L10
	DVD SuperMulti SATA													S26361-F3447-L10
	MultiCard Reader 15in1 USB 2.0, 3 1/2"													S26361-F3077-L2
	MultiCard Reader 15in1 USB 2.0, 3 1/2"	X	X	X	X	X	X	X	X		X			S26361-F3077-L20
	FDD 1.44 MB	X	X	X	X	X	X	X	X		X			S26361-F1723-L30
	Floppy Disk Drive for 5.25" bay													S26361-F1723-L31
	Floppy Disk Drive 1.44MB USB external	X	X	X	X	X	X	X	X		X			S26361-F2383-L20
Hard Disk Drives														
	HDD SATA II 80GB 7.2k	X	X	X	X	X	X	X	X		X			S26361-F3210-L100
	HDD SATA II 160GB 7.2k	X	X	X	X	X	X	X	X		X			S26361-F3211-L100
	HDD SATA II 250GB 7.2k	X	X	X	X	X	X	X	X		X			S26361-F3212-L100
	10 pieces HDD SATA II 80GB 7.2k	X	X	X	X	X	X	X	X		X			S26361-F3477-L10
	10 pieces HDD SATA II 160GB 7.2k	X	X	X	X	X	X	X	X		X			S26361-F3478-L10
Communication/Network														
	Gigabit Ethernet SysKonnect	X	X	X	X	X	X	X	X		X			S26361-F3067-L1
	WLAN II, 802.11g, 54Mbps	X	X	X	X	X	X	X	X		X			S26361-F3108-L2
	PCI Parallel Card FH (1 port)					X	X		X		X			S26361-F3465-L100
	Dual serial card, PCI, EX-43092	X	X	X		X	X		X		X			S26361-F3316-L2
	FireWire PCI-Card IEEE1394	X	X	X	X	X	X	X	X		X			S26361-F3106-L520
	USB Adapter PS/2					X	X		X		X			S26391-F5100-L100
Accessories & services matrix														
Communication/Network (Continued)														
Audio/Video														
	Headset	X	X	X	X	X	X	X	X		X	X	X	S26361-F2631-L10
Miscellaneous														
	monitor outlet cable	X	X		X	X	X	X	X		X			S26361-F2542-L57
	Cable for 2. USB device				X	X	X	X	X		X			S26361-F2581-L10
	Keyboard & Power Cord (N)	X	X	X		X	X		X		X			S26361-F2542-L274
	Keyboard & Power Cord (FIN/ S)	X	X	X		X	X		X		X			S26361-F2542-L275
	Keyboard & Power Cord (DK)	X	X	X		X	X		X		X			S26361-F2542-L277
	Rear USB 2.0 connector	X	X	X	X	X	X	X	X		X			S26361-F2438-L215
	Blanking Plate, 5,25" drive bays, 10 pcs				X			X						S26361-F2542-L322
	Blanking Plate, 5,25" drive bays, 10 pcs	X	X	X		X	X		X		X			S26361-F2542-L323
	Blanking Plate, 3,5" drive bays, 10 pcs	X	X	X	X	X	X	X	X		X			S26361-F2542-L230
Security Software														
	SmartCase CardAPI	X	X		X	X	X	X	X		X			S26361-F1571-L300
	SmartCase Logon+ 2.0	X	X		X	X	X	X	X		X			S26361-F2727-L730
	SmartCase Logon+ license (1-99 users)	X	X		X	X	X	X	X		X			S26361-F2727-L100
Security Hardware														
	MicroSaver	X	X	X	X	X	X	X	X		X	X	X	S26361-F1650-L200
	MicroSaver Combination	X	X	X	X	X	X	X	X		X	X	X	S26361-F1650-L500
	SmartCase SCR (internal USB)	X	X		X	X	X	X	X		X			S26361-F1260-L520
	SmartCase SCR (USB)	X	X	X	X	X	X	X	X		X			S26361-F2542-L220
	SmartCase SmartCard (qty. 1)	X	X		X	X	X	X	X		X			S26361-F1571-L201
	SmartCase SmartCard (qty. 10)	X	X		X	X	X	X	X		X			S26361-F1571-L210
	SmartCase Fingerprintsensor (USB)	X	X			X	X		X		X	X	X	S26361-F2542-L222
	VALUE SCR Keyboard GB (USB)	X	X		X	X	X	X	X		X			S26381-K300-L165
	VALUE SCR Keyboard I (USB)	X	X		X	X	X	X	X		X			S26381-K300-L185
Mouse														
	Logitech Bluetooth Mouse											X	X	LTC:M-RBB93
Cables														
	Scart cable											X	X	S26391-F6105-L1
	USB Centronics printer cable	X	X	X		X	X		X		X			S26391-F6055-L100
	USB-serial cable	X	X	X		X	X		X		X			S26391-F6054-L100
Keyboards														
	Wireless Keyboard LX850 GB	X	X	X		X	X		X		X	X	X	S26381-K374-L565
OS/Application-SW														
	WinDVD 7.0 Software Player	X	X	X	X	X	X	X	X		X	X	X	S26361-F2598-L20
	Vista Drivers&Utility ESPRIMO, CELSIUS W	X	X	X		X	X		X		X		X	S26361-F2007-L901
	Media Less Key Office 07 Basic (GB)	X	X	X		X	X		X		X		X	S26361-F2727-L556
	Media Less Key Office 07 SBE (GB)	X	X	X		X	X		X		X		X	S26361-F2727-L557
	Media Less Key Office 07 PRO (GB)	X	X	X		X	X		X		X		X	S26361-F2727-L558
	MS Device CAL for Win Server 2003, GB	X	X		X	X	X	X	X		X	X	X	S26361-F2565-L610
	MS 1 User CAL for Win Server 2003, GB	X	X		X	X	X	X	X		X	X	X	S26361-F2565-L620
	MS 5 Device CAL for Win Server 2003, GB	X	X		X	X	X	X	X		X	X	X	S26361-F2565-L650
	MS 5 User CAL for Win Server 2003, GB	X	X		X	X	X	X	X		X	X	X	S26361-F2565-L660
	MS 5 Device TS-CAL Win Server 2003, GB	X	X		X	X	X	X	X		X	X	X	S26361-F2565-L670
	MS 5 User TS-CAL Win Server 2003, GB	X	X		X	X	X	X	X		X	X	X	S26361-F2565-L680

value4you

Distribution
What to Buy Guide - November 2007

FUJITSU COMPUTERS SIEMENS

Fujitsu Siemens Computers recommends Windows® XP Professional

PRIMERGY SERVERS

Product ID	Product Description	Rack / Tower	onboard raid	hot-plug psu	hot-plug fans	keyboard	Previous Code	Product Status	Price Comment				RRP (£)
Microsoft Server Operating Systems (reseller option kits)													
S26361-F2565-L230	Windows Server 2003 R2, ROK SE SP2, GB							Current	No change				382
S26361-F2565-L270	Windows Server 2003 R2, ROK SE x64 (64bit) SP2, GB							Current	No change				382
S26361-F2565-L250	Windows Small Business Server 2003 R2, ROK SE SP2, GB							Current	No change				234
S26361-F2565-L260	Windows Small Business Server 2003 R2, ROK PREMIUM SP2, GB							Current	No change				500
ECONEL 100 - Mono processor data security for smaller budgets													
VFY:ECO100-919GB	PY Eco100a/PD 925/1G/160G DVD-ROM ATAPI Keyboard, Power cord **(1 Yr Warranty)**	T	0,1,10	no	no	yes	VFY:ECO100-916GB	Current	No change				246
VFY:ECO100S2-003GB	PY ECO100S2/Intel UP3065 /1GB/160G /DVD/POW.CORD/ KB SX GB/ **(1yr Warranty)**	T	0,1,10	no	no	yes	VFY:ECO100-916GB	New	New				347
ECONEL 200 - Dual processor performance for combined data security and economy													
VFY:ECO200S2-911GB	PY ECo200S2a/X51110/2*512MB/160GB/DVD/Power/KeyB/**(1 Yr Warranty)**	T	0,1	no	no	yes	VFY:ECO200S2-012GB	Current	No change				406
VFY:ECO200S2-005GB	PY ECO200S2A/X 5310/160G /2X 512MB ECC/ DVD/KB SX GB/POW.CORD/ **(1 Yr Warranty)**	T	0,1	no	no	yes		New	New				559
TX120 - The most energy efficient server in the world													
VFY: TX120-904GB	Xeon UP 3040 1.86GHz 2MB 1066MHz,1GB Ram,DVD-RW DL\DVD-RAM,HD SAS 3Gb/s 73GB 10k hot plug 2.5"	T	0, 1, 1E	yes	yes	yes	none	Current	No change				624
TX150 S5 - Mono processor tower configured with highest Data capacity in it class, remote management as standard and a superbly quiet operation													
VFY:TX150S5-011GB	Intel PD 925, (3.0GHz/80MHz/2M), 1 x 1GB, 1 x DVD**(1Yr Warranty)**	T	1	opt.	no	yes	VFY:TX150S5-001GB	Current	No change				399
VFY:TX150S5-003GB	PY TX150S5FI/XEON UP 3040 /1GB ECC/DVD/ POW.CORD/KB SX GB/ Diskless **(1Yr Warranty)**	T	1	opt.	no	yes	none	Current	No change				478
TX200 S3 - Dual socket 2U Xeon based Tower Server , now utilising Dual core Technology from Intel - available in Quad core variant in CFY													
VFY:TX200S3-002GB	PY TX200S3FI/X 5110 /2X 512MB ECC/DVD/ KB SX GB/POW.CORD/	T	0,1	opt.	opt.	yes	none	Current	No change				800
VFY:TX200S3-003GB	PY TX200S3fi/X 5310/2*1GB/DVD/Pwr/KeyB	T	0,1	opt.	opt.	yes	none	Current	No change				894
TX300 S3 - Dual processor performance giving piece of mind for the most important applications - available in Quad core variant as CFY													
VFY:TX300S3-004GB	PY TX300S3f/X E5310/2GB/DVD, Pwr cord (disckssless)	T	0,1	yes1	yes	yes	none	Current	No change				1245
VFY:TX300S3-005GB	PY TX300S3F/X E5335 /2X 1GB ECC/DVD/ POW.CORD/KB SX GB/	T	0,1	yes1	yes	yes	VFY:TX300S3-901GB	New	New				1362
RX100 S4 - Mono processor optimised in cost, size and complexity for easy deployment													
VFY:RX100S4-011IN	PY RX100S4A/PD 925 /1GB ECC/CD-RW/DVD/ 160GB 7.2K/PCIE+PCI-X RISER/ **(1Yr Warranty)**	R1u	0,1	no	no	no	VFY:RX100S4-001IN	Current	No change				608
VFY:RX100S4-012IN	RX100S4 X 3050,1GB, CD-RW\DVD, 1 x 160GB SATA, PCIE+PCI-X RISER **(1yr Warranty)**	R1u	0,1	no	no	no	VFY:RX100S4-002IN	Current	No change				664
RX200 S3 - Dual processsor reliable and efficient workhorse for server farms - now with low voltage Quad core offerings													
VFY:RX200S3-013IN	Intel Xeon DP 5110, (1.60GHz/1066MHz/4MB),2x512MB, PCI RISER/(Diskless)	R1u	1	opt.	no	no	VFY:RX200S3-003IN	New	No change				1105
VFY:RX200S3-907GB	PY RX200S3/X L5320,2GB 2x1GB Base,DVD-RW DL\DVD-RAM ,Harddisk Bay Option 2x3.5, PCIe rise, (low voltage)	R1u	0,1	no	no	no	none	Current	No change				1185
ECONEL 230R S1 - Dual-Core AMD Opteron™ Processor 2000 series based Rack Server – Dual-Core performance combined with economy features													
VFY:ECO230R-004IN	PY Eco230RS1/O 2216, 2GB 2x1GB DDR, DVD-ROM ATAPI, Upgrade kit hot-plug hard disks,Diskless	R2u	0,1	yes	yes	no	none	New	New				847
RX330 S1 - Dual-Core AMD Opteron™ Processor 2200 "Barcelona" series based Rack Server – high performance at low price													
VFY:RX330S1-004IN	PY RX330S1/O 2220, 2GB 2x1GB DDR2-667 PC2-5300 rg ECC, DVD-RW DL\DVD-RAM ATAPI, Diskless	R2u	0,1	yes	yes	no	none	New	No change				1353
RX300 S3- Dual processor compact capacity server in central service to your departments now with a new V4Y Quad core partnumber- now with Low voltage Quad core offerings													
VFY:RX300S3-013IN	PY RX300S3/X E5110 /2X 512MB ECC FAN UPGRADE KIT/	R2u	1	yes	yes	no	VFY:RX300S3-003IN	New	No change				1171
VFY:RX300S3-004IN	PY RX300S3/X E5310 /2X 1GBMB ECC/ FAN UPGRADE KIT/(diskless)	R2u	1	yes	yes	no	VFY:RX300S3-911IN	Current	No change				1411
VFY:RX300S3-922GB	PY RX300S3/X L5320,2GB 2x1GB Base,,Floppy Disk Drive 1.44MB slimline,DVD-RW DL\DVD-RAM (Low Voltage)	R2u	1	yes	yes	no	none	Current	No change				1411

Storage - FibreCAT SX Disk Systems and My Very First SAN

Product ID	Product Description	Product Status				RRP (£)
FibreCAT SX60						
D:FCSX60P1-250-5	FibreCAT SX60, 5x250GB SATA, single RAID controller	Current				3819
D:FCSX60P2-500-5	FibreCAT SX60, 5x500GB SATA, single RAID controller	Current				4918
FibreCAT SX60 Options						
D:FCSX-SATA250-L	HDD SATA 250GB 7.2k (max 12 per shelf)	Current				189
D:FCSX-SATA500-L	HDD SATA 500GB 7.2k (max 12 per shelf)	Current				164
D:FCSX-RD60-L	RAID Controller SX60 (optional 2nd RAID Controller)	Current				2073
FibreCAT SX80						
D:FCSX80P1-250-5	FibreCAT SX80, 5x250GB SATA, dual RAID controllers	Current				7638
D:FCSX80P2-500-5	FibreCAT SX80, 5x500GB SATA, dual RAID controllers	Current				8722
D:FCSX80P3-73-5	FibreCAT SX80, 5x 73GB SAS, dual RAID controllers	Current				8635
D:FCSX80P4-146-5	FibreCAT SX80, 5x 143GB SAS, dual RAID controllers	Current				10016
FibreCAT SX80 Options						
D:FCSX-SATA250-L	HDD SATA 250GB 7.2k (max 12 per shelf)	Current				189
D:FCSX-SATA500-L	HDD SATA 500GB 7.2k (max 12 per shelf)	Current				164
D:FCSX-SAS73-L	SX-HDD SAS 73GB 15k (max 12 per shelf)	Current				216
D:FCSX-SAS146-L	SX-HDD SAS 146GB 15k (max 12 per shelf)	Current				333
My Very First SAN - Special Pricing on Silkworm switches and Fibre Channel Controllers when ordered with a FibreCAT SX60 or SX80						
D:FCSW-SX	FC Switch 8 Port WP, ZO for SX	Current				1671

Expansion shelves are also available on request.

Storage - FibreCAT NX File & Print Servers

Product ID	Product Description	Product Status				RRP (£)
FibreCAT NX20						
D:FCNX-20-S5	FibreCAT NX20 Base Unit	Current				1285
FibreCAT NX20 Options						
D:FCN-HDSATA2504	4x SATA HDD 250GB 7,200 rpm, 1" height	Current				534
D:FCN-HDSATA5004	4x SATA HDD 500GB 7,200 rpm, 1" height	Current				1457
S26361-F2565-E539	FibreCAT NX20-S5 Recovery Kit	Current				18
FibreCAT NX40						
D:FCNX-40-S3	FibreCAT NX40 Base Unit	Current				2265
FibreCAT NX40 Options						
D:FCNX-CPU320	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Current				425
D:FCNX-1GBMEM	1GB MEM for FibreCAT NX40	Current				210
D:FCNX-SAS-OS146	2x HD SAS 36GB 4x SAS 146GB	Current				1400
D:FCNX-SAS-OS300	2x HD SAS 36GB 4x SAS 300GB	Current				2486
D:FCNX-SAS-OS	2x HD SAS 3Gb/s 36GB 15k hot plug 3.5"	Current				348
D:FCNX-RAID	RAID Ctrl 2-Channel 128MB BBU LSI	Current				559
S26361-F2565-E528	FibreCAT NX40 S3 Recovery Kit	Current				18

Additional memory, removable media drives, controllers, UPS and software are available (as for PRIMERGY). Ask for details.
FibreCAT NX systems can be connected to FibreCAT disk systems for additional storage

Storage - FibreCAT TX Tape Systems

Product ID	Product Description	Product Status				RRP (£)
FibreCAT TX10 VXA, 1U Autoloaders. Up to 1.6/3.2TB (native/compressed)						
D:FCTX10-V3B	FibreCAT TX10, 1dr, 10 Slot,1U,VXA320 Channel Edition without access	Current				1313
D:VXA3-110B-1U	FibreCAT TX10, 1dr, 10 Slot,1U,VXA320 Enterprise Edition with rack kit	Current				2245
FibreCAT TX10 Media						
D:CR-VXA2-X10-01L	VXA-2/320 data cartridge 40/80GB labeled	Current				18
D:CR-VXA2-X23-01L	VXA-2/320 data cartridge 80/160GB labeled	Current				36
D:CL-VXA2-X-01L	VXA cleaning cartridge with label	Current				17
My very first Robot: FibreCAT TX24 LTO, 2U Autoloaders with free 12 slot magazine and carrying case. Up to 9.6/19.2TB						
D:FCTX24-M112-L2H	FibreCAT TX24, 1dr, LTO2HH SCSI, 12 slots upgradeable to 24	Current				2289
D:FCTX24-M112-L3H	FibreCAT TX24, 1dr, LTO3HH SCSI, 12 slots upgradeable to 24	Current				2449
FibreCAT TX24 LTO, 2U Autoloaders: Fibre Channel. Up to 9.6/19.2TB						
D:FCTX24-112-L3F	FibreCAT TX24, 1dr, LTO3 FC, 12 slots upgradeable to 24	Current				3700
FibreCAT TX48 LTO, 4U Autoloaders. Up to 19.2/38.4TB						
D:FCTX48-112-L3	FibreCAT TX48, 1dr, LTO3 SCSI, 12 slots upgradeable to 48	Current				3499
D:FCTX48-112-L3F	FibreCAT TX48, 1dr, LTO3 FC, 12 slots upgradeable to 48	Current				3935
FibreCAT TX24 / TX48 Options						
D:FCTX-U2L-HH	FibreCAT TX24 Tape drive LTO2 Half Height SCSI	Current				1592
D:FCTX-24S-UPG	FibreCAT TX24 upgrade licence from 12 to 24 slots	Current				1056
D:FCTX48-24S-UPG	FibreCAT TX48 upgrade licence from 12 to 24 slots	Current				1664
D:FCTX48-36S-UPG	FibreCAT TX48 upgrade licence from 24 to 36 slots	Current				1664
D:FCTX48-48S-UPG	FibreCAT TX48 upgrade licence from 36 to 48 slots	Current				1664
D:FCTX-CM12	Magazine 12 slots for TX24/48	Current				182
D:FCTX-CM12M	Magazine 12 slots and mail slot for TX24/48	Current				259
FibreCAT TX24 / TX48 Media						
D:CR-LTO2-FJ-01L	LTO 2 data cartridge 200/400GB Fuji with label	Current				21
D:CR-LTO3-FJ-01L	LTO 3 data cartridge 400/800GB Fuji with label	Current				29
D:CR-LTO3-FJ-01WL	LTO 3 WORM data cartridge 400/800GB Fuji with label	Current				59
D:CR-LTO3-FJ-12L	12 LTO 3 cartridges 400/800GB Fuji with label	Current				329
D:CL-LTO2-FJ-01L	LTO cleaning cartridge Fuji with label	Current				41
Cables						
D:KB230-M3	SCSI-Cable, LVD, HD68(S)-HD68(S), 3m	Current				63
D:KB235-M3	SCSI-Cable, LVD, UHD68(S)-HD68(S), 3m	Current				136

PDA, Notebook, PC, Primergy Service Pack & Notebook Insurance List.

Fujitsu Siemens Sevice Packs can be purchased up to to 90 days after the host system purchase and will require the registration of the serial number of host system to activate the cover.

Fujitsu Siemens Notebook Insurance

Warranty Group	MODELS		DESCRIPTION	PRODUCT CODE			RRP	Comment
Notebooks			Notebooks: 1 year cover	LBY:GBD-INS1NBK			50	
	Amilo, Amilo Pro, PDA, Lifebook C,E,S P7010 & P7120		Amilo, Amilo Pro, PDA, Lifebook C,E,S P7010 & P7120: 3 year cover	LBY:GBD-INS3NBK			120	
Pen Tablet PCs			Pen Tablet PCs: 1 year cover	LBY:GBD-INS1PTP			75	
	Lifebook T, P1510, Stylistic STxxx, Celsius H		Lifebook T, P1510, Stylistic STxxx, Celsius H: 3 year cover	LBY:GBD-INS3PTP			180	

Fujitsu Siemens Service Packs

Warranty Group	Service Description	Product codes			RRP	Comment
Business Mobiles	Amilo Pro Edition- Service Pack 3 years Collect & Return Service, 5x9	FSP:GB3C00000GBCN3			75	
Business Mobiles	Pocket LOOX - Service Pack 3 years Send-In/Return-to-Base Service, 5x9	FSP:GB3R00000GBLOX			36	
Business Mobiles	Amilo Pro V8xxx- Service Pack 3 years Collect & Return Service, 5x9	FSP:GB3C00000GBNBL			175	
Business Mobiles	Amilo Pro V8xxx- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GB3S20000GBNBL			220	
Business Mobiles	Lifebook E,S- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GC3S20000GBNBS			88	
Business Mobiles	Lifebook C- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GB3S20000GBNBG			88	
Business Mobiles	PDA entry- Service Pack 3 years Send-In/Return-to-Base Service, 5x9	FSP:GB3R00000GBPDA			36	
Business Mobiles	LB T and Stylistic Models- Service Pack 3 years Collect & Return Service, 5x9	FSP:GB3C00000GBPEN			36	
Business Mobiles	PEN Tablet Dock- Service Pack 3 years Collect & Return Service, 5x9	FSP:GB3C00000GBPT1			5	
Consumer Mobiles	AMILO D- Service Pack 3 years Collect & Return Service, 5x9	FSP:GB3C00000GBCN1			75	
Consumer Mobiles	Amilo Product M, Pi, Si & Xi- Service Pack 3 years Collect & Return Service, 5x9	FSP:GB3C00000GBCN2			145	
Consumer Mobiles	AMILO Batch- Service Pack 3 years Collect & Return Service, 5x9	FSP:GB3C00000GBNBA			75	
Consumer PC	Consumer Scaleo P- Service Pack 3 years On-Site Service, 5x9	FSP:GA3S00000GBCDM			145	
Consumer PC	Consumer Scaleo H- Service Pack 3 years On-Site Service, 5x9	FSP:GA3S00000GBCDU			145	
Consumer PC	Consumer Scaleo E- Service Pack 3 years Collect & Return Service, 5x9	FSP:GA3C00000GBDH1			145	
Business PC	Esprimo- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GB3S20000GBBD3			51	
Business PC	Esprimo Edition- Service Pack 3 years On-Site Service, second business day response, 5x9	FSP:GB3S10000GBBD2			39	
Business PC	Esprimo Edition- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GB3S20000GBBD2			56	
SHV Servers	PRIMERGY BX630 2way AMD/R- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBP61			90	
SHV Servers	PRIMERGY BX630 4way AMD/R- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBP62			90	
SHV Servers	PRIMERGY BX630 8way AMD/R- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBP63			90	
SHV Servers	PRIMERGY TX150 - Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPA1			158	
SHV Servers	PRIMERGY TX150 - Service Pack 3 years On-Site Service, 5x9	FSP:GB3S00000GBPA1			47	
SHV Servers	PRIMERGY TX150 - Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPA1			254	
SHV Servers	PRIMERGY TX150 - Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPA1			323	
SHV Servers	PRIMERGY TX200 - Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPA2			228	
SHV Servers	PRIMERGY TX200 - Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPA2			354	
SHV Servers	PRIMERGY TX200- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPA2			132	
SHV Servers	PRIMERGY TX300 S2- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPA3			440	
SHV Servers	PRIMERGY TX300 S2- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPA3			671	
SHV Servers	PRIMERGY TX300 - Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPA3			255	
SHV Servers	PRIMERGY TX600- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPA6			704	
SHV Servers	PRIMERGY TX600- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPA6			1,094	
SHV Servers	PRIMERGY TX600- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPA6			408	
SHV Servers	Site Service, 4h response, 5x9	FSP:GD3S60000GBPB6			311	
SHV Servers	Site Service, 4h response, 7x24	FSP:GD3S63000GBPB6			449	
SHV Servers	PRIMERGY BX600 housing- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPB6			186	
SHV Servers	Primergy Blade Server Midrange CPU Blade BX600 - Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPB7			155	
SHV Servers	Primergy Blade Server Midrange CPU Blade BX600 - Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPB7			225	
SHV Servers	Primergy Blade Server Midrange CPU Blade BX601- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPB7			90	
SHV Servers	PRIMERGY BX660- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPB8			90	
SHV Servers	PRIMERGY BX630- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPB9			90	
SHV Servers	PRIMERGY RX300 S3 Edition- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPE1			271	
SHV Servers	ECONEL 50 Edition- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPEE			104	
SHV Servers	ECONEL 50 Edition- Service Pack 3 years On-Site Service, 5x9	FSP:GB3S00000GBPEE			27	
SHV Servers	PRIMERGY RX100/100 S2,3,4,5- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPR1			158	
SHV Servers	PRIMERGY RX100/100 S2,3,4,5- Service Pack 3 years On-Site Service, 5x9	FSP:GB3S00000GBPR1			27	
SHV Servers	PRIMERGY RX100/100 S2- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPR1			238	
SHV Servers	PRIMERGY RX100/100 S2- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPR1			300	
SHV Servers	PRIMERGY RX200 - Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPR2			305	
SHV Servers	PRIMERGY RX200 - Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPR2			433	
SHV Servers	PRIMERGY RX200 - Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPR2			176	
SHV Servers	PRIMERGY RX300 S2- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPR3			468	
SHV Servers	PRIMERGY RX300 S2- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPR3			724	
SHV Servers	PRIMERGY RX300 - Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPR3			271	
SHV Servers	PRIMERGY RX600- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPR6			704	
SHV Servers	PRIMERGY RX600- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPR6			959	
SHV Servers	PRIMERGY RX600- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPR6			408	
SHV Servers	PRIMERGY RX800- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPR8			853	
SHV Servers	PRIMERGY RX800- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPR8			1,177	
SHV Servers	PRIMERGY RX800- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBPR8			494	
SHV Servers	PRIMERGY SX10 (Based on: 2 x DLT8000, 1 x PSU, 1 x Fan, I/O- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPS1			826	
SHV Servers	PRIMERGY SX10 (Based on: 2 x DLT8000, 1 x PSU, 1 x Fan, I/O- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPS1			958	
SHV Servers	PRIMERGY SX30 (Based on: 15 x 73Gb HDD, 2 x PSU, 2 x Fan, I/O, RAID- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBPS2			826	
SHV Servers	PRIMERGY SX30 (Based on: 15 x 73Gb HDD, 2 x PSU, 2 x Fan, I/O, RAID- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBPS2			958	
SHV Servers	PRIMERGYBlade Server CPU Blade BX300- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBSBL			165	
SHV Servers	PRIMERGYBlade Server CPU Blade BX300- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBSBL			255	
SHV Servers	PRIMERGY Blade Server Entry Chassis BX300 incl. 2 Switch-Blades & 2 Management-Blades - Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBSBX			276	
SHV Servers	PRIMERGY Blade Server Entry Chassis BX300 incl. 2 Switch-Blades & 2 Management-Blades - Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBSBX			387	
SHV Servers	ECONEL 100,200- Service Pack 3 years On-Site Service, next business day response, 5x9	FSP:GE3S20Z00GBSFC			130	
SHV Servers	ECONEL 100,200- Service Pack 3 years On-Site Service, 5x9	FSP:GB3S00000GBSFC			34	
SHV Servers	ECONEL 100,200- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBSFC			253	
SHV Servers	Primergy Racks & Infrastructure (Includes : Monitor, Rack K/B + Mouse, KVM Switch) - Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBSRI			537	
SHV Servers	Primergy Racks & Infrastructure (Includes : Monitor, Rack K/B + Mouse, KVM Switch) - Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBSRI			752	
Storage Products	AX Storage- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBAX1			1,677	
Storage Products	AX Storage- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBAX1			2,101	

Warranty Group	Service Description	Product codes			List (£)	Comment
Storage Products	FibreCAT CX300 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBCX2			3,671	
Storage Products	FibreCAT CX300 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBCX2			6,212	
Storage Products	FibreCAT CX500 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBCX4			6,538	
Storage Products	FibreCAT CX500 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBCX4			11,064	
Storage Products	FibreCAT CX700 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBCX6			11,123	
Storage Products	FibreCAT CX700 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBCX6			18,824	
Storage Products	FibreCAT CX Expansion Unit-ATA- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBCXA			3,206	
Storage Products	FibreCAT CX Expansion Unit-ATA- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBCXA			5,426	
Storage Products	FibreCAT CX Expansion/- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBCXE			3,206	
Storage Products	FibreCAT CX Expansion/- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBCXE			5,426	
Storage Products	FibreCAT S80- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBFC5			2,189	
Storage Products	FibreCAT S80- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBFC5			3,704	
Storage Products	FibreCAT S80 Expansion Unit- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBFC6			1,318	
Storage Products	FibreCAT S80 Expansion Unit- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBFC6			2,230	
Storage Products	FibreCAT SX60 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBFC7			1,786	
Storage Products	FibreCAT SX60 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBFC7			3,022	
Storage Products	FibreCAT SX80 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBFC8			1,786	
Storage Products	FibreCAT SX80 Base Unit- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBFC8			3,022	
Storage Products	FibreCAT SX60/SX80 Expansion Unit- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBFC9			800	
Storage Products	FibreCAT SX60/SX80 Expansion Unit- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBFC9			1,354	
Storage Products	NAS FibreCAT-N2x- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBFN2			552	
Storage Products	NAS FibreCAT-N2x- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBFN2			698	
Storage Products	NAS FibreCAT-N4x- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBFN4			1,269	
Storage Products	NAS FibreCAT-N4x- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBFN4			2,148	
Storage Products	SCALAR 100 LTO-2/3 incl 1 drive- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBS01			4,282	
Storage Products	SCALAR 100 LTO-2/3 incl 1 drive- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBS01			5,277	
Storage Products	SCALAR 100 LTO2 Drive Module- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBS02			1,941	
Storage Products	SCALAR 100 LTO2 Drive Module- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBS02			2,347	
Storage Products	SCALAR 100 LTO-3 Drive Module- Service Pack Classic 3 years On-Site Service, 4h response, 5x9	FSP:GD3S60000GBS08			1,941	
Storage Products	SCALAR 100 LTO-3 Drive Module- Service Pack Classic 3 years On-Site Service, 4h response, 7x24	FSP:GD3S63000GBS08			2,347	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Positioning Tablet PC

STYLISTIC ST511x

The STYLISTIC ST511x Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting.
The new chipset and the advantages of SunLight and AnyLight Display make it the ultimative working tool for every purpose.
It's light, thin and robust and enables a convenient working on every location - indoor and outdoor

STYLISTIC Accessories

Extend your STYLISTIC tablet PC to your needs. More convenience for your business trips and more functionality enabling easy working.
Fujitsu Siemens Computers offers a vast range of accessories for your STYLISTIC ST Series:
docking unit, power supply devices, different storage media and special cases that provide maximum protection while transportation.



Fujitsu Siemens Computers recommends Windows Vista™ Business.

STYLISTIC ST511x Series **Data Sheets: http://www.fujitsu-siemens.com/stylistic**

The STYLISTIC ST511x Series will make you more productive in a variety of mobile situations, whether you're on your way to an appointment, giving a presentation or taking notes with "electronic ink" during a meeting. A new chipset and the advantages of SunLight and AnyLight Display make it the ultimative working tool for every purpose.
It's specially designed for working while standing or walking.
It's light, thin and robust. Its brilliant display enables a convenient working on every location - indoor and outdoor.
Customers all over the world like sales professionals, service technicians, surveyors, inspectors or doctors are persuaded of the natural pen interface.
The smart worker will enjoy the outstanding connectivity of the ultimate tablet PC – WLAN, IrDA, Bluetooth. Courtesy of Intel® CentrinoTM Duo processor technology the STYLISTIC ST511x Series facilitates nonstop working for up to 9 hours.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	Screen	Graphics	Audio	Code			End User Price (£)	Comments
Standard products																		
STYLISTIC ST5111																		
	Intel Core2 Duo U7600 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	1 GB DDR2	80 GB SATA 5400	SD/MS Cardreader		Modem V92	x	x	x	10.4" XGA	Intel® Graphics Media Accelera	onboard	PDP:GBR-222250-001			1460	
	Intel Core2 Duo U7600 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	512 MB DDR2	80 GB SATA 5400	SD/MS Cardreader		Modem V92	x	x	x	10.4" XGA	Intel® Graphics Media Accelera	onboard	PDP:GBR-222250-002			1374	
	Intel Core2 Duo U7600 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	1 GB DDR2	120 GB SATA 5400	SD/MS Cardreader		Modem V92	x	x	x	10.4" XGA	Intel® Graphics Media Accelera	onboard	PDP:GBR-222250-003			1492	
STYLISTIC ST5112																		
	Intel Core2 Duo U7600 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	1 GB DDR2	120 GB SATA 5400	SD/MS Cardreader		Modem V92	x	x	x	12.1" XGA	Intel® Graphics Media Accelera	onboard	PDP:GBR-223350-001			1461	
	Intel Core2 Duo U7600 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	1 GB DDR2	80 GB SATA 5400	SD/MS Cardreader		Modem V92	x	x	x	12.1" XGA	Intel® Graphics Media Accelera	onboard	PDP:GBR-223350-002			1438	
	Intel Core2 Duo U7600 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	512 MB DDR2	80 GB SATA 5400	SD/MS Cardreader		Modem V92	x	x	x	12.1" XGA	Intel® Graphics Media Accelera	onboard	PDP:GBR-223350-003			1352	

Fujitsu Siemens Computers recommends Windows Vista™ Business.

Tablet PC Accessories **Data Sheets: http://www.fujitsu-siemens.com/stylistic**

Category	Description	Details	ST4110 Active Engl. XPTPC EU	ST4110 Active Engl. XPTPC UK	ST4110 Active French XPTPC EU	ST4110 Active Ger. XPTPC EU	ST4110 Passive French XPPro EU	ST4110 Passive French XPPro EU	ST4110 Passive Ger Win2k EU	ST4110 Passive Ger XPPro EU	ST4110 Passive MUI Win2k EU	ST4110 Passive MUI Win2k UK	ST4110 Passive MUI XPProf EU	ST4110 Passive MUI XPProf UK	ST4120 Active Engl. XPTPC	ST4120 Active French XPTP C	ST4120 Active Ger. XPTP C	ST4120 Active MUI XPTPC	ST4120 Active Span. XPTPC	ST4120 Passive French W2K	ST4120 Passive French XPProf	ST4120 Passive Ger. W2K	ST4120 Passive Ger. XPProf	ST4120 Passive MUI W2K	ST4120 Passive MUI XPProf	ST4121 Active Engl. XPTPC	ST4121 Active French XPTP C	ST4121 Active Ger. XPTP C	ST4121 Active MUI XPTPC	ST4121 Active Span. XPTPC	ST4121 Passive French W2K	ST4121 Passive French XPProf	ST4121 Passive Ger. W2K	ST4121 Passive Ger. XPProf	ST4121 Passive MUI W2K	ST4121 Passive MUI XPProf	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST5021	STYLISTIC ST5022	STYLISTIC ST5031	STYLISTIC ST5032	STYLISTIC ST5111	STYLISTIC ST5112	Code			End User Price (£)	Comments
Accessories & services matrix																																																			
Memory																																																			
	1GB DDR2-533																																														S26391-F318-L300			82	Price change
	1GB DDR2-667																																														S26391-F668-L200			82	Price change
	2GB DDR2-667																																														S26391-F668-L300			501	
	1GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only																																														S26391-F681-L200			80	Price change
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only																																														S26391-F681-L310			365	Price change
Removable Media Drives																																																		
	mini SD Card 2GB	Incl. SD card adapter																																														S26391-F2486-L820			18	Phased out
	FDD USB (external)	external USB FDD, USB cable included																																														S26391-F264-L226			36	
	MEMORYBIRD P 1GB																																															S26391-F6047-L101			28	Phased out
	MEMORYBIRD P 2GB																																															S26391-F6047-L102			48	
	MEMORYBIRD P 4GB																																															S26391-F6047-L104			66	
	MEMORYBIRD P 8GB																																															S26391-F6047-L108			124	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging																																														S26391-F7119-L100			116	
Communication/Network																																																		
	Modem adapter set 1	modem adapter set (D, UK,)																																														S26361-F3145-L10			11	
	Modem adapter set 2	modem adapter set (SW, NO, FI, DK)																																														S26361-F3145-L20			11	
	Modem adapter set 3	modem adapter set (CH, A, B, NL, F, I, E, POR)																																														S26361-F3145-L30			11	
	Cardreader All-in-1 USB 2.0																																															S26361-F3172-L1			21	
	PowerLAN IH200	Single adapter, Networking over PowerLAN, including LANcable																																														S26361-F3485-L1			66	
	PowerLAN IH200 c	Two adapter, Networking over PowerLAN, Including two LANcable, (c=couple)																																														S26361-F3485-L2			128	
	PowerLAN IH85	Single adapter, Networking over PowerLAN, including LANcable, 85 Mb/s																																														S26361-F3486-L1			44	
	PowerLAN IH85 c	Two adapters, Networking over PowerLAN, Including two LANcables, 85 Mb/s, (c=couple)																																														S26361-F3486-L2			66	
	RJ11/RJ45/ retractable cable																																															S26391-F2530-L400			19	
	USB Adapter PS/2	2x PS/2 connection																																														S26391-F5100-L100			14	
	AVM FRITZ ISDN V2.0	incl. Cable, German, English, France, Dutch, Italy, Poland, Spain, Czech																																														S26361-F1904-L100			139	
	USB Centronics printer cable	for printers only																																														S26391-F6055-L100			16	
OS/Application-SW																																																		
	Vista Drivers & Utility DVD Tablet PC	incl. Nero 7 Essentials S																																														S26361-F2007-L906			6	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L556			102	Price change
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit																																														S26361-F2727-L550			699300699	
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L553			699300699	
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L559			699300699	
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L562			699300699	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L557			135	Price change
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L551			699300699	
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L554			699300699	
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L560			699300699	
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L563			699300699	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L558			171	Price change
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L552			699300699	
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L555			699300699	
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L561			699300699	
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit																																														S26361-F2727-L564			699300699	
UPS/Power supply																																																		
	1st battery 6cells																																															S26391-F2592-L160			72	Phased out
	1st battery 9cells																																															S26391-F2592-L260			80	
	Multipower adapter	AC/Car adapter 110-220V / 12V/24V input, output 5V/16V/20V, 90Watt																			x	x	x	x	x	x																					S26391-F2613-L310			101	
	Car/Air adapter	12/24V input, 5V/16V/19V output, 100Watt																			x	x	x	x	x	x																					S26391-F2613-L600			109	
	DC replace kit	replacement-plug for CAR/AIR adapter																			x	x	x	x	x	x																					S26391-F2613-L605			36	
	1st battery 6cells																																															S26391-F420-L200			72	
	1st battery 9cells																																															S26391-F420-L300			82	Price change
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable																																														S26391-F5031-L700			128	Price change
	Ext. Battery Charger	without AC-adapter																																														S26391-F5031-L710			98	Price change
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs																																														S26391-F5031-L800			36	
	power cable EU	black, 2-pole, 1,8 m																																														T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m																																														T26139-Y2540-V213			8	
	power cable US	black, 2-pole, 1,8 m																																														T26139-Y2540-V313			8	
Security																																																		
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM																																														S26361-F1571-L201			11	Price change
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM																																														S26361-F1571-L210			100	
	MicroSaver	anti-theft cable with lock																																														S26361-F1650-L200			33	
	MicroSaver, Shared Access	lead time 16 Weeks; Minimum order 50 units, higher Quantities needs to divide by 50, complete order as a one shoot deal																																														S26361-F1650-L220			44	
	MicroSaver, Master Access																																															S26361-F1650-L400			36	
	MicroSaver Combination	anti-theft cable with combination lock																																														S26361-F1650-L500			21	
	MicroSaver Twin	2 locks on steel cable, e. g. for display and notebook																																														S26361-F1650-L600			66	
	MicroSaver DS	Specialkey and steelcable																																														S26361-F1650-L700			58	
	SmartCase SCR (PC Card)	OmniKey Cardman 4040 PC-Card (PCMCIA) SmartCard reader																																														S26361-F2432-L700			51	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface																																														S26361-F2542-L220			24	
	SmartCase Logon+ license (1-99 users)	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for Win 2000/XP/Vista																																														S26361-F2727-L730			15	Price change
	MicroSaver Portable	rollable steel cable with lock																																														S26391-F6045-L100			29	
Mouse																																																		
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box																																														LTC:M-RBB93			28	
Miscellaneous																																																		
	Screen Protector 3M 12.1"	5 pieces																																														S26391-F2592-L460			66	
	Screen Protector 3M 10.4"	5 pieces																																														S26391-F2592-L560			66	
	Replacement cord	replacement cord for the pen																																														S26391-F2592-L600			11	
	Desk Stand																																															S26391-F2592-L700			19	
	Pen	2 pieces																																														S26391-F420-L400			36	
	Cross Pen (1 piece)	active pen for STYLISTIC (1piece)																																														S26391-F6004-L100			44	
	Microfiber Rag																																														S26391-F6105-L5			11	
	QuickCam pro	1,3 Megapixel, incl. Headset																																														S26391-F6215-L1			46	Phased out
Notebook Cases																																																		
	Pouch case	For AC adapter and power cable, , Material: black koskin, Exterior Dimensions: 250 x 70 x 70 mm, Weight: 120 g																																														S26391-F119-L105			14	

Fujitsu Siemens Computers recommends Windows Vista™ Business.

Tablet PC Accessories **Data Sheets: http://www.fujitsu-siemens.com/stylistic**

Category	Description	Details	ST4110 Active Engl. XPTPC EU	ST4110 Active Engl. XPTPC UK	ST4110 Active French XPTPC EU	ST4110 Active Ger. XPTPC EU	ST4110 Passive French Win2k EU	ST4110 Passive French XPPro EU	ST4110 Passive Ger Win2k EU	ST4110 Passive Ger XPPro EU	ST4110 Passive MUI Win2k EU	ST4110 Passive MUI Win2k UK	ST4110 Passive MUI XPProf EU	ST4110 Passive MUI XPProf UK	ST4120 Active Engl. XPTPC	ST4120 Active French XPTPC	ST4120 Active Ger. XPTPC	ST4120 Active Mul. XPTPC	ST4120 Active Span. XPTPC	ST4120 Passive French W2K	ST4120 Passive French XPProf	ST4120 Passive Ger. W2K	ST4120 Passive Ger. XPProf	ST4120 Passive MUI W2K	ST4120 Passive MUI XPProf	ST4121 Active Engl. XP TPC	ST4121 Active French XPTPC	ST4121 Active Ger. XPTPC	ST4121 Active Mul. XPTPC	ST4121 Active Span. XPTPC	ST4121 Passive French W2K	ST4121 Passive French XPProf	ST4121 Passive Ger. W2K	ST4121 Passive Ger. XPProf	ST4121 Passive MUI W2K	ST4121 Passive MUI XPProf	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST5021	STYLISTIC ST5022	STYLISTIC ST5031	STYLISTIC ST5032	STYLISTIC ST5111	STYLISTIC ST5112	Code			End User Price (€)	Comments
Accessories & services matrix																																																		
Notebook Cases (Continued)																																																			
	Prestige Nightcase	Durable, water-repellent material; high-class manufacturing; smooth-running zipper; integrated notebook compartment; integrated pocket for power supply unit and cable; shirt compartment; workstation (cell phone, pens, CD-ROMs); exterior pocket for travel accessories; durable, dirt-resistant underbody; storage room for clothing (suits, shoes, etc.); especially smooth-running and quiet wheels; stable telescope handle made of high-class aluminium; carry handles on top and sides; handle shell on bottom., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black/silver 1680D ballistic nylon , Exterior dimensions: 580 x 420 x 250 mm , Weight: 5.15 kg																																							x		x	x	x	x	S26391-F119-L106			80	
	Value Entry case	This carrying case protects the notebook with effective cushioning and the reinforced frame on all sides and so provides optimal safety. The especially soft handle of the Value Entry Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. , , For Notebooks up to , 390 x 285 x 55 mm , Material: Polyester , Dimensions: 410 x 330 x 80 mm , Weight: 0.8 kg																																							x		x	x	x	x	S26391-F119-L107			11	
	Prestige Ladycase, br	Material: Nylon/leather, brown																																							x		x	x	x	x	S26391-F119-L108			36	
	Value case	Resistant Notebook case with cushioning as well as rubber coating for soft placement of the case on the floor. Cushioned handle and shoulder strap. Including two-fold compartment for mobile accessories or documents. , , For Tablet PC and Notebooks up to , 340 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 360 x 320 x 140 mm, Weight: 0.8 kg																																						x	x	x	x	x	x	x	x	x	S26391-F119-L50			26	
	Slipcover keyboard	Material: Nylon																																						x	x	x	x	x	x	x	x	x	S26391-F119-L58			14	
	Prestige case solid	Elegant SoftCase with zipper for 15.4-inch Notebooks, integrated workstation for mobile equipment (CD compartment, fastenings for namecards, pens and cell phone), room for additional documents in the main compartment, comfortable carry handle, robust EVA material., , For Tablet PC and Notebooks up to:, 380 x 290 x 40 mm, Material: black EVA , Exterior dimensions: 420 x 350 x 60 mm , Weight: 0.65 kg																																							x		x	x	x	x	S26391-F119-L59			28	
	Prestige case midi	Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap an the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 100 mm , Weight: 1.3 kg																																							x	x	x	x	x	x	x	x	x	S26391-F119-L60			28	
	Prestige case maxi	Zip-down case with a large cushioned two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; document compartment; exterior compartment with workstation for accessories; cushioned shoulder strap; trolley fastening strap on the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, For printer/projector up to , 340 x 295 x 60 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 200 mm , Weight: 1.9 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L61			36	
	Prestige case scooter	Zip-down trolley with large cushioned, two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; exterior compartment with interior separators for accessories; cushioned shoulder strap; retractable telescope handle, , For Tablet PC and Notebooks up to , 370 x 290 x 50 mm, For printer/projector up to , 370 x 290 x 70 mm, Material: black polyester, Exterior dimensions: 430 x 340 x 190 mm , Weight: 3.6 kg																																							x	x	x	x	x	x	x	x	x	S26391-F119-L62			66	
	Prestige case Top L	Material: Nylon																																									x		x	x	x	x	S26391-F119-L64			28	
	Prestige case L66	Material: Nylon																																									x		x	x	x	x	S26391-F119-L66			36	
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.)., , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black/silver/grey nylon , Exterior dimensions: 500 x 370 x 210 mm, Weight: 1.42 kg																																									x		x	x	x	x	S26391-F119-L67			51	
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens. , , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black 1680D ballistic nylon, Exterior dimensions: 370 x 290 x 60 mm , Weight: 530 g																																									x		x	x	x	x	S26391-F119-L69			26	
	Supreme case midi	Slim business leather case with cushioned compartment for safe transport of the Notebook; classy design and high-quality locks; second compartment for mobile accessories and documents; separate cable bag included. , , For Tablet PC and Notebooks up to , 330 x 260 x 40 mm, Material: black leather, Exterior dimensions: 360 x 300 x 100 mm , Weight: 1.2 kg																																									x	x								S26391-F119-L70			66	
	Supreme case maxi	Stylish business case. High-quality leather; cushioned Notebook compartment; document compartment and another additional document compartment, high-quality locks. Front pocket with zipper and workstation; cushioned shoulder strap., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 340 x 210 mm , Weight: 2.5 kg																																									x	x	x	x	x	x	x	x	x	S26391-F119-L71			80	

Fujitsu Siemens Computers recommends Windows Vista™ Business.

Tablet PC Accessories **Data Sheets: http://www.fujitsu-siemens.com/stylistic**

Category	Description	Details	ST4110 Active Engl. XPTPC EU	ST4110 Active Engl. XPTPC UK	ST4110 Active French XPTPC EU	ST4110 Active Ger. XPTPC EU	ST4110 Passive French Win2k EU	ST4110 Passive French XPPro EU	ST4110 Passive Ger Win2k EU	ST4110 Passive Ger XPPro EU	ST4110 Passive MUI Win2k EU	ST4110 Passive MUI Win2k UK	ST4110 Passive MUI XPProf EU	ST4110 Passive MUI XPProf UK	ST4120 Active Engl. XPTPC	ST4120 Active French XPTPC	ST4120 Active Ger. XPTPC	ST4120 Active Mul. XPTPC	ST4120 Active Span. XPTPC	ST4120 Passive French W2K	ST4120 Passive French XPProf	ST4120 Passive Ger. W2K	ST4120 Passive Ger. XPProf	ST4120 Passive MUI W2K	ST4120 Passive MUI XPProf	ST4121 Active Engl. XP TPC	ST4121 Active French XPTPC	ST4121 Active Ger. XPTPC	ST4121 Active Mul. XPTPC	ST4121 Active Span. XPTPC	ST4121 Passive French W2K	ST4121 Passive French XPProf	ST4121 Passive Ger. W2K	ST4121 Passive Ger. XPProf	ST4121 Passive MUI W2K	ST4121 Passive MUI XPProf	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST5021	STYLISTIC ST5022	STYLISTIC ST5031	STYLISTIC ST5032	STYLISTIC ST5111	STYLISTIC ST5112	Code			End User Price (€)	Comments
Accessories & services matrix																																																
Notebook Cases (Continued)																																																
	Supreme case midlll	Stylish business case; high-quality leather; cushioned Notebook compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside. , , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 100 mm, Weight: 2.5 kg																																			x	x	x	x	x	x	x	x	S26391-F119-L73			66	
	Supreme Case Maxi II	Stylish business case; high-quality leather; cushioned Notebook compartment; document compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside. , , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 160 mm, Weight: 2.9 kg																																			x	x	x	x	x	x	x	x	S26391-F119-L74			73	
	Supreme Ladycase B	Elegant women's leather case; light lining on the inside (helps when looking for something); separate, padded notebook compartment; workstation for mobile equipment integrated into main compartment (slip pocket), document compartment. , , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 330 x 110 mm, Weight: 1.50 kg																																						x		x	x	x	x	S26391-F119-L75			66	
	Supreme Ladycase R	Elegant design: fine grain leather and stylish contrast stitching; top-load style with zipper closure; fashionable interior lining; padded laptop compartment fits widescreen notebooks with screen sizes up to 15-inch; internal key clip holds your keys in a safe, easy-to-find location; long carrying handles;. , For Tablet PC and Notebooks up to:, 15-inch, Material: red leather, Exterior dimensions: 415 x 335 x 100 mm, Weight: 0.95 kg																																						x		x	x	x	x	S26391-F119-L76			58	
	Supreme case Folio	High-quality, zippered leather folio for Notebooks; in addition a pen holder and a compartment (slip pocket) for documents in the main compartment. , , For Tablet PC and Notebooks up to , 14-inch widescreen, Material: black leather, Exterior dimensions: 360 x 280 x 60 mm , Weight: 620 g																																						x		x	x	x	x	S26391-F119-L77			36	
	Exclusive case S1	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items. , , For Tablet PC and Notebooks up to:, 15.4-inch, Material: black leather , Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg																																						x		x	x	x	x	S26391-F119-L83			66	
	Exclusive case S2	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items. , , For Tablet PC and Notebooks up to:, 15.4-inch, Material: brown leather , Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg																																						x		x	x	x	x	S26391-F119-L87			66	
Tablet PC Cases																																																
	ST5xxx Portfolio case	leather portfolio																																					x	x	x	x	x	x	x	x	S26391-F2584-L200			58	
	Attaché Case																																						x	x	x	x	x	x	x	x	S26391-F2584-L250			58	Phased out
	ST5xxx Bump case	shock protection																																					x	x	x	x	x	x	x	x	S26391-F2584-L300			36	
	ST5xxx Harsh case	protective bag against shower water and dust																																					x	x	x	x	x	x	x	x	S26391-F2584-L350			72	
	Bump Case Mobilis	Material: nylon,shock protection																																							x	x	x	x	x	x	S26391-F2584-L400			95	
Input Devices																																																
	Bluetooth Headset																																								x	x	x	x		x	S26391-F2613-L700			53	Phased out
	WIRELESS KEYB ST5xxx UK	with touchpad																																					x	x	x	x	x	x	x	x	S26391-F5010-L125			95	
	WIRELESS KEYB ST5xxx US INT	with touchpad																																					x	x	x	x	x	x	x	x	S26391-F5010-L133			95	
	Wireless KB ST50xx CZ																																						x	x	x	x	x	x	x	x	S26391-F5010-L144			95	
	WIRELESS KEYB STSxxx H	with touchpad																																					x	x	x	x	x	x	x	x	S26391-F5010-L145			95	
	Wireless KEYB ST50xx TR																																									x		x	x	x	x	S26391-F5010-L150			95	
Docking																																																
	Tablet dock w DVD+/-RW DL	drives mounted ready to use																																					x	x	x	x	x	x	x		S26391-K146-L400			272	Phased out
	Tablet Dock	Super Multi Drive																																												x	x	S26391-K420-L200			205	



Fujitsu Siemens Computers recommends Windows Vista™ Business.

Tablet PC Services **Data Sheets: http://www.fujitsu-siemens.com/stylistic**

Category	Description	Details	ST4110 Active Engl._XPTPC EU	ST4110 Active Engl._XPTPC UK	ST4110 Active French_XPTPC EU	ST4110 Active Ger._XPTPC EU	ST4110 Passive French Win2k EU	ST4110 Passive French XPPro EU	ST4110 Passive Ger Win2k EU	ST4110 Passive Ger XPPro EU	ST4110 Passive MUI Win2k EU	ST4110 Passive MUI Win2k UK	ST4110 Passive MUI XPProf EU	ST4110 Passive MUI XPProf UK	ST4120 Active Engl._XPTPC	ST4120 Active French XPTPC	ST4120 Active Ger._XPTPC	ST4120 Active Span._XPTPC	ST4120 Passive French W2K	ST4120 Passive French XPProf	ST4120 Passive Ger._W2K	ST4120 Passive Ger._XPProf	ST4120 Passive MUI W2K	ST4120 Passive MUI XPProf	ST4121 Active Engl._XPTPC	ST4121 Active French XPTPC	ST4121 Active Ger._XPTPC	ST4121 Active MUI XPTPC	ST4121 Active Span._XPTPC	ST4121 Passive French W2K	ST4121 Passive French XPProf	ST4121 Passive Ger._W2K	ST4121 Passive Ger._XPProf	ST4121 Passive MUI W2K	ST4121 Passive MUI XPProf	STYLISTIC ST5010 / ST5010D	STYLISTIC ST5011 / ST5011D	STYLISTIC ST5020	STYLISTIC ST5021	STYLISTIC ST5022	STYLISTIC ST5031	STYLISTIC ST5032	STYLISTIC ST5111	STYLISTIC ST5112	Code			End User Price (£)	Comments
Accessories & services matrix																																															
Product related services																																															
	SP 3y C&R Svc,5x9	SP 3 years Collect & Return Service, 5x9													x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:GB3C00000GBPEN			36	
	SP 3y C&R Svc,5x9	SP 3 years Collect & Return Service, 5x9	x	x	x	x	x	x	x	x	x	x	x	x																														FSP:GB3C00000GBPT1			6	
	TP 4y C&R Svc,5x9	TP 4 years Collect & Return Service, 5x9													x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	FSP:GN4C00000GBPEN			50	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Positioning Professional Notebooks

ESPRIMO Mobile D Series

The ESPRIMO Mobile D9500 is the right choice when you can´t accept compromises. With latest Intel Centrino Duo processor technology it delivers reliable performance to knowledge workers and day-extenders. In addition it offers ubiquitous connectivity with embedded UMTS/HSUPA. It features a superb 15.4-inch WXGA or WXGA+ display at a weight of only 2.5 kg.

ESPRIMO Mobile M Series

The ESPRIMO M9400 is the lightweight mainstream notebook for business people frequently on the move. With latest Intel® Centrino® processor technology it meets the growing needs of anytime, anywhere connectivity. With a 14.1-inch WXGA display, a weight of just 2.1 kg and embedded UMTS/HSUPA connectivity, productivity is ensured wherever you decide to work.

ESPRIMO Mobile U Series

The ESPRIMO Mobile U9200 is the ultimate companion for those who are always on the move. An ultra portable notebook with the perfect combination of low weight, long battery life and unlimited connectivity. The latest Intel Centrino Duo processor technology, a 12.1-inch WXGA display, integrated ConfCamera and embedded UMTS/HSUPA ensure constant access to data.

LIFEBOOK E Series

The LIFEBOOK E Series always follows a simple philosophy: only the best will do. Top notch performance with only 2.3 kg makes this notebook as one of the lightest in its class. The comprehensive security features, separate SmartCard reader, TPM1 and Fingerprint1 modules make your sensible data safe and secure – anytime, anywhere.
Take advantage of the growing network of wireless working and catch up emails where ever you are via optional embedded UMTS.

LIFEBOOK S Series

The LIFEBOOK S Series gives professional users the optimum combination of performance, modularity and flexibility: the functionality and ease of use of a desktop in a slimline, lightweight package. The integrated modem, network adapter, optional Bluetooth and wireless LAN are complemented by a multifunctional bay. The latest Intel Centrino mobile technology or an AMD Turion 64 MT provide you long battery life away from the power socket.

LIFEBOOK P Series

The LIFEBOOK P7230 fits in any bag - meeting the most demanding airport restrictions. At only 1.25 kg including an ultra-slim modular bay, this is the lightest modular notebook on the market. combining superior style with exceptional performance. With state-of-the-art connectivity including embedded UMTS/HSDPA and excellent communications ability thanks to video conferencing support with the integrated ConfCamera, this 10.6-inch screen beauty is truly a maximum. It provides all standard interfaces, and tops it off with a battery run time of 11.5 h. The integrated EcoButton extends the battery life even further. In short, true mobility becomes reality.
The LIFEBOOK P1610 turns from a powerful notebook into a stylish tablet PC by rotating the display 180° in either direction. Weighing less than 1 kg, this ultra-light design gives you the freedom to work wherever you like. Further features: WLAN, Bluetooth, modem and

wherever you like. Further features: WLAN, Bluetooth, modem and optional embedded UMTS.

LIFEBOOK Q Series

Choose a notebook that matches your style. With its slim, sophisticated design using exclusive materials and weighing just 1kg, the new LIFEBOOK Q2010 is sure to attract attention. While on the road, you can synchronize your e-mails securely and wirelessly via the groundbreaking embedded UMTS – independent of any “hotspot”. And remain productive longer thanks to the latest Intel® Centrino® Mobile Technology. Meaning you can expect envious looks wherever you go – even in the executive lounge.

LIFEBOOK T Series

You are looking for an ultra-portable notebook with the latest technology but also want to profit from the pen functionality of a Tablet PC. Have a look on the LIFEBOOK T Series and you will be fascinated.
The LIFEBOOK T Series is a convertible notebook which offers you pen enabled design in all modes. And just flip over the screen and it converts into a Tablet PC.

LIFEBOOK P Series

Getting bigger, staying small - the LIFEBOOK P Series features powerful notebooks and ultra light convertible Tablet PCs in one unit. Rotate the brilliant 8.9 inch display 360° to share your ideas or flip it over to convert your notebook into a slate Tablet PC.
High performance and long battery life is not a conflict. The LIFEBOOK P Series is your perfect companion whether you are driving by car, train or airplane.

Fujitsu Siemens Computers recommends Windows Vista® Business.

AMILO Pro Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	AMILO Pro V1000	AMILO Pro V2000	AMILO Pro V2020	AMILO Pro V2030	AMILO Pro V2035	AMILO Pro V2040	AMILO Pro V2045	AMILO Pro V2060	AMILO Pro V2065	AMILO Pro V3205	AMILO Pro V3405	AMILO Pro V3505	AMILO Pro V3515	AMILO Pro V3525	AMILO Pro V3535	AMILO Pro V3545	AMILO Pro V3555	AMILO Pro V4505	AMILO Pro V4525	AMILO Pro V4545	AMILO Pro V7010	AMILO Pro V8010	AMILO Pro V8210	Code			End User Price (£)	Comments
Accessories & services matrix																														
Memory																														
	1GB DDR2-533							x	x	x	x	x												x		S26391-F318-L300			82	Price change
	1GB DDR2-667												x	x	x	x		x		x	x	x			x	S26391-F400-L310			82	Phased out New product
	512MB DDR2-533 PC2-4200					x	x	x	x	x	x	x			x		x		x							S26391-F6120-L461			45	
Removable Media Drives																														
	mini SD Card 2GB	Incl. SD card adapter				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F2486-L820			18	Phased out
	FDD USB (external)	external USB FDD, USB cable included			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F264-L226			36	
	MEMORYBIRD P 1GB					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L101			28	Phased out
	MEMORYBIRD P 2GB					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L102			48	
	MEMORYBIRD P 4GB					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L104			66	
	MEMORYBIRD P 8GB					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L108			124	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging			x			x	x			x	x	x	x	x	x	x	x		x	x	x		x	S26391-F7119-L100			116	
Communication/Network																														
	Modem adapter set 1	modem adapter set (D, UK,)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3145-L10			11	
	Modem adapter set 2	modem adapter set (SW, NO, FI, DK)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26361-F3145-L20			11	
	Modem adapter set 3	modem adapter set (CH, A, B, NL, F, I, E, POR)		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26361-F3145-L30			11	
	Cardreader All-in-1 USB 2.0				x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3172-L1			21	
	PowerLAN IH200	Single adapter, Networking over PowerLAN, including LANcable										x	x	x	x	x		x							x	S26361-F3485-L1			66	
	PowerLAN IH200 c	Two adapter, Networking over PowerLAN, Including two LANcable, (c=couple)										x	x	x	x	x		x							x	S26361-F3485-L2			128	
	PowerLAN IH85	Single adapter, Networking over PowerLAN, including LANcable, 85 Mb/s										x	x	x	x	x		x							x	S26361-F3486-L1			44	
	PowerLAN IH85 c	Two adapters, Networking over PowerLAN, Including two LANcables, 85 Mb/s, (c=couple)										x	x	x	x	x		x							x	S26361-F3486-L2			66	
	RJ11/RJ45/ retractable cable				x			x	x	x		x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F2530-L400			19	
	USB Adapter PS/2	2x PS/2 connection				x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F5100-L100			14	
	AVM Fritz!Card Express, ISDN	incl. Kabel, German, English, France, Dutch, Italy, Poland, Spain, Czech										x	x													S26391-F6122-L1			146	
	AVM FRITZ ISDN V2.0	incl. Cable, German, English, France, Dutch, Italy, Poland, Spain, Czech	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1904-L100			139	
	USB Centronics printer cable	for printers only				x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F6055-L100			16	
OS/Application-SW																														
	Vista Drivers & Utility DVD AMILO Pro	incl. Nero 7 Essentials S																							x	S26361-F2007-L902			8	
	WinDVD 7.0 Software Player	DVD Software Player, CD and license, can be used only on FSC systems											x	x	x	x	x	x	x	x	x	x			x	S26361-F2598-L20			7	
	Downgrade Pack XP Prof 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof, CDs only, no license										x	x	x	x	x		x							x	S26361-F2007-L815			11	
	Downgrade Pack XP Prof 32bit MuLi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license										x	x	x	x	x		x							x	S26361-F2007-L816			11	
	Downgrade Pack XP Prof 32bit MuLi C	(CZ, GB, H, MUI), for downgrading Vista Business to XP Prof, CDs only, no license										x	x	x	x	x		x							x	S26361-F2007-L817			11	
	Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license										x	x	x	x	x		x							x	S26361-F2007-L818			11	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit										x	x	x	x	x		x							x	S26361-F2727-L556			102	Price change
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit										x	x	x	x	x		x							x	S26361-F2727-L557			135	Price change
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit										x	x	x	x	x		x							x	S26361-F2727-L558			171	Price change
UPS/Power supply																														
	Multipower adapter	AC/Car adapter 110-220V / 12V/24V input, output 5V/16V/20V, 90Watt			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L310			101	
	Car/Air adapter	12/24V input, 5V/16V/19V output, 100Watt			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L600			109	
	DC replace kit	replacement-plug for CAR/AIR adapter			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L605			36	
	AC adapter 20V(90W)					x	x	x			x	x	x	x	x	x		x		x				x	x	S26391-F321-L400			36	
	1st battery 6cells												x	x		x				x					x	S26391-F400-L400			72	
	power cable EU	black, 2-pole, 1.8 m		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	T26139-Y2540-V213			8	
	power cable US	black, 2-pole, 1,8 m		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	T26139-Y2540-V313			8	
Security																														
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM				x	x			x	x	x	x	x						x				x	x	S26361-F1571-L201			11	Price change
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM				x	x			x	x	x	x	x						x				x	x	S26361-F1571-L210			100	

Fujitsu Siemens Computers recommends Windows Vista® Business.

AMILO Pro Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	AMILO Pro V1000	AMILO Pro V2000	AMILO Pro V2020	AMILO Pro V2030	AMILO Pro V2035	AMILO Pro V2040	AMILO Pro V2045	AMILO Pro V2060	AMILO Pro V2065	AMILO Pro V3205	AMILO Pro V3405	AMILO Pro V3505	AMILO Pro V3515	AMILO Pro V3525	AMILO Pro V3535	AMILO Pro V3545	AMILO Pro V3555	AMILO Pro V4505	AMILO Pro V4525	AMILO Pro V4545	AMILO Pro V7010	AMILO Pro V8010	AMILO Pro V8210	Code			End User Price (£)	Comments
Accessories & services matrix																														
Security (Continued)																														
	Smart Security API 4.1	Contents: 1 CD (includes 1 licence), PKCS 11, CSP, PKI Environment and Driver for SC Token USB														x		x							x	S26361-F1571-L310			10	
	MicroSaver	anti-theft cable with lock	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L200			33	
	MicroSaver, Shared Access	lead time 16 Weeks; Minimum order 50 units, higher Quantities needs to divide by 50, complete order as a one shoot deal	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L220			44	
	MicroSaver, Master Access		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L400			36	
	MicroSaver Combination	anti-theft cable with combination lock	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L500			21	
	MicroSaver Twin	2 locks on steel cable, e. g. for display and notebook	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L600			66	
	MicroSaver DS	Specialkey and steelcable	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L700			58	
	SmartCase SCR (PC Card)	OmniKey Cardman 4040 PC-Card (PCMCIA) SmartCard reader	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2432-L700			51	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340										x	x													S26361-F2432-L710			38	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface				x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26361-F2542-L220			24	
	SmartCard Token USB															x		x							x	S26361-F2542-L300			28	
	MicroSaver Portable	rollable steel cable with lock		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6045-L100			29	
Mouse																														
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box	x	x	x	x	x	x	x	x	x	x	x	x						x			x	x	x	LTC:M-RBB93			28	
Miscellaneous																														
	AMILO PRO driver CD				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-L500			11	
	Mobile school room	usable for 25 notebooks, only supported with EU cables										x	x	x	x	x	x	x	x	x	x			x	S26391-F2000-L100			3294	
	Keyboard protector 14"	5 pieces										x														S26391-F4000-L100			14	
	Keyboard protector 15,4"	5 pieces				x	x			x	x		x	x	x	x	x	x	x	x	x	x		x	x	S26391-F4000-L200			14	
	Mobile Starter Kit 6	AMILO NB CASE III /FSP:805N00020, MINI OPTICAL MOUSE /S26381-K452-L100, MiniSpeakerSet USB/FSP:805000564, Memorybird L USB 2.0 1024 MB FSP:805000562										x	x	x	x	x	x	x	x	x	x			x	S26391-F6036-L540			58	
	Starter Kit Backpack	FSP:805000566Headset GN, MINI OPTICAL MOUSE /S26381-K452-L100, Memorybird L USB 2.0 1024 MB FSP:805000562, 10600715436 AMILO Backp. 17" /S26341-F100-L1										x	x	x	x	x	x	x	x	x	x			x	S26391-F6036-L550			44	
	MOBILE STARTERKIT 9	Contains: 1x Quickcam Pro Mobil, 1x Prestige Case S65, 1x Minispeakerset USB										x	x	x	x	x	x	x	x	x	x			x	S26391-F6036-L580			101	
	MOBILE STARTERKIT 10	Contains: 1x Presenter III, 1x Prestige Case midi										x	x	x	x	x		x						x	S26391-F6036-L585			66	
	MOBILE STARTERKIT 11	Contains: 1x Mouse USB MC100, 1x Prestige Case 5-in-1										x	x	x	x	x		x						x	S26391-F6036-L600			28	
	Notebook Stand	for all LIFEBOOK models. Incl.template holder and unique device for a portreplicator.Perfect and back-relieved positioning of the notebook- display on a right workposition guaranteed.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L1			109	
	3M Privacy filter 14,1"												x													S26391-F6097-L314			48	
	Microfiber Rag					x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F6105-L5			11	
	QuickCam pro	1,3 Megapixel, incl. Headset			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F6215-L1			46	Phased out
Cables																														
	Y-Cable for mouse and KB (PS\2)	connect only via Port Replikator, exception C1110 and E8010 on the system directly			x			x	x														x	x		S26391-F192-L560			8	New product
	Scart cable									x	x	x														S26391-F6105-L1			19	Phased out
Notebook Cases																														
	Pouch case	For AC adapter and power cable, , Material: black koskin, Exterior Dimensions: 250 x 70 x 70 mm, Weight: 120 g										x	x	x	x	x	x	x	x	x	x			x	S26391-F119-L105			14	
	Prestige Nightcase	Durable, water-repellent material; high-class manufacturing; smooth-running zipper; integrated notebook compartment; integrated pocket for power supply unit and cable; shirt compartment; workstation (cell phone, pens, CD-ROMs); exterior pocket for travel accessories; durable, dirt-resistant underbody; storage room for clothing (suits, shoes, etc.); especially smooth-running and quiet wheels; stable telescope handle made of high-class aluminium; carry handles on top and sides; handle shell on bottom., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black/silver 1680D ballistic nylon , Exterior dimensions: 580 x 420 x 250 mm , Weight: 5.15 kg									x	x	x	x	x	x	x	x	x	x		x	x	S26391-F119-L106			80	
	Value Entry case	This carrying case protects the notebook with effective cushioning and the reinforced frame on all sides and so provides optimal safety. The especially soft handle of the Value Entry Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. , , For Notebooks up to , 390 x 285 x 55 mm , Material: Polyester , Dimensions: 410 x 330 x 80 mm , Weight: 0.8 kg									x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F119-L107			11	
	Prestige Ladycase, br	Material: Nylon/leather, brown										x														S26391-F119-L108			36	

Fujitsu Siemens Computers recommends Windows Vista® Business.

AMILO Pro Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	AMILO Pro V1000	AMILO Pro V2000	AMILO Pro V2020	AMILO Pro V2030	AMILO Pro V2035	AMILO Pro V2040	AMILO Pro V2045	AMILO Pro V2060	AMILO Pro V2065	AMILO Pro V3205	AMILO Pro V3405	AMILO Pro V3505	AMILO Pro V3515	AMILO Pro V3525	AMILO Pro V3535	AMILO Pro V3545	AMILO Pro V3555	AMILO Pro V4505	AMILO Pro V4525	AMILO Pro V4545	AMILO Pro V7010	AMILO Pro V8010	AMILO Pro V8210	Code			End User Price (£)	Comments
Accessories & services matrix																														
Notebook Cases (Continued)																														
	Value Basic case	This carrying case offers with its cushioned notebook compartment optimal safety for your notebook., The handle of the Value Basic Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. , , For Notebooks up to , 390 x 285 x 55 mm , Material: Polyester , Exterior Dimensions: 410 x 330 x 80 mm , Weight: 0.8 kg										x	x	x	x	x	x	x	x	x	x			x	S26391-F119-L109			11	Phased out
	Value case	Resistant Notebook case with cushioning as well as rubber coating for soft placement of the case on the floor. Cushioned handle and shoulder strap. Including two-fold compartment for mobile accessories or documents. , , For Tablet PC and Notebooks up to , 340 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 360 x 320 x 140 mm, Weight: 0.8 kg			x	x		x	x			x	x	x	x	x	x	x	x	x	x	x	x		S26391-F119-L50			26	
	Prestige case solid	Elegant SoftCase with zipper for 15.4-inch Notebooks, integrated workstation for mobile equipment (CD compartment, fastenings for namecards, pens and cell phone), room for additional documents in the main compartment, comfortable carry handle, robust EVA material., , For Tablet PC and Notebooks up to:, 380 x 290 x 40 mm, Material: black EVA , Exterior dimensions: 420 x 350 x 60 mm , Weight: 0.65 kg										x	x	x	x	x	x	x	x	x	x			x	S26391-F119-L59			28	
	Prestige case midi	Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap an the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 100 mm , Weight: 1.3 kg			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L60			28	
	Prestige case maxi	Zip-down case with a large cushioned two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; document compartment; exterior compartment with workstation for accessories; cushioned shoulder strap; trolley fastening strap on the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, For printer/projector up to , 340 x 295 x 60 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 200 mm , Weight: 1.9 kg	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L61			36	
	Prestige case scooter	Zip-down trolley with large cushioned, two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; exterior compartment with interior separators for accessories; cushioned shoulder strap; retractable telescope handle, , For Tablet PC and Notebooks up to , 370 x 290 x 50 mm, For printer/projector up to , 370 x 290 x 70 mm, Material: black polyester, Exterior dimensions: 430 x 340 x 190 mm , Weight: 3.6 kg			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L62			66	
	Prestige case Top S	Material: Nylon											x													S26391-F119-L63			28	
	Prestige case Top L	Material: Nylon									x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F119-L64			28	
	Prestige case S65	Material: Nylon											x													S26391-F119-L65			36	
	Prestige case L66	Material: Nylon									x	x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F119-L66			36	
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.)., , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black/silver/grey nylon , Exterior dimensions: 500 x 370 x 210 mm, Weight: 1.42 kg									x	x	x	x	x	x	x	x	x	x	x			x	x	S26391-F119-L67			51	
	Prestige Cover S	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens. , , For Tablet PC and Notebooks up to:, 340 x 255 x 40 mm, Material: black 1680D ballistic nylon , Exterior dimensions: 360 x 310 x 45 mm , Weight: 520 g											x													S26391-F119-L68			21	

Fujitsu Siemens Computers recommends Windows Vista® Business.

AMILO Pro Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	AMILO Pro V1000	AMILO Pro V2000	AMILO Pro V2020	AMILO Pro V2030	AMILO Pro V2035	AMILO Pro V2040	AMILO Pro V2045	AMILO Pro V2060	AMILO Pro V2065	AMILO Pro V3205	AMILO Pro V3405	AMILO Pro V3505	AMILO Pro V3515	AMILO Pro V3525	AMILO Pro V3535	AMILO Pro V3545	AMILO Pro V3555	AMILO Pro V4505	AMILO Pro V4525	AMILO Pro V4545	AMILO Pro V7010	AMILO Pro V8010	AMILO Pro V8210	Code			End User Price (£)	Comments
Accessories & services matrix																														
Notebook Cases (Continued)																														
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens. , , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black 1680D ballistic nylon, Exterior dimensions: 370 x 290 x 60 mm , Weight: 530 g									x	x	x	x	x	x	x	x	x	x	x		x	x	S26391-F119-L69			26	
	Supreme case midi	Slim business leather case with cushioned compartment for safe transport of the Notebook; classy design and high-quality locks; second compartment for mobile accessories and documents; separate cable bag included. , , For Tablet PC and Notebooks up to , 330 x 260 x 40 mm, Material: black leather, Exterior dimensions: 360 x 300 x 100 mm , Weight: 1.2 kg										x											x			S26391-F119-L70			66	
	Supreme case maxi	Stylish business case. High-quality leather; cushioned Notebook compartment; document compartment and another additional document compartment, high-quality locks: Front pocket with zipper and workstation; cushioned shoulder strap., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 340 x 210 mm , Weight: 2.5 kg										x											x		x	S26391-F119-L71			80	
	Supreme case midiII	Stylish business case; high-quality leather; cushioned Notebook compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside., , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 100 mm, Weight: 2.5 kg			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L73			66	
	Supreme Case Maxi II	Stylish business case; high-quality leather; cushioned Notebook compartment; document compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside., , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 160 mm, Weight: 2.9 kg			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L74			73	
	Supreme Ladycase B	Elegant women's leather case; light lining on the inside (helps when looking for something); separate, padded notebook compartment; workstation for mobile equipment integrated into main compartment (slip pocket), document compartment., , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 330 x 110 mm, Weight: 1.50 kg										x														S26391-F119-L75			66	
	Supreme Ladycase R	Elegant design: fine grain leather and stylish contrast stitching; top-load style with zipper closure; fashionable interior lining; padded laptop compartment fits widescreen notebooks with screen sizes up to 15-inch; internal key clip holds your keys in a safe, easy-to-find location; long carrying handles;, , For Tablet PC and Notebooks up to:, 15-inch, Material: red leather, Exterior dimensions: 415 x 335 x 100 mm, Weight: 0.95 kg										x														S26391-F119-L76			58	
	Supreme case Folio	High-quality, zippered leather folio for Notebooks; in addition a pen holder and a compartment (slip pocket) for documents in the main compartment. , , For Tablet PC and Notebooks up to , 14-inch widescreen, Material: black leather, Exterior dimensions: 360 x 280 x 60 mm , Weight: 620 g										x														S26391-F119-L77			36	
	Exclusive case S1	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items., , For Tablet PC and Notebooks up to:, 15.4-inch, Material: black leather , Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg										x														S26391-F119-L83			66	

Fujitsu Siemens Computers recommends Windows Vista® Business.

AMILO Pro Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	AMILO Pro V1000	AMILO Pro V2000	AMILO Pro V2020	AMILO Pro V2030	AMILO Pro V2035	AMILO Pro V2040	AMILO Pro V2045	AMILO Pro V2060	AMILO Pro V2065	AMILO Pro V3205	AMILO Pro V3405	AMILO Pro V3505	AMILO Pro V3515	AMILO Pro V3525	AMILO Pro V3535	AMILO Pro V3545	AMILO Pro V3555	AMILO Pro V4505	AMILO Pro V4525	AMILO Pro V4545	AMILO Pro V7010	AMILO Pro V8010	AMILO Pro V8210	Code			End User Price (£)	Comments
Accessories & services matrix																														
Notebook Cases (Continued)																														
	Exclusive case S2	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items., , For Tablet PC and Notebooks up to:, 15.4-inch, Material: brown leather , Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg									x														S26391-F119-L87			66	
	Case DataDesk 80	Extra robust hull; 220-V-electrical socket on the hull exterior; USB printer cable with 90° angled plug included; custom-fit mount for the printer; Notebook fastening via flexible synthetic corners provided by 3M Dual-Lock; 2 different coupling (2 x 8 Euros, 1 x 8 Euros with ground wire); uses the original power supply units; accessory compartments in the case flap., , For notebooks up to 340 x 310 x 55 mm, For printer: Canon i70 / i80 Series and , Canon iP 90, Material: black Aluminium / Conpearl / ABS, Exterior dimensions: 595 x 415 x 160 mm , Weight: 4.8 kg			x	x	x	x	x	x	x				x		x		x				x	x		S26391-F119-L97			205	
Input Devices																														
	Bluetooth Headset							x	x																	S26391-F2613-L700			53	Phased out
	Presenter III	remote control for powerpoint presentations			x	x			x	x	x	x	x							x				x	x	S26391-F7116-L100			28	
Additional Software																														
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x	x		x	x														x	x		U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x		x	x														x	x		U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x		x	x														x	x		U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x	x		x	x														x	x		U11081-C183			21	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x	x		x	x														x	x		U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x	x		x	x														x	x		U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x	x		x	x														x	x		U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x	x		x	x														x	x		U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C202			857	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C203			1394	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C210			2426	

Fujitsu Siemens Computers recommends Windows Vista® Business.

AMILO Pro Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	AMILO Pro V1000	AMILO Pro V2000	AMILO Pro V2020	AMILO Pro V2030	AMILO Pro V2035	AMILO Pro V2040	AMILO Pro V2045	AMILO Pro V2060	AMILO Pro V2065	AMILO Pro V3205	AMILO Pro V3405	AMILO Pro V3505	AMILO Pro V3515	AMILO Pro V3525	AMILO Pro V3535	AMILO Pro V3545	AMILO Pro V3555	AMILO Pro V4505	AMILO Pro V4525	AMILO Pro V4545	AMILO Pro V7010	AMILO Pro V8010	AMILO Pro V8210	Code			End User Price (£)	Comments
Accessories & services matrix																														
Additional Software (Continued)																														
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x	x		x	x														x	x		U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x	x		x	x														x	x		U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x	x		x	x														x	x		U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x	x		x	x														x	x		U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x	x		x	x														x	x		U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x	x		x	x														x	x		U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x	x		x	x														x	x		U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x	x		x	x														x	x		U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x	x		x	x														x	x		U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x	x		x	x														x	x		U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x	x		x	x														x	x		U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x	x		x	x														x	x		U11081-C222			350	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x	x		x	x														x	x		U11081-C223			569	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x	x		x	x														x	x		U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x	x		x	x														x	x		U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x	x		x	x														x	x		U11081-C226			2276	
Docking																														
	Portreplicator																								x	S26391-F400-L100			72	

Fujitsu Siemens Computers recommends Windows Vista® Business.

AMILO Pro Services **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	AMILO Pro V1000	AMILO Pro V2000	AMILO Pro V2020	AMILO Pro V2030	AMILO Pro V2035	AMILO Pro V2040	AMILO Pro V2045	AMILO Pro V2055	AMILO Pro V2060	AMILO Pro V2065	AMILO Pro V2085	AMILO Pro V3205	AMILO Pro V3405	AMILO Pro V3505	AMILO Pro V3515	AMILO Pro V3525	AMILO Pro V3535	AMILO Pro V3545	AMILO Pro V3555	AMILO Pro V4505	AMILO Pro V4525	AMILO Pro V4545	AMILO Pro V7010	AMILO Pro V8010	AMILO Pro V8210	Code			End User Price (£)	Comments
Accessories & services matrix																															
Product related services																															
	SP 3y C&R Svc,5x9		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				FSP:GB3C00000GBCN3			79	
	SP 3y C&R Svc,5x9	x																						x	x	x	FSP:GB3C00000GBNBL			75	
	SP 3y OS Svc,NBD Rt,5x9	x																						x	x	x	FSP:GB3S20000GBNBL			220	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile U9200

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Being frequently on the road? Moving from location to location? Sometimes being stuck between meetings?
Business people like you need the perfect companion on the move!
The ESPRIMO Mobile U9200 – an ultra portable notebook – with latest Intel® Centrino® processor technology keeps you working productive, wherever you decide to work. It is the perfect combination of low weight, long independency from power socket and unlimited connectivity.
This professional notebook features a superb 12.1-inch WXGA display, with integrated ConfCamera. In combination with embedded UMTS/HSDPA you stay in touch with your colleagues, partners and customer – whenever and wherever you are. And once back at the office, the port replicator instantly transforms your ESPRIMO Mobile in a fully-fledged PC.

Model	Description	Details	Code			End User Price (£)	Comments
Standard products							
ESPRIMO Mobile U9200							
	EM U9200 WXGA /C2-T7500/2GB/	EM U9200 WXGA /C2-T7500/2GB/ DVD SUPERMULTI/120GB SATA/MODEMSET D\GB/ WLAN I4965/UMTS GTM378/MODEM/ COUNTRY KIT GB/KB GB/DVD PLAYBACK VISTA/,	LKN:GBR-230100-002			806	Price change
	EM U9200 WXGA /C2-T7300/1GB/	EM U9200 WXGA /C2-T7300/1GB/ DVD SUPERMULTI/80GB SATA/MODEMSET D\GB/ WLAN I4965/MODEM/COUNTRY KIT GB/KB GB/ DVD PLAYBACK VISTA/V BUS32/,	LKN:GBR-230100-007			681	Price change
	EM U9200 WXGA /C2-T7700/2GB/	EM U9200 WXGA /C2-T7700/2GB/ DVD SUPERMULTI/120GB SATA/MODEMSET D\GB/ WLAN I4965/MODEM/COUNTRY KIT GB/KB GB/ DVD PLAYBACK VISTA/V BUS32/,	LKN:GBR-230100-008			851	Price change
	EM U9200 WXGA /C2-T7300/1GB/	EM U9200 WXGA /C2-T7300/1GB/ DVD SUPERMULTI/80GB SATA/MODEMSET D\GB/ WLAN I4965/UMTS GTM378/MODEM/ COUNTRY KIT GB/KB GB/DVD PLAYBACK VISTA/,	PDP:GBR-230100-003			1038	Price change
	EM U9200 WXGA /C2-T7500/2GB/	EM U9200 WXGA /C2-T7500/2GB/ DVD SUPERMULTI/120GB SATA/MODEMSET D\GB/ WLAN I4965/UMTS GTM378/MODEM/ COUNTRY KIT GB/KB GB/DVD PLAYBACK VISTA/,	PDP:GBR-230100-004			1166	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile M9400 **Data Sheets: http://www.fujitsu-siemens.com/esprimo_mobile**

Being frequently on the move? Accepting no compromises? Understood that mobility is reality?
For business people like you work became impossible without mobile equipment.
The ESPRIMO Mobile M9400 – an lightweight mainstream notebook – with latest Intel® Centrino® processor technology meets the growing needs for ubiquitous connectivity. It keeps you working productive, wherever you decide to work.
This professional notebook features a superb 14.1-inch WXGA display and long independence from any power source. In combination with embedded UMTS/HSDPA you stay in touch with your colleagues, partners and customer – whenever and wherever you are. And once back at the office, the port replicator instantly transforms your ESPRIMO Mobile in a fully-fledged PC.

Model	Description	Details	Code			End User Price (£)	Comments
Standard products							
ESPRIMO Mobile M9400							
	EM M9400 WXGA /C2-T7250/1GB/	EM M9400 WXGA /C2-T7250/1GB/ DVD SUPERMULTI/80GB SATA/MODEMSET D\GB/ WLAN I4965/BLUETOOTH/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	LKN:GBR-231100-003			681	Price change
	EM M9400 WXGA /C2-T7700/2GB/	EM M9400 WXGA /C2-T7700/2GB/ DVD SUPERMULTI/120GB SATA/MODEMSET D\GB/ WLAN I4965/BLUETOOTH/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	LKN:GBR-231100-004			794	Price change
	EM M9400 WXGA /CEL-540/1GB/	EM M9400 WXGA /CEL-540/1GB/ DVD SUPERMULTI/80GB SATA/MODEMSET D\GB/ WLAN I4965/BLUETOOTH/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	PDP:GBR-231100-001			713	Price change
	EM M9400 WXGA /C2-T7500/1GB/	EM M9400 WXGA /C2-T7500/1GB/ DVD SUPERMULTI/80GB SATA/MODEMSET D\GB/ WLAN I4965/UMTS GTM378/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	PDP:GBR-231100-002			916	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile D9500

Data Sheets: http://www.fujitsu-siemens.com/esprimo_mobile

Need constant access to your date? Accepting no compromises? Understood that mobility is reality?
From roving engineers to knowledge workers constant data access is a must!
The ESPRIMO Mobile D9500 is ready to take the challenge- Its latest Intel® Centrino® processor technology fits the need of reliable performance. In addition it gives you the freedom to work wherever you like. Ubiquitous connectivity is ensured with embedded UMTS/HSDPA.
This professional notebook features a superb 15.4-inch WXGA or WXGA+ display and long independence from any power source. And once back at the office, the port replicator instantly transforms your ESPRIMO Mobile in a fully-fledged PC.

Model	Description	Details	Code			End User Price (£)	Comments
Standard products							
ESPRIMO Mobile D9500							
	EM D9500 WXGA /C2-T7250/1GB/	EM D9500 WXGA /C2-T7250/1GB/ DVD SUPERMULTI/80GB SATA/MODEMSET D\GB/ WLAN I4965/BLUETOOTH/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	LKN:GBR-232100-005			647	Price change
	EM D9500 WXGA+ /C2-T7700/2GB/	EM D9500 WXGA+ /C2-T7700/2GB/ DVD SUPERMULTI/120GB SATA/MODEMSET D\GB/ WLAN I4965/BLUETOOTH/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	LKN:GBR-232200-003			795	Price change
	EM D9500 WXGA /CEL-540/1GB/	EM D9500 WXGA /CEL-540/1GB/ DVD SUPERMULTI/80GB SATA/MODEMSET D\GB/ WLAN I4965/BLUETOOTH/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	PDP:GBR-232100-001			713	Price change
	EM D9500 WXGA+ /C2-T7500/1GB/	EM D9500 WXGA+ /C2-T7500/1GB/ DVD SUPERMULTI/120GB SATA/MODEMSET D\GB/ WLAN I4965/BLUETOOTH/UMTS GTM378/MODEM/ COUNTRY KIT GB/KB UK, BLACK/,	PDP:GBR-232200-001			992	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code			End User Price (£)	Comments
Accessories & services matrix															
Memory															
	512MB DDR2-667		x	x	x	x	x	x	x	x	S26391-F6120-L480			49	Price change
	1GB DDR2-667		x	x	x	x	x	x	x	x	S26391-F6120-L481			82	Price change
Removable Media Drives															
	mini SD Card 2GB	Incl. SD card adapter	x	x	x	x	x		x		S26391-F2486-L820			18	Phased out
	FDD USB (external)	external USB FDD, USB cable included	x	x	x	x	x	x	x	x	S26391-F264-L226			36	
	MEMORYBIRD P 1GB		x	x	x	x	x	x	x	x	S26391-F6047-L101			28	Phased out
	MEMORYBIRD P 2GB		x	x	x	x	x	x	x	x	S26391-F6047-L102			48	
	MEMORYBIRD P 4GB		x	x	x	x	x	x	x	x	S26391-F6047-L104			66	
	MEMORYBIRD P 8GB		x	x	x	x	x	x	x	x	S26391-F6047-L108			124	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging	x	x	x	x	x	x	x	x	S26391-F7119-L100			116	
Communication/Network															
	Modem adapter set 1	modem adapter set (D, UK,)	x	x	x	x	x	x	x	x	S26361-F3145-L10			11	
	Modem adapter set 2	modem adapter set (SW, NO, FI, DK)	x	x	x	x	x	x	x	x	S26361-F3145-L20			11	
	Modem adapter set 3	modem adapter set (CH, A, B, NL, F, I, E, POR)	x	x	x	x	x	x	x	x	S26361-F3145-L30			11	
	Cardreader All-in-1 USB 2.0		x	x	x	x	x	x	x	x	S26361-F3172-L1			21	
	RJ11/RJ45/ retractable cable		x	x	x	x	x	x	x	x	S26391-F2530-L400			19	
	USB Adapter PS/2	2x PS/2 connection	x	x	x	x	x	x	x	x	S26391-F5100-L100			14	
	AVM Fritz!Card Express, ISDN	incl. Kabel, German, English, France, Dutch, Italy, Poland, Spain, Czech	x	x	x	x	x	x	x	x	S26391-F6122-L1			146	
	USB Centronics printer cable	for printers only	x	x	x	x	x	x	x	x	S26391-F6055-L100			16	
	USB-serial cable		x	x	x	x	x	x	x	x	S26391-F6054-L100			19	
OS/Application-SW															
	Downgrade Pack XP Prof 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof, CDs only, no license	x	x	x	x	x	x	x	x	S26361-F2007-L815			11	
	Downgrade Pack XP Prof 32bit MuLi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license	x	x	x	x	x	x	x	x	S26361-F2007-L816			11	
	Downgrade Pack XP Prof 32bit MuLi C	(CZ, GB, H, MUI), for downgrading Vista Business to XP Prof, CDs only, no license	x	x	x	x	x	x	x	x	S26361-F2007-L817			11	
	Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license	x	x	x	x	x	x	x	x	S26361-F2007-L818			11	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L556			102	Price change
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L550			699300699	
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L553			699300699	
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L559			699300699	
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L562			699300699	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L557			135	Price change
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L551			699300699	
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L554			699300699	
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L560			699300699	
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L563			699300699	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L558			171	Price change
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L552			699300699	
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L555			699300699	
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L561			699300699	
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x	x	x	S26361-F2727-L564			699300699	
UPS/Power supply															
	Multipower adapter	AC/Car adapter 110-220V / 12V/24V input, output 5V/16V/20V, 90Watt	x	x	x	x	x	x	x	x	S26391-F2613-L310			101	
	Car/Air adapter	12/24V input, 5V/16V/19V output, 100Watt	x	x	x	x	x	x	x	x	S26391-F2613-L600			109	
	DC replace kit	replacement-plug for CAR/AIR adapter	x	x	x	x	x	x	x	x	S26391-F2613-L605			36	
	AC adapter 20V(90W)					x	x	x	x	x	S26391-F321-L400			36	
	1st battery 6cells					x					S26391-F400-L400			72	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories

Data Sheets: http://www.fujitsu-siemens.com/amilo_pro

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code			End User Price (£)	Comments
Accessories & services matrix															
UPS/Power supply (Continued)															
	1st Battery ESPRIMO Mobile 6-cell 56Wh		x	x	x						S26391-F405-L840			105	New product Price change
	2nd Battery ESPRIMO Mobile 6-cell 41Wh		x	x	x						S26391-F405-L841			112	New product Price change
	6 cell battery 5200mAh						x	x		x	S26391-F6120-L470			58	
	AC Adapter 20V/4,5A (90W) ESPRIMO Mobile		x	x	x						S26391-F696-L200			36	New product Price change
	power cable EU	black, 2-pole, 1.8 m	x	x	x	x	x	x	x	x	T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m	x	x	x	x	x	x	x	x	T26139-Y2540-V213			8	
	power cable US	black, 2-pole, 1,8 m	x	x	x	x	x	x	x	x	T26139-Y2540-V313			8	
Security															
	Smart Security API 4.1	Contents: 1 CD (includes 1 licence), PKCS 11, CSP, PKI Environment and Driver for SC Token USB	x	x	x						S26361-F1571-L310			10	
	MicroSaver	anti-theft cable with lock	x	x	x	x	x	x	x	x	S26361-F1650-L200			33	
	MicroSaver, Shared Access	lead time 16 Weeks; Minimum order 50 units, higher Quantities needs to divide by 50, complete order as a one shoot deal	x	x	x	x	x	x	x	x	S26361-F1650-L220			44	
	MicroSaver, Master Access		x	x	x	x	x	x	x	x	S26361-F1650-L400			36	
	MicroSaver Combination	anti-theft cable with combination lock	x	x	x	x	x	x	x	x	S26361-F1650-L500			21	
	MicroSaver Twin	2 locks on steel cable, e. g. for display and notebook	x	x	x	x	x	x	x	x	S26361-F1650-L600			66	
	MicroSaver DS	Specialkey and steelcable	x	x	x	x	x	x	x	x	S26361-F1650-L700			58	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340	x	x							S26361-F2432-L710			38	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x	x		x		S26361-F2542-L220			24	
	SmartCard Token USB		x	x	x						S26361-F2542-L300			28	
	SmartCase Logon+ license (1-99 users)	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for Win 2000/XP/Vista	x	x	x						S26361-F2727-L730			15	Price change
	MicroSaver Portable	rollable steel cable with lock	x	x	x	x	x	x	x	x	S26391-F6045-L100			29	
Mouse															
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box	x	x	x	x	x		x		LTC:M-RBB93			28	
Miscellaneous															
	Mobile school room	usable for 25 notebooks, only supported with EU cables	x	x	x	x	x	x	x	x	S26391-F2000-L100			3294	
	Keyboard protector 14"	5 pieces		x	x						S26391-F4000-L100			14	
	Mobile Starter Kit 6	AMILO NB CASE III /FSP:805N00020, MINI OPTICAL MOUSE /S26381-K452-L100, MiniSpeakerSet USB/FSP:805000564, Memorybird L USB 2.0 1024 MB FSP:805000562	x	x	x	x	x	x	x	x	S26391-F6036-L540			58	
	Starter Kit Backpack	FSP:805000566Headset GN, MINI OPTICAL MOUSE /S26381-K452-L100, Memorybird L USB 2.0 1024 MB FSP:805000562, 10600715436 AMILO Backp. 17" /S26341-F100-L1						x		x	S26391-F6036-L550			44	
	MOBILE STARTERKIT 9	Contains: 1x Quickcam Pro Mobil, 1x Prestige Case S65, 1x Minispeakerset USB	x	x	x	x	x	x	x	x	S26391-F6036-L580			101	
	MOBILE STARTERKIT 10	Contains: 1x Presenter III, 1x Prestige Case midi	x	x	x	x	x	x	x	x	S26391-F6036-L585			66	
	MOBILE STARTERKIT 11	Contains: 1x Mouse USB MC100, 1x Prestige Case 5-in-1	x	x	x	x	x	x	x	x	S26391-F6036-L600			28	
	Notebook Stand	for all LIFEBOOK models. Incl.template holder and unique device for a portreplicator.Perfect and back-relieved positioning of the notebook-display on a right workposition guaranteed.	x	x	x	x	x	x	x	x	S26391-F6047-L1			109	
	3M Privacy filter 14,1"			x							S26391-F6097-L314			48	
	Microfiber Rag		x	x	x	x	x	x	x	x	S26391-F6105-L5			11	
	QuickCam pro	1,3 Megapixel, incl. Headset	x	x	x	x	x		x		S26391-F6215-L1			46	Phased out
Cables															
	Scart cable				x						S26391-F6105-L1			19	Phased out
Notebook Cases															
	Pouch case	For AC adapter and power cable, , Material: black koskin, Exterior Dimensions: 250 x 70 x 70 mm, Weight: 120 g	x	x	x	x	x	x	x	x	S26391-F119-L105			14	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code			End User Price (£)	Comments
Accessories & services matrix															
Notebook Cases (Continued)															
	Prestige Nightcase	Durable, water-repellent material; high-class manufacturing; smooth-running zipper; integrated notebook compartment; integrated pocket for power supply unit and cable; shirt compartment; workstation (cell phone, pens, CD-ROMs); exterior pocket for travel accessories; durable, dirt-resistant underbody; storage room for clothing (suits, shoes, etc.); especially smooth-running and quiet wheels; stable telescope handle made of high-class aluminium; carry handles on top and sides; handle shell on bottom., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black/silver 1680D ballistic nylon , Exterior dimensions: 580 x 420 x 250 mm , Weight: 5.15 kg	x	x	x	x	x	x	x	x	S26391-F119-L106			80	
	Value Entry case	This carrying case protects the notebook with effective cushioning and the reinforced frame on all sides and so provides optimal safety. The especially soft handle of the Value Entry Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. , , For Notebooks up to , 390 x 285 x 55 mm , Material: Polyester , Dimensions: 410 x 330 x 80 mm , Weight: 0.8 kg	x	x	x	x	x	x	x	x	S26391-F119-L107			11	
	Prestige Ladycase, br	Material: Nylon/leather, brown		x	x						S26391-F119-L108			36	
	Value Basic case	This carrying case offers with its cushioned notebook compartment optimal safety for your notebook., The handle of the Value Basic Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. , , For Notebooks up to , 390 x 285 x 55 mm , Material: Polyester , Exterior Dimensions: 410 x 330 x 80 mm , Weight: 0.8 kg	x	x	x	x	x		x		S26391-F119-L109			11	Phased out
	Value case	Resistant Notebook case with cushioning as well as rubber coating for soft placement of the case on the floor. Cushioned handle and shoulder strap. Including two-fold compartment for mobile accessories or documents. , , For Tablet PC and Notebooks up to , 340 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 360 x 320 x 140 mm, Weight: 0.8 kg	x	x	x	x	x	x	x	x	S26391-F119-L50			26	
	Prestige case solid	Elegant SoftCase with zipper for 15.4-inch Notebooks, integrated workstation for mobile equipment (CD compartment, fastenings for namecards, pens and cell phone), room for additional documents in the main compartment, comfortable carry handle, robust EVA material., , For Tablet PC and Notebooks up to:, 380 x 290 x 40 mm, Material: black EVA , Exterior dimensions: 420 x 350 x 60 mm , Weight: 0.65 kg	x	x	x	x	x	x	x	x	S26391-F119-L59			28	
	Prestige case midi	Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap an the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 100 mm , Weight: 1.3 kg	x	x	x	x	x	x	x	x	S26391-F119-L60			28	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code			End User Price (£)	Comments
Accessories & services matrix															
Notebook Cases (Continued)															
	Prestige case maxi	Zip-down case with a large cushioned two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; document compartment; exterior compartment with workstation for accessories; cushioned shoulder strap; trolley fastening strap on the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, For printer/projector up to , 340 x 295 x 60 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 200 mm , Weight: 1.9 kg	x	x	x	x	x	x	x	x	S26391-F119-L61			36	
	Prestige case scooter	Zip-down trolley with large cushioned, two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; exterior compartment with interior separators for accessories; cushioned shoulder strap; retractable telescope handle, , For Tablet PC and Notebooks up to , 370 x 290 x 50 mm, For printer/projector up to , 370 x 290 x 70 mm, Material: black polyester, Exterior dimensions: 430 x 340 x 190 mm , Weight: 3.6 kg	x	x	x	x	x	x	x	x	S26391-F119-L62			66	
	Prestige case Top S	Material: Nylon		x							S26391-F119-L63			28	
	Prestige case Top L	Material: Nylon	x	x	x	x	x	x	x	x	S26391-F119-L64			28	
	Prestige case S65	Material: Nylon		x							S26391-F119-L65			36	
	Prestige case L66	Material: Nylon	x	x	x	x	x	x	x	x	S26391-F119-L66			36	
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.)., , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black/silver/grey nylon , Exterior dimensions: 500 x 370 x 210 mm, Weight: 1.42 kg	x	x	x	x	x	x	x	x	S26391-F119-L67			51	
	Prestige Cover S	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens. , , For Tablet PC and Notebooks up to:, 340 x 255 x 40 mm, Material: black 1680D ballistic nylon , Exterior dimensions: 360 x 310 x 45 mm , Weight: 520 g		x							S26391-F119-L68			21	
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens. , , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black 1680D ballistic nylon, Exterior dimensions: 370 x 290 x 60 mm , Weight: 530 g	x	x	x	x	x	x	x	x	S26391-F119-L69			26	
	Supreme case midi	Slim business leather case with cushioned compartment for safe transport of the Notebook; classy design and high-quality locks; second compartment for mobile accessories and documents; separate cable bag included. , , For Tablet PC and Notebooks up to , 330 x 260 x 40 mm, Material: black leather, Exterior dimensions: 360 x 300 x 100 mm , Weight: 1.2 kg			x						S26391-F119-L70			66	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code			End User Price (£)	Comments
Accessories & services matrix															
Notebook Cases (Continued)															
	Supreme case maxi	Stylish business case. High-quality leather; cushioned Notebook compartment; document compartment and another additional document compartment, high-quality locks. Front pocket with zipper and workstation; cushioned shoulder strap., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 340 x 210 mm , Weight: 2.5 kg	x	x	x	x	x	x	x	x	S26391-F119-L71			80	
	Supreme case midiII	Stylish business case; high-quality leather; cushioned Notebook compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside., , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 100 mm, Weight: 2.5 kg	x	x	x	x	x	x	x	x	S26391-F119-L73			66	
	Supreme Case Maxi II	Stylish business case; high-quality leather; cushioned Notebook compartment; document compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside., , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 160 mm, Weight: 2.9 kg	x	x	x	x	x	x	x	x	S26391-F119-L74			73	
	Supreme Ladycase B	Elegant women's leather case; light lining on the inside (helps when looking for something); separate, padded notebook compartment; workstation for mobile equipment integrated into main compartment (slip pocket), document compartment., , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 330 x 110 mm, Weight: 1.50 kg		x	x						S26391-F119-L75			66	
	Supreme Ladycase R	Elegant design: fine grain leather and stylish contrast stitching; top-load style with zipper closure; fashionable interior lining; padded laptop compartment fits widescreen notebooks with screen sizes up to 15-inch; internal key clip holds your keys in a safe, easy-to-find location; long carrying handles;, , For Tablet PC and Notebooks up to:, 15-inch, Material: red leather, Exterior dimensions: 415 x 335 x 100 mm, Weight: 0.95 kg		x	x						S26391-F119-L76			58	
	Supreme case Folio	High-quality, zippered leather folio for Notebooks; in addition a pen holder and a compartment (slip pocket) for documents in the main compartment. , , For Tablet PC and Notebooks up to , 14-inch widescreen, Material: black leather, Exterior dimensions: 360 x 280 x 60 mm , Weight: 620 g		x	x						S26391-F119-L77			36	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Accessories **Data Sheets: http://www.fujitsu-siemens.com/amilo_pro**

Category	Description	Details	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code			End User Price (£)	Comments
Accessories & services matrix															
Notebook Cases (Continued)															
	Exclusive case S1	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items., , For Tablet PC and Notebooks up to:, 15.4-inch, Material: black leather , Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg		x	x						S26391-F119-L83			66	
	Notebook case Exclusive Slim 12"w	High quality leather case for optimal protection, , For LIFEBOOK Q Series, Material: black leather, Exterior dimensions: 310 x 250 x 40 mm , Weight: 430 g			x						S26391-F119-L86			44	
	Exclusive case S2	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings; covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items., , For Tablet PC and Notebooks up to:, 15.4-inch, Material: brown leather , Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg		x	x						S26391-F119-L87			66	
	Case DataDesk 80	Extra robust hull; 220-V-electrical socket on the hull exterior; USB printer cable with 90° angled plug included; custom-fit mount for the printer; Notebook fastening via flexible synthetic corners provided by 3M Dual-Lock; 2 different coupling (2 x 8 Euros, 1 x 8 Euros with ground wire); uses the original power supply units; accessory compartments in the case flap., , For notebooks up to 340 x 310 x 55 mm, For printer: Canon i70 / i80 Series and , Canon iP 90, Material: black Aluminium / Conpearl / ABS, Exterior dimensions: 595 x 415 x 160 mm , Weight: 4.8 kg					x				S26391-F119-L97			205	
Input Devices															
	Bluetooth Headset		x	x	x	x	x		x		S26391-F2613-L700			53	Phased out
	Presenter III	remote control for powerpoint presentations	x	x	x	x	x	x	x	x	S26391-F7116-L100			28	
Docking															
	Port Rep/AC Adapter/EU-cable (Bundle)	contains: Family Port Replicator, AC Adapter 20V/4,5A (90W), EU cable	x	x	x						S26391-F696-L100			105	New product Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Mobile Services

Data Sheets: http://www.fujitsu-siemens.com/esprimo_mobile

Category	Description	ESPRIMO Mobile D9500	ESPRIMO Mobile M9400	ESPRIMO Mobile U9200	ESPRIMO Mobile V5505	ESPRIMO Mobile V5515	ESPRIMO Mobile V5525	ESPRIMO Mobile V5535	ESPRIMO Mobile V5545	ESPRIMO Mobile V5555	Code			End User Price (£)	Comments
Accessories & services matrix															
Product related services															
	SP 3y C&R Svc,5x9				x	x	x	x	x	x	FSP:GB3C00000GBCN3			79	
	SP 3y C&R Svc,5x9	x	x	x							FSP:GB3C00000GBNBL			75	
	SP 3y OS Svc,NBD Rt,5x9	x	x	x							FSP:GB3S20000GBNBL			220	

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK S7210 **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

The LIFEBOOK S Series is the best friend of a frequent traveller, leaving no compromises: the sturdy notebook keeps the balance between low weight, high-end performance and modularity. It features a brilliant 14.1-inch display for any demand. This high-portable notebook with brand new technology offers maximum performance and extraordinary ergonomics, so the new LIFEBOOK S7210 continues to dominate this product segment.
The combination of performance, modularity and flexibility gives you the functionality and ease of use of a full-sized PC. Intel® Centrino® Duo Mobile Technology delivers high performance and last a long time away from the power socket. In combination with embedded UMTS/HSUPA and ConfCamera you stay in touch with your colleagues, partners and customer – whenever and wherever you are.
This notebook is designed for highest quality with extensive testing and an extra-strong magnesium lid.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	DVD_RW	DVD_RW_DUAL_DL	DVD_SUPERMULTI	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	Code			End User Price (€)	Comments
Standard products																										
LIFEBOOK S7210																										
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x		14.1" WXGA	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (Engli	LKN:GBR-235100-001			905	
	INTEL Core2 Duo T7500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	120 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x		14.1" WXGA	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (Engli	LKN:GBR-235100-003			1058	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (Engli	LKN:GBR-235100-006			1023	
	INTEL Core2 Duo T7500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	120 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (Engli	PDP:GBR-235200-001			1256	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x		14.1" WXGA	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (Engli	PDP:GBR-235200-002			1015	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x		14.1" WXGA	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (Engli	PDP:GBR-235300-001			1038	Price change
	INTEL Core2 Duo T7500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	120 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x	x	14.1" WXGA	Intel® X3100 integr.graphics	onboard			United Kingdom, Ireland (Engli	PDP:GBR-235300-002			1280	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK S6410 **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

The exclusive LIFEBOOK S6410 is your best friend on the move, leaving no compromises!
The sturdy notebook keeps the balance between low weight, best connectivity, high-end performance and modularity. With its integrated UMTS/HSUPA, ConfCamera and brilliant 13.3-inch wide display, you are going to experience true mobility – anywhere, anytime.
The combination of performance, modularity and flexibility gives you the functionality and ease of use of a full-sized PC. Intel® Centrino® Duo Mobile Technology with latest Intel GM965 chipset technology delivers high performance and Business-day-long independency from the power socket.
This notebook is designed for highest quality with extensive testing and an extra-strong magnesium lid.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	DVD_RW	DVD_RW_DUAL_DL	DVD_SUPERMULTI	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	Code			End User Price (£)	Comments
Standard products																										
LIFEBOOK S6410																										
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 5400				x	No		Modem V92	x	x	x	x	13.3" WXGA	Intel® Graphics Media Accelera	onboard			United Kingdom, Ireland (Engli	LKN:GBR-233100-012			1235	Price change
	LB S6410 LED /C2-T7250/1GB/ DVD SUPERMULTI/80GB SATA/ BT MODULE S6410/WLAN INTEL 4965/ MODEMSET DIGB/CK GB/KB W/O TS GB/,																					LKN:GBR-233100-019			1035	New product
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	120 GB SATA 5400				x	No		Modem V92	x	x	x	x	13.3" WXGA	Intel® Graphics Media Accelera	onboard			United Kingdom, Ireland (Engli	PDP:GBR-233100-001			1535	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	120 GB SATA 5400				x	No		Modem V92	x	x	x		13.3" WXGA	Intel® Graphics Media Accelera	onboard			United Kingdom, Ireland (Engli	PDP:GBR-233100-002			1256	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK E8310 / E8210 **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

The LIFEBOOK E Series follows a simple philosophy: only the best will do. It is the perfect choice for the performance orientated office user: get latest technology to turn any work into a pleasant experience. The result is mobile performance powerful as desktops.
Its flexible design allows configuring the system exactly the way you like it. Top performance with only 2.5kg makes it one of the lightest notebooks in its class. The comprehensive security features like separate SmartCard reader make your sensible data safe and secure.
There's embedded UMTS/HSUPA, WLAN and Bluetooth for perfect connectivity – anytime, anywhere!

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Standard products																								
LIFEBOOK E8310																								
	LB E8310 XGA /C2-T7250/1GB/ DVD SUPERMULTI/80GB SATA/ WLAN INTEL 4965/BT_V2.0/MODEM/ MODEMSET D\GB/CK GB/KB W\ TS GB/V BUS32/,																			LKN:GBR-225100-008			834	New product
	LB E8310 XGA /C2-T7250/1GB/ DVD SUPERMULTI/80GB SATA/ WLAN INTEL 4965/BT_V2.0/MODEM/ MODEMSET D\GB/CK GB/KB W\ TS GB/V BUS32/,																			LKN:GBR-225100-009			964	New product
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x		Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (Engli				LKN:GBR-225200-005			1047	
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	120 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x		Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (Engli				PDP:GBR-225100-004			1061	Price change
	INTEL Core2 Duo T7700 2.4 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x512 MB DDR2	120 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x		Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (Engli				PDP:GBR-225100-006			1107	Price change
	INTEL Core2 Duo T7500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x		Intel® X3100 integr.graphics	onboard		United Kingdom, Ireland (Engli				PDP:GBR-225200-002			1205	Price change
LIFEBOOK E8410																								
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x		NVidia GeForce 8400M	onboard		United Kingdom, Ireland (Engli				LKN:GBR-226410-004			1176	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	120 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x		NVidia GeForce 8400M	onboard		United Kingdom, Ireland (Engli				PDP:GBR-226410-005			1099	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	120 GB SATA 5400				SD/MS Cardreader	Modem V92	x	x		NVidia GeForce 8400M	onboard		United Kingdom, Ireland (Engli				PDP:GBR-226410-006			1378	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK P7230 **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

The LIFEBOOK P Series from Fujitsu Siemens Computers opens a new chapter on connectivity and communication.
Powered by the latest Intel® Centrino® processor technology and featuring embedded UMTS/HSDPA/HSUPA, it ensures wireless connectivity anytime and anywhere – don't care about hotspots. With this notebook you are perfectly equipped wherever you are. Be ready for the next video conference with the integrated ConfCamera.
Smart people on the move appreciate the style and dynamics of a truly different notebook, whether number crunching, word processing or watching a DVD on an amazingly clear and sharp 10.6-inch wide format XGA Crystal View TFT-display.
The new LIFEBOOK P Series is not only small, it's secure too. Just swipe your finger to the integrated biometric fingerprint sensor or remember a single master password to keep all of your system log-ins and data protected.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	DVD_RW	DVD_RW_DUAL_DL	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	Code			End User Price (£)	Comments
Standard products																									
LIFEBOOK P7230																									
	Intel Core2 Duo U2500 1.2 GHz 533 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB PATA 4200				SD/MS/xD Cardreader		No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	LKN:GBR-208100-004			1293	Price change
	Intel Core2 Duo U2500 1.2 GHz 533 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB PATA 4200				SD/MS/xD Cardreader		No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	LKN:GBR-208100-005			1411	Price change
	Intel Core2 Duo U2500 1.2 GHz 533 MHz 2 MB	Vista Business 32bit MuLi A	2 GB DDR2	80 GB PATA 4200				SD/MS/xD Cardreader		No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	PDP:GBR-208100-003			1629	Price change
	Intel Core2 Duo U2500 1.2 GHz 533 MHz 2 MB	Vista Business 32bit MuLi A	2 GB DDR2	80 GB PATA 4200				SD/MS/xD Cardreader		No	x	x	x	x	10.6" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	PDP:GBR-208100-004			1434	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK P1610 **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

The LIFEBOOK T Series is more than just a notebook. While in "standard mode", it is a fully featured powerful notebook with high-end modular bay system at low weight, all you need to do is flip over the 360° rotatable screen and it converts into a Tablet PC. Of course its active digitizer is also available while in notebook mode, so that you can profit from the
pen-enabled design in all modes.
Latest Intel Centrino™ Mobile Technology with Intel® Core™ Duo processor Technology delivers best mobile performance to run all of your applications and long working away from any power source. It enables simple and wireless communication. The LIFEBOOK T4215 with optional embedded UMTS ensures wireless connectivity anytime and anywhere – don't care about hotspots!

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	DVD_RW	DVD_RW_DUAL_DL	DVD_SUPERMULTI	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	Code			End User Price (£)	Comments
Standard products																										
LIFEBOOK P1610																										
	Intel Core Solo U1400 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	512 MB DDR2	80 GB PATA 4200					SD/MS Cardreader		Modem V92	x	x			8.9" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	LKN:GBR-223100-011			1117	Price change
	Intel Core Solo U1400 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	1 GB DDR2	80 GB PATA 4200					SD/MS Cardreader	6-cell 5.200mAh	Modem V92	x	x	x	x	8.9" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	LKN:GBR-223200-008			1353	Price change
	Intel Core Solo U1400 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	512 MB DDR2	60 GB PATA 4200					SD/MS Cardreader	6-cell 5.200mAh	Modem V92	x	x	x		8.9" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	PDP:GBR-223100-004			1379	
	Intel Core Solo U1400 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Tablet PC- GB	512 MB DDR2	60 GB PATA 4200					SD/MS Cardreader	6-cell 5.200mAh	Modem V92	x	x	x	x	8.9" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	PDP:GBR-223200-001			1246	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK Q2010 **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

With its elegant and slim design using exclusive materials, the new LIFEBOOK With its elegant and slim design using exclusive materials, the new LIFEBOOK Q2010 from Fujitsu Siemens Computers is sure to attract attention.
Powered by the latest Intel® Centrino® processor technology and featuring embedded UMTS, it ensures wireless connectivity anytime and anywhere – don't care about hotspots. View your work from any angle and share your work with clients on a vivid 12.1-inch widescreen display with Crystal View Technology. Only 1kg! The LIFEBOOK Q2010 is your perfect companion whether you are driving by car, train or airplane.
The combination of special multilayered piano lacquer, magnesium housing, stainless steal coloured palm rest and ultra-slim design makes this notebook a real eye-catcher – you can expect jealous looks even in the executive lounge.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	DVD_RW	DVD_RW_DUAL_DL	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	Code			End User Price (€)	Comments
Standard products																									
LIFEBOOK Q2010 Executive																									
	Intel Core Solo U1400 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Profession GB	1 DDR2	80 GB PATA 4200				SD/MS Cardreader		No	x	x	x	x	12.1" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	PDP:GBR-216100-003			2389	Phased out Price change
	Intel Core Solo U1400 1.2 GHz 533 MHz 2 MB	Genuine Windows® XP Profession GB	1 DDR2	80 GB PATA 4200				SD/MS Cardreader		No	x	x	x	x	12.1" WXGA	Intel® 945 GMS	onboard			United Kingdom, Ireland (Engli	PDP:GBR-216100-004			2162	Phased out Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK T4220 **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

Start the new generation of ultra mobile notebooks, now!
With the LIFEBOOK T4220 you can enjoy the whole functions of a fully featured powerful notebook and Tablet PC in one device. Share your ideas in the next meeting by rotating the display 180 degrees in both directions and add personal notes to your presentations thanks to the active digitizer.
The new and powerful Intel® Centrino® Duo Mobile Technology with the latest Intel® 965GM chipset plus optional Intel® Turbo Memory gives you the freedom of a power socket for the business-day. Embedded UMTS, Bluetooth, IrDA and WLAN ensure wireless connectivity anytime and anywhere.
The smart worker will enjoy the outstanding connectivity of the LIFEBOOK T Series – UMTS option, WLAN, IrDA, and Bluetooth.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	DVD_RW	DVD_RW_DUAL_DL	DVD_SUPERMULTI	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	Code			End User Price (£)	Comments
Standard products																										
LIFEBOOK T4220																										
	LB T4220 /C2-T7250/1GB/DVD SUPERMULTI/ 80GB SATA/NO TURBO MEMORY/BT/ WLAN INTEL 4965/MODEMSET D\GB/CK GB/ KB W\O TS GB/V BUS32/VISTA DUDVD/,																					LKN:GBR-250100-016			1058	New product
	LB T4220 UMTS /C2-T7250/1GB/ DVD SUPERMULTI/80GB SATA/ NO TURBO MEMORY/BT/WLAN INTEL 4965/ CK GB/KB W\O TS GB/V BUS32/VISTA DUDVD/,																					LKN:GBR-250200-009			1294	New product
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLti A	1 GB DDR2	120 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x		12.1" XGA	Intel® 965GM	onboard			United Kingdom, Ireland (Engli	PDP:GBR-250100-003			1234	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLti A	1 GB DDR2	120 GB SATA 5400				x	SD/MS Cardreader		Modem V92	x	x	x		12.1" XGA	Intel® 965GM	onboard			United Kingdom, Ireland (Engli	PDP:GBR-250100-004			1298	Price change
	INTEL Core2 Duo T7300 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLti A	2x1 GB DDR2	160 GB SATA 5400				x	SD/MS Cardreader		No	x	x	x	x	12.1" XGA	Intel® 965GM	onboard			United Kingdom, Ireland (Engli	PDP:GBR-250200-003			1478	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Notebooks Accessories **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

Category	Description	Details	LIFEBOOK C1010	LIFEBOOK C1020	LIFEBOOK C1020 SMMI	LIFEBOOK C1110 Carrera	LIFEBOOK C1120	LIFEBOOK C1410	LIFEBOOK C6197	LIFEBOOK C6617	LIFEBOOK E2610	LIFEBOOK E4010 Centrino	LIFEBOOK E4410	LIFEBOOK E8944	LIFEBOOK E8946	LIFEBOOK E7010	LIFEBOOK E7110	LIFEBOOK E8010	LIFEBOOK E8020	LIFEBOOK E8110	LIFEBOOK E8210	LIFEBOOK E8410	LIFEBOOK P1610	LIFEBOOK P5010	LIFEBOOK P7120	LIFEBOOK P7210	LIFEBOOK Q1010 Excalibur	LIFEBOOK Q8100 Supreme	LIFEBOOK S2110 AMD Clare	LIFEBOOK S5912	LIFEBOOK S5916	LIFEBOOK S6010	LIFEBOOK S6010 / S6130D	LIFEBOOK S6010 BT Centrino	LIFEBOOK S6120 BT	LIFEBOOK S6410	LIFEBOOK S7010	LIFEBOOK S7010 Supreme	LIFEBOOK S7020 Basic	LIFEBOOK S7020 Boom Edition	LIFEBOOK S7020 Supreme	LIFEBOOK S7010 Value	LIFEBOOK S7010 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK T1010 / T1010D	LIFEBOOK T4410	LIFEBOOK T4220	LIFEBOOK T4215	LIFEBOOK T4120	Code			End User Price (€)	Comments
Accessories & services matrix																																																				
Memory																																																				
	1GB DDR2-533						x												x																			x	x	x	x												S26391-F318-L300			82	Price change
	512MB DDR2-533																						x																													S26391-F5043-L200			120	Price change
	1GB DDR2-533																						x																													S26391-F5043-L300			264	Price change
	1GB DDR2-667						x												x	x																																S26391-F668-L200			82	Price change
	2GB DDR2-667																		x	x																																S26391-F668-L300			501	
	1GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only																			x	x																														S26391-F681-L200			80	Price change
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only																			x	x																														S26391-F681-L310			365	Price change
Removable Media Drives																																																				
	mini SD Card 2GB	incl. SD card adapter					x	x							x	x	x	x	x	x		x	x	x	x	x											x		x	x	x	x	x	x	x	x	x	x	x	S26391-F2488-L820			18	Phased out
	Modular bay	for E8010, H210, S7010, T4010, E8020,H230,S7020,S2110, C1320														x	x																						x	x	x	x												S26391-F2599-L190			11	Phased out
	FDD USB (external)	external USB FDD, USB cable included				x	x	x	x	x			x	x		x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26391-F264-L226			36	
	Modular bay							x									x	x	x																																	S26391-F405-L100			11	
	Weight saver																																						x														S26391-F405-L110			11	
	DVD Super Multi	Nero on driver DVD																			x	x																														S26391-F405-L601			116	
	DVD Super Multi																																					x														S26391-F405-L602			139	
	DVD Super Multi	Nero on driver DVD						x									x	x																																		S26391-F405-L700			116	
	DVD +\- RW																								x																										S26391-F5039-L110			196	Phased out Price change
	DVD Super Multi																									x																										S26391-F5046-L200			139	
	MEMORYBIRD P 1GB						x	x								x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L101			28	Phased out
	MEMORYBIRD P 2GB						x	x								x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L102			48	
	MEMORYBIRD P 4GB						x	x								x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L104			66	
	MEMORYBIRD P 8GB						x	x								x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26391-F6047-L108			124	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging				x	x				x	x				x		x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x								x	x	x	S26391-F7119-L100			116	
Hard Disk Drives																																																			
	1st HDD SATA 120GB 5.4k							x								x	x																																		S26391-F401-L400			168	
	2nd HDD SATA 120GB 5.4k							x								x	x																																		S26391-F401-L402			168	
	2nd HDD SATA 160GB 5.4k																	x	x																																	S26391-F682-L700			205	
Communication/Network																																																			
	Modem adapter set 1	modem adapter set (D, UK,)	x	x				x	x			x	x			x	x	x	x	x	x																															S26361-F3145-L10			11	
	Modem adapter set 2	modem adapter set (SW, NO, FI, DK)						x	x							x	x	x	x	x	x																															S26361-F3145-L20			11	
	Modem adapter set 3	modem adapter set (CH, A, B, NL, F, I, E, POR)						x	x							x	x	x	x	x																															S26361-F3145-L30			11	
	Cardreader All-in-1 USB 2.0					x	x	x	x	x		x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26361-F3172-L1			21	
	WLAN Adapter USB D1705	54 Mbps WLAN USB Network Interface Card 2.4GHz, IEEE 802.11b, g												x																				x	x	x	x													S26361-F3177-L100			21	Phased out
	PowerLAN H200	Single adapter, Networking over PowerLAN, including LANcable						x								x	x	x	x	x			x	x	x	x	x																							S26361-F3485-L1			66	
	PowerLAN H200 c	Two adapter, Networking over PowerLAN, Including two LANcable, (c=couple)						x								x	x	x	x	x			x	x	x	x	x																							S26361-F3485-L2			128	
	PowerLAN H85	Single adapter, Networking over PowerLAN, including LANcable, 85 Mb/s						x											x	x	x		x	x	x	x	x																							S26361-F3486-L1			44	
	PowerLAN H85 c	Two adapters, Networking over PowerLAN, Including two LANcables, 85 Mb/s, (c=couple)						x											x																															S26361-F3486-L2			66	
	RJ11/RJ45/ retractable cable					x	x	x	x	x			x			x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	S26391-F2530-L400			19	
	VGA/LAN ADAPTER																																																			S26391-F340-L800			22	
	USB Adapter PS/2	2x PS/2 connection						x	x							x	x	x	x	x	x			x	x	x	x																							S26391-F5100-L100			14	
	AVM FritzCard Express, ISDN	incl. Kabel, German, English, France, Dutch, Italy, Poland, Spain, Czech						x	x							x	x	x	x	x						x	x																							S26361-F6122-L1			146	
	AVM FRITZ ISDN V2.0	incl. Cable, German, English, France, Dutch, Italy, Poland, Spain, Czech	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x			x	x	x	x	x			x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1904-L100			139	
	USB Centronics printer cable	for printers only						x	x							x	x	x	x	x	x	x	x	x	x	x	x																							S26391-F6055-L100			16	
	USB serial cable																	x	x																															S26391-F6054-L100			19	
OS/Application-SW																																																			
	Vista Drivers & Utility DVD LIFEBOOK	incl. Nero 7 Essentials S						x								x	x	x	x					x	x	x	x																							S26361-F2007-L903			6	
	Vista Drivers & Utility DVD Tablet PC	incl. Nero 7 Essentials S														x	x	x	x			x																													S26361-F2007-L906			6	
	Downgrade Pack XP Prof 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof. CDs only, no license						x								x	x	x	x							x	x																							S26361-F2007-L815			11	
	Downgrade Pack XP Prof 32bit MuLi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license						x								x	x	x	x							x	x																							S26361-F2007-L816			11	
	Downgrade Pack XP Prof 32bit MuLi C	(CZ, GB, H, MUI), for downgrading Vista Business to XP Prof, CDs only, no license						x								x	x	x	x							x	x																							S26361-F2007-L817			11	
	Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license						x								x	x	x	x							x	x																							S26361-F2007-L818			11	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L556			102	Price change
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L550	699300699			
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L553	699300699			
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L559	699300699			
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L562	699300699			
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L557			135	Price change
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L551	699300699			
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L554	699300699			
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L560	699300699			
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L563	699300699			
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L558			171	Price change
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L552	699300699			
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L555	699300699			
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L561	699300699			
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit						x								x	x	x	x					x		x	x																							S26361-F2727-L564	699300699			
UPS/Power supply																																																			
	AC adapter 19V (80W)							x	x			x	x			x	x	x	x																																S26391-F2474-L600			36	
	1st battery 6cells																x	x	x																															S26391-F2582-L500			72	
	Multipower adapter	AC/Car adapter 110-220V / 12V/24V input, output 5V/19V/20V, 90Watt	x	x	x	x	x	x			x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L310			101	
	Car/Air adapter	12/24V input, 5V/16V/19V output, 100Watt	x	x	x	x	x	x			x	x		x		x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L600			109	
	DC replace kit	replacement-plug for CAR/AIR adapter	x	x	x	x	x	x			x	x		x		x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F2613-L605			36	
	1st battery 8cells							x																																										S26391-F336-L250			80	
	Battery 3cells																										x																							S26391-F340-L200			58	
	Battery 4cells																										x																							S26391-F340-L220			60	Price change
	Battery 6cells																										x																							S26391-F340-L250			72	
	2nd battery						x	x								x	x	x	x																															S26391-F405-L200			101	
	1st battery																																																		S26391-F405-L500			72	
	1st battery																																																		S26391-F405-L600			87	
	1st Battery E8310 6-cell 56Wh																		x																															S26391-F405-L800			106	Price change
	1st Battery E8410 8-cell 75Wh																			x																														S26391-F405-L810			105	Price change
	1st Battery S6410 and S7210 6-cell 56Wh																																				x													S26391-F405-L820			106	Price change
	2nd Battery S6410 6-cell 25Wh																																				x													S26391-F405-L821			109	
	AC-Adapter 19V/100W																		x	x																		x													S26391-F408-L300			28	Price change
	1st Battery 6 cells																				x	x																													S26391-F5031-L400			58	
	1st Battery 3 cells																				x	x																													S26391-F5031-L410			58	
	External battery charger, incl. 16V AC	incl. AC adapter, without power cord																			x	x		x	x	x																									S26391-F5031-L800			128	Price change
	External battery charger	without AC-adapter																			x	x		x	x	x																									S26391-F5031-L810			98	Price change
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable														x	x	x	x					x			x																									S26391-F5031-L700			128	Price change
	Ext. Battery Charger	without AC-adapter														x	x	x	x								x																									S26391-F5031-L710			98	Price change
	AC adapter 16V (65)	without power cable, but supports both EU and UK plugs																			x	x		x																											S26391-F5031-L800			36	
	2nd battery																								x																									S26391-F5046-L400			101	
	1st battery 6cells																								x																									S26391-F5046-L410			101	
	power cable EU	black, 2-pole, 1,8 m					x	x							x	x	x	x	x	x	x	x	x	x	x	x																									T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m					x	x							x	x	x	x	x	x	x	x	x	x	x	x																									T26139-Y2540-V213			8	
	power cable US	black, 2-pole, 1,8 m					x	x							x	x	x	x	x	x	x	x	x	x	x	x																									T26139-Y2540-V313			8	
Security																																																				
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201			11	Price change
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210			100	
	Smart Security API 4.1	Contents: 1 CD (includes 1 licence), PKCS 11, CSP, PKI Environment and Driver for SC Token USB						x								x	x	x	x	x	x	x	x	x	x	x	x																							S26361-F1571-L310			10	
	MicroSaver	anti-theft cable with lock	x	x	x	x	x	x			x	x			x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L200			33	
	MicroSaver, Shared Access	lead time 16 Weeks; Minimum order 50 units, higher Quantities needs to divide by 50, complete order as a one shoot deal	x	x	x	x	x	x			x	x			x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L220			44	
	MicroSaver, Master Access		x	x	x	x	x	x			x	x	x		x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L400			36	
	MicroSaver Combination	anti-theft cable with combination lock				x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L500			21	
	MicroSaver Twin	2 locks on steel cable, e. g. for display and notebook				x	x	x	x				x	x		x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L600			66	
	MicroSaver DS	Specialkey and steelcable				x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L700			58	
	SmartCase Cardholder (PC Card)	Card Holder only														x																							x	x	x	x	x	x	x	x					S26361-F2432-L600			21	
	SmartCase SCR (PC Card)	OmniKey Cardman 4040 PC-Card (PCMCIA) SmartCard reader						x								x							x	x	x	x					x																			S26361-F2432-L700			51	
	SmartCase SCR (Express Card)	SmartCard Reader for Express Card Slot,SCM Express Card54 - SCR3340						x	x							x									x															x	x	x	x	x	x	x	x					S26361-F2432-L710			38	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface						x	x							x	x	x	x	x	x		x	x			x																							S26361-F2542-L220			24	
	SmartCard Token USB																					x			x																									S26361-F2542-L300			28	
	SmartCase Logon+ license (1-99 users)	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smartcard / Fingerprint for Win 2000/XP/Vista														x	x	x	x	x	x	x	x	x	x			x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L730			15	Price change
	MicroSaver Portable	rollable steel cable with lock					x	x	x	x			x	x		x	x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F6045-L100			29	
Mouse																																																			
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box		x	x	x	x	x	x			x	x	x		x	x	x	x	x	x	x	x	x	x	x	x					x																		LTC-M-RBB93			28	
Miscellaneous																																																			
	LIFEBOOK driver CD			x	x	x	x	x	x			x	x	x		x	x	x	x	x	x					x	x			x			x																	S22452-P919-L100			19	
	Liquid View CD	Dynamic indication enlargement with a highly soluble LCD						x	x			x	x	x		x	x	x	x	x																															S26361-F1850-L800			8	
	Mobile school room	usable for 25 notebooks, only supported with EU cables						x								x			x	x	x																															S26391-F2000-L100			3294	
	Screen Protector 3M 12.1"	5 pieces																																																	S26391-F2592-L460			66	
	Replacement cord	replacement cord for the pen																																																	S26391-F2592-L600			11	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Notebooks Accessories — **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

Category	Description	Details	LIFEBOOK C1100	LIFEBOOK C1105	LIFEBOOK C1105 3MB	LIFEBOOK C1110 Centrino	LIFEBOOK C1110 D	LIFEBOOK C1320	LIFEBOOK C1 410	LIFEBOOK C5 307	LIFEBOOK C6107	LIFEBOOK E3510	LIFEBOOK E4010 Centrino	LIFEBOOK E4010D	LIFEBOOK E8044	LIFEBOOK E8046	LIFEBOOK E7010	LIFEBOOK E7110	LIFEBOOK E8010	LIFEBOOK E8020	LIFEBOOK E8110	LIFEBOOK E8210	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK P1510	LIFEBOOK P1610	LIFEBOOK P7110	LIFEBOOK P7120	LIFEBOOK P7130	LIFEBOOK Q2010 Executive	LIFEBOOK Q2010 Supreme	LIFEBOOK S2110 AMD Glue	LIFEBOOK S5582	LIFEBOOK S5586	LIFEBOOK S6010	LIFEBOOK S6130 / S6130D	LIFEBOOK S6130 BT Centrino	LIFEBOOK S6130D BT	LIFEBOOK S6410	LIFEBOOK S7010	LIFEBOOK S7010 Supreme	LIFEBOOK S7020 Basic	LIFEBOOK S7020 Secure Edition	LIFEBOOK S7020 Supreme	LIFEBOOK S7020 Value	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK T3010 / T3010D	LIFEBOOK T4010	LIFEBOOK T4210	LIFEBOOK T4215	LIFEBOOK T4310	Code	End User Price (€)	Comments
Accessories & services matrix		

Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Notebooks Accessories **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

Category	Description	Details	LIFEBOOK C1010	LIFEBOOK C1020	LIFEBOOK C1030 3MB	LIFEBOOK C1110 Celeron	LIFEBOOK C1110 D	LIFEBOOK C1320	LIFEBOOK C1 410	LIFEBOOK C5 307	LIFEBOOK C6107	LIFEBOOK E3510	LIFEBOOK E4010 Celeron	LIFEBOOK E4010D	LIFEBOOK E8046	LIFEBOOK E8146	LIFEBOOK E7010	LIFEBOOK E7110	LIFEBOOK E8010	LIFEBOOK E8110	LIFEBOOK E8210	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK P1510	LIFEBOOK P1610	LIFEBOOK P7110	LIFEBOOK P7120	LIFEBOOK P7130	LIFEBOOK Q2010 Executive	LIFEBOOK Q2010 Supreme	LIFEBOOK S2110 AMD Glue	LIFEBOOK S6532	LIFEBOOK S6536	LIFEBOOK S6610	LIFEBOOK S6130 / S6130 D	LIFEBOOK S6130 BT Centrino	LIFEBOOK S6130 BT	LIFEBOOK S6410	LIFEBOOK S7010	LIFEBOOK S7010 Supreme	LIFEBOOK S7020 Basic	LIFEBOOK S7020 Secure Edition	LIFEBOOK S7020 Supreme	LIFEBOOK S7120 Supreme	LIFEBOOK S7120 Value	LIFEBOOK S7120 Value FP	LIFEBOOK S7210	LIFEBOOK T3010 / T3010D	LIFEBOOK T4010	LIFEBOOK T4210	LIFEBOOK T4215	LIFEBOOK T4310	Code			End User Price (€)	Comments
Accessories & services matrix																																																									
Notebook Cases (Continued)																																																									
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.), , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black/silver/grey nylon , Exterior dimensions: 50(x 370 x 210 mm, Weight: 1.42 kg						x	x								x	x	x	x	x	x		x	x	x	x	x									x											x	x	x	x			x	x	x	S26391-F119-L67			51	
	Prestige Cover S	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens, , , For Tablet PC and Notebooks up to:, 340 x 255 x 40 mm, Material: black 1680D ballistic nylon , Exterior dimensions: 360 x 310 x 45 mm , Weight: 520 g																							x	x		x	x	x	x	x	x					x										x	x	x	x			x	x	x	S26391-F119-L68			21	
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens, , , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black 1680D ballistic nylon, Exterior dimensions: 370 x 290 x 60 mm , Weight: 530 g						x	x								x	x	x	x	x	x		x	x	x	x	x									x										x	x	x	x			x	x	x	S26391-F119-L69			26	
	Supreme case midi	Slim business leather case with cushioned compartment for safe transport of the Notebook; classy design and high-quality locks; second compartment for mobile accessories and documents; separate cable bag included , , For Tablet PC and Notebooks up to , 330 x 260 x 40 mm, Material: black leather, Exterior dimensions: 360 x 300 x 100 mm , Weight: 1.2 kg																							x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L70			66	
	Supreme case maxi	Stylish business case. High-quality leather; cushioned Notebook compartment; document compartment and another additional document compartment, high-quality locks. Front pocket with zipper and workstation; cushioned shoulder strap, , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 340 x 210 mm , Weight: 2.5 kg							x								x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L71			80	
	Supreme case midiII	Stylish business case; high-quality leather; cushioned Notebook compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside, , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 100 mm, Weight: 2.5 kg					x	x	x	x				x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L73			66	
	Supreme Case Maxi II	Stylish business case; high-quality leather; cushioned Notebook compartment; document compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside, , , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 160 mm, Weight: 2.9 kg					x	x	x	x				x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26391-F119-L74			73	
	Supreme Ladycase B	Elegant women's leather case; light lining on the inside (helps when looking for something); separate, padded notebook compartment; workstation for mobile equipment integrated into main compartment (slip pocket); document compartment, , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 330 x 110 mm, Weight: 1.50 kg																							x	x		x	x	x	x	x	x					x										x	x	x	x			x	x	x	S26391-F119-L75			66	
	Supreme Ladycase R	Elegant design: fine grain leather and stylish contrast stitching; top-load style with zipper closure; fashionable interior lining; padded laptop compartment fits widescreen notebooks with screen sizes up to 15-inch; internal key clip holds your keys in a safe, easy-to-find location; long carrying handles, , For Tablet PC and Notebooks up to:, 15-inch, Material: red leather, Exterior dimensions: 415 x 335 x 100 mm, Weight: 0.95 kg																							x	x		x	x	x	x	x	x					x										x	x	x	x			x	x	x	S26391-F119-L76			58	
	Supreme case Folio	High-quality, zippered leather folio for Notebooks; in addition a pen holder and a compartment (slip pocket) for documents in the main compartment, , , For Tablet PC and Notebooks up to , 14-inch widescreen, Material: black leather, Exterior dimensions: 360 x 280 x 60 mm , Weight: 620 g																							x	x		x	x	x	x	x	x					x										x	x	x	x			x	x	x	S26391-F119-L77			36	
	Notebook case Slim	Light-weight sheath for optimal protection from scratches and small damages; notebook compartment with zipper, , For LIFEBOOK P7120, Material: black koskin, Exterior dimensions: 270 x 210 x 35 mm , Weight: 160 g																										x	x																												S26391-F119-L81			14	
	Exclusive case S1	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items, , For Tablet PC and Notebooks up to:, 15.4-inch, Material: black leather , Exterior dimensions: 40(x 300 x 100 mm, Weight: 2.00 kg																							x	x		x	x	x	x	x	x					x										x	x	x	x			x	x	x	S26391-F119-L83			66	
	Notebook case Exclusive Slim 12"w	High quality leather case for optimal protection, , For LIFEBOOK Q Series, Material: black leather Exterior dimensions: 310 x 250 x 40 mm , Weight: 430 g																											x	x																												S26391-F119-L86			44	
	Exclusive case S2	Special protection system combined with closed cell foam protection provides a very high level of protection for the notebook even when travelling; high quality leather, cotton and fittings covered notebook and organisation section; organisation, file, and removable accessories pouches provide the user with not only ample space for all of their important items, , For Tablet PC and Notebooks up to:, 15.4-inch, Material: brown leather , Exterior dimensions: 400 x 300 x 100 mm, Weight: 2.00 kg																							x	x		x	x	x	x	x	x					x										x	x	x	x			x	x	x	S26391-F119-L87			66	
	Case DataDesk 80	Extra robust hull; 220-V-electrical socket on the hull exterior; USB printer cable with 90° angled plug included; custom-fit mount for the printer; Notebook fastening via flexible synthetic corners provided by 3M Dual-Lock; 2 different coupling (2 x 8 Euros, 1 x 8 Euros with ground wire); uses the original power supply units; accessory compartments in the case flap, , For notebooks up to 340 x 310 x 55 mm, For printer: Canon i70 / i80 Series and , Canon iP 90, Material: black Aluminium / Corpsel / ABS, Exterior dimensions: 595 x 415 x 160 mm , Weight: 4.8 kg																					x	x	x	x	x			x									x		x	x	x	x	x	x	x	x			x	x	x	S26391-F119-L97			205	
Input Devices																																																									
	Bluetooth Headset																							x	x													x																				S26391-F2613-L700			53	Phased out
	Presenter III	remote control for powerpoint presentations						x	x									x	x	x	x	x	x		x	x	x	x	x									x										x	x	x	x			x	x	x	S26391-F7116-L100			28	
Additional Software																																																									
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1			x	x	x	x	x			x	x	x				x	x	x	x				x	x	x	x									x	x	x	x	x	x									x	x	x		U10081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, for 1 system with 1 to 4 CPUs			x	x	x	x	x			x	x	x				x	x	x	x				x	x	x	x									x	x	x	x	x	x									x	x	x		U10081-C171			787	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Professional Notebooks Accessories **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

| Category | Description | Details | LIFEBOOK C1010 | LIFEBOOK C1020 | LIFEBOOK C1020 3MB | LIFEBOOK C1110 Celeron | LIFEBOOK C1110 D | LIFEBOOK C1320 | LIFEBOOK C1 410 | LIFEBOOK CS 307 | LIFEBOOK CS1U7 | LIFEBOOK E3010 | LIFEBOOK E4010 Celeron | LIFEBOOK E4010D | LIFEBOOK E8846 | LIFEBOOK E8846 | LIFEBOOK E7010 | LIFEBOOK E7110 | LIFEBOOK E8010 | LIFEBOOK E8020 | LIFEBOOK E8210 | LIFEBOOK E8220 | LIFEBOOK E8310 | LIFEBOOK E8410 | LIFEBOOK P1510 | LIFEBOOK P1610 | LIFEBOOK P7110 | LIFEBOOK P7120 | LIFEBOOK P7130 | LIFEBOOK Q2010 Executive | LIFEBOOK Q2010 Supreme | LIFEBOOK S2110 AMD Cube | LIFEBOOK S9082 | LIFEBOOK S9086 | LIFEBOOK S9810 | LIFEBOOK S9130 / S9130 D | LIFEBOOK S9130 BT Centrino | LIFEBOOK S9130 BT | LIFEBOOK S9410 | LIFEBOOK S7010 | LIFEBOOK S7010 Supreme | LIFEBOOK S7020 Basic | LIFEBOOK S7020 Secure Edition | LIFEBOOK S7020 Supreme | LIFEBOOK S7120 Value | LIFEBOOK S7120 Supreme | LIFEBOOK S7130 Value | LIFEBOOK S7130 Value FP | LIFEBOOK S7210 | LIFEBOOK T3010 / T3010D | LIFEBOOK T4010 | LIFEBOOK T4210 | LIFEBOOK T4215 | LIFEBOOK T4310 | Code | | | End User Price (€) | Comments |
|---|---|---

Fujitsu Siemens Computers recommends Windows Vista® Business.

LIFEBOOK Services **Data Sheets: http://www.fujitsu-siemens.com/lifebook**

Category	Description	Details	LIFEBOOK C1010	LIFEBOOK C1020	LIFEBOOK C1020 SMB	LIFEBOOK C1110 Centrino	LIFEBOOK C1110D	LIFEBOOK C1320	LIFEBOOK C1410	LIFEBOOK C4597	LIFEBOOK C4617	LIFEBOOK E2010	LIFEBOOK E4010 Centrino	LIFEBOOK E4010D	LIFEBOOK E6644	LIFEBOOK E6646	LIFEBOOK E7010	LIFEBOOK E7110	LIFEBOOK E8010	LIFEBOOK E8020	LIFEBOOK E8110	LIFEBOOK E8210	LIFEBOOK E8310	LIFEBOOK E8410	LIFEBOOK P1510	LIFEBOOK P1610	LIFEBOOK S2110 AMD Glare	LIFEBOOK S5582	LIFEBOOK S5586	LIFEBOOK S6610	LIFEBOOK S6120 / S6120D	LIFEBOOK S6120 BT Centrino	LIFEBOOK S6120D BT	LIFEBOOK S6410	LIFEBOOK S7010	LIFEBOOK S7010 Supreme	LIFEBOOK S7020 Basic	LIFEBOOK S7020 Secure Edition	LIFEBOOK S7020 Supreme	LIFEBOOK S7020 Value	LIFEBOOK S7110 Supreme	LIFEBOOK S7110 Value	LIFEBOOK S7110 Value FP	LIFEBOOK S7210	LIFEBOOK T3910 / T3910D	LIFEBOOK T4010	LIFEBOOK T4210	LIFEBOOK T4215	LIFEBOOK T4220	Code			End User Price (£)	Comments
Accessories & services matrix																																																		
Product related services																																																		
	SP 3y C&R Svc,5x9	SP 3 years Collect & Return Service, 5x9																							x	x																									FSP:GB3C00000GBPEN			36	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x	x	x																																						FSP:GB3S20000GBNBG			88	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9										x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					FSP:GC3S20000GBNBS			88	
	TP 4y C&R Svc,5x9	TP 4 years Collect & Return Service, 5x9										x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					FSP:GN4C00000GBNBS			24	
	TP 4y C&R Svc,5x9	TP 4 years Collect & Return Service, 5x9																							x	x																									FSP:GN4C00000GBPEN			50	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9										x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					FSP:GN4S20000GBNBS			107	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9										x	x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					FSP:GN5S20000GBNBS			125	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Positioning FUTRO thin clients

FUTRO A

Why take a fully featured PC for server-based computing when you can have everything you need in a reliable small-form thin client? Without fans and rotating drives, the FUTRO A Series is reliable, fail-safe and silent. That means FUTRO A minimizes Total Cost of Ownership.

FUTRO S

This small but powerful and expandable thin client is your ideal client for server-based computing. No matter if used with RDP or ICA protocol, as thin client for Windows terminal services or as Java based network terminal, FUTRO S Series always helps you to minimize the Total Cost of Owernership. Low power consumption, no fans and rotating drives turn the FUTRO S Series into a very reliable and silent thin client.

FUTRO ESPRIMO C5910

FUTRO ESPRIMO C5910 is the successor of the FUTRO C250.
The FUTRO ESPRIMO C5910 is built with specially selected material to minimize impact on the environment.
Development, production, transportation and recycling are optimized to the aspect of environmental sustainability and aligned to strong internal environmental directives. The FUTRO ESPRIMO C5910 provides thin client functionality with a configurable hard disk drive, optical drive and flash memory. This system is extremely compact and features the latest processor technology.
Configurable with the Linux based operating system eLux NG or Microsoft's XP Embedded (via CUZ) FUTRO ESPRIMO C5910 runs Windows, Unix or other terminal applications from a server.

Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO A

Data Sheets: http://www.fujitsu-siemens.com/futro

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client? The FUTRO A is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss. Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Space saving desing, no fan and rotating drives turn the FUTRO A into the ideal thin client for your project and into a minimizer of Total Cost of Ownership.

Model	Description	Details	Code			End User Price (£)	Comments
Standard products							
FUTRO A 220							
	FUTRO A220	A220, CE 5.0 & SCOUT Manageability, 10/100/1000 Mbit/s Fast Ethernet LAN, 128 MB RAM, 128 MB Compact Flash, , Processor AMD LX800, 500 MHz., Interfaces: 1xserial, 1x mouse, 1x keyboard, 2x USB(2.0) front, 1x USB(2.0) rear, 1x monitor, line out, Mic in, 1x LAN RJ45 Standard European Power cord, , You find the corresponding part number for the power cord below the accessories list.	S26361-K525-V220			169	
FUTRO A230							
	FUTRO A230	A230, eLuxNG&ScoutNG built-in Lizenz, 10/100/1000 Mbit/s Fast Ethernet LAN, 128 MB RAM, 128 MB Compact Flash, Processor AMD LX800, 500 MHz , Interfaces: 1xserial, 1x mouse, 1x keyboard, 2x USB(2.0) front, 1x USB(2.0) rear, 1x monitor, line out, Mic in, 1x LAN RJ45 Standard European Power cord, , You find the corresponding part number for the power cord below the accessories list.	S26361-K525-V230			188	
FUTRO A250							
	FUTRO A250	A250, eLuxNG w/o License, 10/100/1000 Mbit/s Fast Ethernet LAN, 256 MB RAM, 256 MB Compact Flash, Processor AMD LX800, 500 MHz , Interfaces: 1xserial, 1x mouse, 1x keyboard, 2x USB(2.0) front, 1x USB(2.0) rear, 1x monitor, line out, Mic in, 1x LAN RJ45 Standard European Power cord, , You find the corresponding part number for the power cord below the accessories list.	S26361-K525-V250			152	

Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO S **Data Sheets: http://www.fujitsu-siemens.com/futro**

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client?
The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.
Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.
All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front_USB	Security_Hardware	Code			End User Price (£)	Comments
Standard products																		
FUTRO S400																		
	AMD NX1500 1 GHz	eLux NG+Scout NG	256MB	CF128MB EMPTY		x	x			x		2x		PDP:GBR-522760-001			261	
	AMD NX1500 1 GHz	eLux NG+Scout NG	256MB	CF128MB EMPTY		x	x			x		2x	SmartCard reader internal, USB 2.0	PDP:GBR-522760-002			273	
	AMD NX1500 1 GHz	Genuine Windows® XP Professional embedded	512MB	CF 256MB EMPTY		x	x			x		2x		PDP:GBR-522760-003			284	
	AMD NX1500 1 GHz	eLux NG	256MB	CF128MB EMPTY		x	x			x		2x		PDP:GBR-522760-005			247	
	AMD NX1500 1 GHz	eLux NG+Scout NG	512MB	CF 256MB EMPTY		x	x			x		2x	SmartCard reader internal, USB 2.0	PDP:GBR-522760-006			289	
	AMD NX1500 1 GHz	Genuine Windows® XP Professional embedded	512MB	CF 512MB EMPTY		x	x		on board	x		2x		PDP:GBR-522760-007			308	

Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO A250

Data Sheets: http://www.fujitsu-siemens.com/futro

Why take a fully featured PC for server based computing, when you can have everything you need in a reliable small form factor thin client?
The FUTRO S Series is ideally suited for Windows Terminal Server computing. The server exexutes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss.
Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Smart administration tools help to update the client easily. Without fan and rotating drives, the FUTRO S Series is reliable, fail-safe and silent.
All that turns the FUTRO S Series into a minimizer of Total Cost of Ownership.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front_USB	Security_Hardware	Code	Partner Price (£)	Trade Guide Price (£)	End User Price (£)	Comments
Standard products																		
FUTRO A250																		
	A250, eLuxNG w/o License, 10/100/1000 Mbit/s Fast Ethernet LAN, 256 MB RAM, 256 MB Compact Flash, Processor AMD LX800, 500 MHz , Interfaces: 1xserial, 1x mouse, 1x keyboard, 2x USB(2.0) front, 1x USB(2.0) rear, 1x monitor, line out, Mic in, 1x LAN RJ45 Standard European Power cord, , You find the corresponding part number for the power cord below the accessories list.													S26361-K525-V250	134	141	152	

Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO S400 **Data Sheets: http://www.fujitsu-siemens.com/futro**

The FUTRO S400 is ideally suited for Windows Terminal Server computing. The server executes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss. Also the operating system is stored secure on a flash memory and safe from unauthorized changes due to a write protected file system. Selectively, an optional SmartCard reader is integrated as another security implement. Highly flexible concept to install WLAN and DVI modules and additional PCI cards offer wide ranges of configurations with FUTRO S400.
Smart administration tools help to update the client easily.
Without fan and rotating parts, the FUTRO S400 is reliable, fail-safe and silent.
All that turns the FUTRO S400 into a minimizer of Total Cost of Ownership.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front_USB	Security_Hardware	Code			End User Price (£)	Comments
Standard products																		
FUTRO S400																		
	AMD NX1500 1 GHz	eLux NG+Scout NG	256MB	CF128MB EMPTY		x	x			x		2x		PDP:GBR-522760-001			261	
	AMD NX1500 1 GHz	eLux NG+Scout NG	256MB	CF128MB EMPTY		x	x			x		2x	SmartCard reader internal, USB 2.0	PDP:GBR-522760-002			273	
	AMD NX1500 1 GHz	Genuine Windows® XP Professional embedded	512MB	CF 256MB EMPTY		x	x			x		2x		PDP:GBR-522760-003			284	
	AMD NX1500 1 GHz	eLux NG	256MB	CF128MB EMPTY		x	x			x		2x		PDP:GBR-522760-005			247	
	AMD NX1500 1 GHz	eLux NG+Scout NG	512MB	CF 256MB EMPTY		x	x			x		2x	SmartCard reader internal, USB 2.0	PDP:GBR-522760-006			289	
	AMD NX1500 1 GHz	Genuine Windows® XP Professional embedded	512MB	CF 512MB EMPTY		x	x		on board	x		2x		PDP:GBR-522760-007			308	

Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO ESPRIMO C5910 **Data Sheets: http://www.fujitsu-siemens.com/futro**

The FUTRO ESPRIMO C5910 is built with specially selected material to minimize impact on the environment. Development, production, transportation and recycling are optimized to the aspect of environmental sustainability and aligned to strong internal environmental directives.
Configurable with the Linux based operating system eLux NG or Microsoft's XP Embedded, FUTRO ESPRIMO C5910 runs Windows, Unix or other terminal applications from a server. The server executes the applications, the screen is displayed on the client. Your data is saved secure on the server and is therefore protected against loss. Smart administration tools help to update the client easily.
FUTRO ESPRIMO C5910 offers highest reliability, security and easiest integration in existing or new IT-Architectures. These and many other advantages are lowering the operating costs to a minimum.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_RW_DVD	LAN	WLAN	Graphics	Audio	Mouse	Keyboards	Front_USB	Security_Hardware	Code			End User Price (£)	Comments
Standard products																		
ESPRIMO C5910																		
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	160 GB SATA 7200		x		Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3		PDP:GBR1009211-005			623	
	Intel Core2 Duo E6420 2.13 GHz 1066 MHz 4 MB	Vista Business 32bit MuLi A	2x2 GB DDR2	160 GB SATA 7200		x		Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3		PDP:GBR1009211-006			867	Price change
	Intel Celeron 420 1.6 GHz 800 MHz 512 KB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 7200		x		Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3		PDP:GBR1009211-007			486	Phased out
	Intel Celeron 440 2.0 GHz 800 MHz 512 KB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 7200		x		Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3		PDP:GBR1009211-008			503	

Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO Accessories **Data Sheets: http://www.fujitsu-siemens.com/futro**

Category	Description	Details	FUTRO (Esprimo C)	FUTRO A 210	FUTRO A 220	FUTRO A100	FUTRO A120	FUTRO A230	FUTRO A240	FUTRO A250	FUTRO B100 eLux	FUTRO B2xx	FUTRO C100 i845GV	FUTRO C200 i915GV	FUTRO C250 i915GV	FUTRO D100	FUTRO D100 für CF-Card	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	FUTRO S500	Code			End User Price (£)	Comments
Accessories & services matrix																										
Graphics																										
	DVI Modul																				x	x	S26361-F2421-L400			22	
	Matrox Millennium G450 32 MB, DH, PCI	Connectors: 1x VGA + 1x DVI or 2x VGA, PCI card												x	x					x	x	x	S26361-F2421-L231			74	
Removable Media Drives																										
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging			x			x	x				x	x	x			x	x	x	x	x	S26391-F7119-L100			116	
	Floppy Disk Drive 1.44MB USB external	anthracite	x								x	x		x	x	x	x	x	x	x	x	x	S26361-F2383-L20			28	
Hard Disk Drives																										
	CF modul 1GB empty	CF modul IDE, 1 GB empty,with CF Adapter													x								S26361-F2255-L100			78	
	CF modul 1GB empty	CF modul IDE, 1 GB empty,without CF Adapter,PQI	x												x						x	x	S26361-F2255-L110			75	
	CF 128MB EMPTY	CF modul IDE, 128 MB empty without CF Adapter																x		x	x	x	S26361-F2255-L77			32	
	CF 256MB EMPTY	CF modul IDE, 256 MB empty without CF adapter																x		x	x	x	S26361-F2255-L55			49	
	CF 512MB EMPTY	CF modul IDE, 512 MB empty, with CF Adapter													x								S26361-F2255-L8			64	
	CF 512MB EMPTY	CF modul IDE, 512 MB empty without CF Adapter	x												x			x		x	x	x	S26361-F2255-L9			64	
Communication/Network																										
	WLAN 802.11g 54Mbps, PCI	D-Link DWL-G520	x												x						x	x	S26391-F6121-L10			35	
	Gigabit Ethernet SysKonnect	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI												x	x			x		x			S26361-F3067-L1			27	
	WLAN II, 802.11g 54Mbps	internal WLAN module, occupies 1 internal USB interface, RoHS compliant												x	x								S26361-F3108-L2			27	
Audio/Video																										
	Headset	stereo headset, microphone	x																		x	x	S26361-F2631-L10			11	Price change
Security																										
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S300 requires int. USB interface,w/o SmartCard																		x			S26361-F1260-L523			22	
	SmartCard reader internal, USB 2.0	chipcard reader f. FUTRO S400,requires int. USB interface,w/o SmartCard																			x	x	S26361-F1260-L801			22	
	MicroSaver	anti-theft cable with lock								x	x							x	x	x	x	x	S26361-F1650-L200			33	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x			x	x	x				x	x			x		x	x	x	S26361-F2542-L220			24	
Miscellaneous																										
	eLux NG for PC demo	eLux NG boot from CD	x								x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1818-L100			3	
	PowerTerm WBT	Ericom Emulation for WIn CE and eLuxNG	x	x	x			x	x	x					x						x	x	S26361-F2600-L144			22	
	Scout Enterprise CML	Client Management License	x	x					x	x					x						x	x	S26361-F2600-L148			19	
	Vesa Mounting Kit	FUTRO A with LCD B19-2 or B17-2		x	x	x	x	x	x	x													S26361-F2601-L518			18	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x											x	x				x	x	x	x	S26361-F2542-L35			67	
	eLux NG	eLux NG full license	x						x	x		x	x	x	x			x	x	x	x	x	S26361-F2600-L134			35	
	eLux NG CD	CD-Rom for eLux NG SW	x									x	x	x	x			x	x	x	x	x	S26361-F2600-L136			3	

Fujitsu Siemens Computers recommends Windows Vista® Business.

FUTRO Services **Data Sheets: http://www.fujitsu-siemens.com/futro**

Category	Description	Details	FUTRO (Esprimo C)	FUTRO A250	FUTRO C100 i845GV	FUTRO C200 i915GV	FUTRO C250 i915GV	FUTRO D100	FUTRO D100 für CF-Card	FUTRO S200	FUTRO S2xx	FUTRO S300	FUTRO S400	Code			End User Price (£)	Comments
Accessories & services matrix																		
Product related services																		
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x	x	x	x	x	FSP:GB3S20000GBTC2			128	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Positioning ESPRIMO

ESPRIMO C

The ESPRIMO C Green PC is your perfect partner for smallest space. The ultra small form factor PC combines latest technology with environmentally conscious product design to minimize impact on the environment. With its sielnt product concept and service friendly cabinet, the ESPRIMO C offers best working conditions.

ESPRIMO E

Put your performace on the desk. The ESPRIMO E Green PC is a small form factor PC setting new desktop standards. ESPRIMO E offers highly reliable computing power for every business demands.Due to latest technologies, highest ergonomic and silent product design the ESPRIMO E Green PC is for every costumer who requires high computing power. It can be positioned either horizontally or vertically.

ESPRIMO P

Your every day business performer. The ESPRIMO P Green PC microtower offers highest performance and best expandability. With various system modifications, the ESPRIMO P is tailored to every business use to reasonable value. Working with ESPRIMO P is stress free. It is ergonomic, silent and reliable.

ESPRIMO Q

The ESPRIMO Q5000 opens a new chapter on performance, size and design.
With its extremely small and stylish design, the new Professional Mini PC satisfies a so far unanswered business need: Professional PC becomes fashionable.
Add an eye catcher to your desk.

Value Line
ESPRIMO E3500
ESPRIMO P3500

The Value Line ESPRIMO E3500 and ESPRIMO P3500 is the gateway to professional computing power. Closing the gab for large customers requiring stand features, ESPRIMO P3500 and ESPRIMO E3500 combine Value Line with Business Line attributes to fulfill cost driven project needs

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO C **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Don't let yourself be fooled from the size of the ESPRIMO C. Although it's an ultra small form factor system presenting latest chipset and processor technologies and offers Multibay functionality like a notebook. Make profit from the small form factor design because you need less space. This will lower your office rental costs.
ESPRIMO professional PCs are built with specially selected material to minimize impact on the environment. Production and selection of material are optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO C is stress-free. It is small, ergonomic, silent and reliable. It is easy to administrate and secure. In short, this highly reliable premium PC is particularly tailor-made to your business demands.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Standard products																										
ESPRIMO C5910																										
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	160 GB SATA 7200								x			Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3			PDP:GBR1009211-005			623	
	Intel Core2 Duo E6420 2.13 GHz 1066 MHz 4 MB	Vista Business 32bit MuLi A	2x2 GB DDR2	160 GB SATA 7200								x			Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3			PDP:GBR1009211-006			867	Price change
	Intel Celeron 420 1.6 GHz 800 MHz 512 KB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 7200								x			Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3			PDP:GBR1009211-007			486	Phased out
	Intel Celeron 440 2.0 GHz 800 MHz 512 KB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 7200								x			Intel GMA 3000	onboard	Wheelmouse	United Kingdom	3			PDP:GBR1009211-008			503	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO E **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Put your performance on the desk. The ESPRIMO E is a small form factor PC that can either positioned vertical or horizontal. With its chipset diversity and a managed lifecycle up to 18 month, the ESPRIMO E is the right solution for customer requiring a high quality desktop.
ESPRIMO professional PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO E Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO E best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	DVD_RW_DL_DVD_RAM	DVD_SUPERMULTI	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Standard products																										
ESPRIMO E5710																										
	Intel Core2 Duo E4400 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	160 GB SATA 7200					x			x			ATI RC415	onboard	Wheelmouse	United Kingdom	2			PDP:GBR-690811-003			522	Phased out
	Intel Core2 Duo E6600 2.4 GHz 1066 MHz 4 MB	Vista Business 32bit MuLi A	1 GB DDR2	250 GB SATA 7200					x			x			ATI RC415	onboard	Wheelmouse	United Kingdom	2			PDP:GBR-690811-004			645	Phased out
	Intel Pentium D E2140 1.6 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 7200					x			x			ATI RC415	onboard	Wheelmouse	United Kingdom	2			PDP:GBR-690811-005			481	Phased out Price change
ESPRIMO E5720 EPA																										
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 7200					x									United Kingdom				PDP:GBR-691321-001			488	
	Intel Core2 Duo E4400 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x512 MB DDR2	160 GB SATA 7200					x									United Kingdom				PDP:GBR-691321-002			514	
	Intel Core2 Duo E6750 2.66 GHz 1333 MHz 4 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	250 GB SATA 7200					x									United Kingdom				PDP:GBR-691321-003			678	Price change
ESPRIMO E5916																										
	Intel Core2 Duo E4500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	160 GB SATA 7200					x			x			Intel GMA 3001	onboard	Wheelmouse	United Kingdom	2			PDP:GBR-690611-003			633	
	Intel Core2 Duo E6700 2.66 GHz 1066 MHz 4 MB	Vista Business 32bit MuLi A	2x2 GB DDR2	250 GB SATA 7200					x			x			Intel GMA 3001	onboard	Wheelmouse	United Kingdom	2			PDP:GBR-690611-004			1020	Price change
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 7200					x			x			Intel GMA 3001	onboard	Wheelmouse	United Kingdom	2			PDP:GBR-690611-005			535	
ESPRIMO E5925 EPA																										
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 7200					x									United Kingdom				PDP:GBR-691211-001			530	
	Intel Core2 Duo E6750 2.66 GHz 1333 MHz 4 MB	Vista Business 32bit MuLi A	2x2 GB DDR2	250 GB SATA 7200					x									United Kingdom				PDP:GBR-691211-002			915	Price change
	Intel Core2 Duo E4500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	160 GB SATA 7200					x									United Kingdom				PDP:GBR-691211-003			628	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO P **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Combine high expandability with latest technology. With its expandability and its chipset diversity ESPRIMO P is the right solution for customer requiring a high quality microtower with a managed lifecycle up to 18 month
ESPRIMO professional PC is built with specially selected material to minimize impact on the environment. Production and selection of material is optimized to the aspect of environmental consciousness. Development, production, transportation and recycling are aligned to strong internal environmental directives.
Working with the ESPRIMO P Series is stress-free: it is ergonomic, silent and reliable. It is easy to administer and secure. Different product specifications are the basis to fit the ESPRIMO P best in your working environment. In short, this highly reliable PC is particularly tailor-made to your business demands.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Standard products																										
ESPRIMO P5710																										
	Intel Core2 Duo E4400 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	160 GB SATA 7200								x			ATI RC415	onboard	Wheelmouse	United Kingdom	2			PDP:GBR1007301-001			519	Phased out
	Intel Core2 Duo E6600 2.4 GHz 1066 MHz 4 MB	Vista Business 32bit MuLi A	1 GB DDR2	250 GB SATA 7200								x			ATI RC415	onboard	Wheelmouse	United Kingdom	2			PDP:GBR1007301-002			643	Phased out
	Intel Pentium D E2140 1.6 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 7200								x			ATI RC415	onboard	Wheelmouse	United Kingdom	2			PDP:GBR1007301-003			478	Phased out Price change
ESPRIMO P5720 EPA																										
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 7200								x			Intel GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2			PDP:GBR1007651-001			485	
	Intel Core2 Duo E6750 2.66 GHz 1333 MHz 4 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	250 GB SATA 7200								x			Intel GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2			PDP:GBR1007651-002			676	Price change
	Intel Core2 Duo E4500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	1 GB DDR2	160 GB SATA 7200								x			Intel GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2			PDP:GBR1007651-003			526	
ESPRIMO P5916																										
	Intel Core2 Duo E4500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x1 GB DDR2	160 GB SATA 7200								x			Intel GMA 3000	onboard	Wheelmouse	United Kingdom	2			PDP:GBR1007201-003			632	
	Intel Core2 Duo E6700 2.66 GHz 1066 MHz 4 MB	Vista Business 32bit MuLi A	2x2 GB DDR2	250 GB SATA 7200								x			Intel GMA 3000	onboard	Wheelmouse	United Kingdom	2			PDP:GBR1007201-004			1005	Price change
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	2x512 MB DDR2	80 GB SATA 7200								x			Intel GMA 3000	onboard	Wheelmouse	United Kingdom	2			PDP:GBR1007201-005			533	
ESPRIMO P5925 EPA																										
	Intel Core2 Duo E4500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x512 MB DDR2	160 GB SATA 7200								x			Intel GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2			PDP:GBR1007501-001			569	
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Vista Business 32bit MuLi A	1 GB DDR2	80 GB SATA 7200								x			Intel GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2			PDP:GBR1007501-002			528	
	Intel Core2 Duo E4500 2.2 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A	2x2 GB DDR2	250 GB SATA 7200								x			Intel GMA 3100	onboard	Tilt-Wheelmouse	United Kingdom	2			PDP:GBR1007501-003			847	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Q5020 **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

The ESPRIMO Q Series opens a new chapter on performance, size and design.
With its extremely small and stylish design, the new Professional Mini PC satisfies a so far unanswered business need: Professional PC becomes fashionable. Powered by the latest Intel® Mobile Technology, the ESPRIMO Q Series fulfills the requirements of a professional PC.
Don't buy expandability you never use and gain more space on your desk. You'll profit from its low energy consumption, as well as from its whisper silent noise level.
Add an eye catcher to your desk.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Special products																										
ESPRIMO Q5020																										
	Intel Celeron 540 1.86 GHz 533 MHz 1 MB	Vista Business 32bit MuLi A & BusSuite	1 GB DDR2	80 GB SATA 5400		x						x			Intel® 965GM	onboard	Optical Wheelmouse		3			VFY:Q5020-01GB			431	
	Intel Core2 Duo T7250 2.0 GHz 800 MHz 2 MB	Vista Business 32bit MuLi A & BusSuite	1 GB DDR2	80 GB SATA 5400		x						x	x		Intel® 965GM	onboard	Optical Wheelmouse		3			VFY:Q5020-02GB			510	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Value Line ESPRIMO E3500 and ESPRIMO P3500 **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

The ESPRIMO Project PC is the gateway to professional computing. The Small Form factor PC extends the Fujitsu Siemens Computers' Value Line product portfolio with an additional form factor.
The basic professional PC is the ultimate balance of valuable performance at very attractive prices. The ESPRIMO Project PC portfolio is aimed towards the large enterprises that are looking for a price-conscious professional PC with longer lifecycle.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Special products																										
ESPRIMO E3500																										
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Genuine Windows® XP Profession GB	512 MB DDR2	80 GB SATA 7200		x						x			Intel GMA 950	onboard	Wheelmouse	United Kingdom	2			VFY:E3500-01GB			324	
	Intel Pentium D E2160 1.8 GHz 800 MHz 1 MB	Genuine Windows® XP Profession GB	2x512 MB DDR2	160 GB SATA 7200								x			Intel GMA 950	onboard	Wheelmouse	United Kingdom	2			VFY:E3500-02GB			358	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5900	ESPRIMO C5910	ESPRIMO E3500	ESPRIMO E5600	ESPRIMO E5615	ESPRIMO E5615 EPA	ESPRIMO E5616	ESPRIMO E5700	ESPRIMO E5710	ESPRIMO E5720	ESPRIMO E5720 EPA	ESPRIMO E5901	ESPRIMO E5905	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E5925 EPA	ESPRIMO P3500	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5700	ESPRIMO P5710	ESPRIMO P5720	ESPRIMO P5720 EPA	ESPRIMO P5905	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P5925	ESPRIMO P5925 EPA	ESPRIMO P5925 EPA selection	ESPRIMO Q5000	ESPRIMO Q5010	ESPRIMO Q5020	Code			End User Price (€)	Comments
Accessories & services matrix																																									
Memory																																									
	512MB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x					x	x	x			x	x			x	x	x	x		x	x			x	x		x	x	x	x	x				S26361-F2994-L112			35	Price change
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit	x					x	x	x			x	x			x	x	x	x		x	x			x	x		x	x	x	x	x				S26361-F2994-L114			72	Price change
	1GB DDR2-667	1 module PC 667 (PC2-5300), DIMM																																x	x	x	S26361-F2992-L114			65	Price change
	2 GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit	x		x			x	x	x		x	x	x			x	x	x	x		x	x		x	x	x		x	x	x	x	x				S26361-F2989-L116			195	Price change
	512MB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x				S26361-F2989-L112			33	
	1GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x				S26361-F2989-L114			65	Price change
	512MB DDR2-533	memory mix refer to system board manual, 1 module PC 533 (PC2-4200), DIMM, compatible with this base unit		x	x	x		x	x	x	x	x			x	x	x	x			x	x	x	x	x			x	x	x							S26361-F2888-L112			33	Price change
	1GB DDR2-533	memory mix refer to system board manual, 1 module PC 533 (PC2-4200), DIMM, compatible with this base unit		x	x	x		x	x	x	x	x			x	x	x	x			x	x	x	x	x			x	x	x							S26361-F2888-L114			65	Price change
Graphics																																									
	DVI Ext. Adapter i915GV i945G iQ965 ATI	PCI Express, DVI-out extension for onboard graphics				x					x	x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x					S26361-F2757-L610			19	
	DVI Extension Adapter, nForce4	DVI-D extension for on board graphics, 2 monitor mode possible (1 DVI-D + 1 VGA)						x	x	x												x	x															S26361-F3305-L200			9	
	Dual DVI Ext. Adapter i945G iQ965	Dual DVI-D extension for onboard graphics, 2 monitor mode possible (2 DVI-D)				x							x	x	x	x	x	x	x	x	x					x	x	x	x	x	x	x	x				S26361-F2757-L650			28	
	NVIDIA GeForce 7300LE 128MB TrueMemoryLP	PCI Expr., dual monitoring (2DVI-I/VGA), HDTV, TV-out (S-VID/Video), incl. 2 adapters DVI-VGA, HDTV cable on request				x		x	x	x		x	x	x	x	x	x	x	x								x										S26361-F3000-L128			85	
	NVIDIA GeForce 7300LE 256MB TrueMemoryLP	PCI Expr., dual monitoring (2DVI-I/VGA), HDCP, TV-out (S-VID/Video), 2 adapters DVI-VGA incl., HDTV (cable on request)				x		x	x	x		x	x	x	x	x	x	x	x																		S26361-F3000-L255			105	
	NVIDIA GeForce 7300LE 128MB TrueMemory	PCI Expr., dual monitoring (2DVI-I/VGA), HDTV, TV-out (S-VID/Video), incl. 2 adapters DVI to VGA, HDTV cable on request																				x	x	x		x	x	x	x	x	x	x	x				S26361-F3000-L129			56	Price change
	NVIDIA GeForce 7300LE 256MB TrueMemory	PCI Expr., dual monitoring (2DVI-I/VGA), HDCP, TV-out (S-VID/Video), 2 adapters DVI-VGA incl., HDTV (cable on request)																				x	x	x		x	x	x	x	x	x	x	x				S26361-F3000-L256			67	Price change
Removable Media Drives																																									
	MEMORYBIRD P 2GB		x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x	S26391-F6047-L102			48	
	MEMORYBIRD P 4GB		x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x	S26391-F6047-L104			66	
	MultiCard Reader 15in1 USB 2.0, 3 1/2"	occupies accessible 5,25"- bay, requires internal USB interface. Formats: , CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD				x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3077-L20			22	
	Floppy Disk Drive 1.44MB	occupies accessible 3,5"- bay, incl. cable				x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F1723-L30			13	
	CD-RW \ DVD 24x24x24x8x ATAPI slimline	occupies accessible 5,25"- bay, DVD software must be ordered separately		x	x																																S26361-F2745-L32			50	
	DVD SuperMulti double layer writer slim	occupies accessible 5,25"- bay, DVD software must be ordered separately			x																																S26361-F3434-L100			66	
	DVD SuperMulti SATA slim	occupies accessible 5,25"- bay, DVD software must be ordered separately	x																																		S26361-F3863-L100			72	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately				x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x				S26361-F3418-L10			28	
	CD-RW \ DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately				x		x	x	x		x					x	x			x	x	x		x				x	x							S26361-F3419-L10			35	Phased out Price change
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately				x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x				S26361-F3420-L10			57	
	Floppy Disk Drive 1.44MB USB external	anthracite	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F2383-L20			28	
Hard Disk Drives																																									
	HDD SATA II 80GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3210-L100			55	Price change
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3211-L100			66	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3212-L100			90	
Communication/Network																																									
	Dual serial card, PCI, EX-43092	Dual Port RS232, full height	x		x			x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x				S26361-F3316-L2			20	
	USB Adapter PS/2	2x PS/2 connection			x			x	x	x		x					x	x				x	x		x				x	x							S26391-F5100-L100			14	
	Gigabit Ethernet SysKonnect	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3067-L1			27	
	WLAN II, 802.11g 54Mbps	internal WLAN module, occupies 1 internal USB interface, RoHS compliant	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3108-L2			27	
	PCI Parallel Card LP (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket				x		x	x	x		x					x	x																			S26361-F3465-L1			16	
	PCI Parallel Card FH (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket	x		x																x	x	x	x		x			x	x							S26361-F3465-L100			16	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot	x										x	x					x	x						x	x				x	x	x				S26361-F2542-L30			11	
	eSATA Interface	for eSATA peripherals, occupies one internal SATA interface and one slot	x										x	x					x	x						x	x				x	x	x				S26361-F2542-L40			11	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				S26361-F3106-L520			19	
	USB Centronics printer cable	for printers only	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x				S26391-F6055-L100			16	
	USB-serial cable		x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x	x				S26391-F6054-L100			19	
Audio/Video																																									
	Headset	stereo headset, microphone	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2631-L10			11	Price change
PRIMERGY-Software																																									
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB	x	x	x			x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2565-L610			16	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D	x	x	x			x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2565-L611			16	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F	x	x	x			x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2565-L613			16	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB	x	x	x			x	x	x	x	x	x	x	x	x	x				x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2565-L650			72	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5900	ESPRIMO C5910	ESPRIMO E3300	ESPRIMO E5600	ESPRIMO E5615	ESPRIMO E5615 EPA	ESPRIMO E5616	ESPRIMO E5700	ESPRIMO E5710	ESPRIMO E5720	ESPRIMO E5720 EPA	ESPRIMO E5901	ESPRIMO E5905	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E5925 EPA	ESPRIMO P3500	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5700	ESPRIMO P5710	ESPRIMO P5720	ESPRIMO P5720 EPA	ESPRIMO P5905	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P5925	ESPRIMO P5925 EPA	ESPRIMO P5925 EPA selection	ESPRIMO Q5000	ESPRIMO Q5910	ESPRIMO Q5920	Code			End User Price (€)	Comments
Accessories & services matrix																																									
PRIMERGY-Software (Continued)																																										
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L651			72	Price change
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L652			72	Price change
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L653			72	Price change
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L654			72	Price change
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L620			16	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L621			16	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L622			16	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L623			16	
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L660			72	Price change
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L661			72	Price change
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L662			72	Price change
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L663			72	Price change
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L664			72	Price change
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L670			236	Price change
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L671			236	Price change
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L680			236	Price change
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L681			236	Price change
OS/Application-SW																																									
	WinDVD 7.0 Software Player	DVD Software Player, CD and license, can be used only on FSC systems	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2598-L20			7	
	Downgrade Pack XP Prof 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof, CDs only, no license			x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x			S26361-F2007-L815			11	
	Downgrade Pack XP Prof 32bit MuLi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license			x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x			S26361-F2007-L816			11	
	Downgrade Pack XP Prof 32bit MuLi C	(CZ, GB, H, MUI), for downgrading Vista Business to XP Prof, CDs only, no license			x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x			S26361-F2007-L817			11	
	Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license			x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x			S26361-F2007-L818			11	
	VistaDrivers & Utility ESPRIMO, CELS	ESPRIMO, CELSIUS W, incl. Nero 7 Essentials S, Norton Internet Security 2007	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2007-L901			11	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L556			102	Price change
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L550			699300699	
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L553			699300699	
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L559			699300699	
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L562			699300699	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L557			135	Price change
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L551			699300699	
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L554			699300699	
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L560			699300699	
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L563			699300699	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L558			171	Price change
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L552			699300699	
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L555			699300699	
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x		S26361-F2727-L561			699300699	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5900	ESPRIMO C5910	ESPRIMO E3900	ESPRIMO E5600	ESPRIMO E5615	ESPRIMO E5615 EPA	ESPRIMO E5616	ESPRIMO E5700	ESPRIMO E5710	ESPRIMO E5720	ESPRIMO E5720 EPA	ESPRIMO E5901	ESPRIMO E5905	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E5925 EPA	ESPRIMO P3500	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5700	ESPRIMO P5710	ESPRIMO P5720	ESPRIMO P5720 EPA	ESPRIMO P5905	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P5925	ESPRIMO P5925 EPA	ESPRIMO P5925 EPA selection	ESPRIMO Q5500	ESPRIMO Q5610	ESPRIMO Q5620	Code			End User Price (£)	Comments
Accessories & services matrix																																									
OS/Application-SW (Continued)																																									
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x		x	x	x		x	x	x	x	x		x	x	S26361-F2727-L564			699300699	
Security																																									
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x					S26361-F1260-L520			25	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x			x		S26361-F1571-L201			11	Price change
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x			x		S26361-F1571-L210			100	
	SmartCase CardAPI	Contents: 1 CD (includes 1 licence),PKCS #11, CSP, for usage with certificates / in PKI environments	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x					S26361-F1571-L300			10	Phased out
	Smart Security API 4.1	Contents: 1 CD (includes 1 licence), PKCS 11, CSP, PKI Environment and Driver for SC Token USB	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x			x	S26361-F1571-L310			10	
	MicroSaver	anti-theft cable with lock	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L200			33	
	MicroSaver Combination	anti-theft cable with combination lock	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1650-L500			21	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x				x	S26361-F2542-L220			24	
	SmartCase Fingerprintsensor (USB)	external Fingerprintsensor, incl. SmartCase Logon+	x		x			x	x	x		x	x	x			x	x	x	x		x	x		x	x	x		x	x	x	x	x	x	x	x	S26361-F2542-L222			35	Price change
	SmartCard Token USB		x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x			x	S26361-F2542-L300			28	
	SmartCase Logon+ license (1-99 users)	includes 1 license for orders up to 99 licenses,no software	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x				x	S26361-F2727-L100			27	Price change
	SmartCase Logon+ license (1-99 users)	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for Win 2000/XP/Vista	x	x	x			x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x				x	S26361-F2727-L730			15	Price change
Mouse																																									
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box																																	x	x	x	LTC:M-RBB93			28	
Miscellaneous																																									
	Monitor outlet cable	necessary to contact monitor directly to the PC						x	x	x	x	x	x	x	x	x	x	x	x			x	x	x	x	x	x	x	x	x	x	x					S26361-F2542-L57			8	
	Cable for 2. USB device							x	x	x	x	x			x	x	x	x				x	x	x	x			x	x	x							S26361-F2581-L10			11	
	VGA+DVI Dual View Cable	Y-cable from DVI-I to VGA and DVI-D																																			x	S26361-F2542-L58			6	Price change
	Rear Panel for 2 full height PCI cards	2 full height PCI and 1 low profile PCI Express 16x,incl. riser card						x	x	x		x	x	x			x	x	x	x																	S26361-F2542-L414			8	
	Feet for vertical position (set)					x		x	x	x		x	x	x			x	x	x	x																	S26361-F2542-L200			14	
	Riser card 1x PCI	1x PCI slot full height with flexislot	x	x	x																																S26361-F2542-L318			11	
	Riser Card 1x PCI, DVI	1x PCI slot full height with flexislot and DVI-connector	x	x	x																																S26361-F2542-L319			19	
	KBPC SX USB (N) & Power Cord	standard keyboard USB,USB cable, power cord Europe	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x				S26361-F2542-L274			17	
	KBPC SX USB (S/FIN) & Power Cord	standard keyboard USB,USB cable, power cord Europe	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x				S26361-F2542-L275			17	
	KBPC SX USB (DK) & Power Cord (DK)	standard keyboard USB,USB cable, power cord DK	x		x	x		x	x	x		x	x	x			x	x	x	x	x	x	x		x	x	x		x	x	x	x				S26361-F2542-L277			17	
	Rear USB 2.0 connector	2x USB 2.0																			x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2438-L215			6	Price change
	Blanking Plate, 5,25" drive bays, 10 pcs																							x			x										S26361-F2542-L322			11	
	Blanking Plate 5,25" drive bays, 10 pcs					x															x	x	x		x	x		x	x	x	x	x					S26361-F2542-L323			11	
	Blanking Plate, 3,5" drive bays, 10 pcs					x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x					S26361-F2542-L230			11	
	Blanking Plate, 5,25" drive bays, 3 pcs.	3x 5,25" covers & drive cage					x	x	x	x	x	x	x	x	x	x	x	x	x	x																	S26361-F2542-L324			11	
	Universal PC-TFT holder	for TFT (15"-20") and PC (max 105x370x400mm)	x	x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x																	S26361-F2542-L35			67	
Cables																																									
	Scart cable																																		x	x		S26391-F6105-L1			19	Phased out
Additional Software																																									
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C183			21	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C202			857	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C203			1394	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x							x			x									U11081-C210			2426	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Accessories **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5900	ESPRIMO C5910	ESPRIMO E3300	ESPRIMO E5600	ESPRIMO E5615	ESPRIMO E5615 EPA	ESPRIMO E5616	ESPRIMO E5700	ESPRIMO E5710	ESPRIMO E5720	ESPRIMO E5720 EPA	ESPRIMO E5901	ESPRIMO E5905	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E5925 EPA	ESPRIMO P3500	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5700	ESPRIMO P5710	ESPRIMO P5720	ESPRIMO P5720 EPA	ESPRIMO P5905	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P5925	ESPRIMO P5925 EPA	ESPRIMO P5925 EPA selection	ESPRIMO Q5000	ESPRIMO Q9010	ESPRIMO Q9020	Code			End User Price (€)	Comments
Accessories & services matrix																																									
Additional Software (Continued)																																										
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C222			350	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C223			569	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x			x	x	x	x	x			x	x	x	x					x				x										U11081-C226			2276	

Fujitsu Siemens Computers recommends Windows Vista® Business.

ESPRIMO Options **Data Sheets: http://www.fujitsu-siemens.com/esprimo**

Category	Description	Details	ESPRIMO C5720	ESPRIMO C5900	ESPRIMO C5910	ESPRIMO E3500	ESPRIMO E5600	ESPRIMO E5615	ESPRIMO E5615 EPA	ESPRIMO E5616	ESPRIMO E5700	ESPRIMO E5710	ESPRIMO E5720	ESPRIMO E5720 EPA	ESPRIMO E5901	ESPRIMO E5905	ESPRIMO E5915	ESPRIMO E5916	ESPRIMO E5925	ESPRIMO E5925 EPA	ESPRIMO P3500	ESPRIMO P5600	ESPRIMO P5615	ESPRIMO P5616	ESPRIMO P5700	ESPRIMO P5710	ESPRIMO P5720	ESPRIMO P5720 EPA	ESPRIMO P5905	ESPRIMO P5915	ESPRIMO P5916	ESPRIMO P5925	ESPRIMO P5925 EPA	ESPRIMO P5925 EPA selection	Code			End User Price (£)	Comments
Accessories & services matrix																																						
Product related services																																						
	SP 3y OS Svc,2BD Rt,5x9	SP 3 years On-Site Service, second business day response, 5x9				x															x														FSP:GB3S10000GBBD2			39	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9		x			x				x				x	x						x			x				x								51	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9				x															x														FSP:GB3S20000GBBD2			51	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x		x			x	x	x		x	x	x			x	x	x	x			x	x		x	x	x		x	x	x	x	x	FSP:GB3S20000GBBD3			51	
	SP 4y OS Svc,2BD Rt,5x9	SP 4 years On-Site Service, second business day response, 5x9		x			x				x				x	x						x			x				x								50	
	SP 4y OS Svc,2BD Rt,5x9	SP 4 years On-Site Service, second business day response, 5x9	x		x			x	x	x		x	x	x			x	x	x	x			x	x		x	x	x		x	x	x	x	x	FSP:GB4S10000GBBD3			51	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x		x			x	x	x		x	x	x			x	x	x	x			x	x		x	x	x		x	x	x	x	x	FSP:GB4S20000GBBD3			68	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x		x			x	x	x		x	x	x			x	x	x	x			x	x		x	x	x		x	x	x	x	x	FSP:GB5S20000GBBD3			93	
	TP 3y OS Svc,2BD Rt,5x9	TP 3 years On-Site Service, second business day response, 5x9				x															x														FSP:GN3S10000GBBD2			39	
	TP 3y OS Svc,NBD Rt,5x9	TP 3 years On-Site Service, next business day response, 5x9				x															x														FSP:GN3S20000GBBD2			56	

Fujitsu Siemens Computers recommends Windows Vista® Business.

Positioning CELSIUS workstations

CELSIUS H Series

CELSIUS H Series. Powerful mobile workstation. If you run power-hungry 3D applications that demand no compromise on the graphics side, you'll appreciate the CELSIUS H. The system offers the power of a full-fledged workstation: Editing 3D OpenGL graphics in real time, running computer simulations and computing multimedia animations wherever you are.

CELSIUS W Series

CELSIUS W Series. High-End PC / Entry-Level workstation
If you need more power and more expandability than a desktop PC can offer, choose the entry-level workstation CELSIUS W Series. The CELSIUS W Series offers workstation performance - in combination with fastest generation of processors, chipsets and graphic cards.

CELSIUS M Series

CELSIUS M Series. Mid-range workstation.
Do you need more power, more memory, more data security, and more expandability than a conventional PC can offer? Then choose the mid-range workstation CELSIUS M Series. CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. CELSIUS are certified for a huge variety of software applications.

CELSIUS R Series

CELSIUS R Series. High-end workstation.
You need a powerful, dual-processor workstation and want to choose from a large range of graphics subsystems. The CELSIUS R Series is ready for all challenges. What is more, the CELSIUS R Series offers great expandability. Latest technology combined with top performance components makes this the optimum hardware choice for power hungry applications.

CELSIUS V Series

CELSIUS V Series. 64-bit workstation. You need a powerful workstation for memory demanding applications? With support for up to two AMD Opteron™ processors and up to 16 GB main memory, the CELSIUS V Series provides maximum system performance when it is really needed. The wide range of professional 3D graphics, the large cabinet with room for additional components and ISV Software certifications are the ideal conditions for compute-intensive and multi-processor-optimized workstation applications.

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS H250 **Data Sheets: http://www.fujitsu-siemens.com/celsius**

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS are certified for a huge variety of software applications, guaranteeing optimum performance whatever your preferred software solution.
If you need more processor power, more graphics power, higher screen resolution and full ISV certification, opt for the mobile workstation CELSIUS H250

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Standard products																								
CELSIUS H250																								
	Intel Core2 Duo T7700 2.40 4M 800	Vista Business 32bit MuLi A	2GB	SATA 160GB 5.4k					No		x					GB			TPM Module V1.2	PDP:GBR-227250-002			1678	Price change
	Intel Core2 Duo T7300 2.0 4M 800	Vista Business 32bit MuLi A	1GB	SATA 160GB 5.4k					No		x					GB			TPM Module V1.2	PDP:GBR-227250-003			1292	Price change
	Intel Core2 Duo T7500 2.20 4M 800	Vista Business 32bit MuLi A	1GB	SATA 120GB 5.4k					x	x	x			on board		GB	2x			PDP:GBR-227250-004			1298	Price change
	Intel Core2 Duo T7700 2.40 4M 800	Vista Business 32bit MuLi A	2GB	SATA 160GB 7.2k + 1GB					x	x	x	x	NVIDIA Quadro FX 570M, 256 MB GDDR3-RAM	on board		GB			TPM Module V1.2	PDP:GBR-227255-001			1769	Price change

CELSIUS W360 The Gate to Workstation Performance

CELSIUS W360 **Data Sheets: http://www.fujitsu-siemens.com/celsius**

CELSIUS workstations feature the very latest technology and system components to deliver high-end performance. They are the ideal choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS workstations are certified for a broad variety of software applications. The ISV certification process enables workstation users to run their preferred applications with the best possible performance and maximum system stability.
If you need more power and more expandability than a standard PC can offer, choose the high-end PC / entry-level workstation CELSIUS W360.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	DVD_SUPERMULTI	FDD	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front_USB	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	SCSI_Controller	Security_Hardware	Code			End User Price (£)	Comments
Standard products																															
CELSIUS W360																															
	Intel Core2 Duo E6750 2.66 4M 1333	Vista Business 32bit MuLi A	2x1GB	SATA II 250GB 7.2k			x	x					1xGBit					2x					USB tilt wheel mouse	GB			PDP:GBR1000215-001			715	Price change
	Intel Core2 Quad Q6700 2.66 8M 1066	Vista Business 32bit MuLi A	2x2GB	SATA II 500GB 7.2k			x	x					1xGBit					2x					USB tilt wheel mouse	GB			PDP:GBR1000215-002			1370	Price change
	Intel Core2 Duo E4400 2.00 2M 800	Vista Business 32bit MuLi A	1GB	SATA II 160GB 7.2k			x	x					1xGBit					2x					USB tilt wheel mouse	GB			PDP:GBR1000215-003			551	

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS M450 **Data Sheets: http://www.fujitsu-siemens.com/celsius**

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS are certified for a huge variety of software applications, guaranteeing optimum performance whatever your preferred software solution is.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Standard products																										
CELSIUS M450																										
	Intel Core2 Duo E6420 2.13 4M 1066	Genuine Windows® XP Professional GB	2GB	SATA II 250GB 7.2k				x				x		x	No graphics	on board	Wheel Mouse	GB	2x			PDP:GBR-990215-005			755	
	Intel Core2 Duo E6700 2.66 4M 1066	Vista Business 32bit MuLi A	2x2GB	SATA II 500GB 7.2k				x				x		x	No graphics	on board	Wheel Mouse	GB	2x			PDP:GBR-990215-006			1126	Price change
	Intel Core2 Duo E4500 2.20 2M 800	Genuine Windows® XP Professional GB	2x 512MB	SATA II 160GB 7.2k				x				x		x	No graphics	on board	Wheel Mouse	GB	2x			PDP:GBR-990215-007			643	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS R540 **Data Sheets: http://www.fujitsu-siemens.com/celsius**

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS workstations are certified for a huge variety of software applications. The ISV certification process enables workstation users to run their preferred applications with the best possible performance and maximum system stability.
If you need more performance than a single processor workstation can offer, opt for the compact entry-level high-end workstation CELSIUS R540.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	DVD_SUPERMULTI	FDD	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front_USB	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	SCSI_Controller	Security_Hardware	Code			End User Price (£)	Comments
Standard products																															
CELSIUS R540																															
	Dual-Core Xeon 5160 3.00G 4M 1333	Genuine Windows® XP Professional GB	2x1GB	SATA II 250GB 7.2k			x	x	x				x					2x		No graphics	on board		Wheel Mouse	GB	Fast IDE		PDP:GBR-994115-001			1544	
	Quad-Core Xeon DP E5355 2.66 2x4M 1333	Genuine Windows® XP Professional GB	2x2GB	SATA II 500GB 7.2k			x	x	x				x					2x		No graphics	on board		Wheel Mouse	GB	Fast IDE		PDP:GBR-994115-003			1838	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS R640 **Data Sheets: http://www.fujitsu-siemens.com/celsius**

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS workstations are certified for a huge variety of software applications. The ISV certification process enables workstation users to run their preferred applications with the best possible performance and maximum system stability.
If you need more performance than a single processor workstation can offer, opt for the high-end workstation dual processor workstation CELSIUS R640.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	DVD_SUPERMULTI	FDD	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front_USB	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	SCSI_Controller	Security_Hardware	Code			End User Price (£)	Comments
Standard products																															
CELSIUS R640																															
	Dual-Core Xeon 5160 3.00G 4M 1333	Genuine Windows® XP Professional GB	2x1GB	SATA II 250GB 7.2k			x	x	x				x				x	2x		No graphics	on board		Wheel Mouse	GB	Fast IDE		PDP:GBR-991115-001			1697	
	Quad-Core Xeon DP E5355 2.66 2x4M 1333	Genuine Windows® XP Professional GB	2x2GB	SAS 300GB 15k			x	x	x				x				x	2x		No graphics	on board		Wheel Mouse	GB	Fast IDE		PDP:GBR-991115-003			2188	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS V840 **Data Sheets: http://www.fujitsu-siemens.com/celsius**

CELSIUS workstations are equipped with the very latest technology and system components to deliver high-end performance. They are the ideal hardware choice for business segments like computer aided design and engineering, mechanical design, simulation, virtual reality, visualization, digital content creation, and finance. CELSIUS are certified for a huge variety of software applications, guaranteeing you optimum performance whatever your preferred software solution.
If you need more power, more memory, more data security, and more expandability than a conventional dual processor workstation can offer, opt for the ultra high-end 64-bit workstation CELSIUS V840.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	DVD_SUPERMULTI	FDD	Other_Drives	Battery	Modem	LAN	WLAN	Bluetooth	UMTS	FireWire	Front_USB	Screen	Graphics	Audio	Port_Replicator	Mouse	Keyboards	SCSI_Controller	Security_Hardware	Code			End User Price (£)	Comments
Standard products																															
CELSIUS V840																															
	Opteron 2214 2.2	Genuine Windows® XP Professional GB	2x1GB	SATA II 250GB 7.2k			x	x	x	Cable for ODD								2x		No graphics			Wheel Mouse	GB			PDP:GBR-992215-001			1366	Price change
	Opteron 2210 1.8	Genuine Windows® XP Professional GB	1GB	SATA 160GB 7.2k	x				x	Cable for ODD								2x		No graphics			Wheel Mouse	GB			PDP:GBR-992215-002			1239	Price change
	2xOpteron 2218 2.6	Genuine Windows® XP Professional GB	2x1GB	SAS 300GB 15k			x	x	x	Cable for ODD								2x		No graphics			Wheel Mouse	GB			PDP:GBR-992215-003			2306	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: http://www.fujitsu-siemens.com/celsius

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Processor																			
	Dual-Core Xeon 5110 1.60GHz 4MB 1066MHz						x	x		x	x				S26361-F3427-L16			142	
	Dual-Core Xeon 5130 2.00GHz 4MB 1333MHz						x	x		x	x				S26361-F3426-L20			219	
	Dual-Core Xeon 5150 2.66GHz 4MB 1333MHz						x	x		x	x				S26361-F3426-L26			439	
	Dual-Core Xeon 5160 3.00GHz 4MB 1333MHz						x	x		x	x				S26361-F3426-L30			510	
	Quad-Core Xeon E5310 1.60GHz 2x4MB 1066						x	x		x	x				S26361-F3453-L160			153	
	Quad-Core Xeon E5335 2.00GHz 2x4MB 1333						x	x		x	x				S26361-F3454-L200			209	
	Quad-Core Xeon E5345 2.33GHz 2x4MB 1333						x	x		x	x				S26361-F3454-L233			285	
	Quad-Core Xeon X5355 2.66GHz 2x4MB 1333						x	x		x	x				S26361-F3454-L266			764	Price change
	Quad-Core Xeon X5365 3.0GHz 2x4MB 1333						x	x		x	x				S26361-F3454-L300			1114	Price change
	2x Opteron 2210 1.8 GHz											x			S26361-F3450-L518			384	
	2x Opteron 2220 2.8GHz											x			S26361-F3450-L528			934	
	2x Q-C Xeon E5310 1.60GHz 2x4MB 1066						x	x		x	x				S26361-F3453-L516			302	
	2x Q-C Xeon E5345 2.33GHz 2x4MB 1333						x	x		x	x				S26361-F3454-L523			549	
	2x D-C Xeon 5130 2.00GHz 4MB 1333MHz						x	x		x	x				S26361-F3426-L520			436	
	2x D-C Xeon 5160 3.00GHz 4MB 1333MHz						x	x		x	x				S26361-F3426-L530			1017	
Memory																			
	1GB DDR2-667		x												S26391-F668-L200			82	Price change
	1GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only		x											S26391-F681-L200			80	Price change
	2GB DDR2-667	1 module, PC2-5300 ub, dual channel performance with two identical modules only		x											S26391-F681-L310			365	Price change
	512MB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit				x								x	S26361-F2994-L112			35	Price change
	1GB DDR2-800	memory mix refer to system board manual, 1 module PC 800 (PC2-6400), DIMM, compatible with this base unit				x								x	S26361-F2994-L114			72	Price change
	2 GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit			x								x	x	S26361-F2989-L116			195	Price change
	512MB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit			x								x	x	S26361-F2989-L112			33	
	1GB 2x512 DDR2-667 ECC	2 modules, DIMM. Caution: Do not mix ECC and non ECC modules!			x										S26361-F3237-L423			70	
	1GB DDR2-667	memory mix refer to system board manual, 1 module PC 667 (PC2-5300), DIMM, compatible with this base unit			x								x	x	S26361-F2989-L114			65	Price change
	1GB 2x512 FB-DIMM PC2-5300 ECC						x			x					S26361-F3368-L439			138	
	1GB 2x512 DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary										x			S26361-F3367-L439			138	
	2GB 2x1GB DDR2-667 ECC	2 modules, DIMM. Caution: Do not mix ECC and non ECC modules!			x										S26361-F3237-L424			175	
	2GB 2x1GB FB-DIMM PC2-5300 ECC						x			x					S26361-F3368-L449			268	
	2GB 2x1GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary										x			S26361-F3367-L449			268	
	4GB 2x2GB FB-DIMM PC2-5300 ECC						x			x					S26361-F3368-L459			655	Price change
	4GB 2x2GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary										x			S26361-F3367-L459			549	
	8GB 2x4GB FB-DIMM PC2-5300 ECC						x			x					S26361-F3368-L469			2363	
	8GB 2x4GB DDR2-667 rg ECC	2 modules, same number of modules for each processor necessary										x			S26361-F3367-L469			2363	
	512MB DDR2-533	memory mix refer to system board manual, 1 module PC 533 (PC2-4200), DIMM, compatible with this base unit											x		S26361-F2888-L112			33	Price change
	1GB DDR2-533	memory mix refer to system board manual, 1 module PC 533 (PC2-4200), DIMM, compatible with this base unit											x		S26361-F2888-L114			65	Price change
Graphics																			
	DVI Ext. Adapter i915GV i945G iQ965 ATI	PCI Express, DVI-out extension for onboard graphics											x	x	S26361-F2757-L610			19	
	Dual DVI Ext. Adapter i945G iQ965	Dual DVI-D extension for onboard graphics, 2 monitor mode possible (2 DVI-D)											x	x	S26361-F2757-L650			28	
	NVIDIA Quadro NVS 285 128MB PCI-E x16	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCI-E card			x	x	x	x		x	x	x	x	x	S26361-F2748-L232			67	
	NVIDIA Quadro NVS 285 128MB PCI-E x1	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCI-E card			x	x	x	x		x	x	x	x	x	S26361-F2748-L231			64	
	NVIDIA Quadro NVS 440 2x128MB PCI-E x1	Connectors: Up to 4x DVI or VGA, PCI-E card			x	x	x	x		x	x	x	x	x	S26361-F2748-L244			223	
	NVIDIA Quadro FX 370 256MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe card												x	S26361-F2856-L37			138	New product Price change
	NVIDIA Quadro FX 550, 128 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe card			x		x	x		x	x	x	x	x	S26361-F2856-L55			90	
	ATI Fire GL V5200, 256 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card			x	x	x	x	x	x	x	x	x	x	S26361-F2530-L256			272	
	ATI Fire GL V7300, 512 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card			x		x			x		x			S26361-F2530-L730			564	
	NVIDIA Quadro FX 1500 256 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card			x		x	x	x	x	x	x			S26361-F2856-L215			260	Price change
	NVIDIA Quadro FX 1700 512MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCI-E card				x		x			x				S26361-F2856-L217			364	New product Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: http://www.fujitsu-siemens.com/celsius

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Graphics (Continued)																			
	NVIDIA Quadro FX 3500 256 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card			x		x	x	x	x	x	x			S26361-F2856-L235			581	
	NVIDIA Quadro FX 4600 768MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe card			x	x	x	x		x	x	x			S26361-F2856-L246			1155	
	NVIDIA Quadro FX 5500 1024MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card			x		x		x	x		x			S26361-F2856-L255			1264	
	NVIDIA Quadro FX 5600 1.5GB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCIe card					x	x		x	x	x			S26361-F2856-L256			1402	
	NVIDIA GeForce 7300LE 128MB TrueMemory	PCI Expr., dual monitoring (2DVI-I/VGA), HDTV, TV-out (S-VID/Video), incl. 2 adapters DVI to VGA, HDTV cable on request											x	x	S26361-F3000-L129			56	Price change
	NVIDIA GeForce 7300LE 256MB TrueMemory	PCI Expr., dual monitoring (2DVI-I/VGA), HDCP, TV-out (S-VID/Video), 2 adapters DVI-VGA incl., HDTV (cable on request)			x	x	x	x		x	x		x	x	S26361-F3000-L256			67	Price change
	10 pieces NVIDIA Quadro FX 550, 128 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, PCIe card, please request the number of pilot release at Alfred.Grussler@fujitsu siemens.com			x	x	x	x		x	x	x	x	x	S26361-F3856-L55			714	
	5 pieces NVIDIA Quadro FX 1500 256 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card, please request the number of pilot release at Alfred.Grussler@fujitsu siemens.com			x	x	x	x	x	x	x	x			S26361-F3856-L215			1043	
	5 pieces NVIDIA Quadro FX 3500 256 MB	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card, please request the number of pilot release at Alfred.Grussler@fujitsu siemens.com			x	x	x	x	x	x	x	x			S26361-F3856-L235			2033	
	SLI bridge for NVIDIA graphics	Connectors: 2x DVI or 2x VGA or 1x DVI + 1x VGA, stereo, PCI-E card										x			S26361-F2542-L95			25	
Removable Media Drives																			
	mini SD Card 2GB	Incl. SD card adapter	x	x											S26391-F2486-L820			18	Phased out
	FDD USB (external)	external USB FDD, USB cable included	x	x											S26391-F264-L226			36	
	Modular bay		x	x											S26391-F405-L100			11	
	DVD Super Multi	Nero on driver DVD		x											S26391-F405-L601			116	
	DVD Super Multi	Nero on driver DVD	x												S26391-F405-L700			116	
	MEMORYBIRD P 1GB		x	x											S26391-F6047-L101			28	Phased out
	MEMORYBIRD P 2GB		x	x	x	x	x			x			x	x	S26391-F6047-L102			48	
	MEMORYBIRD P 4GB		x	x	x	x	x			x			x	x	S26391-F6047-L104			66	
	MEMORYBIRD P 8GB		x	x											S26391-F6047-L108			124	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging	x	x											S26391-F7119-L100			116	
	MultiCard Reader 15in1 USB 2.0, 3 1/2"	occupies accessible 3,5"- bay, , requires internal USB interface. Formats: , CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD			x	x	x	x		x	x	x			S26361-F3077-L2			20	
	MultiCard Reader 15in1 USB 2.0, 3 1/2"	occupies accessible 5,25"- bay, requires internal USB interface. Formats: , CF I, CF II, CF HI-SPEED, Micro Drive, MS, MS Magic Gate, MS PRO Magic Gate, HI-SPEED MS PRO Magic Gate, MS DUO Magic Gate, MS PRO DUO Magic gate, HI-SPEED MS PRO DUO Magic Gate, SD, HI-SPEED SD, SDC, MMC, HS MMC, SM, XD											x	x	S26361-F3077-L20			22	
	Floppy Disk Drive 1.44MB	occupies accessible 3,5"- bay, incl. cable											x	x	S26361-F1723-L30			13	
	DVD SuperMulti double layer writer	occupies accessible 5,25"- bay, incl. Nero burning software, DVD software must be ordered separately, CD read 48x, DVD read 16x, CD R read/ write 48x, CD RW read/ write 32x, DVD+-R read/ write 16x, DVD+RW read/ write 8x, DVD-RW read 8x/ write 6x, DVD+R double layer read/ write 8x, DVD-R double layer read 8x/ write 4x, DVD-RAM read/ write 5x			x	x	x	x	x	x	x				S26361-F3304-L10			57	
	DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately				x						x	x	x	S26361-F3418-L10			28	
	CD-RW \ DVD SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately										x	x		S26361-F3419-L10			35	Phased out Price change
	DVD SuperMulti SATA	occupies accessible 5,25"- bay, DVD software must be ordered separately				x						x	x	x	S26361-F3420-L10			57	
	Floppy Disk Drive for 5.25" bay				x	x	x	x		x	x	x			S26361-F1723-L31			14	
Hard Disk Drives																			
	1st HDD SATA 120GB 5.4k		x												S26391-F401-L400			168	
	2nd HDD SATA 120GB 5.4k		x												S26391-F401-L402			168	
	2nd HDD SATA 160GB 5.4k			x											S26391-F682-L700			205	
	HDD SATA II 80GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x	x	x	x	x	x	x	x	x	S26361-F3210-L100			55	Price change
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x	x	x	x	x	x	x	x	x	S26361-F3211-L100			66	

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: http://www.fujitsu-siemens.com/celsius

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Hard Disk Drives (Continued)																			
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x	x	x	x	x	x	x	x	x	S26361-F3212-L100			90	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable			x	x	x	x	x	x	x	x	x	x	S26361-F3435-L100			145	Price change
	HDD SATA II 500GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable				x		x			x	x		x	S26361-F3497-L100			167	Price change
	HDD SATA II 750GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable				x		x			x	x		x	S26361-F3498-L100			276	Price change
	HDD SATA II 80GB 10k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x	x	x		x	x	x	x	x	S26361-F3456-L100			105	
	HDD SATA II 160GB 10k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x	x	x		x	x	x	x	x	S26361-F3457-L100			143	
	HDD SAS 73GB 15k	occupies 3.5"-bay (internal), incl. cable			x	x	x	x		x	x	x			S26361-F3405-L20			148	
	HDD SAS 146GB 15k	occupies 3.5"-bay (internal), incl. cable			x	x	x	x		x	x	x			S26361-F3406-L20			209	
	HDD SAS 300GB 15k	occupies 3.5"-bay (internal), incl. cable			x	x	x	x		x	x	x			S26361-F3414-L20			411	
	HDD SAS 73GB 10k	occupies 3.5"-bay (internal), incl. cable			x	x	x	x		x	x	x			S26361-F3468-L20			143	
	HDD SAS 146GB 10k	occupies 3.5"-bay (internal), incl. cable			x	x	x	x		x	x	x			S26361-F3469-L20			192	
	HDD SAS 300GB 10k	occupies 3.5"-bay (internal), incl. cable			x	x	x	x		x	x	x			S26361-F3470-L20			308	
SCSI/RAID/SAS controller																			
	SAS Controller (LSI-3041E)	for 4 HDDs, 4 ports, PCIe x4 card			x	x	x	x							S26361-F3407-L1			108	Price change
Communication/Network																			
	Modem adapter set 1	modem adapter set (D, UK,)	x	x											S26361-F3145-L10			11	
	Modem adapter set 2	modem adapter set (SW, NO, FI, DK)	x	x											S26361-F3145-L20			11	
	Modem adapter set 3	modem adapter set (CH, A, B, NL, F, I, E, POR)	x	x											S26361-F3145-L30			11	
	Cardreader All-in-1 USB 2.0		x	x											S26361-F3172-L1			21	
	Dual serial card, PCI, EX-43092	Dual Port RS232, full height			x	x	x	x		x	x	x	x	x	S26361-F3316-L2			20	
	PowerLAN IH200	Single adapter, Networking over PowerLAN, including LANcable	x	x											S26361-F3485-L1			66	
	PowerLAN IH200 c	Two adapter, Networking over PowerLAN, Including two LANcable, (c=couple)	x	x											S26361-F3485-L2			128	
	PowerLAN IH85	Single adapter, Networking over PowerLAN, including LANcable, 85 Mb/s	x	x											S26361-F3486-L1			44	
	PowerLAN IH85 c	Two adapters, Networking over PowerLAN, Including two LANcables, 85 Mb/s, (c=couple)	x												S26361-F3486-L2			66	
	RJ11/RJ45/ retractable cable		x	x											S26391-F2530-L400			19	
	USB Adapter PS/2	2x PS/2 connection	x	x		x									S26391-F5100-L100			14	
	AVM Fritz!Card Express, ISDN	incl. Kabel, German, English, France, Dutch, Italy, Poland, Spain, Czech	x	x											S26391-F6122-L1			146	
	AVM FRITZ ISDN V2.0	incl. Cable, German, English, France, Dutch, Italy, Poland, Spain, Czech	x	x											S26361-F1904-L100			139	
	Gigabit Ethernet SysKonnect	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI			x	x	x	x	x	x	x	x	x	x	S26361-F3067-L1			27	
	WLAN II, 802.11g 54Mbps	internal WLAN module, occupies 1 internal USB interface, RoHS compliant			x	x	x	x		x	x	x	x	x	S26361-F3108-L2			27	
	PCI Parallel Card FH (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket					x	x				x	x	x	S26361-F3465-L100			16	
	FireWire PCI-Card IEEE1394	400 Mbit/s, 3 external and 1 internal connectors					x	x					x	x	S26361-F3106-L520			19	
	USB Centronics printer cable	for printers only	x	x			x	x				x	x	x	S26391-F6055-L100			16	
	USB-serial cable			x	x		x			x		x	x		S26391-F6054-L100			19	
Rack-Infrastructure																			
	RMK 1/2 CR telescopic rails	1 pair carrier rails/telescopic rails/cable carrier							x						S26361-F1331-L7			165	
	Rack mount kit CELSIUS	For assembling in racks from Fujitsu Siemens Computers and in third party racks, inclusive rails			x	x	x	x		x	x	x			S26361-F2581-L100			95	
	Rack mount kit CELSIUS R630	for conversion of a floorstand BU to rack BU							x						S26361-F2618-L230			33	Phased out
	RMK 1 D/P/3rd P Racks telescopic rails	1 pair telescopic rails deepth 735-770mm incl. adapter angle and cable management							x						S26361-F2734-L31			165	
OS/Application-SW																			
	Vista Drivers & Utility DVD LIFEBOOK	incl. Nero 7 Essentials S	x												S26361-F2007-L903			6	
	WinDVD 7.0 Software Player	DVD Software Player, CD and license, can be used only on FSC systems			x	x	x		x	x		x	x	x	S26361-F2598-L20			7	
	Downgrade Pack XP Prof 32bit MuLi A	(D, DK, E, F, FIN, GB, I, N, NL, S), for downgrading Vista Business to XP Prof, CDs only, no license	x	x											S26361-F2007-L815			11	
	Downgrade Pack XP Prof 32bit MuLi B	(CZ, E, F, GB, GR, P, PL, TR), for downgrading Vista Business to XP Prof, CDs only, no license	x	x											S26361-F2007-L816			11	
	Downgrade Pack XP Prof 32bit MuLi C	(CZ, GB, H, MUI), for downgrading Vista Business to XP Prof, CDs only, no license	x	x											S26361-F2007-L817			11	
	Downgrade Pack XP Prof 32bit RUS	(RUS), for downgrading Vista Business to XP Prof, CD only, no license	x	x											S26361-F2007-L818			11	
	VistaDrivers & Utility ESPRIMO, CELS	ESPRIMO, CELSIUS W, incl. Nero 7 Essentials S, Norton Internet Security 2007											x	x	S26361-F2007-L901			11	
	Media Less Key Office 07 Basic (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L556			102	Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: http://www.fujitsu-siemens.com/celsius

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	Media Less Key Office 07 Basic (D)	MediaLessKey (MLK) and COA included,in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L550			699300699	
	Media Less Key Office 07 Basic (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L553			699300699	
	Media Less Key Office 07 Basic (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L559			699300699	
	Media Less Key Office 07 Basic (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L562			699300699	
	Media Less Key Office 07 SBE (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L557			135	Price change
	Media Less Key Office 07 SBE (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L551			699300699	
	Media Less Key Office 07 SBE (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L554			699300699	
	Media Less Key Office 07 SBE (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L560			699300699	
	Media Less Key Office 07 SBE (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L563			699300699	
	Media Less Key Office 07 PRO (GB)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L558			171	Price change
	Media Less Key Office 07 PRO (D)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L552			699300699	
	Media Less Key Office 07 PRO (I)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L555			699300699	
	Media Less Key Office 07 PRO (F)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L561			699300699	
	Media Less Key Office 07 PRO (E)	MediaLessKey (MLK) and COA included, in a DVD Media Less Kit	x	x	x	x	x	x		x	x		x	x	S26361-F2727-L564			699300699	
UPS/Power supply																			
	AC adapter 19V (80W)		x												S26391-F2474-L600			36	
	1st battery 8cells		x												S26391-F2592-L500			72	
	Multipower adapter	AC/Car adapter 110-220V / 12V/24V input, output 5V/16V/20V, 90Watt	x	x											S26391-F2613-L310			101	
	Car/Air adapter	12/24V input, 5V/16V/19V output, 100Watt	x	x											S26391-F2613-L600			109	
	DC replace kit	replacement-plug for CAR/AIR adapter	x	x											S26391-F2613-L605			36	
	2nd battery		x	x											S26391-F405-L200			101	
	1st Battery E8410 8-cell 75Wh			x											S26391-F405-L810			105	Price change
	AC-Adapter 19V/100W			x											S26391-F408-L300			28	Price change
	External battery charger, incl. 16V AC	incl. AC adapter, without power cable	x	x											S26391-F5031-L700			128	Price change
	Ext. Battery Charger	without AC-adapter	x	x											S26391-F5031-L710			98	Price change
	power cable EU	black, 2-pole, 1.8 m	x	x											T26139-Y2540-V113			8	
	power cable UK	black, 2-pole, 1,8 m	x	x											T26139-Y2540-V213			8	
	power cable US	black, 2-pole, 1,8 m	x	x											T26139-Y2540-V313			8	
Security																			
	SmartCase SCR (internal USB)	requires int. USB interface, no NT support, w/o SmartCard			x	x	x	x		x	x	x	x	x	S26361-F1260-L520			25	
	SmartCase SmartCard (qty. 1)	1 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L201			11	Price change
	SmartCase SmartCard (qty. 10)	10 SmartCard CardOS 4.3b,64 KByte EEPROM	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F1571-L210			100	
	Smart Security API 4.1	Contents: 1 CD (includes 1 licence), PKCS 11, CSP, PKI Environment and Driver for SC Token USB		x	x	x	x			x		x		x	S26361-F1571-L310			10	
	MicroSaver	anti-theft cable with lock	x	x											S26361-F1650-L200			33	
	MicroSaver, Shared Access	lead time 16 Weeks; Minimum order 50 units, higher Quantities needs to divide by 50, complete order as a one shoot deal	x	x											S26361-F1650-L220			44	
	MicroSaver, Master Access		x	x											S26361-F1650-L400			36	
	MicroSaver Combination	anti-theft cable with combination lock	x	x											S26361-F1650-L500			21	
	MicroSaver Twin	2 locks on steel cable, e. g. for display and notebook	x	x											S26361-F1650-L600			66	
	MicroSaver DS	Specialkey and steelcable	x	x											S26361-F1650-L700			58	
	SmartCase SCR (USB)	PC/SC and Win 98/Me/2000/XP compatible, USB interface	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2542-L220			24	
	SmartCase Fingerprintsensor (USB)	external Fingerprintsensor, incl. SmartCase Logon+			x	x	x	x		x	x	x	x	x	S26361-F2542-L222			35	Price change
	SmartCard Token USB				x	x	x			x		x		x	S26361-F2542-L300			28	
	SmartCase Logon+ license (1-99 users)	Authentication, Passwordmgmt., SSO, Secure Drive, supports Smardcard / Fingerprint for Win 2000/XP/Vista	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2727-L730			15	Price change
	MicroSaver Portable	rollable steel cable with lock	x	x											S26391-F6045-L100			29	
Mouse																			
	Logitech Bluetooth Mouse	Logitech Bluetooth Mouse, manual, leathercase, 2AA batteries, packed in white box	x	x											LTC:M-RBB93			28	
Miscellaneous																			
	LIFEBOOK driver CD		x												S22452-P919-L100			19	
	Liquid View CD	Dynamic indication enlargement with a highly soluble LCD	x	x											S26361-F1850-L800			8	
	Mobile school room	usable for 25 notebooks, only supported with EU cables		x											S26391-F2000-L100			3294	
	Keyboard Rubber caps	10 caps	x	x											S26391-F2602-V1			11	
	Keyboard protector 15,4"	5 pieces	x	x											S26391-F4000-L200			14	

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: http://www.fujitsu-siemens.com/celsius

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Miscellaneous (Continued)																			
	LB Office Kit C_E_S	Contains: Port Replicator, AC adapter (100W), EU cable kit, Notebook stand	x	x											S26391-F6036-L390			189	
	MOBILE STARTERKIT 10	Contains: 1x Presenter III, 1x Prestige Case midi	x	x											S26391-F6036-L585			66	
	Kit for LIFEBOOK E and C	Contains: 1 x Prestige Case Top L, 1 x AC-adapter 100W, 1 x 2nd battery	x	x											S26391-F6036-L595			146	
	MOBILE STARTERKIT 11	Contains: 1x Mouse USB MC100, 1x Prestige Case 5-in-1	x	x											S26391-F6036-L600			28	
	Notebook Stand	for all LIFEBOOK models. Incl.template holder and unique device for a portreplicator.Perfect and back-relieved positioning of the notebook-display on a right workposition guaranteed.	x	x											S26391-F6047-L1			109	
	Microfiber Rag		x	x											S26391-F6105-L5			11	
	QuickCam pro	1,3 Megapixel, incl. Headset	x	x											S26391-F6215-L1			46	Phased out
	Monitor outlet cable	necessary to contact monitor directly to the PC											x	x	S26361-F2542-L57			8	
	Cable for 2. USB device				x	x	x	x	x	x	x	x	x	x	S26361-F2581-L10			11	
	Casters for CELSIUS M, R & V	Available in systems serial no. higher than YBSJ001400 (CELSUS V830) and YBWM004000 (CELSIUS M440).			x	x	x	x		x	x	x			S26361-F2581-L200			38	
	Blanking Plate, 5,25" drive bays, 10 pcs												x	x	S26361-F2542-L322			11	
Cables																			
	Y-Cable for mouse and KB (PS\2)	connect only via Port Replikator, exception C1110 and E8010 on the system directly	x	x											S26391-F192-L560			8	New product
	Scart cable		x	x											S26391-F6105-L1			19	Phased out
Notebook Cases																			
	Pouch case	For AC adapter and power cable, , Material: black koskin, Exterior Dimensions: 250 x 70 x 70 mm, Weight: 120 g	x	x											S26391-F119-L105			14	
	Prestige Nightcase	Durable, water-repellent material; high-class manufacturing; smooth-running zipper; integrated notebook compartment; integrated pocket for power supply unit and cable; shirt compartment; workstation (cell phone, pens, CD-ROMs); exterior pocket for travel accessories; durable, dirt-resistant underbody; storage room for clothing (suits, shoes, etc.); especially smooth-running and quiet wheels; stable telescope handle made of high-class aluminium; carry handles on top and sides; handle shell on bottom., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black/silver 1680D ballistic nylon , Exterior dimensions: 580 x 420 x 250 mm , Weight: 5.15 kg	x	x											S26391-F119-L106			80	
	Value Entry case	This carrying case protects the notebook with effective cushioning and the reinforced frame on all sides and so provides optimal safety. The especially soft handle of the Value Entry Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. , , For Notebooks up to , 390 x 285 x 55 mm , Material: Polyester , Dimensions: 410 x 330 x 80 mm , Weight: 0.8 kg	x	x											S26391-F119-L107			11	
	Value Basic case	This carrying case offers with its cushioned notebook compartment optimal safety for your notebook., The handle of the Value Basic Case in combination with the shoulder strap offers a comfortable transport for notebooks from 14-inch up to 15.4-inch. , , For Notebooks up to , 390 x 285 x 55 mm , Material: Polyester , Exterior Dimensions: 410 x 330 x 80 mm , Weight: 0.8 kg	x	x											S26391-F119-L109			11	Phased out
	Value case	Resistant Notebook case with cushioning as well as rubber coating for soft placement of the case on the floor. Cushioned handle and shoulder strap. Including two-fold compartment for mobile accessories or documents. , , For Tablet PC and Notebooks up to , 340 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 360 x 320 x 140 mm, Weight: 0.8 kg	x	x											S26391-F119-L50			26	

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories **Data Sheets: http://www.fujitsu-siemens.com/celsius**

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Notebook Cases (Continued)																			
	Slipcover	Save keeping and carrying of modular bay devices such as second hard disk drive, second battery or optical drives, , Material: black nylon , Exterior Dimensions: 145 x 145 x 20 mm, Weight: 55 g	x	x											S26391-F119-L57			14	
	Prestige case solid	Elegant SoftCase with zipper for 15.4-inch Notebooks, integrated workstation for mobile equipment (CD compartment, fastenings for namecards, pens and cell phone), room for additional documents in the main compartment, comfortable carry handle, robust EVA material., , For Tablet PC and Notebooks up to:, 380 x 290 x 40 mm, Material: black EVA , Exterior dimensions: 420 x 350 x 60 mm , Weight: 0.65 kg	x	x											S26391-F119-L59			28	
	Prestige case midi	Zip-down case with cushioned Notebook compartment; separate second compartment for mobile accessories and documents; exterior compartment with workstation for mobile accessories; cushioned shoulder strap; trolley fastening strap an the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 100 mm , Weight: 1.3 kg	x	x											S26391-F119-L60			28	
	Prestige case maxi	Zip-down case with a large cushioned two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; document compartment; exterior compartment with workstation for accessories; cushioned shoulder strap; trolley fastening strap on the back side, , For Tablet PC and Notebooks up to , 360 x 295 x 50 mm, For printer/projector up to , 340 x 295 x 60 mm, Material: black polyester, Exterior dimensions: 390 x 320 x 200 mm , Weight: 1.9 kg	x	x											S26391-F119-L61			36	
	Prestige case scooter	Zip-down trolley with large cushioned, two-fold Notebook compartment; separate, cushioned compartment for printer and mobile accessories; exterior compartment with interior separators for accessories; cushioned shoulder strap; retractable telescope handle, , For Tablet PC and Notebooks up to , 370 x 290 x 50 mm, For printer/projector up to , 370 x 290 x 70 mm, Material: black polyester, Exterior dimensions: 430 x 340 x 190 mm , Weight: 3.6 kg	x	x											S26391-F119-L62			66	
	Prestige case Top L	Material: Nylon	x	x											S26391-F119-L64			28	
	Prestige case L66	Material: Nylon	x	x											S26391-F119-L66			36	
	Prestige Sportive	Sportive Notebook backpack; padded, integrated Notebook compartment; pockets on inside for documents and mobile equipment; mesh pockets on sides; padded Notebook compartment; front compartment for cell phone, pens, keys and additional accessories as well as separate storage space for power supply units; adjustable, padded shoulder straps; comfortable, breathable back padding; additionally expandable front pocket (for bicycle helmet, etc.)., , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black/silver/grey nylon , Exterior dimensions: 500 x 370 x 210 mm, Weight: 1.42 kg	x	x											S26391-F119-L67			51	
	Prestige Cover L	NB-folio / protective casing made of durable and water-repellent nylon; soft Nyflex material on the inside; holder for business cards and pens. , , For Tablet PC and Notebooks up to:, 370 x 290 x 40 mm, Material: black 1680D ballistic nylon, Exterior dimensions: 370 x 290 x 60 mm , Weight: 530 g	x	x											S26391-F119-L69			26	

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: http://www.fujitsu-siemens.com/celsius

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Notebook Cases (Continued)																			
	Supreme case maxi	Stylish business case. High-quality leather; cushioned Notebook compartment; document compartment and another additional document compartment, high-quality locks. Front pocket with zipper and workstation; cushioned shoulder strap., , For Tablet PC and Notebooks up to , 370 x 290 x 40 mm, Material: black leather , Exterior dimensions: 420 x 340 x 210 mm , Weight: 2.5 kg		x										S26391-F119-L71			80	
	Supreme case midiII	Stylish business case; high-quality leather; cushioned Notebook compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside., , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 100 mm, Weight: 2.5 kg	x	x											S26391-F119-L73			66	
	Supreme Case Maxi II	Stylish business case; high-quality leather; cushioned Notebook compartment; document compartment; high-quality locks; fold-out front pocket with workstation for mobile accessories; cushioned shoulder strap; additional pocket with zipper and trolley fastening strap on the backside., , For Tablet PC and Notebooks up to , 380 x 285 x 40 mm, Material: brown leather , Exterior dimensions: 430 x 320 x 160 mm, Weight: 2.9 kg	x	x											S26391-F119-L74			73	
	Case DataDesk 80	Extra robust hull; 220-V-electrical socket on the hull exterior; USB printer cable with 90° angled plug included; custom-fit mount for the printer; Notebook fastening via flexible synthetic corners provided by 3M Dual-Lock; 2 different coupling (2 x 8 Euros, 1 x 8 Euros with ground wire); uses the original power supply units; accessory compartments in the case flap., , For notebooks up to 340 x 310 x 55 mm, For printer: Canon i70 / i80 Series and , Canon iP 90, Material: black Aluminium / Conpearl / ABS, Exterior dimensions: 595 x 415 x 160 mm , Weight: 4.8 kg	x	x											S26391-F119-L97			205	
Input Devices																			
	Bluetooth Headset			x											S26391-F2613-L700			53	Phased out
	Presenter III	remote control for powerpoint presentations	x	x											S26391-F7116-L100			28	
Additional Software																			
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1							x			x			U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs							x			x			U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs							x			x			U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME							x			x			U11081-C183			21	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs							x			x			U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs							x			x			U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions							x			x			U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0							x			x			U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201							x			x			U11081-C202			857	

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories **Data Sheets: http://www.fujitsu-siemens.com/celsius**

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Additional Software (Continued)																			
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201							x			x			U11081-C203			1394	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201							x			x			U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201							x			x			U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201							x			x			U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201							x			x			U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201							x			x			U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201							x			x			U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201							x			x			U11081-C210			2426	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201							x			x			U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202							x			x			U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203							x			x			U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204							x			x			U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205							x			x			U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206							x			x			U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207							x			x			U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208							x			x			U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209							x			x			U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210							x			x			U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211							x			x			U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202							x			x			U11081-C222			350	

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Accessories

Data Sheets: http://www.fujitsu-siemens.com/celsius

Category	Description	Details	CELSIUS H240	CELSIUS H250	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V840	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																			
Additional Software (Continued)																			
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203							x			x			U11081-C223			569	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204							x			x			U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205							x			x			U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206							x			x			U11081-C226			2276	
Docking																			
	Portreplicator\AC Adapter\EU-cable kit			x											S26391-F408-L100			87	
	Portreplicator		x	x											S26391-F5031-L550			72	Phased out
	Portreplicator\AC adapter\EU-cable kit		x												S26391-F5031-L560			91	Phased out Price change
	Portreplicator\AC adapter\UK-cable kit		x												S26391-F5031-L570			91	Phased out Price change

Fujitsu Siemens Computers recommends Windows Vista® Business.

CELSIUS Services **Data Sheets: http://www.fujitsu-siemens.com/celsius**

Category	Description	Details	CELSIUS H210	CELSIUS H230	CELSIUS H240	CELSIUS H250	CELSIUS K320	CELSIUS K330	CELSIUS M420	CELSIUS M430	CELSIUS M440	CELSIUS M450	CELSIUS M460	CELSIUS R540	CELSIUS R550	CELSIUS R610	CELSIUS R630	CELSIUS R640	CELSIUS R650	CELSIUS V810	CELSIUS V810_	CELSIUS V830	CELSIUS V840	CELSIUS W340	CELSIUS W350	CELSIUS W360	Code			End User Price (£)	Comments
Accessories & services matrix																														
Product related services																														
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x																					FSP:GB3S20000GBNBH			175	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9																						x	x	x	FSP:GB3S20000GBWSB			111	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9																		x	x	x	x				FSP:GB3S20000GBWSH			111	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9					x	x	x	x	x	x	x														FSP:GB3S20000GBWSL			111	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9												x	x	x	x	x	x								FSP:GB3S20000GBWSS			111	

Positioning Displays

Value Line

A feast for your eyes – a pleasure to work with.
The new LCD displays offer a new scope to arrange a comfortable and representative workplace.
Positioned in four lines and with a wide range of screen sizes you will find the right display for any desire.

SCENICVIEW Value Line - Enter the world of professional LCD displays for an affordable price. New: comprehensive standard and wide format portfolio in corporate design of 3rd generation. The DDC-CI interface makes the displays ready for remote administration and comfortable usability

H Line

SCALEOVIEW H Line - Lifestyle design for home and office use

Business Line

SCENICVIEW Business Line - Efficiency for intensive office use offering Dual Hinge Axis Management stand (height adjust) and a new representative design.

Premium Line

SCENICVIEW Premium Line - New comprehensive wide format portfolio in new elegant design; premium panel with wide viewing angle and outstanding color performance; enhanced ergonomics and usability.
Enjoy the spacious viewing area of the wide screen format display in modern office applications.

Projectors

High resolution and contrast, excellent brightness, low weight, silent and just a little larger than an A5 sheet, make the XP70 to the ideal choice for travelling users or business executives, even for presentations in fully lit rooms.

Displays **Data Sheets: http://www.fujitsu-siemens.com/display**

LCD Displays

SCENICVIEW Value Line
- Continuity for projects
- Corporate design
- DDC-CI interface - ready for remote administration and comfortable usability

SCENICVIEW Advanced Value Line
- DVI and analog interface
- Enhanced ergonomics

SCENICVIEW Business Line
- Premium TN Panel
- Dual Hinge Axis Management Stand (Dual Hinge, height adjust, tilt)
- DVI and analog interface
- New elegant design
- Ready for Manageability

SCENICVIEW Premium Line
- Premium Panel technology
- Enhanced ergonomic height adjust stand
- DVI and analog interface, HDMI for wide screen models
- New elegant design
- Ready for Manageability

SCALEOVIEW H Line
- Premium TN Panel with ultra fast overdrive (2ms)
- DisplayView - patented technology (light, speed, bright, clean)
- High connectivity

SCALEOVIEW D Line
- TN Panel
- DVI, Analog
- Lifestyle Design with glossy black front

Projector

Projector XP80
- Only 1.1 kg
- 1700 lumen
- HDTV compliant
- Integrated loudspeaker

SCENICVIEW XP70
- Light 1.1 kg
- Bright 1400 Ansi lumen
- Quiet typical 32dB(A)

Category	Description	Details	Code			End User Price (£)	Comments
Peripherals							
Displays							
	Monitor LCD 19" SCALEOVIEW H19-1W	Monitor LCD 19" SCALEOVIEW H19-1W. Consumer Line.	S26361-K1089-V170			151	
	Monitor LCD 22" SCALEOVIEW H22-1W		S26361-K1118-V170			226	Price change
	Monitor LCD 17" SCENICVIEW B17-3	Monitor LCD 17" SCENICVIEW B17-3, Business Line	S26361-K1142-V150			142	
	Monitor LCD 19" SCENICVIEW B19-3	Monitor LCD 19" SCENICVIEW B19-3, Business Line	S26361-K1143-V150			189	
	Monitor LCD 19" SCALEOVIEW H19-2	Monitor LCD 19" SCALEOVIEW H19-2, Consumer Line	S26361-K1183-V170			165	
	Monitor LCD 17" SCENICVIEW P17-2	43-cm-(17")-LCD-TFT-Monitor , Premium Line	S26361-K979-V150			187	Phased out
	Monitor LCD 17" SCENICVIEW A17-2A	43-cm-(17")-LCD-TFT-Monitor , Value Line Advanced, incl. height adjust and DVI interface	S26361-K1098-V150			113	Phased out
	SCENICVIEW A17-3	SCENICVIEW A17-3, Value Line 17" Display, VGA Interface	S26361-K1146-V150			113	
	Monitor LCD 19" SCENICVIEW P19-2	48-cm-(19")-LCD-TFT-Monitor , Premium Line	S26361-K983-V150			203	Phased out
	Monitor LCD 19" SCENICVIEW P19-2 P	48-cm-(19")-LCD-TFT-Monitor , Premium Line, Premium VA	S26361-K983-V151			203	
	SCENICVIEW A19-3A	SCENICVIEW A19-3A, Advanced Value Line 19" Display, VGA, DVI Interface	S26361-K1150-V150			147	
	Monitor LCD 19" SCENICVIEW A19-1	48-cm-(19")-LCD-TFT-Monitor , Value Line	S26361-K1063-V150			113	Phased out Price change
	SCENICVIEW A19-3	SCENICVIEW A19-3, Value Line 19" Display, VGA Interface	S26361-K1147-V150			128	
	SCENICVIEW P20W-3	SCENICVIEW P20W-3, Premium Line 20" wide Display, VGA, DVI, HDMI Interface	S26361-K1174-V150			226	Price change
	SCENICVIEW A20W-3	SCENICVIEW A20W-3, Value Line 20" wide Display, VGA	S26361-K1177-V150			142	Price change
	SCENICVIEW P22W-3	SCENICVIEW P22W-3, Premium Line 22" wide Display, VGA, DVI, HDMI Interface	S26361-K1175-V150			260	Price change
	SCENICVIEW A20W-3A	SCENICVIEW A20W-3A, Advanced Value Line 20" wide Display, VGA, DVI, Height adjust	S26361-K1180-V150			173	Price change
	SCENICVIEW A22W-3	SCENICVIEW A22W-3, Value Line 22" wide Display, VGA	S26361-K1178-V150			158	Price change
	SCENICVIEW P24W-3	SCENICVIEW P24W-3, Premium Line 24" wide Display, VGA, DVI, HDMI Interface	S26361-K1176-V150			488	Price change
	SCENICVIEW A22W-3A	SCENICVIEW A22W-3A, Advanced Value Line 22" wide Display, VGA, DVI, Height adjust	S26361-K1181-V150			188	Price change

Positioning Input Devices & Security devices

Keyboards & Security

Keyboards & mice

Security devices

The keyboard is the most important interface between humans and the computer. Our keyboards are designed according to the latest ergonomic development and the non-abrasive laser inscription lasts a lifetime. The security keyboards conform to current market requirements and offer an perfect platform for security applications.

Please look for your favourite keyboard amongst a vast choice of different types. We have the right keyboard for you, no matter if you only need basic functionality or enhanced business typing. For office and a long days work, our Premium Line keyboards are the right ones.

Choose the perfect mouse for your environment: small when on the road, regular sizes for the desk, left and right hand usage, wired or unwired, four way scroll function, high-precise optical or laser technology - whatever you desire!

To serve and protect - we take care. There is no choice than our security devices if you want to protect your valuable data from beeing stolen, changed or copied. SmartCard technology helps to protect your data. Accompanying software completes the functionality of your SmartCard.

Keyboards and Security

Data Sheets: http://www.fujitsu-siemens.com/keyboards

Value and Business line keyboards
A keyboard is the most important interface between user and computer. Our basic and business line keyboards are designed to do the job. Reliable, effective and persevering.

Premium Line keyboards
If you expect more from your keyboard, please have a look on our Premium Line. These keyboards are designed for long working hours, endless codes to type and offer some specials you don't want to miss.

Mice
Mice for every working or private environmen. Vast range in different sizes, with or without cable, high precision technology, ergonomic and easy to use.

Security devices
Data are often inestimable worths. But they can be deleted, copied and changed in a short time by anyone. With Fujitsu Siemens Computers security devices the access to mobile and stationary systems is effectively secured.

Category	Description	Details	Code			End User Price (£)	Comments
Peripherals							
Keyboard /Mouse							
	KBPC PX GB professional keyboard	keyboard professional PS2 - USB, Great-Britain, global design, bright light grey / black, handrest, 5 comfort keys (loudness + - mute, browser, e-mail) 1 power on key (under PS2 + USB), PS2 and USB cable 2m included, blue LED	S26381-K340-V165			24	
	KB SC GB value keyboard	KBSC value keyboard, Great-Britain, bright light grey, PS/2	S26381-K360-V165			8	
	KB SC USB GB	KB SC USB value keyboard, Great-Britain, bright light grey, USB	S26381-K361-L165			14	
	KBPC SX GB standard keyboard	KBPC SX, keyboard standard, England, cable (PS/2,2m), global design	S26381-K397-V165			13	
	KBPC SX USB GB	KBPC SX USB, keyboard standard, England, cable USB 2m, Global Design	S26381-K398-L165			16	
	Optical Wheel Mouse Tilt USB/PS2	Optical Wheel Mouse Tilt, USB and PS2 interface with PS2-Adapter, Tilt-Wheel-Fuction, SW-CD, Manual, single packed in white box.	S26381-K415-L100			13	
	Keyboard cable PS2 4m round	with PS/2 plug; length 4m; for KBPC B,S,P,E,N,C,HK,P2	T26139-Y2530-V104			5	
	Keyboard cable with USB connector	Keyboard cable with USB and Western Plug lenght 2m; for KBPC SX, KBPC PX, KBPC NX	T26139-Y3812-V1			2	
	Keyboard cable with PS2 connector	with PS/2 plug; length 2m; for KBPC S2, SX, PX	T26139-Y4530-V1			2	

Positioning PRIMERGY Economy Servers

PRIMERGY Econel 100

PRIMERGY Econel 100 provides a platform for those who demand a powerful, but extremly silent mono socket server of the latest generation combined with reliable data security features. Superb power reserves through newest Intel® Pentium® D 820 processor, each core with 2.80 GHz, 2x 1 MB SLC, 800 MHz FSB. Also Celeron D 346 and Pentium 4 631 and 641 CPUs are available. The new Intel® Pentium® D (Dual-Core) processor increases the efficiency with simultaneous execution of several applications and e.g. the parallel download of mass data. The Intel® E7230 chipset is supporting also EM64Technology.

PRIMERGY Econel 200

Uncomplicated operation is also important: PRIMERGY Econel “easy change” design principles make it possible for you to install or replace components such as memory, drives, and devices without technical expertise. And of course, the renowned and dependable PRIMERGY quality is ensured by applying the full set of PRIMERGY testing procedures to the Econel servers. Now with the choice between SCSI or SATA hard disk technology.

PRIMERGY Econel 200 S2

The Econel 200 S2 delivers performance, ease of use and expandability at an interesting price level. The Dual-Core Xeon® processor combined with Intel® 5000V chipset supporting EM64 Technology. Proven server features ranging from ECC, memory scrubbing and SDDC support to RAID 1 (mirroring) controller onboard protect your data against loss and falsification.

PRIMERGY Econel 230 S1

For datacenters where high performance combined with memory addressability and entry price level is key. cost-efficient PRIMERGY Econel 230R S1 extends the PRIMERGY RACK portfolio and focuses rather on basic than on standard feature set in comparison to RX330 S1. Econel 230R S1 is offering enough local storage capacity to be used as a stand-alone application server for customers with 19” rack focus who need dedicated application servers and for Server farms in scale-out environments.

PRIMERGY Econel 100 — Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY Econel 100 - Mono socket Economy Server Data security for smaller budgets

PRIMERGY Econel 100 provides a platform for those who demand a powerful mono socket server of the latest generation combined with reliable data security features. Superb power reserves through newest Intel® Pentium® D 820 processor, each core with 2.80 GHz, 2x 1 MB SLC, 800 MHz FSB. Also Celeron D 346 and Pentium 4 631 and 641 CPUs are available. The new Intel® Pentium® D (Dual-Core) processor increases the efficiency with simultaneous execution of several applications and e.g. the parallel download of mass data. The Intel® E7230 chipset is supporting also EM64Technology. Proven server features ranging from ECC memory to RAID 1 (mirroring) controller onboard protect your data against loss and falsification. With the serial-ATA hard disk “easy change” technology, you have the option of configuring double disk security at low cost. The enclosed delivered PRIMERGY ServerView Suite offers the easiest way to get the system ready for your operation. All installation items are guided step by step for up to date and easy configuration.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY Econel 100							
	PY Eco100a/C 352/512M/80G	Floorstand incl. power supply, systemboard with processor, 512MB DDR2-533 PC2-4200 ub ECC; 1x 80 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V615			315	Phased out
	PY Eco100a/PD 925/512M/160G	Floorstand incl. power supply, systemboard with processor, 512MB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V662			356	Phased out
	PY Eco100a/PD 925/1G/160G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V666			396	Phased out
	PY Eco100a/PD 925/1G/250G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 250 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V667			421	Phased out
	PY Eco100a/PD 925/1G/500G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 500 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V668			512	Phased out
	PY Eco100a/PD 945/512M/160G	Floorstand incl. power supply, systemboard with processor, 512MB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V652			438	Phased out
	PY Eco100a/PD 945/1G/160G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V656			478	Phased out
	PY Eco100a/PD 945/1G/250G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 250 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V657			502	Phased out

PRIMERGY Econel 100 S2 Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY Econel 100 S2 - Mono socket economy tower - Server performance at a PC price

PRIMERGY Econel servers are the best choice when funds are limited but server availability, performance, and uncomplicated operation are important.
PRIMERGY Econel only uses “server-certified components” developed for round-the-clock operation, at a price level rivaling that of a PC!
PRIMERGY Econel servers ensure data security through ECC memory protection and integrated RAID disk mirroring.
With its particularly low noise levels, the PRIMERGY Econel 100 S2 is the perfect system for any office environment.
PRIMERGY Econel “easy change” design principles make it possible for you to install or replace components without technical expertise.
And of course, the renowned and dependable PRIMERGY quality is ensured by applying the full set of PRIMERGY testing procedures to the Econel servers.

PRIMERGY Econel 100 S2
If you are looking for a silent, energy efficient system capable of providing server performance at a PC price, then the PRIMERGY Econel 100 S2 is the right system for your business.

Model	Description	Details	Code	Partner Price (£)	Trade Guide Price (£)	End User Price (£)	Comments
Base unit configurations							
PRIMERGY Econel 100							
	PY Eco100a/C 352/512M/80G	Floorstand incl. power supply, systemboard with processor, 512MB DDR2-533 PC2-4200 ub ECC; 1x 80 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V615	268	282	315	Phased out
	PY Eco100a/PD 925/512M/160G	Floorstand incl. power supply, systemboard with processor, 512MB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V662	303	319	356	Phased out

PRIMERGY Econel 100 S2

Data Sheets: http://www.fujitsu-siemens.com/primergy

Model	Description	Details	Code	Partner Price (£)	Trade Guide Price (£)	End User Price (£)	Comments
Base unit configurations							
PRIMERGY Econel 100 (Continued)							
	PY Eco100a/PD 925/1G/160G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V666	337	355	396	Phased out
	PY Eco100a/PD 925/1G/250G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 250 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V667	358	377	421	Phased out
	PY Eco100a/PD 925/1G/500G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 500 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V668	435	458	512	Phased out
	PY Eco100a/PD 945/512M/160G	Floorstand incl. power supply, systemboard with processor, 512MB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V652	372	392	438	Phased out
	PY Eco100a/PD 945/1G/160G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 160 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V656	406	427	478	Phased out
	PY Eco100a/PD 945/1G/250G	Floorstand incl. power supply, systemboard with processor, 1GB DDR2-533 PC2-4200 ub ECC; 1x 250 GB SATA HD; PCI graphics 8MB, LAN Intel 10/100/1000, 1x Fast-IDE Controller for 2x ATA-100 devices, up to 4 SATA HDD inkl. SW RAID 0, 1, 10 on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K831-V657	427	449	502	Phased out

PRIMERGY Econel 200 S2 — Data Sheets: http://www.fujitsu-siemens.com/primergy

PDual socket Intel® Xeon® Server – Economical and easy data security combined with Dual-Core Xeon® performance

The Econel 200 S2 provides an inexpensive platform for those who demand for powerful Dual-Core Xeon® processor of the latest generation, combined with reliable data security features. Starting with one, server optimized, Intel® Xeon® processor grants performance headroom for growing business demands and extended life cycle.

The Econel 200 S2 delivers performance, ease of use and expandability at an interesting price level. The Dual-Core Xeon® processor combined with Intel® 5000V chipset supporting EM64 Technology. Proven server features ranging from ECC, memory scrubbing and SDDC support to RAID 1 (mirroring) controller onboard protect your data against loss and falsification.

With the serial-ATA hard disk “easy change” technology, you have the option of configuring double disk security at low cost.

The enclosed delivered ServerView Suite offers the easiest way to get the system ready for your operation. All installation items are guided step by step for up to date and easy configuration.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY Econel 200 S2							
	PY Eco200S2a/X 5050/160G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Dual Core processor, DDR RAM PC2-4200 ECC; 1x 160GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V142			562	Price change
	PY Eco200S2a/X 5050/250G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Dual Core processor, DDR RAM PC2-4200 ECC; 1x 250GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V143			586	Price change
	PY Eco200S2a/X 5110/160G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Dual Core processor, DDR RAM PC2-4200 ECC; 1x 160GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V102			562	Price change
	PY Eco200S2a/X 5110/250G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Dual Core processor, DDR RAM PC2-4200 ECC; 1x 250GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V103			586	Price change
	PY Eco200S2a/X 5130/160G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Dual Core processor, DDR RAM PC2-4200 ECC; 1x 160GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V122			672	
	PY Eco200S2a/X 5130/250G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Dual Core processor, DDR RAM PC2-4200 ECC; 1x 250GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V123			695	
	PY Eco200S2a/X 5130/500G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Dual Core processor, DDR RAM PC2-4200 ECC; 1x 500GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V124			787	

PRIMERGY Econel 200 S2

Data Sheets: http://www.fujitsu-siemens.com/primergy

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY Econel 200 S2 (Continued)							
	PY Eco200S2a/X E5310/160G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Quad Core processor, DDR RAM PC2-4200 ECC; 1x 160GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V112			582	New product Price change
	PY Eco200S2a/X E5310/250G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Quad Core processor, DDR RAM PC2-4200 ECC; 1x 250GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V113			600	New product
	PY Eco200S2a/X E5310/500G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Quad Core processor, DDR RAM PC2-4200 ECC; 1x 500GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V114			699	New product Price change
	PY Eco200S2a/X E5335/160G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Quad Core processor, DDR RAM PC2-4200 ECC; 1x 160GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V132			679	New product Price change
	PY Eco200S2a/X E5335/250G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Quad Core processor, DDR RAM PC2-4200 ECC; 1x 250GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V133			702	New product Price change
	PY Eco200S2a/X E5335/500G	Floorstand incl. power supply, dualsystemboard with 1x Xeon DP Quad Core processor, DDR RAM PC2-4200 ECC; 1x 500GB SATA HDD; graphics, LAN Intel 10/100/1000, 1x Fast-IDE Controller (for 1x DVD) and 1x SATA controller with 6 ports on-board; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K996-V134			795	New product Price change

PRIMERGY Econel 230R S1 Data Sheets: http://www.fujitsu-siemens.com/primergy

Dual-Core AMD Opteron™ Processor 2000 series based Rack Server – Dual-Core performance combined with economy features

For datacenters where high performance combined with memory addressability and entry price level is key. The cost-efficient PRIMERGY Econel 230R S1 extends the PRIMERGY RACK portfolio and focuses rather on basic than on standard feature set in comparison to RX330 S1. Econel 230R S1 is offering enough local storage capacity to be used as a stand-alone application server for customers with 19” rack focus who need dedicated application servers and for Server farms in scale-out environments. With two Dual-Core AMD Opteron™ processors of the 2000 series and up to 16 Gbytes DDR2-667 direct addressable memory, the PRIMERGY Econel 230R S1 matches your application requirements perfectly. Therefore the PRIMERGY Econel 230R S1 with its integrated up to six “easy change” or optional hot-plug SAS or SATA hard disks in combination with onboard disk mirroring function and sufficient free PCI slots for heavy I/O requirements, provides you with a budget saving platform.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY Econel 230R S1							
	PY Eco230RS1/O 2210	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1172-V110			848	
	PY Eco230RS1/O 2212	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1172-V112			848	
	PY Eco230RS1/O 2214	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1172-V114			875	
	PY Eco230RS1/O 2216	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1172-V116			915	
	PY Eco230RS1/O 2218	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1172-V118			1032	
	PY Eco230RS1/O 2344	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1172-V130			884	New product Price change Orderable from: 16/11/2007
	PY Eco230RS1/O 2346	Rack mountable server 19" (2U) incl. power supply and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, SAS Backplane option for hot plug HDDs, server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1172-V131			925	New product Price change Orderable from: 16/11/2007

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
Processor																			
	Xeon DP 2.8GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB						x							S26361-F3099-L828			268	
	Xeon DP 3.4GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB						x							S26361-F3099-L834			540	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1,60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function							x						S26361-F3243-L160			220	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function							x						S26361-F3243-L200			336	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3,00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heatpipe, PDA function							x						S26361-F3248-L300			220	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1,60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function							x						S26361-F3259-L160			244	New product Orderable from: 23/11/2007
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2,00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function							x						S26361-F3259-L200			340	New product Orderable from: 23/11/2007
	Opteron 2210 1.8GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected								x					S26361-F3448-L180			200	
	Opteron 2212 2.0GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected								x					S26361-F3448-L200			200	
	Opteron 2214 2.2GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected								x					S26361-F3448-L220			227	
	Opteron 2216 2.4GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected								x					S26361-F3448-L240			268	
	Opteron 2346 HE 1.8GHz 2MB	Quad Core CPU with heat sink, 2MB TLC ECC protected								x					S26361-F3862-L180			271	New product Orderable from: 14/12/2007
Memory																			
	MEM 512MB DDR2-533 PC2-4200 ubECC (1mod)	1 module, unbuffered DDR2-533		x									x		S26361-F3000-L513			41	
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533		x									x		S26361-F3000-L514			61	
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533		x											S26361-F3000-L515			187	
	512MB DDR400 PC3200 ub ECC	1 module, unbuffered DDR 400MHz										x			S26361-F3019-L513			75	
	1GB DDR400 PC3200 ub ECC	1 module, unbuffered DDR 400MHz										x			S26361-F3019-L514			155	Phased out
	512MB DDR333 PC2700 rg ECC	1 module, registered DDR 333MHz ECC						x							S26361-F3127-L513			92	
	1GB 2x512MB DDR333 PC2700 rg ECC	2x512 MB modules, registered DDR 333MHz ECC						x							S26361-F3127-L523			184	
	2GB 2x1GB DDR333 PC2700 rg ECC	2x1GB modules, registered DDR 333MHz ECC						x							S26361-F3127-L524			369	
	MEM 1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC							x						S26361-F3230-L521			112	
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC							x						S26361-F3230-L522			193	
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC							x						S26361-F3230-L523			387	
	MEM 512MB FBD667 PC2-5300F ECC 1 module	1 module, Fully Buffered DIMM DDR2 667MHz with SDDC							x						S26361-F3230-L811			65	
	MEM 4GB 2x2GB FBD533 PC2-4200F d ECC	2 modules, Fully Buffered DIMM DDR2 533MHz with SDDC							x						S26361-F3313-L523			468	
	MEM 512MB FBD533 PC2-4200F ECC 1modul	1 module, Fully Buffered DIMM DDR2 533MHz with SDDC							x						S26361-F3313-L811			78	
	1GB 2x512MB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC								x					S26361-F3449-L511			105	
	2GB 2x1GB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC								x					S26361-F3449-L512			187	
	4GB 2x2GB DDR2-667 PC2-5300 rg d ECC	2 modules, registered DDR2 667MHz with SDDC								x					S26361-F3449-L513			380	
	512MB DDR2 ECC 667	1 modul PC 667 (PC2-5300), ECC, DIMM				x									S26361-F3371-L412			66	Price change
	1GB DDR2 ECC 667	1 modul PC 667 (PC2-5300), ECC, DIMM				x									S26361-F3371-L413			124	Price change
	2GB DDR2 ECC 667	1 modul PC 667 (PC2-5300), ECC, DIMM				x									S26361-F3371-L414			241	Price change
	512MB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM			x										S26361-F3372-L412			76	Orderable from: 18/12/2007
	1GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM			x										S26361-F3372-L413			153	Orderable from: 18/12/2007
	2GB DDR2 ECC 800	1 module PC 800 (PC2-6400), ECC, DIMM			x										S26361-F3372-L414			287	Price change Orderable from: 18/12/2007
Graphics																			
	PY LP VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB LP PCIe-x1 graphic card								x					S26361-F2748-L631			108	
Removable Media Drives																			
	FDD-DVD-Box Eco200 S2	incl. 3,5" Floppy Disk Drive and mounting kit for SL DVD, 1.6" fitting height, anthracite							x						S26361-F2826-L202			27	
	FDD USB (external)	external USB FDD, USB cable included		x						x					S26391-F264-L226			36	
	MEMORYBIRD P 2GB			x					x	x					S26391-F6047-L102			48	
	MEMORYBIRD P 4GB			x					x	x					S26391-F6047-L104			66	
	Floppy Disk Drive 1.44MB 1"	1" fitting height		x											S26361-F2575-L1			16	
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height		x				x	x	x		x	x		SNP:SY-F2234L1-A			24	
	CD-RW \ DVD ATAPI	Combo drive ATAPI/IDE 48/24/48/16x, incl. Nero SW, 1.6" fitting height, anthracite		x				x	x	x	x	x	x		S26361-F3008-L1			31	
	CD-RW \ DVD ATAPI slimline	CD-RW / DVD drive ATAPI/IDE 0.5" 24/24/24/8x, incl. SW, 0,5" fitting height, anthracite							x						S26361-F3123-L1			58	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
Removable Media Drives (Continued)																			
	DVD-RW DL\DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite		x				x	x	x			x		S26361-F3148-L1			58	
	DVD-RW DL\DVD-RAM ATAPI slimline	DVDRW DL/DVD-RAM ATAPI 24/16/24x 8x/8 8x8 6/2.4, incl. Nero SW, slimline 0.5" fitting height, anthracite							x						S26361-F3236-L1			85	
	RDX Drive 80-160GB 25MB/s 5.25" int	RDX Drive 80-160GB 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)		x	x	x			x						S26361-F3857-L1			126	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with standard USB cable, with description (G/US), data and cleaning cartridge		x	x	x		x	x						S26361-F3324-L3			339	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US), data and cleaning cartridge		x				x	x						S26361-F3324-L4			339	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge		x				x	x	x	x	x	x		S26361-F2848-L3			339	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery		x				x	x		x	x	x		S26361-F2848-L31			366	
	Tape Kit VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge		x				x	x		x	x	x		S26361-F2849-L3			576	Phased out
	Tape Drv VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), Delivery includes no cartridges		x				x			x	x	x		S26361-F2849-L30			492	Phased out
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge		x				x	x	x					S26361-F3224-L3			746	
	Tape Kit Entry LTO Ultr 100GB 16MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge		x				x	x						S26361-F3460-L3			744	
Hard Disk Drives																			
	HDD U320 300GB 10k non hot plug 3.5"	10.000 rpm, fitting height 1", U320 SCSI, non hot plug						x							S26361-F2824-L130			384	
	HDD SATA 160GB 7.2k non hot plug 3.5"	7.200 rpm, fitting height 1"						x				x	x		S26361-F3063-L160			85	
	HDD SATA 250GB 7.2k non hot plug 3.5"	7.200 rpm, fitting height 1"						x					x		S26361-F3063-L250			133	
	HDD SATA 80GB 7.2k non hot plug 3.5"	7.200 rpm, fitting height 1"										x	x		S26361-F3063-L80			61	
	HD SAS 3GB/s 146GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"								x					S26361-F3204-L114			231	Phased out
	HD SAS 3GB/s 300GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"								x					S26361-F3204-L130			384	
	HD SAS 3GB/s 73GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"								x					S26361-F3204-L173			153	Phased out
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"								x					S26361-F3204-L514			220	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"								x					S26361-F3204-L530			448	
	HD SAS 3GB/s 36GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"								x					S26361-F3204-L536			146	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"								x					S26361-F3204-L573			155	
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"		x				x	x						S26361-F3219-L160			68	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"		x				x	x						S26361-F3219-L250			92	
	HD SATA 3GB/s 500GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"		x				x	x						S26361-F3219-L500			184	
	HD SATA 3GB/s 80GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"		x					x						S26361-F3219-L80			54	
	HD SATA 3GB/s 500GB 7.2k hot pl 3.5"	7.200 rpm, fitting height 1"								x					S26361-F3256-L500			184	
	HD SATA 3GB/s 160GB 7.2k nhp 3.5" tray	7.200 rpm, fitting height 1"								x					S26361-F3461-L160			68	
	HD SATA 3GB/s 250GB 7.2k nhp 3.5" tray	7.200 rpm, fitting height 1"								x					S26361-F3461-L250			92	
	HD SATA 3GB/s 500GB 7.2k nhp 3.5" tray	7.200 rpm, fitting height 1"								x					S26361-F3461-L500			184	
	HD SATA 3GB/s 80GB 7.2k nhp 3.5" tray	7.200 rpm, fitting height 1"								x					S26361-F3461-L80			54	
	HDD SATA 160GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier								x					S26361-F3861-L160			68	
	HDD SATA 250GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier								x					S26361-F3861-L250			92	
	HDD SATA 500GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier								x					S26361-F3861-L500			184	
	HDD SATA 80GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier								x					S26361-F3861-L80			54	
	HDD U320 73GB 10k non hot plug 3.5"	10.000 rpm, fitting height 1", U320 SCSI, non hot plug						x							S26361-F2824-L173			153	Phased out
	HDD SATA II 80GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x									S26361-F3210-L100			55	Price change
	HDD SATA II 160GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x									S26361-F3211-L100			66	
	HDD SATA II 250GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable, compatible to SATA technology			x	x									S26361-F3212-L100			90	
	HDD SATA II 500GB 7.2k	occupies 3,5"-bay (internal), supports NCQ and 3GB/s, incl. cable			x	x									S26361-F3435-L100			145	Price change
	HDD SATA II 500GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable			x										S26361-F3497-L100			167	Price change
	HDD SATA II 750GB 7.2k business-critical	occupies 3.5"-bay (internal), supports NCQ and 3GB/s, incl. cable			x										S26361-F3498-L100			276	Price change
SCSI/RAID/SAS controller																			
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI						x	x	x	x		x		S26361-F2399-L1			142	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
SCSI/RAID/SAS controller (Continued)																			
	SCSI Ctrl U160 1-ch int	LSI 53C1000R SCSI Chip, 1 channel LVD internal (1x wide 68)		x				x	x		x	x	x		S26361-F2644-L3			95	
	68-Pin Kit for accessible drives	Cable with terminator						x	x				x		S26361-F2814-L6			34	
	RAID Ctrl SATA 4-ch 0/1/10 Promise	Promise FastTrak S150 TX4						x				x			S26361-F3021-L1			81	Phased out
	BBU Modul for RAID Controller	BBU modul for RAID controller								x					S26361-F3085-L10			75	
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU								x					S26361-F3085-L2			153	
	68-Pin Kit for int. access. SCSI drives	Cable with terminator								x					S26361-F3120-L30			27	
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks							x						S26361-F3217-L100			81	
Communication/Network																			
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter		x				x	x	x		x	x		S26361-F3142-L1			51	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter		x	x				x	x					S26361-F3142-L2			51	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter		x						x					S26361-F3241-L1			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter								x					S26361-F3241-L201			71	
	Gigabit Ethernet SysKonnect	10/100/1000 Mbit/s, full height, autodetect, WoL, BootPROM, RJ45, driver-CD, PCI			x										S26361-F3067-L1			27	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter									x	x			S26361-F3011-L1			139	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter		x				x	x	x	x	x	x		S26361-F3053-L1			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter									x				S26361-F3054-L1			252	
	PCI Parallel Card FH (1 port)	EPP/ ECP, 1 x 25 Pin D-SUB parallel socket				x									S26361-F3465-L100			16	
	Parallel Interface	1x 25 Pin D-SUB parallel socket, occupies internal parallel interface and one slot			x										S26361-F2542-L30			11	
Rack-Infrastructure																			
	cage nut set, M5, t=2,5mm	Content: 50 pieces								x					S26361-F2735-L500			34	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks								x					S26361-F2735-L8			20	Price change
PRIMERGY-Software																			
	PRIMERGY ServerStart Bundle subscription	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x	x	x	x		U15000-C176			146	
	RemoteDeploy 3.x Single license	Single license for operation of one client server (managed node) under RD 3.x	x				x	x			x	x	x		U15000-C262			94	
	Single Upgrade license from	License for upgrading from RD2.0 up to RD3.0.	x				x	x	x	x	x	x	x		U15000-C265			16	
	RemoteDeploy V4.0 Software CD	Full version with license key for SW usage - no license.	x				x	x			x	x	x		U15000-C286			20	
	RemoteDeploy 4.x Single License	Single license for operation of one client server (managed node) under RD 4.x	x				x	x			x	x	x		U15000-C287			95	
	RemoteDeploy 4.0 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x				x	x			x	x	x		U15000-C288			41	
	Altiris Server Deployment Solution 6	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x		U15000-C251			122	
	Altiris Server Deployment AUP	Annual upgrade protection for Deployment Solution (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x		U15000-C255			19	
	Altiris Premium Support Pack	1 year support package for Altiris	x	x	x	x	x	x	x	x	x	x	x		U15000-C259			9412	
	Altiris 5 Incidents Support	5 support incidents for Altiris	x	x	x	x	x	x	x	x	x	x	x		U15000-C260			1272	
	Altiris Server Management Suite - Level1	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x		U15000-C267			162	
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x		U15000-C271			22	
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB		x	x	x		x	x	x			x	x	S26361-F2565-L610			16	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D		x	x	x		x	x	x			x	x	S26361-F2565-L611			16	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F		x	x	x		x	x	x			x	x	S26361-F2565-L613			16	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB		x	x	x		x	x	x			x	x	S26361-F2565-L650			72	Price change
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D		x	x	x		x	x	x			x	x	S26361-F2565-L651			72	Price change
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I		x	x	x		x	x	x			x	x	S26361-F2565-L652			72	Price change

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
PRIMERGY-Software (Continued)																			
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F		x	x	x		x	x	x			x	x	S26361-F2565-L653			72	Price change
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E		x	x	x		x	x	x			x	x	S26361-F2565-L654			72	Price change
	SUSE Linux ES 1-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server with 1-CPU sockets 1-Year subscription (renewal)		x	x	x									S26361-F2346-L181			99	
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB		x	x	x		x	x	x			x	x	S26361-F2565-L620			16	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D		x	x	x		x	x	x			x	x	S26361-F2565-L621			16	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I		x	x	x		x	x	x			x	x	S26361-F2565-L622			16	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F		x	x	x		x	x	x			x	x	S26361-F2565-L623			16	
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB		x	x	x		x	x	x			x	x	S26361-F2565-L660			72	Price change
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D		x	x	x		x	x	x			x	x	S26361-F2565-L661			72	Price change
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I		x	x	x		x	x	x			x	x	S26361-F2565-L662			72	Price change
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F		x	x	x		x	x	x			x	x	S26361-F2565-L663			72	Price change
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E		x	x	x		x	x	x			x	x	S26361-F2565-L664			72	Price change
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB						x	x	x			x	x	S26361-F2565-L670			236	Price change
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D						x	x	x			x	x	S26361-F2565-L671			236	Price change
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB		x	x	x		x	x	x			x	x	S26361-F2565-L680			236	Price change
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D		x	x	x		x	x	x			x	x	S26361-F2565-L681			236	Price change
	MS 5 Device CAL for Win SBS 2003	Microsoft Device Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 Device CAL Version) multi-language CAL for GB, D, I, F, E		x	x	x		x	x	x					S26361-F2565-L690			251	Price change
	MS 5 User CAL for Win SBS 2003	Microsoft User Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 User CAL Version) multi-language CAL for GB, D, I, F, E		x	x	x		x	x	x					S26361-F2565-L691			251	Price change

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
PRIMERGY-Software (Continued)																			
	ServerView Integration V2.0	ServerView Integration V2.0 CD and node licence for HP OpenView NNM and Operations IBM NetView and ServerView Plus TEC&Inventory	x	x	x	x	x	x	x	x	x	x	x		U15051-C108			68	
	SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)						x	x	x			x	x	S26361-F2346-L111			196	
	SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit		x	x	x		x	x	x		x	x		S26361-F2346-L109			58	
	SUSE Linux ES 8 x86 Media Kit	SUSE Linux Enterprise Server 8 for x86 media kit						x	x	x		x	x		S26361-F2346-L110			58	
	SUSE Linux ES 10 x86 and x86_64 Media	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit		x	x	x		x							S26361-F2346-L192			58	
	Red Hat EL <=2CPU +1Y	Red Hat Enterprise Linux up to 2-CPU sockets renewal for all platforms 1-Server 1-Year.		x	x	x							x	x	S26361-F2346-L211			258	
	Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64.							x						S26361-F2346-L292			34	
	Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L230			382	
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L231			369	Price change
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L232			369	Price change

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
PRIMERGY-Software (Continued)																			
	Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x			x	x	x			x		S26361-F2565-L233			369	Price change
	Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L234			369	Price change
	Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L235			369	Price change
	Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L236			369	Price change
	Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L237			369	New product Price change

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
PRIMERGY-Software (Continued)																			
	Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L270			382	
	Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L271			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L272			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L273			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x			x		S26361-F2565-L274			369	Price change

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
PRIMERGY-Software (Continued)																			
	Win SBS 2003 R2, ROK SE SP2, GB	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L250			234	
	Win SBS 2003 R2, ROK SE SP2, D	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L251			229	Price change
	Win SBS 2003 R2, ROK SE SP2, I	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L252			229	Price change
	Win SBS 2003 R2, ROK SE SP2, F	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L253			229	Price change
	Win SBS 2003 R2, ROK SE SP2, E	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L254			229	Price change

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
PRIMERGY-Software (Continued)																			
	Win SBS 2003 R2, ROK SE SP2, CZ	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L255			229	Price change
	Win SBS 2003 R2, ROK PREMIUM SP2, GB	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L260			500	
	Win SBS 2003 R2, ROK PREMIUM SP2, D	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L261			489	Price change
	Win SBS 2003 R2, ROK PREMIUM SP2, I	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x					S26361-F2565-L262			489	Price change
OS/Application-SW																			
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	x		x	x	x		x	x	x	x	U15355-C732			17	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C10			1754	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C20			1473	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA für Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C40			2105	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C400U1			139	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C400U3			417	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x		U15355-C426			346	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C700			542	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C700-U			406	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C750			346	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C800			542	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C800-U			406	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C800U1			139	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C800U3			417	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	x		x	x	x		x	x	x	x	U15355-C900			2094	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	x		x	x	x		x	x	x	x	U15355-C920			4192	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C11			2455	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C21			2245	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C41			3157	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C401U1			178	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C401U3			535	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x		U15355-C427			2094	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C701			696	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C701-U			522	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C751			486	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C801			696	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C801-U			522	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C801U1			178	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C801U3			536	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C901			415	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!	x	x	x		x	x	x		x	x	x	x	U15355-C921			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C12			17538	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C22			2245	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C42			3157	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C402U1			232	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C402U3			697	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C426U1			89	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C702			906	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C702-U			679	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C750U1			89	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C802			696	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C802-U			522	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C802U1			178	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C802U3			536	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C902			835	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!	x	x	x		x	x	x		x	x	x	x	U15355-C922			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C13			24554	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C23			2245	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x			x	x	x		x	x	x	x	U15260-C43			3157	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C403U1			286	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C403U3			858	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C426U3			266	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C703			1115	
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C703-U			836	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C750U3			266	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C803			696	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C803-U			522	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C803U1			178	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C803U3			536	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C903			835	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!	x	x	x		x	x	x		x	x	x	x	U15355-C923			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C14			35077	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C30			2062	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA for Windows Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C60			2946	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C404U1			286	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C404U3			858	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C427U1			537	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C704			1115	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C704-U			836	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C751U1			124	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C804			696	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C804-U			522	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C804U1			178	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C804U3			536	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C904			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C15			49108	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Oracle Server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C31			3143	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C61			4420	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C405U1			124	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C405U3			373	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C427U3			1612	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C705			486	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C705-U			364	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C751U3			373	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C805			696	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C805-U			522	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C805U1			178	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C805U3			536	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C905			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C16			70154	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C32			3143	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C62			4420	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C406U1			178	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C406U3			535	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C706			696	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C706-U			522	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C806			276	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C806-U			207	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C806U1			71	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C806U3			213	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x		x	x	x		x	x	x	x	U15355-C906			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x		x	x	x		x	x	x	x	U15260-C17			98215	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server-inclusive 3 years CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C33			3143	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x		x	x	x		x	x	x	x	U15260-C63			4420	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C407U1			178	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C407U3			535	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C707			696	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C707-U			522	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C807			175	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C807-U			131	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C807U1			45	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C807U3			134	
	CA XOsoftWANSyncDR	XOsoft WANSync DR as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	x		x	x	x		x	x	x	x	U15260-C0189			699300	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C50			3367	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C408U1			178	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C408U3			535	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C708			696	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C708-U			522	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C808			276	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C808-U			207	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C808U1			71	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C808U3			213	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C51			5051	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C409U1			143	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C409U3			428	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C709			556	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C709-U			417	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C809			175	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C809-U			131	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C809U1			45	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C809U3			134	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C52			5051	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C410U1			143	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C410U3			428	
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C710			556	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C711-U			679	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C810			1115	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C810-U			836	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C810U1			286	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C810U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server-inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C53			5051	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C411U1			232	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C411U3			697	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C711			906	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C712-U			522	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C811			1115	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C811-U			836	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C811U1			286	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C811U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C70			5051	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C412U1			178	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C412U3			535	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C712			696	
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C713-U			836	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C812			906	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C812U1			232	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C812U3			697	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C71			7577	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C413U1			286	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C413U3			858	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C713			1115	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C715-U			522	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C813			346	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C72			7577	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C414U1			178	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C414U3			535	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C714			696	
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C716-U			679	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C814			696	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server-inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	x		x	x	x		x	x	x	x	U15260-C73			7577	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C356			1625	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C415U1			178	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C415U3			535	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C715			696	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C717-U			522	
	CA XOsoftWANSyncHA	XOsoft WANSync HA as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	x		x	x	x		x	x	x	x	U15260-C0288			699300	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C416U1			232	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C416U3			697	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C716			906	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C718-U			522	

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C417U1			178	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C417U3			535	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C717			696	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C720-U			207	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C418U1			178	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C418U3			535	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C718			696	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C721-U			131	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C419U1			280	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C419U3			839	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C719			1871	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C722-U			207	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C420U1			71	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C420U3			212	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C720			276	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C723-U			131	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C421U1			45	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C421U3			134	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	x		x	x	x		x	x	x	x	U15355-C721			175	
	UP ARCserve r11.5 WIN Sngl Srv-Full Edt	ARCserve r11.5 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r11.5 for Windows Standard Edition. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C780-U			406	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C422U1			71	

Economy Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C422U3			212	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	x		x	x	x		x	x	x	x	U15355-C722			276	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C423U1			45	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C423U3			134	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C723			175	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C424U1			71	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C424U3			212	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C724			276	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C428U1			286	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C428U3			858	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C725			1028	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C429U1			232	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C429U3			697	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C726			1115	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C430U1			673	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C430U3			2018	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C727			906	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C431U1			89	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C431U3			266	
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C728			346	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C432U1			178	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
OS/Application-SW (Continued)																			
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C432U3			535	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C729			696	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x		x	x	x		x	x	x	x	U15355-C433U1			178	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x		x	x	x		x	x	x	x	U15355-C433U3			535	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C730			2951	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x		x	x	x		x	x	x	x	U15355-C731			696	
UPS/Power supply																			
	APC-UPS COM Cable NOVELL,NT,OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey								x					S26113-F231-L1			24	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface								x					S26113-F233-L1			24	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosence	x	x			x	x	x	x	x	x	x		S26113-F80-L10			173	
	APC-UPS COM-Port extension	APC-UPS								x					S26113-F81-L1			65	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x			x	x	x		x	x	x		T26139-Y1740-L10			11	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x			x	x	x		x	x	x		T26139-Y1744-L10			11	
Media																			

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
Media (Continued)																			
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label		x					x						D:CL-DAT160-MX-01			16	New product
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label		x				x	x			x	x		D:CL-DAT72-MX-01			4	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO-1, LTO-2 and LTO-3 drives		x				x	x						D:CL-LTO2-FJ-01			41	
	LTO cleaning cartridge with label	cleaning cartridge with label from Fuji for LTO-1, LTO-2 and LTO-3 drives		x				x	x						D:CL-LTO2-FJ-01L			41	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO-1, LTO-2 and LTO-3 drives		x				x	x						D:CL-LTO2-IB-01			48	
	LTO cleaning cartridge with label	cleaning cartridge with label from IBM for LTO-1, LTO-2 and LTO3-drives		x				x	x						D:CL-LTO2-IB-01L			48	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO-1 and LTO-2 drives		x				x	x						D:CL-LTO2-MX-01			38	
	LTO cleaning cartridge with label	cleaning cartridge with label from Maxell for LTO-1 and LTO-2 drives		x				x	x						D:CL-LTO2-MX-01L			38	
	LTO cleaning label	label for LTO cleaning cartridges		x				x	x						D:CL-LTO-LAB			1	
	VXA cleaning label	Label for VXA cleaning cartridge		x				x	x		x	x	x		D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge		x				x	x		x	x	x		D:CL-VXA2-X-01			16	
	VXA cleaning cartridge with label	VXA cleaning cartridge		x				x	x		x	x	x		D:CL-VXA2-X-01L			17	
	DAT160 data cartridge	DAT160 data cartridge without label		x					x						D:CR-DAT160-MX-01			22	New product
	DAT72 data cartridge	DAT72 data cartridge without label		x	x			x	x			x	x		D:CR-DAT72-MX-01			9	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity		x				x	x						D:CR-LTO1-FJ-01			23	
	LTO 1 data data cartridge with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity		x				x	x						D:CR-LTO1-FJ-01L			24	
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity		x				x	x						D:CR-LTO1-IB-01			22	
	LTO 1 data cartridge with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity		x				x	x						D:CR-LTO1-IB-01L			23	
	LTO 1 barcode label	label for LTO-1 data cartridges		x				x	x						D:CR-LTO1-LAB			1	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity		x				x	x						D:CR-LTO1-MX-01			20	
	LTO 1 data cartridge with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity		x				x	x						D:CR-LTO1-MX-01L			21	
	VXA barcode label	Label for VXA data cartridge		x				x	x		x	x	x		D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x				x	x		x	x	x		D:CR-VXA2-X10-01			17	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x				x	x		x	x	x		D:CR-VXA2-X10-01L			18	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x				x	x		x	x	x		D:CR-VXA2-X23-01			35	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x				x	x		x	x	x		D:CR-VXA2-X23-01L			36	
	RDX Cartridge 80/160GB	RDX Cartridge 80GB uncompressed / 160GB compressed		x	x	x			x						S26361-F3857-L80			122	
	RDX Cartridge 120/240GB	RDX Cartridge 120GB uncompressed / 240GB compressed		x	x	x			x						S26361-F3857-L120			155	
Additional Software																			
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x		x	x			x	x	x	x	U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x		x	x			x	x	x	x	U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x		x	x			x	x	x	x	U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x		x	x			x	x	x	x	U11081-C183			21	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x		x	x			x	x	x	x	U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x		x	x			x	x	x	x	U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x		x	x			x	x	x	x	U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x		x	x			x	x	x	x	U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C202			857	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C203			1394	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
Additional Software (Continued)																			
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x			x	x			x	x	x	x	U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C210			2426	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x		x	x			x	x	x	x	U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x		x	x			x	x	x	x	U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x		x	x			x	x	x	x	U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x		x	x			x	x	x	x	U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x		x	x			x	x	x	x	U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x		x	x			x	x	x	x	U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x		x	x			x	x	x	x	U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x		x	x			x	x	x	x	U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x		x	x			x	x	x	x	U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x		x	x			x	x	x	x	U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x		x	x			x	x	x	x	U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x		x	x			x	x	x	x	U11081-C222			350	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x		x	x			x	x	x	x	U11081-C223			569	

Economy Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 130 S1	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 230R S1	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																			
Additional Software (Continued)																			
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x		x	x			x	x	x	x	U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x		x	x			x	x	x	x	U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x		x	x			x	x	x	x	U11081-C226			2276	

Economy Servers Services **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																	
Professional Services																	
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"'	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21021FX			480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21022FX			240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)'	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21023FX			1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21024FX			540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21025FX			960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21026FX			480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21027FX			750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21028FX			375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21029FX			1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21030FX			720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21031FX			120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21032FX			60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21033FX			60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21034FX			30	

Economy Servers Services

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY Econel 10	PRIMERGY Econel 100	PRIMERGY Econel 100 S2	PRIMERGY Econel 20	PRIMERGY Econel 200	PRIMERGY Econel 200 S2	PRIMERGY Econel 30	PRIMERGY Econel 40	PRIMERGY Econel 50	PRIMERGY Econel 50 Edition	Code			End User Price (£)	Comments
Accessories & services matrix																	
Professional Services (Continued)																	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21035FX			1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x	x	x		x	x	x	x	CPS:PR-INT-21036FX			750	
Product related services																	
	SP 3y OS Svc,5x9	SP 3 years On-Site Service, 5x9										x	FSP:GB3S00000GBPEE			27	
	SP 3y OS Svc,5x9	SP 3 years On-Site Service, 5x9	x	x	x	x	x	x	x	x	x		FSP:GB3S00000GBSFC			34	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GB4S20000GBSFC			84	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GB5S20000GBSFC			135	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GD3S60000GBSFC			253	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GD4S60000GBSFC			419	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GD5S60000GBSFC			584	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9										x	FSP:GE3S20Z00GBPEE			104	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GE3S20Z00GBSFC			130	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GN4S20000GBSFC			84	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x	x	x		FSP:GN5S20000GBSFC			135	

Positioning PRIMERGY Tower Servers

PRIMERGY TX150 S4

TX150 S4 is the first PRIMERGY Tower Server with Intel® Pentium® D (Dual-Core) processor, delivering an extra powerful gear when your applications need it. Accomplish more while running multiple applications, while downloading mass of data.
Superb power reserves through newest Intel® Pentium® D processor, each core with 3.40 GHz, 2x 2 MB SLC, 800 MHz FSB and Intel® E7230 chipset supporting EM64Technology
This tower server combines low complexity with great data safety.

PRIMERGY TX150 S5

TX150 S5 is the first PRIMERGY Tower Server with Intel® Xeon® UP (Dual-Core) processor, delivering an extra powerful gear when your applications need it. Accomplish more while running multiple applications, while downloading mass of data.
Superb power reserves through newest Intel® Xeon® UP processor, 3040, 3050, 3060 each core with 2 MB or 4 MB SLC, 1066 MHz FSB and Intel® 3000 chipset.
This tower server combines low complexity with great data safety.

PRIMERGY TX200 S3

Flexible expansion options are the key to placing new or larger workloads on your server. This applies not only to physical capacity, such as the number of disk drives, advanced data protection schemes, or I/O connectivity; in particular consideration of the transition to 64-bit computing is a must in today's technology purchase decisions.
The PRIMERGY TX200 S3 is a perfect match for these requirements, providing you with a cost-efficient standard. TX200 is a failsafe operation platform for your application stacks, with standards such as disk mirroring, hot-plug disks, SDDC and hot-spare memory and the "Cool-safe™" innovative air flow system design.

PRIMERGY TX300 S3

It is offering the breakthrough performance features of leading edge Intel® Dual-Core Xeon® 5100 sequence CPUs embed-ded in a powerful design with an 8-port SAS controller and fast PCIe links and PCI-X busses. Continuity is assured with the hot-plug power supply, hot-plug PCIe, hot-plug redundant fans, RAID 5 embedded and redundant dual LAN features. For your high capacity needs, PRIMERGY TX300 S3 provides 2 memory banks with 2 branches each for memory mirroring with up to 32 GB PC2-4200F (533 MHz) or 5300F (667 MHz) RAM memory for enhancing data transfer throughput. And the system only needs a few additional options to meet the highest demands, such as clustering or disaster-tolerant setup.

PRIMERGY TX600 S3

TX600 S3 provides an advanced level of continuous quality of operation that you can rely on.
Integrated high-availability and capacity functions include the RAID on Motherboard functionality, redundant hot-plug power supply modules and fans, hot-plug PCI-X / PCI-E slots, and refined mechanisms for protecting the main memory and the split SCSI backplane. These features provide a level of availability and performance that makes the PRIMERGY TX600 S3 ideally suited for your central business-critical applications.

PRIMERGY TX120 **Data Sheets: http://www.fujitsu-siemens.com/primergy**

The new first generation ultra-compact sized PRIMERGY tower server TX120 with a powerful Intel® Xeon® UP Dual-Core processor incorporates leading edge, low power consumption and space-saving technologies. Thus a significantly smaller footprint, reduced noise and energy savings are achieved. The PRIMERGY TX120 tower server is perfect for office workspaces, for distributed and SOHO applications including retail in-store, back office servers and small office application servers. Enhance your efficiency when it comes to simultaneous execution of multiple applications and downloading mass data. The processor with the Intel® 3000 chipset also supports VT technology.

Two 2.5-inch SAS hot-plug hard disks and the built-in RAID 1 functionality offer high data security. The standard iRMC (Integrated Remote Management Controller) offers enhanced system management, based on IPMI 2.0 technology, and the advanced diagnostic functions with Diagnostic LED increases operational reliability. A DAT drive can also be installed for easy backup or optional two further hot-plug hard disks. Alternatively an even more power saving Celeron® processor rounds off the offering.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Special products																										
PRIMERGY TX120																										
	Xeon UP 3040 1.86 2M 1066		1GB	SAS 73GB 10k								1xGBit			on board		x	GB				VFY:TX120-904GB			925	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY TX120							
	PY TX120	Floorstand incl. power supply, systemboard for configurable CPU, DDR2-667 PC2-5300 ub ECC; iRMC onboard server management and graphics controller, LAN Broadcom 10/100/1000, 1x Fast-IDE Controller (for optical disk drive) and 4-port SAS controller (IME included = RAID 0, 1, 1E) onboard; mouse; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1109-V101			400	

PRIMERGY TX150 S5

Data Sheets: http://www.fujitsu-siemens.com/primergy

TX150 S5 is the first PRIMERGY Tower Server with Intel® Xeon® UP (Dual-Core) processor, delivering an extra powerful gear when your applications need it. It is the first Xeon brand for Mono socket servers.

Accomplish more while running multiple applications, while downloading mass of data. Superb power reserves through newest Intel® Xeon® 3000 series processor, each with 2 MB or 4 MB SLC, 1066 MHz FSB
and Intel® 3000 chipset supporting EM64Technology.

This tower server combines low complexity with great data safety. The simplicity of hot-plug disks makes replacement easy without requiring that the server be powered down.

Due to with standard iRMC (integrated Remote Management Controller), an enhanced remote system management, based of IPMI 1.5 technology, is available without additional hardware invest.

The released SAS and SATA variants means no compromises in data security. Data safety is secured with hard disk mirroring (RAID 1), and duplicated data means security against physical data loss.

Model	Processor	Operating_Systems	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DUAL_DL	FDD	Other_Drives	Modem	LAN	WLAN	FireWire	Graphics	Audio	Mouse	Keyboards	Front_USB	Rear_Panel	Security_Hardware	Code			End User Price (£)	Comments
Special products																										
PRIMERGY TX150 S5																										
	with Xeon UP 3050		1GB			x						1xGBit			on board		x					CFY:TX150S5-001IN			587	
	with Xeon UP 3050		1GB			x						1xGBit			on board		x					CFY:TX150S5-002IN			736	
	Xeon DP 3050 2.13G 2M 1066		512MB			x						1xGBit			on board							CFY:TX150S5-003IN			495	
	Xeon DP 3050 2.13G 2M 1066		512MB			x						1xGBit			on board							CFY:TX150S5-004IN			645	
	Xeon UP 3040 1.86G 2M 1066		1GB			x						1xGBit			on board			GB				VFY:TX150S5-003GB			478	
	P-D925 3.0 2x2M 800		1GB			x						1xGBit			on board			GB				VFY:TX150S5-011GB			399	

PRIMERGY TX200 S3 **Data Sheets: http://www.fujitsu-siemens.com/primergy**

PRIMERGY TX200 S3 - Dual Intel® Xeon® Server - Cost-efficient expansion options and failsafe operation

Flexible expansion options are the key to placing new or larger workloads on your server. This applies not only to physical capacity, such as the number of disk drives, advanced data protection schemes, or I/O connectivity; in particular consideration of the transition to 64-bit computing is a must in today's technology purchase decisions.

The PRIMERGY TX200 S3 is a perfect match for these requirements, providing you with a cost-efficient standard. TX200 is a failsafe operation platform for your application stacks, with standards such as disk mirroring, hot-plug disks, SDDC and hot-spare memory and the "Cool-safe™" innovative air flow system design. Expandability is covering for heavy workload: Quad-Core and Dual-Core Intel Xeon 5000 sequence porcessors, up to 32 GB FBD533/667 memory, up to 6 SCSI, SAS or SATA* hard disk drives, and sufficient free PCI slots for heavy I/O requirements. Your business can rely on this solution!

In addition, further options – such as extended RAID functions, clustering options and redundancy for power supplies and fans – tailor these standards to your individual safety needs.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code			End User Price (£)	Comments
Special products																													
PRIMERGY TX200 S3																													
	Xeon DP E5310 1.60 2x4M 1066		Floor	2x512MB			x					1xGBit	x			0-Channel SAS 128M	Hot Plug PS UPGR. + NO POWERCORD	RAID Upgrade BBU 320-0x LSI	8 ports (RAID 1)			HOTPLUG Fan Kit		on board	CFY:TX200S3-010IN			1136	
	Xeon DP E5320 1.86 2x4M 1066		Floor	2x512MB			x					1xGBit	x			0-Channel SAS 128M	Hot Plug PS UPGR. + NO POWERCORD	RAID Upgrade BBU 320-0x LSI	8 ports (RAID 1)			HOTPLUG Fan Kit		on board	CFY:TX200S3-011IN			1167	
	Xeon DP E5310 1.60 2x4M 1066		Floor	2x512MB			x					1xGBit	x				Hot Plug PS UPGR. + NO POWERCORD		8 ports (RAID 1)			HOTPLUG Fan Kit		on board	CFY:TX200S3-012IN			960	
	Xeon DP E5320 1.86 2x4M 1066		Rack	2x512MB			x					1xGBit				0-Channel SAS 128M	Hot Plug PS UPGR.	RAID Upgrade BBU 320-0x LSI	8 ports (RAID 1)			HOTPLUG Fan Kit		on board	CFY:TX200S3-013IN			1241	
	Xeon DP 5110 1.60 2x2M 1066		Floor	2x512MB			x					1xGBit	x	GB		RAID 1	PSM + Power cord		8 ports (RAID 1)					on board	VFY:TX200S3-002GB			800	
	Xeon DP E5310 1.60 2x4M 1066		Floor	2x1GB			x					1xGBit	x	GB			Power cord		8 ports (RAID 1)					on board	VFY:TX200S3-003GB			894	

PRIMERGY TX300 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY TX300 S3 - Dual Socket Intel® Xeon® processor server - Peace of mind when it comes to your most important applications

Are you looking for business continuity, especially for your core business applications? Our TX300 servers provide peace of mind when choosing a suitable server platform, because their set of integrated redundancy and hot-plug features assures continuous operation of the platform and thus high application reliability.

It is offering the breakthrough performance features of leading edge Intel® Quad-Core and Dual-Core Xeon® 5100 sequence CPUs embed-ded in a powerful design with an 8-port SAS controller and fast PCIe links and PCI-X busses. Continuity is assured with the hot-plug power supply, hot-plug PCIe, hot-plug redundant fans, RAID 5 embedded and redundant dual LAN features. For your high capacity needs, PRIMERGY TX300 S3 provides 2 memory banks with 2 branches each for memory mirroring with up to 32 GB PC2-4200F (533 MHz) or 5300F (667 MHz) RAM memory for enhancing data transfer throughput. And the system only needs a few additional options to meet the highest demands, such as clustering or disaster-tolerant setup.

For business-critical remote sites, the PRIMERGY TX300 S3 is the right platform.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code		End User Price (£)	Comments
Special products																												
PRIMERGY TX300 S3																												
	Dual-Core Xeon 5150 2.66G 4M 1333 + Xeon DP 5150 2.66 4M1333		Floor	2x2GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	NO POWERCORD		8 ports (RAID 1)			Redundant hot plug Fan Kit		on board	CFY:TX300S3-001IN		2747	
	Xeon DP 5150 2.66 2x2M 1333 + Xeon DP 5150 2.66 4M1333		Rack	2x2GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	Hot plug PSM		8 ports (RAID 1)			Redundant hot plug Fan Kit		on board	CFY:TX300S3-002IN		2849	
	Dual-Core Xeon 5150 2.66G 4M 1333		Floor	2x1GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI	NO POWERCORD		8 ports (RAID 1)					on board	CFY:TX300S3-003IN		1821	
	Xeon DP 5150 2.66 2x2M 1333		Rack	2x1GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI	Hot plug PSM		8 ports (RAID 1)					on board	CFY:TX300S3-004IN		1924	
	Xeon DP E5320 1.86 2x4M 1066		Floor	2x1GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI	NO POWERCORD		8 ports (RAID 1)					on board	CFY:TX300S3-009IN		1479	
	Xeon DP E5320 1.86 2x4M 1066		Rack	2x1GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI			8 ports (RAID 1)					on board	CFY:TX300S3-010IN		1580	
	Xeon DP E5345 2.33 4M 1333 + Xeon DP E5345 2.33 2x4M 1333		Floor	2x2GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	NO POWERCORD		8 ports (RAID 1)			Redundant hot plug Fan Kit		on board	CFY:TX300S3-011IN		2367	
	2xXeon DP E5345 2.33 2x4M 1333		Rack	2x2GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI			8 ports (RAID 1)			Redundant hot plug Fan Kit		on board	CFY:TX300S3-012IN		2469	
	Xeon DP E5335 2.0 8M 1333		Floor	2x1GB		x										RAID5 IOP332 I/O + SAS onboard 256MB LSI	NO POWERCORD		8 ports (RAID 1)						CFY:TX300S3-013IN		1544	
	Xeon DP E5335 2.00 2x4M 1333		Rack	2x1GB		x						2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI			8 ports (RAID 1)					on board	CFY:TX300S3-014IN		1645	
	Xeon DP E5310 1.60 2x4M 1066		Floor	2x1GB		x						2xGBit		GB		RAID5 IOP332 I/O	Power cord		8 ports (RAID 1)					on board	VFY:TX300S3-004GB		1245	

PRIMERGY TX600 S3 — Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY TX600 S3 - 4-socket Dual-Core Xeon MP based Tower Server - Highly scalable and assured quality for consolidated applications

Centralized corporate applications are the heartbeat of the business value chain – they deserve maximum care to guarantee the overall quality of IT operations. Here, the TX600 S3 is an ideally-suited platform that combines impressive performance with up to 4 Single- or Dual-Core Intel® Xeon™ processors MP, exceptional internal capacity and data center-derived robustness and redundancy in an easy-to-deploy packaged solution. TX600 S3 provides an advanced level of continuous quality of operation that you can rely on.

Integrated high-availability and capacity functions include the RAID on Motherboard functionality, redundant hot-plug power supply modules and fans, hot-plug PCI-X / PCIe slots, and refined mechanisms for protecting the main memory and the split SCSI backplane. These features provide a level of availability and performance that makes the PRIMERGY TX600 S3 ideally suited for your central business-critical applications.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY TX600 S3							
	PY TX600S3f/X 7110M	Floorstand incl. 2 hot plug power supply modules, kit with lockable front door, 6 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V410			3646	
	PY TX600S3f/X 7120M	Floorstand incl. 2 hot plug power supply modules, kit with lockable front door, 6 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V420			3918	
	PY TX600S3f/X 7130M	Floorstand incl. 2 hot plug power supply modules, kit with lockable front door, 6 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V430			4087	
	PY TX600S3f/X 7140M	Floorstand incl. 2 hot plug power supply modules, kit with lockable front door, 6 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V440			4527	

PRIMERGY TX600 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY TX600 S3 (Continued)							
	PY TX600S3r/X 7110M	Rack mountable server 19" (6U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V810			3767	
	PY TX600S3r/X 7120M	Rack mountable server 19" (6U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V820			4039	
	PY TX600S3r/X 7130M	Rack mountable server 19" (6U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V830			4208	
	PY TX600S3r/X 7140M	Rack mountable server 19" (6U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View Software; 2 power cable, Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K989-V840			4649	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Processor																							
	Xeon MP 2.2 GHz 2MB 400MHz	heat sink, PDA function, 400MHz FSB														x			S26361-F2817-L222			1288	Phased out
	Xeon MP 3.0GHz 4MB 400MHz	heat sink, PDA function, 400MHz FSB														x			S26361-F2817-L304			3968	Phased out
	Xeon DP 2.8GHz 1MB 533MHz	heat sink, PDA function, 1MB TLC, 533MHz FSB								x			x						S26361-F3016-L280			421	Phased out
	Xeon DP 2.8GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB									x			x					S26361-F3099-L280			268	
	Xeon DP 3.0GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB									x			x					S26361-F3099-L300			336	
	Xeon DP 3.2GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB									x			x					S26361-F3099-L332			404	
	Xeon DP 3.4GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB									x			x					S26361-F3099-L340			540	
	Xeon DP 3.6GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB												x					S26361-F3099-L360			736	
	Xeon DP 3.8GHz 2MB 800MHz	heatpipe + fan, PDA function, 2MB SLC ECC, 800MHz FSB												x					S26361-F3099-L380			895	
	VRM for 3./4. CPU 3.xxGHz 1M 8M0S2	1x 9.1 VRM, 2x 10.2LD VRM															x		S26361-F3124-L100			119	
	VRM for 3./4. CPU 70xx / 3.xxGHz 1M	2x 10.2 VRM															x	x	S26361-F3124-L200			88	
	Xeon MP 7030 2.80GHz 2x1MB 800MHz	Dual Core CPU with heat sink, 2x 1MB Second Level Cache, 800MHz FSB																x	S26361-F3124-L282			2205	
	Xeon MP 7040 3.00GHz 2x2MB 667MHz	Dual Core CPU with heat sink, 2x 2MB Second Level Cache, ECC, 667MHz FSB															x		S26361-F3124-L303			3561	
	CPU Xeon MP 7041 3.00GHz 2x2MB 800MHz	Dual Core CPU mit Kühlkörper, 2x 2MB Second Level Cache, ECC, 800MHz FSB																x	S26361-F3124-L304			3561	
	XEON MP 3.16GHz 1MB 667MHz	heat sink, 1MB Second Level Cache, 667MHz FSB															x	x	S26361-F3124-L311			848	
	XEON MP 3.66GHz 1MB 667MHz	heat sink, 1MB Second Level Cache, 667MHz FSB															x	x	S26361-F3124-L361			1119	
	XEON MP 3.00GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB															x		S26361-F3124-L364			2136	
	XEON MP 3.33GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB															x		S26361-F3124-L368			3968	
	Xeon MP 7110M 2.60GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB																x	S26361-F3124-L410			814	
	Xeon MP 7120M 3.00GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB																x	S26361-F3124-L420			1085	
	Xeon MP 7130M 3.20GHz 8MB 800MHz	Dual Core CPU with heat sink, 8MB TLC ECC, 800MHz FSB																x	S26361-F3124-L430			1255	
	Xeon MP 7140M 3.40GHz 16MB 800MHz	Dual Core CPU with heat sink, 16MB TLC ECC, 800MHz FSB																x	S26361-F3124-L440			1695	
	VRM for 3./4. CPU 71xx	2x 10.2 VRM + 1x 9.D0 VRM																x	S26361-F3124-L800			88	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1,60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function										x							S26361-F3250-L160			240	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatpipe, PDA function										x							S26361-F3250-L186			272	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2,00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function										x							S26361-F3250-L200			336	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2,33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function										x							S26361-F3250-L233			451	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1,60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT,heatpipe + fan, PDA function													x				S26361-F3251-L160			240	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatpipe + fan, PDA function													x				S26361-F3251-L186			272	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2,00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe + fan, PDA function													x				S26361-F3251-L200			336	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2,33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function													x				S26361-F3251-L233			451	
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2,66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function													x				S26361-F3251-L266			681	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP quad core, 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function													x				S26361-F3251-L300			1119	
	Xeon DP 2.8GHz 2x2MB 800MHz	Dual Core CPU with heatpipe + fan, PDA function, 2x2MB SLC ECC, 800MHz FSB												x					S26361-F3310-L280			1129	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3,00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heatpipe, PDA function										x							S26361-F3318-L300			220	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3,20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heatpipe, PDA function										x							S26361-F3318-L320			336	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1,60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function										x							S26361-F3320-L160			220	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1,86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe, PDA function										x							S26361-F3320-L186			272	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe, PDA function										x							S26361-F3320-L200			336	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2,33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe, PDA function										x							S26361-F3320-L233			451	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1,60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe + fan, PDA function													x				S26361-F3321-L160			220	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1,86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heatpipe + fan, PDA function													x				S26361-F3321-L186			272	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heatpipe + fan, PDA function													x				S26361-F3321-L200			336	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2,33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function													x				S26361-F3321-L233			451	
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2,66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function													x				S26361-F3321-L266			641	
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatpipe + fan, PDA function													x				S26361-F3321-L300			787	
Memory																							
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill								x			x						S26361-F2762-L826			976	Phased out
	MEM 512MB DDR2-533 PC2-4200 ubECC (1mod)	1 module, unbuffered DDR2-533					x	x											S26361-F3000-L513			41	
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533					x	x											S26361-F3000-L514			61	
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533					x	x											S26361-F3000-L515			187	
	512MB DDR400 PC3200 ub ECC	1 module, unbuffered DDR 400MHz			x	x													S26361-F3019-L513			75	
	1GB DDR400 PC3200 ub ECC	1 module, unbuffered DDR 400MHz			x	x													S26361-F3019-L514			155	Phased out
	1GB 2x512 DDR400 PC3200 ub ECC	2 modules 512MB each, unbuffered DDR 400MHz			x														S26361-F3019-L523			149	
	2GB 2x1GB DDR400 PC3200 ub ECC	2 modules 1GB each, unbuffered DDR 400MHz			x														S26361-F3019-L524			305	
	1GB 2x512MB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz												x					S26361-F3072-L521			122	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz												x					S26361-F3072-L522			211	
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz												x					S26361-F3072-L523			569	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 Module, registered DDR2 400MHz															x	x	S26361-F3072-L622			187	
	4GB 2x2GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz															x	x	S26361-F3072-L623			373	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Memory (Continued)																							
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz															x	x	S26361-F3072-L624			1245	
	Memory Board 4 DIMM Slots, hot plug able	4 DIMM Slots, hot plugable															x	x	S26361-F3125-L130			102	Price change
	MEM 1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC										x			x				S26361-F3230-L521			112	
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC										x			x				S26361-F3230-L522			193	
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC										x			x				S26361-F3230-L523			387	
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC										x			x				S26361-F3230-L524			1288	
	512MB DDR2-667 PC2-5300 ub ECC	1 module, unbuffered DDR2 667MHz	x																S26361-F3237-L513			41	
	1GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz	x																S26361-F3237-L514			61	
	2GB DDR2-667 PC2-5300 ub d ECC	1 module, unbuffered DDR2 667MHz	x																S26361-F3237-L515			187	
	MEM 4GB 2x2GB FBD533 PC2-4200F d ECC	2 modules, Fully Buffered DIMM DDR2 533MHz with SDDC										x			x				S26361-F3313-L523			468	
	512MB DDR266 PC2100 rg ECC	1 module, registered DDR 266MHz		x					x										S26361-F2762-L514			119	Phased out
	1GB 2x512MB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz								x			x			x			S26361-F2762-L524			220	
	2GB 2x1GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz								x			x			x			S26361-F2762-L525			407	
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz														x			S26361-F2762-L526			976	
	1GB 2x512MB DDR333 PC2700 rg ECC	2x512 MB modules, registered DDR 333MHz ECC									x								S26361-F3084-L521			184	
	2GB 2x1GB DDR333 PC2700 rg ECC	2x1GB modules, registered DDR 333MHz ECC									x								S26361-F3084-L522			369	
	4GB 2x2GB DDR333 PC2700 rg ECC	2x2GB modules, registered DDR 333MHz ECC									x								S26361-F3084-L523			2008	
Graphics																							
	PY VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB PCIe-x1 graphic card						x				x			x				S26361-F2748-L531			108	
	PY LP VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB LP PCIe-x1 graphic card	x																S26361-F2748-L631			108	
Removable Media Drives																							
	F-D-L-HDD-Box2	for slim FDD or LocalView and DVD, 2x HDD													x				S26361-F2826-L101			68	
	F-D-L-HDD-Box2	for slim FDD or LocalView or CSS and DVD, 2x HDD						x											S26361-F2826-L102			68	
	FDD-DVD-Box TX200 S3	incl. 3,5" Floppy Disk Drive and mounting kit for SL DVD, 1.6" fitting height, anthracite										x							S26361-F2826-L201			31	
	F-D-L-Box1	for slim FDD and slim DVD, 1x LocalView													x				S26361-F2826-L301			24	
	Tape Kit DDS Gen5 36GB USB 3.5" int.	USB 2.0 Connector: USB "B" with USB cable kit , 1.6" fitting height, with description (G/US), data and cleaning cartridge	x																S26361-F3324-L2			339	
	FDD USB (external)	external USB FDD, USB cable included	x				x	x				x			x		x	x	S26391-F264-L226			36	
	MEMORYBIRD P 2GB		x				x					x			x			x	S26391-F6047-L102			48	
	MEMORYBIRD P 4GB		x				x					x			x			x	S26391-F6047-L104			66	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging										x			x		x	x	S26391-F7119-L100			116	
	Floppy Disk Drive 1.44MB 1"	1" fitting height					x	x											S26361-F2575-L1			16	
	Floppy Disk Drive 1.44MB slimline	Connector FFC 26pin, 0.5" fitting height													x				S26361-F3059-L2			27	
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height		x	x	x	x	x	x	x	x	x			x				SNP:SY-F2234L1-A			24	
	CD-RW \ DVD ATAPI	Combo drive ATAPI/IDE 48/24/48/16x, incl. Nero SW, 1.6" fitting height, anthracite		x	x	x		x	x	x	x	x			x				S26361-F3008-L1			31	
	CD-RW \ DVD ATAPI	Combo drive ATAPI/IDE 48/24/48/16x, incl. Nero SW, 1.6" fitting height, anthracite												x					S26361-F3008-L2			51	
	CD-RW \ DVD ATAPI slimline	CD-RW / DVD drive ATAPI/IDE 0.5" 24/24/24/8x, incl. SW, 0,5" fitting height, anthracite									x	x			x		x	x	S26361-F3123-L1			58	
	DVD-RW DL\DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite			x	x	x	x			x	x		x	x				S26361-F3148-L1			58	
	DVD-RW DL\DVD-RAM ATAPI slimline	DVDRW DL/DVD-RAM ATAPI 24/16/24x 8x/8 8x8 6/2.4, incl. Nero SW, slimline 0.5" fitting height, anthracite									x	x			x			x	S26361-F3236-L1			85	
	RDX Drive 80-160GB 25MB/s 5.25" int	RDX Drive 80-160GB 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)						x				x			x			x	S26361-F3857-L1			126	
	RDX Drive 80-160GB 25MB/s 3.5" int	RDX Drive 80-160GB 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)	x																S26361-F3857-L2			126	
	Tape Kit DDS Gen5 36GB USB 5.25" int.	USB 2.0 Connector: USB "B"; 1.6" fitting height, with USB cables for Econel, TX150, TX200 and TX300, with description (G/US), data and cleaning cartridge					x	x				x			x				S26361-F3324-L4			339	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2848-L3			339	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2848-L31			366	
	Tape Kit DDS Gen5 36GB 3.5" hot plug	LVD U2W SCSI SCA 80-pin, with description (G/US), data and cleaning cartridge								x	x		x	x		x			S26361-F2848-L6			434	
	Tape Kit VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2849-L3			576	Phased out
	Tape Drv VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), Delivery includes no cartridges		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2849-L30			492	Phased out
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge					x	x	x		x	x		x	x		x	x	S26361-F3224-L3			746	
	Tape Kit Entry LTO Ultr 100GB 16MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge							x			x			x			x	S26361-F3460-L3			744	
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge, without cable					x	x	x			x			x		x	x	S26361-F3157-L3			967	
	Tape Drv LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, Delivery includes no cartridges					x	x	x			x			x		x	x	S26361-F3157-L30			899	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge							x			x			x			x	S26361-F3459-L3			1207	
	Tape Kit LTO3 Ultrium 400GB 80MB/s int.	U160 SCSI Interface 68-pin, 3.2" fitting height, anthracite, with data and cleaning cartridge									x	x		x	x		x	x	S26361-F3158-L3			1740	
	Tape Kit SDLT320 160GB 16MB/s int.	U2W SCSI Interface 68-pin, 3.2" fitting height, black, with data and cleaning cartridge, without cable								x			x			x	x		S26361-F2850-L3			1248	Phased out
Hard Disk Drives																							
	HDD U320 146GB 15k hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	x	x				x			x			x			S26361-F2764-L514			384	
	HDD U320 15k 300GB hot plug 1"	15.000 rpm with 1" frame, U320 SCSI		x	x	x				x			x			x			S26361-F2764-L530			695	
	HDD Extension for 3x hot plug	for 3x U320 SCSI HDD hot plug, aktiv termination		x	x	x	x			x			x						S26361-F2826-L1			187	
	HDD Extension for 2x hot plug	for 2x 2.5" SAS HDD hot plug, aktiv termination	x																S26361-F2826-L120			34	
	HDD SATA 160GB 7.2k hot plug 3.5"	7.200 rpm, fitting height 1"			x	x			x										S26361-F3017-L160			85	Phased out
	HDD SATA 250GB 7.2k hot plug 3.5"	7.200 rpm, fitting height 1"			x	x													S26361-F3017-L250			133	
	HDD SATA 80GB 7.2k hot plug 3.5"	7.200 rpm, fitting height 1"			x	x			x										S26361-F3017-L80			61	Phased out
	HDD U320 146GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x				x	x		x		x	x	x	S26361-F3121-L114			218	
	HDD U320 300GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x				x	x		x		x	x	x	S26361-F3121-L130			384	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Hard Disk Drives (Continued)																							
	HDD U320 73GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x				x	x		x		x	x	x	S26361-F3121-L173			153	
	HDD U320 146GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x				x	x		x		x	x	x	S26361-F3121-L514			274	
	HDD U320 300GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x				x	x		x		x	x	x	S26361-F3121-L530			553	
	HDD U320 36GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s				x	x				x	x		x		x	x	x	S26361-F3121-L536			146	
	HDD U320 73GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s					x				x	x		x		x	x	x	S26361-F3121-L573			180	
	HD SAS 3GB/s 146GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x				x			x				S26361-F3204-L114			231	Phased out
	HD SAS 3GB/s 300GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x				x			x				S26361-F3204-L130			384	
	HD SAS 3GB/s 73GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x				x			x				S26361-F3204-L173			153	Phased out
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x				x			x				S26361-F3204-L514			220	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x				x			x				S26361-F3204-L530			448	
	HD SAS 3GB/s 36GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x				x			x				S26361-F3204-L536			146	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x				x			x				S26361-F3204-L573			155	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	10.000 UpM	x																S26361-F3208-L114			207	
	HDD SAS 36GB 10k 3GB/s hot plug 2.5"	10.000 UpM	x																S26361-F3208-L136			149	Phased out
	HDD SAS 73GB 10k 3GB/s hot plug 2.5"	10.000 UpM	x																S26361-F3208-L173			155	
	HD SATA 160GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"					x	x				x			x				S26361-F3218-L160			68	
	HD SATA 250GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"					x	x				x			x				S26361-F3218-L250			92	
	HD SATA 500GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"					x	x				x			x				S26361-F3218-L500			184	
	HD SATA 80GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"					x	x				x			x				S26361-F3218-L80			54	
	HDD 73GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	x					x			x			x			S26361-F2764-L173			169	Phased out
	HDD 146GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	x					x			x			x			S26361-F2764-L114			240	Phased out
	HDD U320 10k 300GB hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x					x			x						S26361-F2764-L130			424	Phased out
	HDD 73GB 15k U320 hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	x	x				x			x			x			S26361-F2764-L573			224	
SCSI/RAID/SAS controller																							
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2399-L1			142	
	2-Channel Backplane Kit 2x 3 HD	2 channels internally connected to 3 hard disks each												x					S26361-F2570-L430			133	Phased out
	SCSI Ctrl, 1xU160 int.	LSI 53C1000R SCSI Chip		x															S26361-F2644-L1			75	Phased out
	RAID Ctrl 2-Channel 128MB Adp	Adaptec 2200 S, BBU option, U320, PCI controller, 128MB								x			x			x			S26361-F2752-L128			495	
	68-Pin Kit for int. access. SCSI drives	Cable with terminator										x			x				S26361-F2814-L12			34	
	68-Pin Kit for accessible drives	Cable with terminator		x	x	x	x	x	x	x			x						S26361-F2814-L6			34	
	SCSI interface external for on-board Ctr	Cable and external connector interface for SCSI controller, ext. connector: HD68									x			x					S26361-F2814-L7			34	Phased out
	RAID Ctrl Upgrade BBU 320-1 LSI	BBU modul for RAID controller (LSI 320-1)		x						x			x	x					S26361-F3005-L10			122	
	RAID Ctrl 1-Channel 64MB LSI	LSI 320-1, 1x U320 SCSI, BBU option, 64MB		x						x			x	x					S26361-F3005-L64			292	
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3006-L128			468	
	BBU Modul for RAID Controller	BBU modul for RAID controller			x	x	x	x			x	x							S26361-F3085-L10			75	
	RAID-Ctrl 0-Channel 128MB LSI	RAID-Ctrl, Zero-Channel, 128MB, LSI, PCI-X 133, 128MB Cache, optional BBU			x	x	x				x								S26361-F3085-L128			204	
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU						x											S26361-F3085-L2			153	
	RAID-Ctrl 0-Channel SAS 128MB LP LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, low profile, LSI, PCI-X 64/66, 128MB Cache										x							S26361-F3085-L202			153	
	RAID Ctrl 2-Channel 256MB BBU LSI	LSI 320-2, TBBU, U320, PCI-X controller, 256MB			x	x	x			x	x		x	x		x	x		S26361-F3090-L256			672	
	RAID Ctrl onboard key 128MB iTBBU LSI	MegaRaid PCI Express ROMB Upgrade Kit, includes iButton, 128 MB Cache and BBU												x					S26361-F3091-L328			211	
	RAID Ctrl onboard key 256MB iTBBU LSI	MegaRaid PCI Express ROMB Upgrade Kit, includes iButton, 256 MB Cache and BBU												x					S26361-F3091-L556			279	
	cable SCSI for internal Tapes x600 Sx	for connetion of internal Tapes															x	x	S26361-F3128-L101			54	
	BBU onboard RAID Controller xX600 Sx	BBU modul for RAID onboard controller															x	x	S26361-F3128-L20			162	
	RAID Ctrl SAS onboard 256MB LSI	MegaRaid ROMB SAS Upgrade Kit,, includes iButton, 256 MB Cache without BBU													x				S26361-F3205-L256			88	
	RAID Ctrl SAS onboard 256MB iTBBU LSI	MegaRaid ROMB SAS Upgrade Kit,, includes iButton, 256 MB Cache and iTBBU													x				S26361-F3205-L556			218	
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU,, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.						x				x			x		x	x	S26361-F3215-L1			366	
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP						x				x			x		x	x	S26361-F3215-L10			95	
	RAID Ctrl SATA 8 port 128MB LSI	RAID-Ctrl, LSI MegaRAID SAS8308ELP, PCIe x4, 128MB Cache, 8 internal ports, optional BBU,, only for attachment of SATA disks in TX150 S5					x	x											S26361-F3216-L1			292	
	RAID Ctrl Upgrade BBU 3080ELP LSI	BBU upgrade for SATA RAID 5 Controller (LSI 3080ELP)					x	x											S26361-F3216-L10			95	
	RAID5 Embedded MegaRAID SW LSI	key for software RAID5, only for attachment of SATA disks						x				x							S26361-F3217-L100			81	
	cableSCSI interf.external f.on-boardCtrl	Cable and external connector interface for SCSI controller, ext. connector: HD68		x	x	x	x		x	x			x						T26139-Y3849-L1			31	Phased out
Fibre Channel																							
	FC Ctrl 2GBit/s LP9002 MMF LC	Emulex LP9002L, 64Bit/66MHz PCI, 1 channel								x			x						S26361-F2624-L1			665	Phased out
	FC Ctrl 2GBit/s QLA2340 MMF LC	QLA2340, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface									x	x	x	x	x	x	x	x	S26361-F3097-L1			753	
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60						x			x	x		x	x				S26361-F3122-L1			336	
	FC Ctrl 2GBit/s LP1050Ex MMF LC	LP1050Ex , 2GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface															x	x	S26361-F3141-L1			576	
	FC Ctrl 2GBit/s LP1050 MMF LC	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface									x			x					S26361-F3141-L10			576	
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface										x			x		x	x	S26361-F3306-L1			549	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface										x			x		x	x	S26361-F3306-L2			821	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.										x			x			x	S26361-F3483-L1			675	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.										x			x			x	S26361-F3483-L2			1025	
Communication/Network																							

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Communication/Network (Continued)																							
	ISDN S0-Ctrl (2B+D) aktive BRI2M-2.0	Eicon Diva Server BRI-2M 2.0, WAN-Controller, digital&analog, ISDN & V.90, for Europe, incl. ISDN S0-cable				x	x	x		x			x	x					S26361-F1809-L2			553	
	X.25 Ctrl Dual X.21 Eicon S94 V2 (R)	WAN-Controller; incl. 2x X.21 DCE connection cable on X.25, Frame Relay and SNA network								x	x	x	x	x	x				S26361-F2610-L3			1899	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter		x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F3142-L1			51	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter					x	x			x	x		x	x				S26361-F3142-L2			51	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile	x																S26361-F3142-L202			51	
	Eth. Ctrl 2x1GBit PCIe PRO/1000P Cu	Intel Pro 1000P 2 Port Server Adapter															x	x	S26361-F3143-L1			160	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter					x	x			x	x		x	x		x	x	S26361-F3227-L2			139	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter						x				x			x		x	x	S26361-F3228-L1			139	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter	x																S26361-F3228-L201			139	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter						x				x			x			x	S26361-F3241-L1			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter	x																S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter						x				x			x			x	S26361-F3242-L1			252	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket										x			x			x	S26361-F3462-L1			325	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket	x																S26361-F3462-L201			325	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x	x	x	x		x	x	x	x	x	x	x	x	x	x	S26361-F3011-L1			139	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F3053-L1			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile	x																S26361-F3053-L201			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter		x					x	x	x	x	x	x	x	x	x	x	S26361-F3054-L1			252	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC lp	Intel PRO 1000 MF Server Adapter, low profile	x																S26361-F3054-L201			252	
Rack-Infrastructure																							
	RMK CR additional to RMK TX/RX600	additional RMK for mounting of RX/TX600 in PY 19" 23/42HE Classic Racks														x			S26361-F1331-L200			48	
	RMK CR additional to RMK TX200/300 S2	additional RMK incl. cable guide for mounting of TX200/300S2 / RX300S2 in PY 19" 23/42HE Classic Racks					x	x			x	x		x	x				S26361-F1331-L300			81	
	RMK 1/2 CR telescopic rails	1 pair carrier rails/telescopic rails/cable carrier		x	x	x			x	x			x						S26361-F1331-L7			165	
	Conversion kit 2 Floor -> Rack	for conversion of a floorstand BU to rack BU									x	x		x	x				S26361-F1729-L220			65	
	Conversionkit PY TX600 floor->rack	for conversion of a floorstand BU to rack BU														x			S26361-F1927-L210			36	Phased out
	cable management arm for 3rd party racks	all-purpose for PRIMERGY server in 3rd party racks and PRIMERGY 19" Classic Racks		x						x	x		x	x		x			S26361-F2201-L20			34	
	Conversion Floor->Rack PY TX150/Cxxx	for conversion of a floorstand BU to rack BU		x	x	x			x										S26361-F2618-L220			65	
	Conversionkit PRY TX150 S4 Floor -> Rack	for conversion of a floorstand BU to rack BU					x	x											S26361-F2618-L240			51	Phased out
	RMK 1 D/P/3rd P Racks telescopic rails	1 pair telescopic rails deepth 735-770mm incl. adapter angle and cable management		x	x	x			x										S26361-F2734-L31			165	
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D\P\3rd P Racks incl.vario carrier and cable management					x	x											S26361-F2734-L32			122	
	RMK 11 D/P/3rd P Racks telescopic rails	1 pair telescopic rails deepth 713-812mm incl. adapter angle and cable management for DC-, PC- and 3rd party racks														x			S26361-F2734-L36			162	
	RMK 6 D/P/3rd P Racks telescopic rails	1 pair telescopic rails deepth704-790mm incl. adapter angle and cable management for DC-, PC- and 3rd party racks								x	x	x	x	x	x				S26361-F2734-L70			122	
	cage nut set, M5, t=2,5mm	Content: 50 pieces					x	x			x	x		x	x			x	S26361-F2735-L500			34	
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks					x	x			x	x		x	x			x	S26361-F2735-L8			20	Price change
	Conversion Kit PY TX600 S3 floor->rack	for conversion of a floorstand BU to rack BU, incl. Rack face Plate, LocalView Display, Rack Rails and cabel manegement															x	x	S26361-F3126-L600			238	
PRIMERGY-Software																							
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection	x					x				x			x				S26361-F1790-L240			204	
	VMware VMotion w/1yr SNS	VMotion for VMware VI-STD w/1yr SNS OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.										x		x	x		x	x	S26361-F2341-L323			791	
	VMware VMotion w/3yr SNS	VMotion for VMware VI-STD w/3yr SNS OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.										x		x	x		x	x	S26361-F2341-L326			1074	
	VMware VMS-VCMS-BUN-C	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system.	x				x	x			x	x		x	x			x	S26361-F2341-L327			875	
	VMware VMS-VCMS-BUN-C DistributionOnly	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.	x				x	x			x	x		x	x			x	S26361-F2341-L328			655	
	VMware VI-STD w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.										x		x	x			x	S26361-F2341-L333			2119	
	VMware VI-STD w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.										x		x	x			x	S26361-F2341-L334			2876	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
PRIMERGY-Software (Continued)																							
	VMware VI-EE w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.										x		x	x			x	S26361-F2341-L335			3249	
	VMware VI-EE w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.										x		x	x			x	S26361-F2341-L336			4412	
	VMware RN SNS 1yr for VDI-STD-100	Renewal SNS Support and Subscription from FSC for VDI-STD-100 OEM										x		x	x			x	S26361-F2341-L364			2282	
	VMware RN SNS 1yr for VDI-ENT-100	Renewal SNS Support and Subscription from FSC for VDI-ENT-100 OEM										x		x	x			x	S26361-F2341-L365			3586	
	RemoteView Service Board S2 LP 3HU	incl. cables and RV SW; for PRIMERGY RX300 S2, TX200 S2, TX300 S2, TX150 S3, TX150 S4, RX/TX600 S2, RX220, RX/TX600 S3				x	x				x			x			x	x	S26361-F2425-L103			336	
	PRIMERGY MultiPath Linux\WinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, licence for 1 Server								x	x	x	x	x	x	x	x	x	U15000-C197			593	
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003									x	x		x	x		x	x	U15000-C278			593	
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY , configuration, includes MultiPath (1 License per Server)								x	x	x	x	x	x	x	x	x	U15000-C196			1862	
	PRIMERGY ServerStart Bundle subscription	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.		x					x	x	x	x	x	x	x	x			U15000-C176			146	
	RSB LP external power supply	incl. power cord (with Euro socket connector- and Euro plug)				x	x			x	x		x	x			x	x	S26361-F2425-L305			27	
	RSB S2 LP ext Power Supply Rack Carrier	Rack carrier for the external power supply of the RSB S2 LPs				x	x			x	x		x	x			x		S26361-F2425-L306			14	
	RemoteDeploy 3.x Single license	Single license for operation of one client server (managed node) under RD 3.x		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C262			94	
	Single Upgrade license from	License for upgrading from RD2.0 up to RD3.0.	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C265			16	
	RemoteDeploy V4.0 Software CD	Full version with license key for SW usage - no license.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C286			20	
	RemoteDeploy 4.x Single License	Single license for operation of one client server (managed node) under RD 4.x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C287			95	
	RemoteDeploy 4.0 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C288			41	
	Altiris Server Deployment Solution 6	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C251			122	
	Altiris Server Deployment AUP	Annual upgrade protection for Deployment Solution (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C255			19	
	Altiris Premium Support Pack	1 year support package for Altiris	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C259			9412	
	Altiris 5 Incidents Support	5 support incidents for Altiris	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C260			1272	
	Altiris Server Management Suite - Level1	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C267			162	
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C271			22	
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L610			16	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L611			16	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L613			16	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L650			72	Price change
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L651			72	Price change
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L652			72	Price change
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L653			72	Price change
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L654			72	Price change
	SUSE Linux ES 1-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server with 1-CPU sockets 1-Year subscription (renewal)						x											S26361-F2346-L181			99	
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L620			16	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L621			16	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L622			16	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L623			16	
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L660			72	Price change
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L661			72	Price change

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
PRIMERGY-Software (Continued)																							
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L662			72	Price change
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L663			72	Price change
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L664			72	Price change
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L670			236	Price change
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L671			236	Price change
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L680			236	Price change
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D	x		x	x	x	x			x	x		x	x	x	x	x	S26361-F2565-L681			236	Price change
	MS 5 Device CAL for Win SBS 2003	Microsoft Device Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 Device CAL Version) multi-language CAL for GB, D, I, F, E	x				x	x				x			x				S26361-F2565-L690			251	Price change
	MS 5 User CAL for Win SBS 2003	Microsoft User Client License Pack for Windows Small Business Server 2003 products, Standard, Premium Edition, 32bit (5 User CAL Version) multi-language CAL for GB, D, I, F, E	x				x	x				x			x				S26361-F2565-L691			251	Price change
	ServerView Integration V2.0	ServerView Integration V2.0 CD and node licence for HP OpenView NNM and Operations IBM NetView and ServerView Plus TEC&Inventory	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15051-C108			68	
	SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)				x	x				x	x		x	x				S26361-F2346-L111			196	
	SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit	x		x	x	x	x		x	x	x	x	x	x	x	x	x	S26361-F2346-L109			58	
	SUSE Linux ES 8 x86 Media Kit	SUSE Linux Enterprise Server 8 for x86 media kit		x	x	x			x	x	x	x	x	x	x	x	x	x	S26361-F2346-L110			58	
	SUSE Linux ES 10 x86 and x86_64 Media	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit	x				x	x			x	x		x	x		x	x	S26361-F2346-L192			58	
	Red Hat EL AP +1Y	Red Hat Enterprise Linux AP renewal for all platforms 1-Server 1-Year.								x			x			x	x	x	S26361-F2346-L201			488	
	Red Hat EL <=2CPU +1Y	Red Hat Enterprise Linux up to 2-CPU sockets renewal for all platforms 1-Server 1-Year.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2346-L211			258	
	Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64.	x					x				x			x			x	S26361-F2346-L292			34	
	Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L230			382	
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L231			369	Price change
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L232			369	Price change
	Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L233			369	Price change

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
PRIMERGY-Software (Continued)																							
	Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L234			369	Price change
	Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L235			369	Price change
	Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L236			369	Price change
	Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L237			369	New product Price change
	Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L270			382	
	Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L271			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L272			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L273			369	Price change

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
PRIMERGY-Software (Continued)																							
	Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x			x	x	x			x	x		x	x		x	x	S26361-F2565-L274			369	Price change
	Win SBS 2003 R2, ROK SE SP2, GB	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x	x			x				S26361-F2565-L250			234	
	Win SBS 2003 R2, ROK SE SP2, D	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x	x			x				S26361-F2565-L251			229	Price change
	Win SBS 2003 R2, ROK SE SP2, I	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x	x			x				S26361-F2565-L252			229	Price change
	Win SBS 2003 R2, ROK SE SP2, F	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x	x			x				S26361-F2565-L253			229	Price change
	Win SBS 2003 R2, ROK SE SP2, E	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x	x			x				S26361-F2565-L254			229	Price change
	Win SBS 2003 R2, ROK SE SP2, CZ	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x	x			x				S26361-F2565-L255			229	Price change

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
PRIMERGY-Software (Continued)																							
	Win SBS 2003 R2, ROK PREMIUM SP2, GB	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x			x					S26361-F2565-L260			500	
	Win SBS 2003 R2, ROK PREMIUM SP2, D	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x			x					S26361-F2565-L261			489	Price change
	Win SBS 2003 R2, ROK PREMIUM SP2, I	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.	x				x	x			x			x					S26361-F2565-L262			489	Price change
	VMware VI CD-ROM Media Kit	Virtual Infrastructure 3 Media Kit OEM Media Kit Only No License.												x	x			x	S26361-F2341-L300			54	
	VMware VI-STRT w/1yr SNS	Virtual Infrastructure 3 Starter OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.										x		x	x			x	S26361-F2341-L301			1072	
	VMware VI-STRT w/3yr SNS	Virtual Infrastructure 3 Starter OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.										x		x	x			x	S26361-F2341-L302			1825	
	VMware VI-STD w/1yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.										x		x	x			x	S26361-F2341-L303			2646	
	VMware VI-STD w/3yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.										x		x	x			x	S26361-F2341-L304			3654	
	VMware VI-EE w/1yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.										x		x	x			x	S26361-F2341-L305			4049	
	VMware VI-EE w/3yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.										x		x	x			x	S26361-F2341-L306			5605	
	VMware VI-STR-STD-UG w/1yr SNS	VI3 Starter to Standard Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS.										x	x	x	x	x	x	x	S26361-F2341-L309			1836	
	VMware VI-STR-STD-UG w/3yr SNS	VI3 Starter to Standard Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS.										x	x	x	x	x	x	x	S26361-F2341-L310			2378	
	VMware VI-STR-ENT-UG w/1yr SNS	VI3 Starter to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS.										x	x	x	x	x	x	x	S26361-F2341-L311			3171	
	VMware VI-STR-ENT-UG w/3yr SNS	VI3 Starter to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS.										x	x	x	x	x	x	x	S26361-F2341-L312			4107	
	VMware VI-STD-ENT-UG w/1yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.										x	x	x	x	x	x	x	S26361-F2341-L313			2002	
	VMware VI-STD-ENT-UG w/3yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.										x	x	x	x	x	x	x	S26361-F2341-L314			2594	
	VMware VCMS w/1yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 1 year SNS Support and Subscription.	x				x	x			x	x		x	x			x	S26361-F2341-L321			2825	
	VMware VCMS w/3yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 3 year SNS Support and Subscription.	x				x	x			x	x		x	x			x	S26361-F2341-L322			3529	
	VMware RN SNS 1yr for VI-STRT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Starter OEM										x		x	x			x	S26361-F2341-L350			420	
	VMware RN SNS 1yr for VI-STD	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Standard OEM										x		x	x			x	S26361-F2341-L351			488	
	VMware RN SNS 1yr for VI-EE	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Enterprise OEM										x		x	x			x	S26361-F2341-L352			749	
	VMware RN SSS 1yr for VCMS	Renewal SNS Support and Subscription OEM from FSC for 1 year for VirtualCenter Management Server 2 OEM	x				x	x			x	x		x	x			x	S26361-F2341-L353			652	
	VMware RN SSS 1yr for VI-VMOT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VMotion for VI-STD OEM										x		x	x			x	S26361-F2341-L354			182	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
PRIMERGY-Software (Continued)																							
	VMware RN SNS 1yr for VI-STR-STD-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad.										x			x			x	S26361-F2341-L355			359	
	VMware RN SNS 1yr for VI-STR-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad.										x			x			x	S26361-F2341-L356			619	
	VMware RN SNS 1yr for VI-STD-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad, and order 4x for an RX800, BX630 8-way.										x			x			x	S26361-F2341-L357			392	
OS/Application-SW																							
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C732			17	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C10			1754	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C20			1473	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA für Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C40			2105	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U1			139	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C400U3			417	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426			346	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700			542	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C700-U			406	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750			346	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800			542	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800-U			406	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U1			139	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C800U3			417	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C900			2094	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C920			4192	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack-includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C11			2455	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Oracle server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C21			2245	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C41			3157	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U1			178	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C401U3			535	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427			2094	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details		PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701			696	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C701-U			522	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751			486	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801			696	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801-U			522	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U1			178	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C801U3			536	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C901			415	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C921			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C12			17538	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C22			2245	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C42			3157	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U1			232	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details		PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C402U3			697	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426U1			89	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702			906	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C702-U			679	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750U1			89	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802			696	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802-U			522	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U1			178	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C802U3			536	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C902			835	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C922			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C13			24554	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C23			2245	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.			x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C43			3157	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C403U1			286	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C403U3			858	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C426U3			266	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C703			1115	
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C703-U			836	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C750U3			266	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803			696	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803-U			522	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U1			178	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C803U3			536	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C903			835	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C923			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C14			35077	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C30			2062	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA for Windows Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C60			2946	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U1			286	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C404U3			858	
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427U1			537	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704			1115	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C704-U			836	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U1			124	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804			696	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804-U			522	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U1			178	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C804U3			536	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C904			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C15			49108	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Oracle Server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C31			3143	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details		PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Standard server. Product includes 1x media kit and 1x license for one server.			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C61			4420	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C405U1			124	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C405U3			373	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C427U3			1612	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705			486	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C705-U			364	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C751U3			373	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805			696	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805-U			522	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U1			178	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C805U3			536	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C905			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack-includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).			x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C16			70154	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C32			3143	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C62			4420	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C406U1			178	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C406U3			535	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C706			696	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C706-U			522	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806			276	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806-U			207	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U1			71	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C806U3			213	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C906			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack-includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C17			98215	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C33			3143	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C63			4420	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U1			178	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C407U3			535	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707			696	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C707-U			522	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807			175	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807-U			131	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U1			45	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C807U3			134	
	CA XOsoftWANSyncDR	XOsoft WANSync DR as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C0189			699300	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C50			3367	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U1			178	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C408U3			535	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708			696	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C708-U			522	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808			276	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808-U			207	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U1			71	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C808U3			213	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C51			5051	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U1			143	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C409U3			428	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709			556	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C709-U			417	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809			175	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details		PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809-U			131	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U1			45	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C809U3			134	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C52			5051	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U1			143	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C410U3			428	
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C710			556	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711-U			679	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810			1115	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810-U			836	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U1			286	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U3			858	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C53			5051	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U1			232	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U3			697	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711			906	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712-U			522	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811			1115	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811-U			836	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U1			286	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C70			5051	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U1			178	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C412U3			535	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712			696	
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713-U			836	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812			906	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U1			232	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C812U3			697	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C71			7577	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U1			286	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C413U3			858	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C713			1115	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715-U			522	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C813			346	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C72			7577	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U1			178	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C414U3			535	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C714			696	
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716-U			679	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C814			696	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C73			7577	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C356			1625	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U1			178	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C415U3			535	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C715			696	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717-U			522	
	CA XOsoftWANSyncHA	XOsoft WANSync HA as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C0288			699300	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U1			232	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C416U3			697	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C716			906	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718-U			522	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U1			178	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C417U3			535	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C717			696	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720-U			207	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U1			178	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C418U3			535	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C718			696	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721-U			131	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U1			280	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C419U3			839	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C719			1871	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722-U			207	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U1			71	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C420U3			212	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C720			276	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723-U			131	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U1			45	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details		PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C421U3			134	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C721			175	
	UP ARCserve r11.5 WIN Sngl Srv-Full Edt	ARCserve r11.5 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r11.5 for Windows Standard Edition. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C780-U			406	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U1			71	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C422U3			212	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C722			276	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U1			45	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C423U3			134	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C723			175	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U1			71	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C424U3			212	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details		PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C724			276	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U1			286	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C428U3			858	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C725			1028	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C429U1			232	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C429U3			697	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C726			1115	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C430U1			673	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C430U3			2018	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C727			906	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C431U1			89	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C431U3			266	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
OS/Application-SW (Continued)																							
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C728			346	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C432U1			178	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C432U3			535	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C729			696	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C433U1			178	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C433U3			535	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C730			2951	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C731			696	
UPS/Power supply																							
	APC-UPS COM Cable NOVELL,NT,OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey		x	x	x	x	x		x	x	x	x	x	x	x			S26113-F231-L1			24	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface		x						x	x	x	x	x	x	x			S26113-F233-L1			24	
	Power Supply Module 600W (hot plug)	for PS redundancy, incl. power cord									x	x		x	x				S26113-F453-L30			101	
	Power Supply Conversion Kit 600W	hot plug PS upgrade kit , incl. 2 PS modules									x								S26113-F453-L33			305	
	Power Supply Conversion Kit 600W	incl. 1hot plug PS Module										x							S26113-F453-L44			218	
	Power Supply Module 400W (hot plug)	for PS redundancy			x	x	x	x											S26113-F483-L11			101	
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit and 1st power supply module			x	x	x	x											S26113-F483-L5			218	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosence		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	S26113-F80-L10			173	
	APC-UPS COM-Port extension	APC-UPS		x	x	x	x	x		x	x	x	x	x	x	x			S26113-F81-L1			65	
	Cable powercord rack, 4m	with Euro socket connector		x						x	x		x	x		x			T26139-Y1968-L10			11	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR	x	x	x	x	x	x	x	x	x	x	x	x	x	x			T26139-Y1740-L10			11	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20															x	x	S26361-F3151-L300			20	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR	x	x	x	x	x	x	x	x	x	x	x	x	x	x			T26139-Y1744-L10			11	
	Power cord IEC320 C19 -> IEC 320 C14	with connector IEC320 C20 ->plug IEC320 C14 for connection to socket strips (connector 10A IEC320 C13)																x	S26361-F3151-L350			20	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->Schuko															x	x	S26361-F3151-L100			20	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)															x	x	S26361-F3151-L200			20	
	Power cord 16A ICE320 ->C19->BS13/13	with connector IEC320 C20 -> UK BS13/13															x	x	S26361-F3151-L400			20	Phased out
Miscellaneous																							
	4 movable castors														x				C26192-Y62-L6			16	
	Fans upgrade kit hot-plug redundant	Redundant hot plug fans option, incl. 2 fans, cage and electronics									x								S26361-F2544-L3			81	Phased out
	Redundant hot plug Fan Kit	6 Fans and mounting cage										x							S26361-F2544-L4			105	
	Redundant hot plug Fan Kit	consists of two additional fans for fan redundancy													x				S26361-F2544-L5			34	
	Local Service Display Option Kit S2	LCD display with installation kit												x	x				S26361-F2557-L104			58	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Miscellaneous (Continued)																							
	Serial port option	Cable with 9 pin D-SUB interface						x											S26361-F2571-L10			20	
	Parallelport Option Centronics	Cable with 25 pin Centronics interface						x		x			x						S26361-F2571-L8			14	
	Parallel Port Option Centronix	Cable with 25 pin Centronics interface									x	x		x	x				S26361-F2814-L8			14	
Media																							
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label						x				x			x				D:CL-DAT160-MX-01			16	New product
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-DAT72-MX-01			4	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO-1, LTO-2 and LTO-3 drives			x	x	x	x		x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01			41	
	LTO cleaning cartridge with label	cleaning cartridge with label from Fuji for LTO-1, LTO-2 and LTO-3 drives			x	x	x	x		x	x	x	x	x	x	x	x	x	D:CL-LTO2-FJ-01L			41	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO-1, LTO-2 and LTO-3 drives			x	x	x	x		x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01			48	
	LTO cleaning cartridge with label	cleaning cartridge with label from IBM for LTO-1, LTO-2 and LTO3-drives			x	x	x	x		x	x	x	x	x	x	x	x	x	D:CL-LTO2-IB-01L			48	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO-1 and LTO-2 drives			x	x	x	x		x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01			38	
	LTO cleaning cartridge with label	cleaning cartridge with label from Maxell for LTO-1 and LTO-2 drives			x	x	x	x		x	x	x	x	x	x	x	x	x	D:CL-LTO2-MX-01L			38	
	LTO cleaning label	label for LTO cleaning cartridges				x	x	x		x	x	x	x	x	x	x	x	x	D:CL-LTO-LAB			1	
	VXA cleaning label	Label for VXA cleaning cartridge		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-VXA2-X-01			16	
	VXA cleaning cartridge with label	VXA cleaning cartridge		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CL-VXA2-X-01L			17	
	DAT160 data cartridge	DAT160 data cartridge without label						x				x			x				D:CR-DAT160-MX-01			22	New product
	DAT72 data cartridge	DAT72 data cartridge without label		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-DAT72-MX-01			9	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity		x	x	x		x	x	x	x	x	x	x	x	x		x	D:CR-LTO1-FJ-01			23	
	LTO 1 data data cartridge with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity		x	x	x		x	x	x	x	x	x	x	x	x		x	D:CR-LTO1-FJ-01L			24	
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity		x	x	x		x	x	x	x	x	x	x	x	x		x	D:CR-LTO1-IB-01			22	
	LTO 1 data cartridge with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity		x	x	x		x	x	x	x	x	x	x	x	x		x	D:CR-LTO1-IB-01L			23	
	LTO 1 barcode label	label for LTO-1 data cartridges		x	x	x		x	x	x	x	x	x	x	x	x		x	D:CR-LTO1-LAB			1	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity		x	x	x		x	x	x	x	x	x	x	x	x		x	D:CR-LTO1-MX-01			20	
	LTO 1 data cartridge with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity		x	x	x		x	x	x	x	x	x	x	x	x		x	D:CR-LTO1-MX-01L			21	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity				x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity				x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-FJ-01L			21	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity				x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01			20	
	LTO 2 data cartridge with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity				x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-IB-01L			21	
	LTO 2 barcode label	label for LTO-2 data cartridges				x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-LAB			1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity				x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity				x	x	x		x	x	x	x	x	x	x	x	x	D:CR-LTO2-MX-01L			21	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-FJ-01			29	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-FJ-01L			29	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-FJ-01W			57	
	LTO 3 WORM data cartridge with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-FJ-01WL			59	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-IB-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-IB-01L			28	
	LTO 3 barcode label	label for LTO-3 data cartridges						x			x	x		x	x		x	x	D:CR-LTO3-LAB			1	
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-SY-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Sony, 400 GB native capacity						x			x	x		x	x		x	x	D:CR-LTO3-SY-01L			27	
	VXA barcode label	Label for VXA data cartridge		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-VXA2-X10-01			17	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-VXA2-X10-01L			18	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-VXA2-X23-01			35	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	D:CR-VXA2-X23-01L			36	
	RDX Cartridge 80/160GB	RDX Cartridge 80GB uncompressed / 160GB compressed	x					x				x			x			x	S26361-F3857-L80			122	
	RDX Cartridge 120/240GB	RDX Cartridge 120GB uncompressed / 240GB compressed	x					x				x			x			x	S26361-F3857-L120			155	
Cables																							
	Console switch cable 2,5m	cable for keyboard, monitor and mouse		x	x	x			x	x			x			x	x		SNP:SY-F2293L11-P			31	Phased out
	Console switch cable 3,5m	cable for keyboard, monitor and mouse		x	x	x	x		x	x	x	x	x	x	x	x	x	x	SNP:SY-F2293L12-P			51	Phased out
	Console switch cable 10m	cable for keyboard, monitor and mouse		x	x	x			x	x			x			x	x		SNP:SY-F2293L13-P			92	Phased out
Additional Software																							
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1			x	x	x		x	x	x			x		x	x		U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs			x	x	x		x	x	x			x		x	x		U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs			x	x	x		x	x	x			x		x	x		U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME			x	x	x		x	x	x			x		x	x		U11081-C183			21	

Tower Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details		PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Additional Software (Continued)																							
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs			x	x	x	x		x	x	x		x	x		x	x		U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs			x	x	x	x		x	x	x		x	x		x	x		U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions			x	x	x	x		x	x	x		x	x		x	x		U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0			x	x	x	x		x	x	x		x	x		x	x		U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C202			857	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C203			1394	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C210			2426	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201			x	x	x	x		x	x	x		x	x		x	x		U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202			x	x	x	x		x	x	x		x	x		x	x		U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203			x	x	x	x		x	x	x		x	x		x	x		U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204			x	x	x	x		x	x	x		x	x		x	x		U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205			x	x	x	x		x	x	x		x	x		x	x		U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206			x	x	x	x		x	x	x		x	x		x	x		U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207			x	x	x	x		x	x	x		x	x		x	x		U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208			x	x	x	x		x	x	x		x	x		x	x		U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209			x	x	x	x		x	x	x		x	x		x	x		U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210			x	x	x	x		x	x	x		x	x		x	x		U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211			x	x	x	x		x	x	x		x	x		x	x		U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202			x	x	x	x		x	x	x		x	x		x	x		U11081-C222			350	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203			x	x	x	x		x	x	x		x	x		x	x		U11081-C223			569	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204			x	x	x	x		x	x	x		x	x		x	x		U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205			x	x	x	x		x	x	x		x	x		x	x		U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206			x	x	x	x		x	x	x		x	x		x	x		U11081-C226			2276	

Tower Servers Services **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Professional Services																							
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"'		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21021FX			480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21022FX			240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)'		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21023FX			1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21024FX			540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21025FX			960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21026FX			480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21027FX			750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21028FX			375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21029FX			1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21030FX			720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21031FX			120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21032FX			60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21033FX			60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21034FX			30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21035FX			1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM		x	x	x	x		x	x	x	x	x	x	x	x	x	x	CPS:PR-INT-21036FX			750	
Product related services																							
	SP 3y OS Svc,5x9	SP 3 years On-Site Service, 5x9	x	x	x	x	x	x	x										FSP:GB3S00000GBPA1			55	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x										FSP:GB4S20000GBPA1			84	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9								x	x	x							FSP:GB4S20000GBPA2			145	

Tower Servers Services

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Product related services (Continued)																							
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9											x	x	x				FSP:GB4S20000GBPA3			171	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9														x	x	x	FSP:GB4S20000GBPA6			463	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x										FSP:GB5S20000GBPA1			135	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9								x	x	x							FSP:GB5S20000GBPA2			235	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9											x	x	x				FSP:GB5S20000GBPA3			289	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9														x	x	x	FSP:GB5S20000GBPA6			823	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x	x										FSP:GD3S60000GBPA1			254	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9								x	x	x							FSP:GD3S60000GBPA2			228	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9											x	x	x				FSP:GD3S60000GBPA3			440	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9														x	x	x	FSP:GD3S60000GBPA6			704	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x	x	x	x	x	x	x										FSP:GD3S63000GBPA1			323	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24								x	x	x							FSP:GD3S63000GBPA2			354	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24											x	x	x				FSP:GD3S63000GBPA3			671	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24														x	x	x	FSP:GD3S63000GBPA6			1094	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24	x	x	x	x	x	x	x										FSP:GD3SG3000GBPA1			575	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24								x	x	x							FSP:GD3SG3000GBPA2			814	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24											x	x	x				FSP:GD3SG3000GBPA3			1527	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24														x	x	x	FSP:GD3SG3000GBPA6			2161	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x	x										FSP:GD4S60000GBPA1			419	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9								x	x	x							FSP:GD4S60000GBPA2			595	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9											x	x	x				FSP:GD4S60000GBPA3			1033	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9														x	x	x	FSP:GD4S60000GBPA6			1535	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x	x	x	x	x	x	x										FSP:GD4S63000GBPA1			552	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24								x	x	x							FSP:GD4S63000GBPA2			786	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24											x	x	x				FSP:GD4S63000GBPA3			1364	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24														x	x	x	FSP:GD4S63000GBPA6			2026	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24	x	x	x	x	x	x	x										FSP:GD4SG3000GBPA1			850	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24								x	x	x							FSP:GD4SG3000GBPA2			1210	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24											x	x	x				FSP:GD4SG3000GBPA3			2099	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24														x	x	x	FSP:GD4SG3000GBPA6			3118	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x	x	x	x	x	x	x										FSP:GD5S60000GBPA1			584	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9								x	x	x							FSP:GD5S60000GBPA2			831	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9											x	x	x				FSP:GD5S60000GBPA3			1441	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9														x	x	x	FSP:GD5S60000GBPA6			2141	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x	x	x	x	x	x	x										FSP:GD5S63000GBPA1			751	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24								x	x	x							FSP:GD5S63000GBPA2			1069	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24											x	x	x				FSP:GD5S63000GBPA3			1855	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24														x	x	x	FSP:GD5S63000GBPA6			2756	

Tower Servers Services

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY TX120	PRIMERGY TX150	PRIMERGY TX150 S2	PRIMERGY TX150 S3	PRIMERGY TX150 S4	PRIMERGY TX150 S5	PRIMERGY TX150 SATA	PRIMERGY TX200	PRIMERGY TX200 S2	PRIMERGY TX200 S3	PRIMERGY TX300	PRIMERGY TX300 S2	PRIMERGY TX300 S3	PRIMERGY TX600	PRIMERGY TX600 S2	PRIMERGY TX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																							
Product related services (Continued)																							
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24	x	x	x	x	x	x	x										FSP:GD5SG3000GBPA1			1123	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24								x	x	x							FSP:GD5SG3000GBPA2			1599	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24											x	x	x				FSP:GD5SG3000GBPA3			2774	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24														x	x	x	FSP:GD5SG3000GBPA6			4121	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x										FSP:GE3S20Z00GBPA1			158	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9								x	x	x							FSP:GE3S20Z00GBPA2			132	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9											x	x	x				FSP:GE3S20Z00GBPA3			255	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9														x	x	x	FSP:GE3S20Z00GBPA6			408	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x										FSP:GN4S20000GBPA1			84	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9								x	x	x							FSP:GN4S20000GBPA2			145	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9											x	x	x				FSP:GN4S20000GBPA3			171	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9														x	x	x	FSP:GN4S20000GBPA6			463	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x	x	x	x	x	x										FSP:GN5S20000GBPA1			135	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9								x	x	x							FSP:GN5S20000GBPA2			235	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9											x	x	x				FSP:GN5S20000GBPA3			289	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9														x	x	x	FSP:GN5S20000GBPA6			823	

Positioning PRIMERGY Rack Servers

PRIMERGY RX100 S3

As business processes and customer bases grow and rely more on Internet technology, data centers face the challenge of rapid enhancements of their front end infrastructure services. Increasingly they are looking for a platform solution that has minimum impact on their budgets, yet is easy to deploy and simple to operate. That is where the RX100 S3 optimally fits in. With technical details like Pentiium Dual-Core CPU and 8 GB memory PRIMERGY RX100 S3 matches these requirements.

PRIMERGY RX100 S4

PRIMERGY RX100 S4 additionally offers technical evolutions like Dual-Core Intel® Xeon® UP 3000 series CPU, integrated SAS or SATA RAID 0, 1 data protection and 8 GB direct addressable memory the PRIMERGY RX100 S4 matches your business application requirements perfectly. It combines the benefits of cost-optimized SATA or SAS disk technology with a space-saving 1 U form factor of less than 60 cm in depth. This makes it easy to integrate into any rack enclosures. The set of integrated network and management functions make it a good choice for budget-sensitive infrastructure solutions.

PRIMERGY RX200 S3

Consolidation strategies for corporate applications in data center server farms with central deployment and control face a number of requirements. Even more important than the best performance per unit of height is ease of management for ongoing cost optimization and operational efficiency in the data center.

PRIMERGY RX220

Cost-effective scaling, simplified operation and enhanced quality of data center IT production are the main benefits in deploying PRIMERGY RX servers. Their centralized PRIMERGY ServerView Suite management functions mean less troubleshooting and costs and remote access from anywhere at any time. The flexible custom supply model and our build-to-order process means that only fully built and pre-tested rack solutions are shipped to the customer – shortening your time to production.

PRIMERGY RX300 S3

PRIMERGY RX300 S3 rack server packs the capacity of a fully-featured departmental server into a rack design only 2 U in height. It is offering the breakthrough performance features of leading edge Dual- or Quad-Core Intel® Xeon® 5000 sequence CPUs embedded in a powerful design with an 8-port SAS controller and fast PCIe links and PCI-X busses. Ex

PRIMERGY RX330 S1

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost efficient PRIMERGY RX330 S1 extends the PRIMERGY RACK portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone application server and for server farms in scale-out environ-ments with medium needs for availability features and virtualization focus. With 2 Dual-Core

PRIMERGY RXI300

Equipped with two Intel® Itanium® 2 processors for symmetrical multiprocessing, the PRIMERGY RXI300 is an ideal entry-level system for 64-bit only environments. In addition, the PRIMERGY RXI300 offers performance that goes beyond the limits of 32-bit architectures with Microsoft Windows 2003 IPF server or Linux 64-bit operating systems.

PRIMERGY RX600 S3

4-socket Intel Xeon 7000M series MP Server - Scaled-up performance and assured quality of data center operation.
RX600 S3 combines impressive 8-core performance, exceptional internal capacity and data center-typical robustness and redundancy features into a space-optimized 4 U rack module that is designed to improve your IT production quality.

PRIMERGY RXI600

The PRIMERGY RXI600 is the Intel-based 4-way rack server with the Intel® IPF microprocessor family Itanium® 2 operating in Symmetrical Multiprocessing mode. With the PRIMERGY RXI600 Fujitsu Siemens Computers rounds up its product portfolio with a 64-bit 4-way rack server and offers a complete product line spectrum to the market.

PRIMERGY RX800 S2

RX800 S2 supports budget-saving strategies by providing a 4-socket 64-bit Intel® Xeon™ MP building block with Dual-Core technology in a 3 U rack package and up to 6 hot-plug Serial Attached SCSI (SAS) hard disks.

PRIMERGY RX800 S3

RX800 S3 supports budget-saving strategies by providing a 4-socket 64-bit Intel® Xeon® MP building block with latest Dual-Core 7100N series technology in a 3 U rack package and up to 6 hot-plug Serial Attached SCSI (SAS) hard disks.

PRIMECENTRE SME

The PRIMECENTER SME rack is the basis for mounting rack configurations with all Fujitsu Siemens Computers products, such as servers, operating devices and storage systems. Based on the industry standards DIN 41494 and IEC 297, the PRIMECENTER SME rack can also accommodate other products on the market that comply with these standards.

PRIMERGY RX100 S4

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY RX100 S4 - Mono socket Intel Xeon UP 3000 series Rack Server – Optimized in cost, size and complexity for easy deployment

As business processes and customer bases grow and rely more on Internet technology, data centers face the challenge of rapid enhancements of their front end infrastructure services. Increasingly they are looking for a platform solution that has minimum impact on their budgets, yet is easy to deploy and simple to operate. That is where the RX100 S4 optimally fits in. With technical evolutions like Dual-Core Intel Xeon UP 3000 series CPU and 8 GB direct addressable memory the PRIMERGY RX100 S4 matches your business application requirements perfectly. It combines the benefits of cost-optimized SATA or SAS disk technology, the comfort of integrated RAID data protection with a space-saving 1 U form factor of less than 60 cm in depth. This makes it easy to integrate into any rack enclosures. The set of integrated network and management functions make it a good choice for budget-sensitive infrastructure solutions.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code			End User Price (£)	Comments
Special products																													
PRIMERGY RX100 S4																													
	Cel D352 3.2 512K 533		Rack	512MB	Option hot-plug hard disks							2xGBit				2Ch SATA RAID					PCIe+PCI-X riser			on board	CFY:RX100S4-001IN			481	
	P-D925 3.0 2x2M 800		Rack	1GB	SATA 160GB 7.2k			x				2xGBit				2Ch SATA RAID					PCIe+PCI-X riser			on board	VFY:RX100S4-011IN			608	
	Xeon 3050 DC 2.13G 2M 1066		Rack	1GB	Option hot-plug hard disks + SATA 160GB 7.2k			x				2xGBit				2Ch SATA RAID					PCIe+PCI-X riser			on board	VFY:RX100S4-012IN			664	

PRIMERGY RX200 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY RX200 S3 - Dual Socket Intel® Xeon® Processor based 1 U Rack Server - Reliable and efficient workhorse for server farms

Consolidation strategies for corporate applications in data center server farms with central deployment and control face a number of requirements. Even more important than the best performance per unit of height is ease of management for ongoing cost optimization and operational efficiency in the data center. And since the best things to manage are those that hardly ever fail. Therefore the dual Xeon RX200 with its integrated fail-safe standards such as disk mirroring function, up to 4 hot-plug SAS or SATA disks, mirrored memory, all packed into a space-saving 1 U workhorse, provides you with enhanced quality of service for the management of your business applications.
In addition, you can relax as regards your decision on when and how to use the upcoming option of 64-bit computing: RX200 S3 comes with the latest Intel Quad-Core and Dual-Core Xeon processor 5000 sequence and up to 32 GB PC2-4200F fully buffered memory.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code			End User Price (£)	Comments
Special products																													
PRIMERGY RX200 S3																													
	Xeon DP 5150 2.66 4M1333		Rack	2x512MB								2xGBit				RAID 1 + 0-Channel SAS 128M			on board / 4 ports		PCIe riser			on board	CFY:RX200S3-011IN			1495	
	Xeon DP 5150 2.66 4M1333		Rack	2x512MB								2xGBit				RAID 1 + 0-Channel SAS 128M			on board / 4 ports		PCIe riser			on board	CFY:RX200S3-012IN			1499	
	Xeon DP 5160 3.00G 4M 1333		Rack	2x512MB								2xGBit				RAID 1 + 0-Channel SAS 128M	Hot plug PSM		on board / 4		PCIe riser			on board	CFY:RX200S3-015IN			1675	
	Xeon DP 5160 3.00G 4M 1333		Rack	2x512MB								2xGBit				RAID 1 + 0-Channel SAS 128M	Hot plug PSM		on board / 4		PCIe riser			on board	CFY:RX200S3-016IN			1679	
	Xeon DP E5335 2.00 2x4M 1333		Rack	2x1GB								2xGBit				0-Channel SAS 128M			on board / 4 ports		PCIe riser			on board	CFY:RX200S3-019IN			1367	
	Xeon DP E5310 1.60 2x4M 1066		Rack	2x512MB								2xGBit							on board / 4 ports		PCIe riser			on board	CFY:RX200S3-021IN			1068	
	Xeon DP E5310 1.60 2x4M 1066		Rack	2x512MB								2xGBit							on board / 4 ports		PCIe riser			on board	CFY:RX200S3-022IN			1072	
	Xeon DP E5320 1.86 2x4M 1066		Rack	2x512MB												0-Channel SAS 128M			on board / 4 ports		PCIe riser			on board	CFY:RX200S3-023IN			1214	
	Xeon DP E5320 1.86 2x4M 1066		Rack	2x512MB												0-Channel SAS 128M			on board / 4 ports		PCIe riser			on board	CFY:RX200S3-024IN			1218	
	Xeon DP 5110 1.60 2x2M 1066		Rack	2x512MB				x				2xGBit				RAID 1	Hot plug PSM		on board / 4 ports		PCIe riser			on board	VFY:RX200S3-013IN			1105	
	Xeon DP 5110 1.60 2x2M 1066		Rack	2x512MB								2xGBit				RAID 1	Hot plug PSM		on board / 4 ports		PCIe riser			on board	VFY:RX200S3-105GB			1130	
	Xeon LV DP L5320 1.86 2x4M 1066		Rack	2x1GB					x			2xGBit				RAID 1	Hot plug PSM		on board / 4 ports		PCIe riser			on board	VFY:RX200S3-907GB			1185	

PRIMERGY RX220 — Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY RX220 Dual-Core AMD Opteron™ Processor based Rack Server – Server farm performance on entry price level

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX220 extends the PRIMERGY RACK portfolio to the lowest density basic feature segment with Dual-Core AMD Opteron™ processors and focuses rather on maximum compute power than on maximum reliability in comparison to RX200. With technical evolutions like Dual-Core processors and 32 Gbytes direct addressable memory the PRIMERGY RX220 matches your business application requirements perfectly. Therefore the Dual-Core AMD Opteron processor based PRIMERGY RX220 with its integrated hot-plug SATA hard disks in combination with disk mirroring function in a space-saving 1 U chassis provides you with a budget saving platform

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX220							
	PY RX220 O256/1M 1G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V181			1139	
	PY RX220 O256/1M 2G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V182			1272	
	PY RX220 O256/1M 4G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V184			1638	
	PY RX220 O275/2x1M 1G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V231			984	
	PY RX220 O275/2x1M 4G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V234			1482	
	PY RX220 O280/2x1M 1G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V241			1025	
	PY RX220 O280/2x1M 2G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V242			1272	
	PY RX220 O285/2x1M 1G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V251			1139	
	PY RX220 O285/2x1M 4G	Rack mountable server 19" (1U) f. HD´s / hot plug HD´s incl. power supply and universal rack mounting kit, dualsystemboard with 1x Opteron 2xx processor; DDR-RAM PC3200 ECC; PCI graphics 16MB, 2x LAN Broadcom 10/100/1000 and 2-channel SATA RAID controller on-board; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K986-V254			1638	

PRIMERGY RX300 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY RX300 S3 - Dual Socket 2U Xeon® based Rack Server – Compact capacity in central service to your departments

PRIMERGY RX300 S3 rack server packs the capacity of a fully-featured departmental server into a rack design only 2 U in height. It is offering the breakthrough performance features of leading edge Quad-Core and Dual-Core Intel® Xeon® 5000 sequence CPUs embedded in a powerful design with an 8-port SAS controller and fast PCIe links and PCI-X busses. Expandability is covering for nearly any workload: 32 GB FBD533 memory, up to 6 SAS hard disk drives, and sufficient free PCI slots for heavy I/O requirements.

To guarantee its high availability level, PRIMERGY RX300 S3 delivers: redundant hot-plug power supplies and fans option, Hot-pluggable hard disk drives and PCIe cards and onboard RAID. Special attention is given to secure memory data, with SDDC and memory mirroring option. The new „Cool-safe™" technology secures optimal temperatures even at peak workloads, such ensuring longevity and extended Mean Time Between Failures. With this built-in failsafe functionality PRIMERGY RX300 S3 is suited ideally to meet demands for continuous operation in business critical environments, running data bases, terminal services, business applications or consolidation and virtual machine tasks.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code			End User Price (€)	Comments
Special products																												
PRIMERGY RX300 S3																												
	Xeon DP 5150 2.66 4MB 1333		Rack	2x1GB								2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI	Hot plug PSM		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-010IN			1733	
	Xeon DP 5150 2.66 4M1333		Rack	2x1GB								2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI			on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-011IN			1774	
	Xeon DP 5160 3.00G 4M 1333		Rack	2x1GB								2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI	Hot plug PSM		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-012IN			1879	
	Xeon DP 5160 3.00G 4M 1333		Rack	2x1GB								2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI			on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-013IN			1953	
	Xeon DP 5150 2.66 4MB 1333 + Xeon DP 5150 2.66 4M1333		Rack	2x1GB + 2GB				x				2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	Hot plug PSM + 600W		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-014IN			2652	
	2xXeon DP 5150 2.66 4M1333		Rack	2x1GB + 2GB				x				2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	600W		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-015IN			2693	
	2xXeon DP 5160 3.00G 4M 1333		Rack	2x1GB + 2GB				x				2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	Hot plug PSM + 600W		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-016IN			2931	
	2xXeon DP 5160 3.00G 4M 1333		Rack	2x1GB + 2GB				x				2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	600W		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-017IN			3005	
	2xXeon DP E5345 2.33 2x4M 1333		Rack	2x2GB				x				2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	600W		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-018IN			2313	
	2xXeon DP E5345 2.33 2x4M 1333		Rack	2x1GB + 2GB				x				2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB iTBBU LSI	600W		on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-019IN			2347	
	Xeon DP E5335 2.0 8M 1333		Rack	2x1GB								2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI			on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-020IN			1427	
	Xeon DP E5335 2.0 2x4M 1333		Rack	2x1GB								2xGBit				RAID5 IOP332 I/O + SAS onboard 256MB LSI			on board / 6 ports			FAN UPGRADE KIT		on board	CFY:RX300S3-021IN			1516	
	Xeon DP E5310 1.60 2x4M 1066		Rack	2x1GB				x				2xGBit				RAID5 IOP332 I/O			on board / 6 ports			FAN UPGRADE KIT		on board	VFY:RX300S3-004IN			1411	
	Xeon DP 5110 1.60 4MB 1066		Rack	2x512MB				x				2xGBit				RAID5 IOP332 I/O	Hot plug PSM		on board / 6 ports			FAN UPGRADE KIT		on board	VFY:RX300S3-013IN			1171	
	Xeon LV DP L5320 1.86 2x4M 1066		Rack	2x1GB					x	x		2xGBit				RAID 1 (+ RAID 5 IOP332 I/O)			on board / 6 ports					on board	VFY:RX300S3-922GB			1411	

PRIMERGY RX330S1 **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Corporate applications in data center server farms with central deployment and control demand increasing performance. The cost-efficient PRIMERGY RX330 S1 extends the PRIMERGY RACK portfolio and focuses rather on standard than on full feature set in comparison to RX300. RX330 S1 is offering enough local storage capacity to be used as a stand-alone application server and for server farms in scale-out environ-ments with medium needs for availability features and virtual-ization focus. With 2 Dual- or Quad-Core AMD Opteron™ processors of the 2000 series and up to 32 Gbytes DDR2-667 direct addressable memory the PRIMERGY RX330 S1 matches your business application requirements perfectly. Therefore the PRIMERGY RX330 S1 with up to 6 hot-plug SAS or SATA hard disks in combination with disk mirroring function, sufficient free PCI slots for heavy I/O requirements, a redundant power supply option, provides you with a budget saving platform.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code			End User Price (£)	Comments
Special products																													
PRIMERGY RX330 S1																													
	Opteron 2220 2.8		Rack	2x1GB					x			2xGBit							6 ports					on board	VFY:RX330S1-004IN			1353	Price change

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX330 S1							
	PY RX330S1/O 2210	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V210			1180	
	PY RX330S1/O 2212	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V212			1180	
	PY RX330S1/O 2214	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V214			1207	
	PY RX330S1/O 2216	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V216			1248	
	PY RX330S1/O 2218	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V218			1364	
	PY RX330S1/O 2220	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V220			1506	
	PY RX330S1/O 2222	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V222			1655	
	PY RX330S1/O 2344	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V230			1207	Orderable from: 16/11/2007
	PY RX330S1/O 2346	Rack mountable server 19" (2U) incl. 1 hot plug power supply module and universal rack mounting kit, 3 fans, dual systemboard with 1x Opteron 2000 processor, Base DDR2 667 RAM PC2-5300 ECC, 2 SAS Backplanes for hot plug HDDs, iRMC server management and graphics controller onboard, dual channel GBit Ethernet LAN onboard, Fast-IDE controller (for 1xDVD) and SAS controller with 6 ports (IME included) onboard; Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K1029-V231			1261	New product Price change Orderable from: 16/11/2007

PRIMERGY RXI300 **Data Sheets: http://www.fujitsu-siemens.com/primergy**

PRIMERGY RXI300 - 2-socket Dual-Core Intel®Itanium®2 processor Server 64-bit computing power in a reliable compact system

With the new Dual-Core Intel Itanium2 processor 9000 series architecture, the RXi300 provides headroom for business growth by delivering twice the performance and two and a half times better performance per watt of previous single core Itanium® 2 based servers, while lowering energy require-ments by up to 20 percent. The release of Microsoft Windows Server 2003 64-bit Edition as well as the availability of the 64bit version of Microsoft SQL Server will further boost the penetration of Itanium2-based systems in the high-end server market. Combined with software solutions e.g. for ERP which extensively utilize the new features of the Itanium2 processor, complete 64bit solution stacks can be offered for Business Critical Computing scenarios.

Customers using the RXI300 for high performance computing (hpc) for complex technical applications will benefit from the increased computing power and the enhanced suitability of the Itanium® 2 for large CAE (Computer Aided Engineering) models. Among those belong applications for calculating of engineering, scientific or mathematical finance models or for educing and analyzing of data out of very large databases. But also security applications for encrypting and decrypting of data will profit a lot from the new processor technology in the PRIMERGY RXI300.

High Availability

The PRIMERGY RXI300 rack server offers all security and high availability features required by the conceivable applica-tion scenarios. Mirrored SCSI RAID hot-plug hard disks alongside standard hot-plug redundant fans and optional redundant hot-plug power supply units are the decisive fea-tures and essential standard for high reliability in this class.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RXI300							
	PY RXI300/I2 1.6 3M/4G	Rack mountable server 19" (2U) incl. 2 hot plug power supply modules and universal rack mounting kit, 6 hot swap fans; 2way-systemboard with 1x Itanium 2 processor; 4 GB DDR RAM PC2100 ECC; IDE CD/DVD combo drive, 2-channel U320 SCSI controller on-board, PCI Graphics, dual LAN controller 2x1GBit, Baseboard Management controller, Fast-IDE controller (for 2x1 device); temperature sensor for CPU module and FSC PDA function; Software: IA64 server support CD and user manual.	S26361-K963-V210			5393	Phased out
	PY RXI300/9015/4G	Rack mountable server 19" (2U) incl. 2 hot plug power supply modules and universal rack mounting kit, 6 hot swap fans; 2way-systemboard with 1x Itanium 2 dual core processor; 4 GB DDR RAM PC2100 ECC; IDE CD/DVD combo drive, 2-channel U320 SCSI controller on-board, PCI Graphics, dual LAN controller 2x1GBit, Baseboard Management controller, Fast-IDE controller (for 2x1 device); temperature sensor for CPU module and FSC PDA function; Software: IA64 server support CD and user manual.	S26361-K963-V944			4918	Phased out

PRIMERGY RX600 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY RX600 S3 - 4-Socket Dual-Core Intel® Xeon™ MP 7100 series based Rack Server - Scaled-up performance and assured quality of data center operation

Backend services such as databases and e-commerce business logic are the heartbeat of the business value chain; they deserve up-scaled performance and extreme robustness to guarantee the overall quality of IT operations.

With industry-standard operating systems, 4-socket building blocks with up to 8 cores have proven to be a very cost efficient platform for consolidating multiple smaller workloads onto fewer but more powerful servers, using the latest virtualization techniques. And as critical usage factors scale up, so do the requirements for platform resilience and advanced levels of continuous operation. New feature is the choice between up to 5x 3.5 inch (SCSI) or 8x 2.5 inch (SAS) hot-plug for disks,

RX600 S3 combines impressive 4-socket performance with up to 4 Dual-Core Intel® Xeon® 7100 series processors MP up to 16 MB 3rd level cache and hard ware based virtualization VT with exceptional internal capacity and data center-typical robustness and redundancy features into a space-optimized 4 U rack module that is designed to improve your IT production quality.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX600 S3							
	PY RX600S3/X 7110M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V410			3785	
	PY RX600S3/X 7120M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V420			4056	
	PY RX600S3/X 7130M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V430			4226	
	PY RX600S3/X 7140M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V440			4666	
	PY RX600S3/X 7110M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V510			3954	
	PY RX600S3/X 7120M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V520			4226	
	PY RX600S3/X 7130M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V530			4395	
	PY RX600S3/X 7140M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V540			4836	
PRIMERGY RX600 S4							
	PY RX600S4	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); hot plug fans (redundant); 4-way system board for Xeon MP Dual Core or Quad Core CPUs; 2x memory board for max. 16x FBD667 / PC2-5300F modules; 8 drive bays for hot replace 2.5" SAS HDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4 GBit LAN Ports) WOL capable; SAS RAID Controller with 512MB on-board (supporting RAID level 0, 1, 5, 6, 10, 50, 60); LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K998-V200			2958	New product Orderable from: 30/11/2007

PRIMERGY RX600 S4

Data Sheets: http://www.fujitsu-siemens.com/primergy

Primergy RX600 S4 4-Socket, Dual- and Quad-Core Xeon MP based Rack Server (4U)

Backend services such as databases and e-commerce business logic are the heartbeat of the business value chain; they deserve up-scaled performance and extreme robustness to guarantee the overall quality of IT operations.
With industry-standard operating systems, 4-way building blocks have proven to be a very cost efficient platform for consolidating multiple smaller workloads onto fewer but more powerful servers, using the latest virtualization techniques. And as critical usage factors scale up, so do the requirements for platform resilience and advanced levels of continuous operation.
The new introduced Quad-Core Xeon MP 7300 series brings tremendous performance and performance per Watt gains. RX600 S4 combines up to 4 Quad-Core Intel® Xeon® processors MP with exceptional internal capacity and data center-typical robustness and redundancy features into a space-optimized 4 U rack module that is designed to improve your IT production quality.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX600 S3							
	PY RX600S3/X 7110M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V410			3785	
	PY RX600S3/X 7120M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V420			4056	
	PY RX600S3/X 7130M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V430			4226	
	PY RX600S3/X 7140M	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller onboard, 2-channel U320 SCSI controller and RAID 5 functionality with 256MB on-board; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V440			4666	
	PY RX600S3/X 7110M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V510			3954	
	PY RX600S3/X 7120M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V520			4226	
	PY RX600S3/X 7130M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V530			4395	
	PY RX600S3/X 7140M SAS	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules and universal rack mounting kit, 2 hot plug fans modules (redundant); 4-way systemboard with 1x 64-bit Xeon MP Dual Core processor, 1x memoryboard with Base DDR-RAM PC2-3200 ECC; PCI Graphics, Dual LAN controller 1GBit WOL capable, BMC Server Management controller, 2-channel U320 SCSI controller on-board; PCIe 8-port SAS RAID controller with 256MB Cache incl. BBU; temperature sensor for CPU module and FSC PDA function; LCD Display for Local View; Software: Software: ServerStart package incl. ServerBooks CD, ServerSupport CD and ServerView CD.	S26361-K988-V540			4836	
PRIMERGY RX600 S4							
	PY RX600S4	Rack mountable server 19" (4U) incl. 2 hot plug power supply modules (redundant); hot plug fans (redundant); 4-way system board for Xeon MP Dual Core or Quad Core CPUs; 2x memory board for max. 16x FBD667 / PC2-5300F modules; 8 drive bays for hot replace 2.5" SAS HDs; iRMC S2 server management with graphics controller and 10/100Mbit Service LAN-port; 2x Dual-Port Ethernet Controller (= 4 GBit LAN Ports) WOL capable; SAS RAID Controller with 512MB on-board (supporting RAID level 0, 1, 5, 6, 10, 50, 60); LocalView LCD Display; ServerView Suite Software Package incl. ServerStart, ServerBooks, Management Software and Updates.	S26361-K998-V200			2958	New product Orderable from: 30/11/2007

PRIMERGY RX800 S3 Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY RX800 S3 - 4, 8 and 16-socket Dual-Core Intel® Xeon™ Processor MP based Rack Server Taking 64-bit Computing beyond 8-way

The price/performance economics of 64-bit Dual-Core Intel Xeon MP processors drives the deployment of business-standard solutions based on high-end Windows and Linux OS versions for large-scale deployment in data centers. The key to realizing those economical advantages is the modular growth of the platform, which keeps pace with growing business performance requirements. In addition, the deployment of these platforms must ensure that data center production jobs finish on schedule; thus, modularity can never mean compromises on data center robustness.

RX800 S3 supports budget-saving strategies by providing a 4-socket 64-bit Intel® Xeon® MP building block with latest Dual-Core 7100N series technology in a 3 U rack package and up to 6 hot-plug Serial Attached SCSI (SAS) hard disks.

In one area, the RX800 S3 needs no further scalability: its proven data center reliability comes with every modular 4-way building block and extends seamlessly to 8-socket and 16-socket enclosures at a pace defined by your business needs. A RX800 S3 building block can not be

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX800 S3							
	PY RX800S3 base unit/2xX 7110N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, DVD-ROM 5.25"/0.5" high; graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) and RAID (SAS) controller on-board; 6 bays for 1" SAS HDs; RemoteView serviceboard on-board; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V410			10615	
	PY RX800S3 base unit/2xX 7120N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, DVD-ROM 5.25"/0.5" high; graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) and RAID (SAS) controller on-board; 6 bays for 1" SAS HDs; RemoteView serviceboard on-board; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V420			11158	
	PY RX800S3 base unit/2xX 7130N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, DVD-ROM 5.25"/0.5" high; graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) and RAID (SAS) controller on-board; 6 bays for 1" SAS HDs; RemoteView serviceboard on-board; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V430			11498	Phased out
	PY RX800S3 base unit/2xX 7140N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, DVD-ROM 5.25"/0.5" high; graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) and RAID (SAS) controller on-board; 6 bays for 1" SAS HDs; RemoteView serviceboard on-board; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V440			12481	Phased out

PRIMERGY RX800 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY RX800 S3 (Continued)							
	PY RX800S3 base unit/2xX 7150N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, DVD-ROM 5.25"/0.5" high; graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) and RAID (SAS) controller on-board; 6 bays for 1" SAS HDs; RemoteView serviceboard on-board; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V450			13838	
	PY RX800S3 extension/2xX 7110N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) on-board; 6 bays for 1" SAS HDs (not for 16-way conf.!); RemoteView serviceboard on-board; incl. cable set for coupling to base unit; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V510			9936	
	PY RX800S3 extension/2xX 7120N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) on-board; 6 bays for 1" SAS HDs (not for 16-way conf.!); RemoteView serviceboard on-board; incl. cable set for coupling to base unit; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V520			10480	
	PY RX800S3 extension/2xX 7130N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) on-board; 6 bays for 1" SAS HDs (not for 16-way conf.!); RemoteView serviceboard on-board; incl. cable set for coupling to base unit; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V530			10819	Phased out
	PY RX800S3 extension/2xX 7140N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) on-board; 6 bays for 1" SAS HDs (not for 16-way conf.!); RemoteView serviceboard on-board; incl. cable set for coupling to base unit; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V540			11802	Phased out
	PY RX800S3 extension/2xX 7150N	Rack mountable server 19" (3U) incl. 1st systemboard with 2x Xeon MP Dual Core processor and Base DDR-RAM PC2-3200 ECC, 2 hot plug power supply modules redundant and rack mounting kit, 2 power cords, 8 (4+4 redundant) fan, graphics processor 16MB (PCI), 2x LAN controller 10/100/1000, Fast-IDE controller (for DVD-ROM) on-board; 6 bays for 1" SAS HDs (not for 16-way conf.!); RemoteView serviceboard on-board; incl. cable set for coupling to base unit; temperature sensor for CPU module and FSC PDA function; Software: ServerView, ServerStart on CD.	S26361-K1134-V550			13159	

PRIMECENTER

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMECENTER - 19-inch rack system

19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard

PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for PRIMEPOWER, PRIMEQUEST, PRIMERGY, Fujitsu Siemens Computers storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here;
this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.
New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremly low price.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack							
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101			1082	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102			1184	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103			1387	
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104			1591	
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212			1286	

PRIMECENTER **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213			1489	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214			1693	
	PCR LC-RACK 31U	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V100			8632	
	PCR LC-RACK 40U	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V200			8801	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX300	PRIMERGY RX600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Processor																												
	Xeon MP 2.2 GHz 2MB 400MHz	heat sink, PDA function, 400MHz FSB													x									S26361-F2817-L222			1288	Phased out
	Xeon MP 3.0GHz 4MB 400MHz	heat sink, PDA function, 400MHz FSB													x									S26361-F2817-L304			3968	Phased out
	16-way upgrade RX800 S2 / S3	3x 2,9m Scalability Cable																		x	x			S26361-F2861-L216			400	
	Xeon DP 2.8GHz 1MB 533MHz	heat sink, PDA function, 1MB TLC, 533MHz FSB									x													S26361-F3016-L280			421	Phased out
	Xeon DP 2.8GHz 1MB 533MHz	heat sink, PDA function, 1MB TLC, 533MHz FSB					x																	S26361-F3016-L780			421	Phased out
	Itanium2 MP 1.5GHz 4MB 400MHz	heat sink, PDA function, 400MHz FSB																					x	S26361-F3028-L154			1866	
	Itanium2 MP 1.6GHz 9MB 400MHz	heat sink, PDA function, 400MHz FSB																					x	S26361-F3028-L169			6546	
	Itanium2 9015 1.4GHz 12MB 400MHz	heat sink, PDA function, 400MHz FSB																					x	S26361-F3028-L412			1187	Phased out
	Itanium2 9050 1.6GHz 24MB 400MHz	heat sink, PDA function, 400MHz FSB																					x	S26361-F3028-L624			5053	Phased out
	Itanium2 DP 1.6GHz 3MB 400MHz	heat sink, PDA function, 400MHz FSB																				x		S26361-F3071-L263			1052	
	Itanium2 MP 1.6GHz 9MB 400MHz	heat sink, PDA function, 400MHz FSB																				x		S26361-F3071-L269			6546	
	Itanium2 9015 1.4GHz 12MB 400MHz	heat sink, PDA function, 400MHz FSB																				x		S26361-F3071-L412			1187	Phased out
	Xeon DP 3.0GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB						x																S26361-F3099-L400			336	
	Xeon DP 3.2GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB						x																S26361-F3099-L420			404	
	Xeon DP 2.8GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB						x																S26361-F3099-L428			268	
	Xeon DP 3.4GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB						x																S26361-F3099-L440			540	
	Xeon DP 3.6GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB						x																S26361-F3099-L460			736	
	Xeon DP 3.8GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB						x																S26361-F3099-L480			895	
	Xeon DP 3.0GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB										x												S26361-F3099-L500			336	
	Xeon DP 3.2GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB										x												S26361-F3099-L520			404	
	Xeon DP 2.8GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB										x												S26361-F3099-L528			268	
	Xeon DP 3.4GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB										x												S26361-F3099-L540			540	
	Xeon DP 3.6GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB										x												S26361-F3099-L560			736	
	Xeon DP 3.8GHz 2MB 800MHz	heat sink, PDA function, 2MB SLC ECC, 800MHz FSB										x												S26361-F3099-L580			895	
	VRM for 3./4. CPU 3.xxGHz 1M 8M0S2	1x 9.1 VRM, 2x 10.2LD VRM														x								S26361-F3124-L100			119	
	VRM for 3./4. CPU 70xx / 3.xxGHz 1M	2x 10.2 VRM														x	x							S26361-F3124-L200			88	
	Xeon MP 7030 2.80GHz 2x1MB 800MHz	Dual Core CPU with heat sink, 2x 1MB Second Level Cache, 800MHz FSB															x							S26361-F3124-L282			2205	
	Xeon MP 7040 3.00GHz 2x2MB 667MHz	Dual Core CPU with heat sink, 2x 2MB Second Level Cache, ECC, 667MHz FSB														x								S26361-F3124-L303			3561	
	CPU Xeon MP 7041 3.00GHz 2x2MB 800MHz	Dual Core CPU mit Kühlkörper, 2x 2MB Second Level Cache, ECC, 800MHz FSB															x							S26361-F3124-L304			3561	
	XEON MP 3.16GHz 1MB 667MHz	heat sink, 1MB Second Level Cache, 667MHz FSB														x	x							S26361-F3124-L311			848	
	XEON MP 3.66GHz 1MB 667MHz	heat sink, 1MB Second Level Cache, 667MHz FSB														x	x							S26361-F3124-L361			1119	
	XEON MP 3.00GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB														x								S26361-F3124-L364			2136	
	XEON MP 3.33GHz 8MB 667MHz	heat sink, 8MB Third Level Cache, 667MHz FSB														x								S26361-F3124-L368			3968	
	Xeon MP 7110M 2.60GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB															x							S26361-F3124-L410			814	
	Xeon MP 7120M 3.00GHz 4MB 800MHz	Dual Core CPU with heat sink, 4MB TLC ECC, 800MHz FSB															x							S26361-F3124-L420			1085	
	Xeon MP 7130M 3.20GHz 8MB 800MHz	Dual Core CPU with heat sink, 8MB TLC ECC, 800MHz FSB															x							S26361-F3124-L430			1255	
	Xeon MP 7140M 3.40GHz 16MB 800MHz	Dual Core CPU with heat sink, 16MB TLC ECC, 800MHz FSB															x							S26361-F3124-L440			1695	
	VRM for 3./4. CPU 71xx	2x 10.2 VRM + 1x 9.D0 VRM															x							S26361-F3124-L800			88	
	Opteron 246 2.0GHz 1MB	heat sink, 1MB SLC ECC protected								x														S26361-F3167-L246			187	
	Opteron 250 2.4GHz 1MB	heat sink, 1MB SLC ECC protected								x														S26361-F3167-L250			254	Phased out
	Opteron 252 2.6GHz 1MB	heat sink, 1MB SLC ECC protected								x														S26361-F3167-L252			261	Phased out
	Opteron 254 2.8GHz 1MB	heat sink, 1MB SLC ECC protected								x														S26361-F3167-L254			329	Phased out
	Opteron 256 3.0GHz 1MB	heat sink, 1MB SLC ECC protected								x														S26361-F3167-L256			465	
	Opteron 265 1.8GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected								x														S26361-F3167-L265			200	
	Opteron 270 2.0GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected								x														S26361-F3167-L270			227	
	Opteron 275 2.2GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected								x														S26361-F3167-L275			227	
	Opteron 280 2.4GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected								x														S26361-F3167-L280			268	
	Opteron 285 2.6GHz 2x1MB	heat sink, Dual Core, 2x 1MB SLC ECC protected								x														S26361-F3167-L285			384	
	Xeon MP 7040 3.00GHz 2x2MB 667MHz	Dual Core CPU with heat sink, 2x 2MB Second Level Cache, ECC, 667MHz FSB																		x				S26361-F3196-L304			3561	
	Xeon MP 7110N 2.50GHz 4MB 667MHz	Dual Core CPU with heat sink, 4MB TLC, ECC, 667MHz FSB																			x			S26361-F3196-L410			814	
	Xeon MP 7120N 3.00GHz 4MB 667MHz	Dual Core CPU with heat sink, 4MB TLC, ECC, 667MHz FSB																			x			S26361-F3196-L420			1085	
	Xeon MP 7130N 3.16GHz 8MB 667MHz	Dual Core CPU with heat sink, 8MB TLC, ECC, 667MHz FSB																			x			S26361-F3196-L430			1255	
	Xeon MP 7140N 3.33GHz 16MB 667MHz	Dual Core CPU with heat sink, 16MB TLC, ECC, 667MHz FSB																			x			S26361-F3196-L440			1695	
	Xeon MP 7150N 3.50GHz 16MB 667MHz	Dual Core CPU with heat sink, 16MB TLC, ECC, 667MHz FSB																			x			S26361-F3196-L450			2374	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1,60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatsink, PDA function											x											S26361-F3249-L160			240	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function											x											S26361-F3249-L186			272	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2,00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatsink, PDA function											x											S26361-F3249-L200			336	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2,33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function											x											S26361-F3249-L233			451	
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2,66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function											x											S26361-F3249-L266			681	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP quad core, 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function											x											S26361-F3249-L300			1119	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function											x											S26361-F3249-L400			400	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1,60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function											x											S26361-F3249-L460			305	
	Xeon LV DP L5320 1.86GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function											x											S26361-F3249-L486			336	
	Xeon DP 2.8GHz 2x2MB 800MHz	Dual Core CPU with heatpipe + fan, PDA function, 2x2MB SLC ECC, 800MHz FSB										x												S26361-F3310-L480			1129	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3,00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heat sink, PDA function											x											S26361-F3312-L300			220	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3,20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function											x											S26361-F3312-L320			356	
	Xeon DP 5080 3.73GHz 2x2MB 1066MHz	Xeon DP dual core, 3,73GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT/DBS, heat sink, PDA function											x											S26361-F3312-L373			865	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3,00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heat sink, PDA function							x															S26361-F3314-L300			220	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3,20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function							x															S26361-F3314-L320			356	
	Xeon DP 5080 3.73GHz 2x2MB 1066MHz	Xeon DP dual core, 3,73GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT/DBS, heat sink, PDA function							x															S26361-F3314-L376			865	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1,60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function											x											S26361-F3322-L160			220	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1,86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function											x											S26361-F3322-L186			272	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heat sink, PDA function											x											S26361-F3322-L200			336	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2,33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function											x											S26361-F3322-L233			451	
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2,66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function											x											S26361-F3322-L266			641	
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function											x											S26361-F3322-L300			787	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon Low Voltage DP dual core, 2,33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function											x											S26361-F3322-L433			526	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1,60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function							x															S26361-F3323-L160			220	
	Xeon DP 5120 1.86GHz 4MB 1066MHz	Xeon DP dual core, 1,86GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function							x															S26361-F3323-L186			272	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heat sink, PDA function							x															S26361-F3323-L200			336	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2,33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function							x															S26361-F3323-L233			451	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Processor (Continued)																												
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2,66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function							x															S26361-F3323-L266			641	
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function							x															S26361-F3323-L300			787	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon Low Voltage DP dual core, 2,33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function							x															S26361-F3323-L433			526	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1,60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatsink, PDA function							x															S26361-F3349-L160			240	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function							x															S26361-F3349-L186			272	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2,00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatsink, PDA function							x															S26361-F3349-L200			336	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2,33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function							x															S26361-F3349-L233			451	
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2,66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function							x															S26361-F3349-L266			681	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP quad core, 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function							x															S26361-F3349-L300			1119	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function							x															S26361-F3349-L400			400	
	Xeon LV DP L5310 1.60GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1.60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function							x															S26361-F3349-L460			305	
	Xeon LV DP L5320 1.86GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function							x															S26361-F3349-L486			336	
	Opteron 2210 1.8GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected												x										S26361-F3448-L180			200	
	Opteron 2212 2.0GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected												x										S26361-F3448-L200			200	
	Opteron 2214 2.2GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected												x										S26361-F3448-L220			227	
	Opteron 2216 2.4GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected												x										S26361-F3448-L240			268	
	Opteron 2218 2.6GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected												x										S26361-F3448-L260			384	
	Opteron 2220 2.8GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected												x										S26361-F3448-L280			526	
	Opteron 2222 3.0GHz 2x1MB	Dual Core CPU with heat sink, 2x1MB SLC ECC protected												x										S26361-F3448-L300			675	
	Xeon MP E7220 2.93GHz 2x4MB 1066MHz	Xeon MP Dual Core CPU (80W), 2,93Ghz, 2x4MB SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x						S26361-F3487-L220			1085	New product Orderable from: 30/11/2007
	Xeon MP E7310 1.60GHz 2x2MB 1066MHz	Xeon MP Quad Core CPU (80W), 1,60GHz, 2x2MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x						S26361-F3487-L310			814	New product Orderable from: 30/11/2007
	Xeon MP E7330 2.40GHz 2x3MB 1066MHz	Xeon MP Qual Core CPU (80W), 2,40GHz, 2x3MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x						S26361-F3487-L330			1255	New product Orderable from: 30/11/2007
	Xeon MP X7350 2.93GHz 2x4MB 1066MHz	Xeon MP Qual Core CPU (130W), 2,93GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function																x						S26361-F3487-L350			2035	New product Orderable from: 30/11/2007
	Opteron 2344 HE 1.7GHz 2MB	Quad Core CPU with heat sink, 2MB TLC ECC protected												x										S26361-F3862-L170			227	Orderable from: 12/11/2007
	Opteron 2346 HE 1.8GHz 2MB	Quad Core CPU with heat sink, 2MB TLC ECC protected												x										S26361-F3862-L180			271	New product Orderable from: 14/12/2007
Memory																												
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz																	x					S26361-F2762-L626			973	
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill					x																	S26361-F2762-L726			976	Phased out
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill									x													S26361-F2762-L826			976	Phased out
	MEM 512MB DDR2-533 PC2-4200 ubECC (1mod)	1 module, unbuffered DDR2-533			x	x																		S26361-F3000-L513			41	
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533			x	x																		S26361-F3000-L514			61	
	MEM 2GB DDR2-533 PC2-4200 ub ECC (1Mod)	1 module, unbuffered DDR2-533			x	x																		S26361-F3000-L515			187	
	512MB DDR400 PC3200 ub ECC	1 module, unbuffered DDR 400MHz		x																				S26361-F3019-L513			75	
	1GB DDR400 PC3200 ub ECC	1 module, unbuffered DDR 400MHz		x																				S26361-F3019-L514			155	Phased out
	1GB 2x512 DDR400 PC3200 ub ECC	2 modules 512MB each, unbuffered DDR 400MHz		x																				S26361-F3019-L523			149	
	2GB 2x1GB DDR400 PC3200 ub ECC	2 modules 1GB each, unbuffered DDR 400MHz		x																				S26361-F3019-L524			305	
	4GB 4x1GB DDR266 PC2100 rg ECC	4 modules, registered DDR 266MHz																					x	S26361-F3031-L410			811	Phased out
	8GB 4x2GB DDR266 PC2100 rg ECC	4 modules, registered DDR 266MHz																					x	S26361-F3031-L420			1951	Phased out
	4GB 4x1GB DDR266 PC2100 rg ECC	4 modules, registered DDR 266MHz																			x			S26361-F3070-L400			811	Phased out
	1GB 2x512MB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz						x				x												S26361-F3072-L521			122	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz						x				x												S26361-F3072-L522			211	
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz						x				x												S26361-F3072-L523			569	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 Module, registered DDR2 400MHz														x	x							S26361-F3072-L622			187	
	4GB 2x2GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz														x	x							S26361-F3072-L623			373	
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz														x	x							S26361-F3072-L624			1245	
	Memory Board 4 DIMM Slots, hot plug able	4 DIMM Slots, hot plugable														x	x							S26361-F3125-L130			102	Price change
	Memory Board Kit RX600 S4	2 Memory Boards with 8 DIMM Slots each																x						S26361-F3125-L440			151	New product Price change Orderable from: 30/11/2007
	MEM 1GB 2x512 DDR400 PC3200 rg ECC	2 modules 512MB each, registerd DDR1 400MHz								x														S26361-F3166-L521			133	
	MEM 2GB 2x1GB DDR400 PC3200 rg ECC	2 modules 1GB each, registerd DDR1 400MHz								x														S26361-F3166-L522			265	
	MEM 4GB 2x2GB DDR400 PC3200 rg d ECC	2 modules 2GB each, registerd DDR1 400MHz								x														S26361-F3166-L523			631	
	MEM 8GB 2x4GB DDR333 PC2700 rg d ECC	2 modules 4GB each, registerd dual rank DDR1 333MHz								x														S26361-F3166-L524			3484	
	MEM 1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC							x				x											S26361-F3230-L521			112	
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC							x				x											S26361-F3230-L522			193	
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC							x				x											S26361-F3230-L523			387	
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC							x				x											S26361-F3230-L524			1288	
	2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						S26361-F3263-L622			193	New product Orderable from: 30/11/2007
	4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC																x						S26361-F3263-L623			387	New product Orderable from: 30/11/2007
	MEM 4GB 2x2GB FBD533 PC2-4200F d ECC	2 modules, Fully Buffered DIMM DDR2 533MHz with SDDC							x				x											S26361-F3313-L523			468	
	1GB 2x512MB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC												x										S26361-F3449-L511			105	
	2GB 2x1GB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC												x										S26361-F3449-L512			187	
	4GB 2x2GB DDR2-667 PC2-5300 rg d ECC	2 modules, registered DDR2 667MHz with SDDC												x										S26361-F3449-L513			380	
	8GB 2x4GB DDR2-667 PC2-5300 rg d ECC	2 modules, registered DDR2 667MHz with SDDC												x										S26361-F3449-L514			1238	
	512MB DDR266 PC2100 rg ECC	1 module, registered DDR 266MHz	x																					S26361-F2762-L514			119	Phased out
	1GB 2x512MB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz					x			x					x									S26361-F2762-L524			220	
	1GB DDR266 PC2100 rg ECC	1 module, registered DDR 266MHz	x																					S26361-F2762-L515			246	Phased out
	2GB 2x1GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz					x			x					x									S26361-F2762-L525			407	
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz													x									S26361-F2762-L526			976	
	Memory Board RX800 S2 / S3	4 DIMM Slots, hot plugable																		x	x			S26361-F3125-L800			288	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 Module, registered dual rank DDR2 400MHz																		x	x			S26361-F3072-L822			187	
	4GB 2x2GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																		x	x			S26361-F3072-L823			373	
	8GB 2x4GB DDR2-400 PC2-3200 rg d ECC	2 Module, registered dual rank DDR2 400MHz																		x	x			S26361-F3072-L824			1245	
Graphics																												
	PY VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB PCIe-x1 graphic card				x			x															S26361-F2748-L531			108	
	PY LP VGA Card 128MB PCI-e	NVIDIA NVS 285 128MB LP PCIe-x1 graphic card										x	x											S26361-F2748-L631			108	
Removable Media Drives																												
	FDD USB (external)	external USB FDD, USB cable included		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x			S26391-F264-L226			36	
	MEMORYBIRD P 2GB					x			x	x			x	x			x	x			x			S26391-F6047-L102			48	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Removable Media Drives (Continued)																												
	MEMORYBIRD P 4GB					x			x	x			x	x			x	x			x			S26391-F6047-L104			66	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging		x	x	x		x	x	x		x	x		x	x	x	x	x	x	x			S26391-F7119-L100			116	
	Floppy Disk Drive 1.44MB slimline	Connector FFC 26pin, 0.5" fitting height		x				x																S26361-F3059-L1			27	
	Floppy Disk Drive 1.44MB slimline	Connector FFC 26pin, 0.5" fitting height										x	x											S26361-F3059-L2			27	
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height												x										SNP:SY-F2234L1-A			24	
	CD-RW \ DVD ATAPI	Combo drive ATAPI/IDE 48/24/48/16x, incl. Nero SW, 1.6" fitting height, anthracite												x										S26361-F3008-L1			31	
	CD-RW \ DVD ATAPI slimline	CD-RW / DVD drive ATAPI/IDE 0.5" 24/24/24/8x, incl. SW, 0,5" fitting height, anthracite		x	x	x		x	x	x		x	x			x	x	x						S26361-F3123-L1			58	
	DVD-RW DL\DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite												x										S26361-F3148-L1			58	
	DVD-RW DL\DVD-RAM ATAPI slimline	DVDRW DL/DVD-RAM ATAPI 24/16/24x 8x/8 8x8 6/2.4, incl. Nero SW, slimline 0.5" fitting height, anthracite			x	x		x	x	x		x	x				x	x						S26361-F3236-L1			85	
	CD-ROM ATAPI slimline	ATAPI/IDE, 0.5" fitting height	x	x			x	x		x	x	x												SNP:SY-F2313L1-P			36	
	RDX Drive 80-160GB 25MB/s 5.25" int	RDX Drive 80-160GB 25MB/s 5.25" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" fitting height, with description (G/US)															x	x						S26361-F3857-L1			126	
	RDX Drive 80-160GB 25MB/s 3.5" int	RDX Drive 80-160GB 25MB/s 3.5" intern, , USB 2.0 Connector: USB "B" with USB cable , 1.6" height, within tape cage 2 x 3.5", with specific USB cable											x											S26361-F3857-L6			188	New product Price change
	Tape Kit DDS Gen5 36GB USB 3.5" int.	data transfer: 3MB/s, USB 2.0, 1.6" anthracite, within tape cage 2 x 3.5", with specific USB cable, with description (G/US), data and cleaning cartridge											x											S26361-F3324-L6			400	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge												x		x	x							S26361-F2848-L3			339	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery														x	x							S26361-F2848-L31			366	
	Tape Kit DDS Gen5 36GB 3.5" hot plug	LVD U2W SCSI SCA 80-pin, with description (G/US), data and cleaning cartridge									x	x			x									S26361-F2848-L6			434	
	Tape Kit VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge														x	x							S26361-F2849-L3			576	Phased out
	Tape Drv VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), Delivery includes no cartridges														x	x							S26361-F2849-L30			492	Phased out
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge												x		x	x							S26361-F3224-L3			746	
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge, without cable														x	x							S26361-F3157-L3			967	
	Tape Drv LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, Delivery includes no cartridges														x	x							S26361-F3157-L30			899	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge															x	x						S26361-F3459-L3			1207	
Hard Disk Drives																												
	HDD U320 146GB 15k hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s					x				x				x				x					S26361-F2764-L514			384	
	HDD U320 15k 300GB hot plug 1"	15.000 rpm with 1" frame, U320 SCSI					x				x				x				x					S26361-F2764-L530			695	
	HDD U320 146GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s						x				x			x	x	x		x			x		S26361-F3121-L114			218	
	HDD U320 300GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s						x				x			x	x	x		x			x		S26361-F3121-L130			384	
	HDD U320 73GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s						x				x			x	x	x		x			x		S26361-F3121-L173			153	
	HDD U320 146GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s						x				x			x	x	x		x					S26361-F3121-L514			274	
	HDD U320 300GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s						x				x			x	x	x		x					S26361-F3121-L530			553	
	HDD U320 36GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s						x				x			x	x	x		x					S26361-F3121-L536			146	
	HDD U320 73GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s						x				x			x	x	x		x			x		S26361-F3121-L573			180	
	HD SAS 146GB 10k 3GB/s hot pl 2.5"	10.000 rpm with 1" frame, , 2.5" SAS, hot plug																		x	x			S26361-F3176-L114			207	
	HD SAS 36GB 10k 3GB/s hot plug 2.5"	10.000 rpm with 1" frame, , 2.5" SAS, hot plug																		x	x			S26361-F3176-L136			149	Phased out
	HD SAS 73GB 10k 3GB/s hot pl 2.5"	10.000 rpm with 1" frame, , 2.5" SAS, hot plug																		x	x			S26361-F3176-L173			155	
	HD SAS 36GB 15k 3GB/s hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug																		x	x			S26361-F3176-L536			196	
	HD SAS 73GB 15k 3GB/s hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug																		x	x			S26361-F3176-L573			245	
	HD SAS 3GB/s 146GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"				x			x				x	x										S26361-F3204-L114			231	Phased out
	HD SAS 3GB/s 300GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"				x			x				x	x										S26361-F3204-L130			384	
	HD SAS 3GB/s 73GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"				x			x				x	x										S26361-F3204-L173			153	Phased out
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"				x			x				x	x										S26361-F3204-L514			220	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"				x			x				x	x										S26361-F3204-L530			448	
	HD SAS 3GB/s 36GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"				x			x				x	x										S26361-F3204-L536			146	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"				x			x				x	x										S26361-F3204-L573			155	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	10.000 UpM							x				x				x	x						S26361-F3208-L114			207	
	HDD SAS 36GB 10k 3GB/s hot plug 2.5"	10.000 UpM							x				x				x							S26361-F3208-L136			149	Phased out
	HDD SAS 73GB 10k 3GB/s hot plug 2.5"	10.000 UpM							x				x				x	x						S26361-F3208-L173			155	
	HDD SAS 36GB 15k 3GB/s hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug							x				x				x	x						S26361-F3208-L536			196	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug							x				x				x	x						S26361-F3208-L573			245	
	HDD SATA 60GB 7.2k hot plug 2.5"	7.200 rpm							x															S26361-F3209-L60			105	Phased out
	HD SATA 160GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"			x	x			x	x			x											S26361-F3218-L160			68	
	HD SATA 250GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"			x	x			x	x			x											S26361-F3218-L250			92	
	HD SATA 500GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"			x				x	x			x											S26361-F3218-L500			184	
	HD SATA 80GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"			x	x			x	x			x											S26361-F3218-L80			54	
	HD SATA 3GB/s 160GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"			x	x				x														S26361-F3219-L160			68	
	HD SATA 3GB/s 250GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"			x	x				x														S26361-F3219-L250			92	
	HD SATA 3GB/s 500GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"			x					x														S26361-F3219-L500			184	
	HD SATA 3GB/s 80GB 7.2k non hot pl 3.5"	7.200 rpm, fitting height 1"			x	x				x														S26361-F3219-L80			54	
	HD SATA 3GB/s 500GB 7.2k non hp 3.5"	7.200 rpm, fitting height 1"				x																		S26361-F3255-L500			184	
	HD SATA 3GB/s 500GB 7.2k hot pl 3.5"	7.200 rpm, fitting height 1"				x								x										S26361-F3256-L500			184	
	HDD SATA 160GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier												x										S26361-F3861-L160			68	
	HDD SATA 250GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier												x										S26361-F3861-L250			92	
	HDD SATA 500GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier												x										S26361-F3861-L500			184	
	HDD SATA 80GB 7.2k hot plug 3.5" M	7.200 rpm, fitting height 1" in metall carrier												x										S26361-F3861-L80			54	
	HDD SATA 160GB 7.2k hot plug RX100S2	7.200 rpm, fitting height 1"		x																				S26361-F3106-L160			85	
	HDD SATA 160GB 7.2k non hot plug RX100S2	7.200 rpm, fitting height 1"		x																				S26361-F3107-L160			85	
	HDD 73GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s					x				x				x				x					S26361-F2764-L173			169	Phased out
	HDD 146GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s					x				x				x				x					S26361-F2764-L114			240	Phased out
	HDD U320 10k 300GB hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s					x				x													S26361-F2764-L130			424	Phased out
	HDD 73GB 15k U320 hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s					x				x				x				x					S26361-F2764-L573			224	
SCSI/RAID/SAS controller																												
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI								x	x	x	x	x	x	x	x		x	x	x		x	S26361-F2399-L1			142	
	Upgrade kit 6 hard disks 2 channel (2x3)	2 channels internally connected to 3 hard disks each, incl. kit and 2nd backplane										x												S26361-F2612-L4			75	Phased out
	Risercard 2xPCI-X 1xPCIe option	encludes 3 slots for PCI-cards (2x PCI-X, 1x PCIe x8)												x										S26361-F2622-L11			16	
	PCI-X-risercard 3x64bit/133MHz option	encludes 3 slots for PCI-X standard cards (1x long, 2x short)											x											S26361-F2622-L4			85	
	RAID Ctrl 0-Channel 48MB LP Adp	Adaptec 2010 S, U320 SCSI, 48MB, Low Profile, in RX200 released only in connection with Motherboard "A-11"					x				x													S26361-F2728-L248			196	Phased out
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI	x	x	x	x		x	x		x	x	x											SNP:SY-F2737-L201			142	
	RAID Ctrl 2-Channel 128MB Adp	Adaptec 2200 S, BBU option, U320, PCI controller, 128MB					x				x				x				x					S26361-F2752-L128			495	
	RAID Ctrl Upgrade BBU 320-1 LSI	BBU modul for RAID controller (LSI 320-1)					x				x	x							x					S26361-F3005-L10			122	
	RAID Ctrl 1-Channel 64MB LP LSI	LSI 320-1, 1x U320 SCSI, BBU option, 64MB, low profile					x				x	x												S26361-F3005-L264			292	
	RAID Ctrl 1-Channel 64MB LSI	LSI 320-1, 1x U320 SCSI, BBU option, 64MB									x	x							x					S26361-F3005-L64			292	
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB					x	x	x	x	x	x	x	x	x	x	x		x		x	x	x	S26361-F3006-L128			468	
	BBU Modul for RAID Controller	BBU modul for RAID controller						x						x										S26361-F3085-L10			75	
	RAID-Ctrl 0-Channel SAS 128MB LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, LSI, PCI-X 64/66, 128MB Cache, optional BBU												x										S26361-F3085-L2			153	
	RAID-Ctrl 0-Channel SAS 128MB LP LSI	RAID-Ctrl, Zero-Channel SAS, 128MB, low profile, LSI, PCI-X 64/66, 128MB Cache							x															S26361-F3085-L202			153	
	RAID-Ctrl 0-Channel 128MB LP LSI	RAID-Ctrl, Zero-Channel, 128MB, low profile, LSI, PCI-X 133, 128MB Cache, optional BBU						x																S26361-F3085-L228			204	Phased out
	RAID Ctrl 2-Channel 256MB BBU LSI	LSI 320-2, TBBU, U320, PCI-X controller, 256MB								x	x	x			x	x					x			S26361-F3090-L256			672	
	RAID Ctrl onboard key 128MB iTBBU LSI	MegaRaid PCI Express ROMB Upgrade Kit, includes iButton, 128 MB Cache and BBU										x												S26361-F3091-L328			211	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
SCSI/RAID/SAS controller (Continued)																												
	RAID Ctrl onboard key 256MB iTBBU LSI	MegaRaid PCI Express ROMB Upgrade Kit, includes iButton, 256 MB Cache and BBU										x												S26361-F3091-L556			279	
	cable SCSI interf.extern. f.on-boardCtrl	Cable and external connector interface for SCSI controller, ext. connector: UHD68										x												S26361-F3120-L1			54	Phased out
	68-Pin Kit for int. access. SCSI drives	Cable with terminator												x										S26361-F3120-L30			27	
	cable SCSI for internal Tapes x600 Sx	for connetion of internal Tapes														x	x	x						S26361-F3128-L101			54	
	BBU onboard RAID Controller xX600 Sx	BBU modul for RAID onboard controller														x	x							S26361-F3128-L20			162	
	BBU Module RAID Contr. RX600 S4	BBU modul for RAID onboard controller																x						S26361-F3128-L420			115	New product Orderable from: 30/11/2007
	RAID Ctrl SAS onboard 256MB LSI	MegaRaid ROMB SAS Upgrade Kit,, includes iButton, 256 MB Cache without BBU										x												S26361-F3205-L256			88	
	RAID Ctrl SAS onboard 256MB iTBBU LSI	MegaRaid ROMB SAS Upgrade Kit,, includes iButton, 256 MB Cache and iTBBU										x												S26361-F3205-L556			218	
	RAID Ctrl SAS 8 Port 256MB LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU,, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.							x					x		x	x	x						S26361-F3215-L1			366	
	RAID Ctrl BBU Upgrade 8344ELP LSI	BBU Upgrade for LSI 8344ELP							x					x		x	x	x						S26361-F3215-L10			95	
	RAID Ctrl SAS 8 Port 256MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU,, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.										x												S26361-F3215-L201			366	
	RAID Ctrl BBU Upgrade 8344ELP LP LSI	BBU Upgrade for LSI 8344ELP										x												S26361-F3215-L210			95	
	RAID Ctrl Upgrade BBU 8308ELP LSI RX200	BBU upgrade for SATA/SAS RAID Ctrl. 8308ELP LSI, with spezial cable for RX200 S3							x															S26361-F3216-L11			95	
	RAID Ctrl SAS 8 port 128MB LSI RX200	RAID-Ctrl, LSI MegaRAID SAS8308ELP, PCIe x4, 128MB Cache, 8 internal ports, optional BBU, incl. special cable for RX200 S3							x															S26361-F3216-L2			292	
	SCSI Ctrl U320 1ch int/ext PCIe	Adaptec 29320LPE, 1x U320 SCSI																x						S26361-F3270-L1			109	New product Price change Deliverable from: 23/11/2007 Orderable from: 30/11/2007
Fibre Channel																												
	FC Ctrl 2GBit/s LP9002 MMF LC	Emulex LP9002L, 64Bit/66MHz PCI, 1 channel	x				x				x								x					S26361-F2624-L1			665	Phased out
	FC Ctrl 2GBit/s QLA2340 MMF LC	QLA2340, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface								x	x	x	x	x	x	x	x		x	x	x			S26361-F3097-L1			753	
	FC Ctrl 2GBit/s QLA2340 MMF LC LP	QLA2340, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface						x	x		x	x	x											S26361-F3097-L201			753	
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60									x		x											S26361-F3122-L1			336	
	FC Ctrl 2GBit/s LP101 MMF LC LP	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60						x	x			x												S26361-F3122-L201			336	
	FC Ctrl 2GBit/s LP1050Ex MMF LC	LP1050Ex , 2GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface						x		x						x	x							S26361-F3141-L1			576	
	FC Ctrl 2GBit/s LP1050 MMF LC	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface								x		x								x	x	x	x	S26361-F3141-L10			576	
	FC Ctrl 2GBit/s LP1050 MMF LC LP	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface						x				x												S26361-F3141-L210			576	
	FC Ctrl 4GBit/s LPe1150 MMF LC	LPe1150, 4GBit/s, 1-channel FC controller, PCIe x4, MMF LC inferface								x				x		x	x	x						S26361-F3306-L1			549	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, MMF LC inferface								x				x		x	x	x						S26361-F3306-L2			821	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inferface							x			x	x											S26361-F3306-L201			549	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface							x			x	x											S26361-F3306-L202			821	
	FC Ctrl 4GBit/s QLE2460 MMF LC	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.												x			x	x						S26361-F3483-L1			675	
	FC Ctrl 4GBit/s QLE2462 MMF LC	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, full height, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.												x			x	x						S26361-F3483-L2			1025	
	FC Ctrl 4GBit/s QLE2460 MMF LC LP	QLE2460 , 4GBit/s, 1 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.							x			x	x											S26361-F3483-L201			675	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.							x			x	x											S26361-F3483-L202			1025	
Communication/Network																												
	ISDN S0-Ctrl (2B+D) aktive BRI2M-2.0	Eicon Diva Server BRI-2M 2.0, WAN-Controller, digital&analog, ISDN & V.90, for Europe, incl. ISDN S0-cable	x	x			x				x	x												S26361-F1809-L2			553	
	X.25 Ctrl Dual X.21 Eicon S94 V2 (R)	WAN-Controller; incl. 2x X.21 DCE connection cable on X.25, Frame Relay and SNA network										x	x											S26361-F2610-L3			1899	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu lp	Intel Pro/1000MT Dual Port Server Adapt. with PCI-X bus, also for PCI64 and PCI32 10/100/1000TX, low profile PCI	x	x	x	x	x	x	x		x	x	x											S26361-F3011-L201			139	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter					x			x	x	x	x	x	x				x	x	x			S26361-F3142-L1			51	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter						x		x		x	x								x			S26361-F3142-L2			51	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile	x	x	x	x	x	x	x		x	x	x											S26361-F3142-L201			51	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile			x	x		x	x			x	x											S26361-F3142-L202			51	
	Eth. Ctrl 2x1GBit PCIe PRO/1000P Cu	Intel Pro 1000P 2 Port Server Adapter						x		x						x	x							S26361-F3143-L1			160	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter								x		x	x			x	x							S26361-F3227-L2			139	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI			x	x		x	x			x	x											S26361-F3227-L202			139	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu	Intel Pro 1000PT 2 Port Server Adapter						x		x				x		x	x	x						S26361-F3228-L1			139	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter				x			x					x	x									S26361-F3228-L201			139	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu	Intel Pro 1000PT 1 Port Server Adapter								x				x				x						S26361-F3241-L1			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter				x			x					x	x									S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC	Intel Pro 1000PF 1 Port Server Adapter								x				x			x	x						S26361-F3242-L1			252	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter				x			x					x	x									S26361-F3242-L201			252	
	Eth Ctrl 4x1GBit PCIe x4 PRO/1000PT Cu	Intel Pro 1000PT Quad Port Server Adapter with full hight bracket															x	x						S26361-F3462-L1			325	
	Eth Ctrl 4x1GBit PCIex4 PRO/1000PT Cu lp	Intel Pro 1000PT Quad Port Server Adapter with low profile bracket												x										S26361-F3462-L201			325	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter	x				x			x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F3011-L1			139	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter					x			x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F3053-L1			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile	x	x	x	x	x	x	x		x	x	x											S26361-F3053-L201			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter					x			x	x	x	x	x	x	x	x		x	x	x	x	x	S26361-F3054-L1			252	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC lp	Intel PRO 1000 MF Server Adapter, low profile	x	x	x	x	x	x	x		x	x	x											S26361-F3054-L201			252	
Rack-Infrastructure																												
	RMK CR additional to RMK TX/RX600	additional RMK for mounting of RX/TX600 in PY 19" 23/42HE Classic Racks								x					x									S26361-F1331-L200			48	
	RMK CR additional to RMK TX200/300 S2	additional RMK incl. cable guide for mounting of TX200/300S2 / RX300S2 in PY 19" 23/42HE Classic Racks										x												S26361-F1331-L300			81	
	RMK CR Adapter additional to RMK RX300	1 pair of spacer, additional to the standard mounting kit of RX300 for PY 19" 23/42U Classic Racks								x														S26361-F1331-L93			101	Phased out

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Rack-Infrastructure (Continued)																												
	cable management arm for 3rd party racks	all-purpose for PRIMERGY server in 3rd party racks and PRIMERGY 19" Classic Racks	x				x				x				x			x	x				x	S26361-F2201-L20			34	
	RMK 19" CR RX200	complete RMK for mounting of RX200 in PY 19" 23/42HE Classic Racks		x			x	x		x														S26361-F2611-L20			101	
	RMK-F1_RX600 S4	full extraction with vario-carrier, pre-assembled with centre screw																x						S26361-F2735-L106			54	New product
	cage nut set, M5, t=2,5mm	Content: 50 pieces			x	x			x	x			x	x			x	x		x				S26361-F2735-L500			34	
	Cable magmt. for 19" DC- PC- Rack	cable management for adding a server or storage subsystem from a 3rd party rack into the PRIMECENTER rack 2																x						S26361-F2735-L7			27	New product
	1 U cable arm, dragged	cable arm for PRIMERGY server, dragged for PRIMECENTER- and 3rd-party racks			x	x			x	x			x	x			x			x				S26361-F2735-L8			20	Price change
PRIMERGY-Software																												
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection				x			x				x	x										S26361-F1790-L240			204	
	iRMC S2 advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection																x						S26361-F1790-L241			204	New product
	VMware VMotion w/1yr SNS	VMotion for VMware VI-STD w/1yr SNS OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.							x			x	x	x		x	x	x	x	x				S26361-F2341-L323			791	
	VMware VMotion w/3yr SNS	VMotion for VMware VI-STD w/3yr SNS OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.							x			x	x	x		x	x	x	x	x				S26361-F2341-L326			1074	
	VMware VMS-VCMS-BUN-C	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system.			x	x		x	x	x		x	x	x			x	x		x	x			S26361-F2341-L327			875	
	VMware VMS-VCMS-BUN-C DistributionOnly	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.			x	x		x	x	x		x	x	x			x	x		x	x			S26361-F2341-L328			655	
	VMware VI-STD w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.							x			x	x	x			x	x		x	x			S26361-F2341-L333			2119	
	VMware VI-STD w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.							x			x	x	x			x	x		x	x			S26361-F2341-L334			2876	
	VMware VI-EE w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.							x			x	x	x			x	x		x	x			S26361-F2341-L335			3249	
	VMware VI-EE w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.							x			x	x	x			x	x		x	x			S26361-F2341-L336			4412	
	VMware RN SNS 1yr for VDI-STD-100	Renewal SNS Support and Subscription from FSC for VDI-STD-100 OEM							x			x	x	x			x	x		x	x			S26361-F2341-L364			2282	
	VMware RN SNS 1yr for VDI-ENT-100	Renewal SNS Support and Subscription from FSC for VDI-ENT-100 OEM							x			x	x	x			x	x		x	x			S26361-F2341-L365			3586	
	Win SRV03 R2 x64, DC 4 CPU unli. Virt HA	Microsoft® Windows Server® 2003 R2 x64 Datacenter Edition Unlimited Virtualization with High Availability Program (4 CPU) with Microsoft® User Client Access License Pack for Microsoft® Windows Server 2003 Products (1 User CAL Version)																			x			S26361-F2543-L110			5562	
	DC SW Update-Subscription, 4CPU-License,	Update Subscription for Microsoft® Windows Server® Datacenter with High Availability Program (4 CPU) 1 Month Subscription																			x			S26361-F2543-L111			122	
	Win Server 2003 R2, Datacenter x64, DEMO	Microsoft® Windows ServerTM 2003 R2, Datacenter x64 Edition, Not for Resale																x	x		x			S26361-F2543-L112			27	
	FlexFrame ControlNode SW with PCLRMS-Lic	FlexFrame ControlNode software, including, FlexFrame software for Application Nodes on PRIMERGY and PRIMECLUSTER software. 3rd Level Support for PRIMECLUSTER has to be ordered seperatly										x	x											S26361-F2346-L321			3812	
	FlexFrame AN Lizenz f.1PY RX300\BX dual	"FlexFrame License for one PRIMERGY BX620S3. Additional it is mandatory to order 3rd Level support for each server!"										x	x											S26361-F2346-L322			2091	
	FlexFrame AppNode License f. 1 PY RX600	FlexFrame License for one PRIMERGY RX600. , Additional it is mandatory to order 3rd Level support for each server!													x	x	x							S26361-F2346-L323			7357	
	RemoteView Service Board S2 LP	incl. cables and RV SW; for PRIMERGY RX100 S2, RX100 S3, RX200 S2, RX300 S2, RX300		x	x			x			x	x												S26361-F2425-L102			336	
	FlexFrame AppNode License f. 1 PY RX800	FlexFrame License for one PRIMERGY RX800. , Additional it is mandatory to order 3rd Level support for each server!																	x	x				S26361-F2346-L324			14626	
	RemoteView Service Board S2 LP 3HU	incl. cables and RV SW; for PRIMERGY RX300 S2, TX200 S2, TX300 S2, TX150 S3, TX150 S4, RX/TX600 S2, RX220, RX/TX600 S3								x		x				x	x							S26361-F2425-L103			336	
	PRIMERGY MultiPath Linux\WinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, licence for 1 Server					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C197			593	
	FlexFrame AN L3Supp 3y f.1RX300\BX dual	"FlexFrame 3rd Level Support for 3 years for BX620S3 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!) "									x	x	x											S26361-F2346-L332			1320	
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003						x	x	x		x	x	x		x	x	x		x	x			U15000-C278			593	
	FlexFrame AppNode L3Supp 3y f.1 PY RX600	FlexFrame 3rd Level , Support for 3 years for RX600 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)													x	x	x							S26361-F2346-L333			4641	
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY , configuration, includes MultiPath (1 License per Server)					x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			U15000-C196			1862	
	FlexFrame AppNode L3Supp 3y f.1 PY RX800	FlexFrame 3rd Level , Support for 3 years for RX800 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)																	x	x				S26361-F2346-L334			9420	
	PRIMERGY ServerStart Bundle subscription	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	x	x	x	x	x	x	x	x	x	x										U15000-C176			146	
	RSB LP external power supply	incl. power cord (with Euro socket connector- and Euro plug)		x	x			x		x	x	x				x	x							S26361-F2425-L305			27	
	RSB S2 LP ext Power Supply Rack Carrier	Rack carrier for the external power supply of the RSB S2 LPs		x	x			x		x	x	x				x	x							S26361-F2425-L306			14	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
PRIMERGY-Software (Continued)																												
	RemoteDeploy 3.x Single license	Single license for operation of one client server (managed node) under RD 3.x	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x		x	x	U15000-C262			94	
	Single Upgrade license from	License for upgrading from RD2.0 up to RD3.0.	x	x	x	x	x	x	x	x	x	x	x	x					x			x	x	U15000-C265			16	
	RemoteDeploy V4.0 Software CD	Full version with license key for SW usage - no license.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C286			20	
	RemoteDeploy 4.x Single License	Single license for operation of one client server (managed node) under RD 4.x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C287			95	
	RemoteDeploy 4.0 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C288			41	
	Altiris Server Deployment Solution 6	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C251			122	
	Altiris Server Deployment AUP	Annual upgrade protection for Deployment Solution (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C255			19	
	Altiris Premium Support Pack	1 year support package for Altiris	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C259			9412	
	Altiris 5 Incidents Support	5 support incidents for Altiris	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C260			1272	
	Altiris Server Management Suite - Level1	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C267			162	
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15000-C271			22	
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L610			16	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L611			16	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L613			16	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L650			72	Price change
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L651			72	Price change
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L652			72	Price change
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L653			72	Price change
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L654			72	Price change
	SUSE Linux ES 1-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server with 1-CPU sockets 1-Year subscription (renewal)				x																		S26361-F2346-L181			99	
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L620			16	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L621			16	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L622			16	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L623			16	
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L660			72	Price change
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L661			72	Price change
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L662			72	Price change
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L663			72	Price change
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L664			72	Price change
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L670			236	Price change
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L671			236	Price change
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L680			236	Price change
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D		x	x	x		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	S26361-F2565-L681			236	Price change
	ServerView Integration V2.0	ServerView Integration V2.0 CD and node licence for HP OpenView NNM and Operations IBM NetView and ServerView Plus TEC&Inventory	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15051-C108			68	
	SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)		x	x			x	x			x	x	x										S26361-F2346-L111			196	
	SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit		x	x	x		x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2346-L109			58	
	SUSE Linux ES 8 x86 Media Kit	SUSE Linux Enterprise Server 8 for x86 media kit	x	x			x	x	x		x	x			x	x	x	x	x	x				S26361-F2346-L110			58	
	SUSE Linux ES 10 x86 and x86_64 Media	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit			x	x		x	x	x		x	x	x		x	x	x		x	x			S26361-F2346-L192			58	
	Red Hat EL AP +1Y	Red Hat Enterprise Linux AP renewal for all platforms 1-Server 1-Year.					x		x	x	x		x	x	x	x	x	x	x	x	x			S26361-F2346-L201			488	
	Red Hat EL <=2CPU +1Y	Red Hat Enterprise Linux up to 2-CPU sockets renewal for all platforms 1-Server 1-Year.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			S26361-F2346-L211			258	
	Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64.								x				x				x	x			x		S26361-F2346-L292			34	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
PRIMERGY-Software (Continued)																												
	Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L230			382	
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L231			369	Price change
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L232			369	Price change
	Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L233			369	Price change
	Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L234			369	Price change
	Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L235			369	Price change
	Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L236			369	Price change
	Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x							S26361-F2565-L237			369	New product Price change
	Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x	x						S26361-F2565-L270			382	
	Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x	x						S26361-F2565-L271			369	Price change

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
PRIMERGY-Software (Continued)																												
	Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x	x						S26361-F2565-L272			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x	x						S26361-F2565-L273			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.		x	x	x		x	x	x		x	x	x	x	x	x	x						S26361-F2565-L274			369	Price change
	Win SBS 2003 R2, ROK SE SP2, GB	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x											S26361-F2565-L250			234	
	Win SBS 2003 R2, ROK SE SP2, D	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x											S26361-F2565-L251			229	Price change
	Win SBS 2003 R2, ROK SE SP2, I	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x											S26361-F2565-L252			229	Price change
	Win SBS 2003 R2, ROK SE SP2, F	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x											S26361-F2565-L253			229	Price change
	Win SBS 2003 R2, ROK SE SP2, E	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x											S26361-F2565-L254			229	Price change
	Win SBS 2003 R2, ROK SE SP2, CZ	The Windows Small Business Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x											S26361-F2565-L255			229	Price change
	Win SBS 2003 R2, ROK PREMIUM SP2, GB	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x											S26361-F2565-L260			500	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
PRIMERGY-Software (Continued)																												
	Win SBS 2003 R2, ROK PREMIUM SP2, D	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x										S26361-F2565-L261			489	Price change
	Win SBS 2003 R2, ROK PREMIUM SP2, I	The Windows Small Business Server 2003 R2 ROK Premium Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.											x	x										S26361-F2565-L262			489	Price change
	VMware VI CD-ROM Media Kit	Virtual Infrastructure 3 Media Kit OEM Media Kit Only No License.							x			x	x	x			x	x		x	x			S26361-F2341-L300			54	
	VMware VI-STRT w/1yr SNS	Virtual Infrastructure 3 Starter OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.							x			x	x	x			x	x						S26361-F2341-L301			1072	
	VMware VI-STRT w/3yr SNS	Virtual Infrastructure 3 Starter OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.							x			x	x	x			x	x						S26361-F2341-L302			1825	
	VMware VI-STD w/1yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.							x			x	x	x			x	x		x	x			S26361-F2341-L303			2646	
	VMware VI-STD w/3yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.							x			x	x	x			x	x		x	x			S26361-F2341-L304			3654	
	VMware VI-EE w/1yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.							x			x	x	x			x	x		x	x			S26361-F2341-L305			4049	
	VMware VI-EE w/3yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.							x			x	x	x			x	x		x	x			S26361-F2341-L306			5605	
	VMware VI-STR-STD-UG w/1yr SNS	VI3 Starter to Standard Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS.							x		x	x	x	x	x	x	x							S26361-F2341-L309			1836	
	VMware VI-STR-STD-UG w/3yr SNS	VI3 Starter to Standard Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS.							x		x	x	x	x	x	x	x							S26361-F2341-L310			2378	
	VMware VI-STR-ENT-UG w/1yr SNS	VI3 Starter to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS.							x		x	x	x	x	x	x	x							S26361-F2341-L311			3171	
	VMware VI-STR-ENT-UG w/3yr SNS	VI3 Starter to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS.							x		x	x	x	x	x	x	x							S26361-F2341-L312			4107	
	VMware VI-STD-ENT-UG w/1yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.							x		x	x	x	x	x	x	x	x	x	x	x			S26361-F2341-L313			2002	
	VMware VI-STD-ENT-UG w/3yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.							x		x	x	x	x	x	x	x	x	x	x	x			S26361-F2341-L314			2594	
	VMware VCMS w/1yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 1 year SNS Support and Subscription.			x	x		x	x	x		x	x	x			x	x		x	x			S26361-F2341-L321			2825	
	VMware VCMS w/3yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 3 year SNS Support and Subscription.			x	x		x	x	x		x	x	x			x	x		x	x			S26361-F2341-L322			3529	
	VMware RN SNS 1yr for VI-STRT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Starter OEM							x			x	x	x			x	x						S26361-F2341-L350			420	
	VMware RN SNS 1yr for VI-STD	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Standard OEM							x			x	x	x			x	x		x	x			S26361-F2341-L351			488	
	VMware RN SNS 1yr for VI-EE	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Enterprise OEM							x			x	x	x			x	x		x	x			S26361-F2341-L352			749	
	VMware RN SSS 1yr for VCMS	Renewal SNS Support and Subscription OEM from FSC for 1 year for VirtualCenter Management Server 2 OEM			x	x		x	x	x		x	x	x			x	x		x	x			S26361-F2341-L353			652	
	VMware RN SSS 1yr for VI-VMOT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VMotion for VI-STD OEM							x			x	x	x			x	x		x	x			S26361-F2341-L354			182	
	VMware RN SNS 1yr for VI-STR-STD-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad.							x					x	x		x	x						S26361-F2341-L355			359	
	VMware RN SNS 1yr for VI-STR-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad.							x					x	x		x	x						S26361-F2341-L356			619	
	VMware RN SNS 1yr for VI-STD-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad, and order 4x for an RX800, BX630 8-way.							x					x	x		x	x			x			S26361-F2341-L357			392	
OS/Application-SW																												
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C732			17	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C10			1754	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C20			1473	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA für Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C40			2105	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C400U1			139	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C400U3			417	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C426			346	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C700			542	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C700-U			406	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C750			346	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C800			542	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C800-U			406	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C800U1			139	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C800U3			417	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C900			2094	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C920			4192	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C11			2455	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C21			2245	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C41			3157	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C401U1			178	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C401U3			535	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C427			2094	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C701			696	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C701-U			522	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C751			486	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C801			696	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C801-U			522	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C801U1			178	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C801U3			536	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C901			415	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C921			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C12			17538	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C22			2245	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C42			3157	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C402U1			232	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C402U3			697	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C426U1			89	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C702			906	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C702-U			679	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C750U1			89	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C802			696	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C802-U			522	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C802U1			178	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C802U3			536	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C902			835	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C922			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C13			24554	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C23			2245	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C43			3157	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C403U1			286	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C403U3			858	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C426U3			266	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C703			1115	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C703-U			836	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C750U3			266	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C803			696	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C803-U			522	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C803U1			178	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C803U3			536	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C903			835	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C923			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15260-C14			35077	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15260-C30			2062	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA for Windows Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15260-C60			2946	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C404U1			286	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C404U3			858	
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C427U1			537	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C704			1115	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C704-U			836	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	x	U15355-C751U1			124	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C804			696	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C804-U			522	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C804U1			178	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C804U3			536	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C904			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C15			49108	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Oracle Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C31			3143	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C61			4420	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C405U1			124	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C405U3			373	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C427U3			1612	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C705			486	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C705-U			364	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C751U3			373	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C805			696	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C805-U			522	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C805U1			178	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C805U3			536	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C905			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C16			70154	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C32			3143	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C62			4420	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C406U1			178	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C406U3			535	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C706			696	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C706-U			522	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C806			276	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C806-U			207	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C806U1			71	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C806U3			213	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C906			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C17			98215	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C33			3143	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C63			4420	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C407U1			178	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C407U3			535	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x		x	U15355-C707			696	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C707-U			522	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C807			175	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C807-U			131	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C807U1			45	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C807U3			134	
	CA XOsoftWANSyncDR	XOsoft WANSync DR as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C0189			699300	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C50			3367	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C408U1			178	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C408U3			535	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x		x	U15355-C708			696	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C708-U			522	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C808			276	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C808-U			207	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C808U1			71	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C808U3			213	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C51			5051	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C409U1			143	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C409U3			428	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C709			556	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C709-U			417	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C809			175	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C809-U			131	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C809U1			45	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C809U3			134	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C52			5051	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C410U1			143	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C410U3			428	
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C710			556	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711-U			679	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810			1115	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810-U			836	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U1			286	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C810U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C53			5051	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U1			232	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C411U3			697	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C711			906	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C712-U			522	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811			1115	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811-U			836	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U1			286	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15355-C811U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	U15260-C70			5051	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C412U1			178	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C412U3			535	
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C712			696	
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C713-U			836	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basasbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C812			906	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C812U1			232	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C812U3			697	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C71			7577	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C413U1			286	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C413U3			858	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C713			1115	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C715-U			522	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basasbx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C813			346	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15260-C72			7577	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C414U1			178	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C414U3			535	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C714			696	
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C716-U			679	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basasblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C814			696	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C73			7577	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basasblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C356			1625	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C415U1			178	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C415U3			535	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C715			696	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C717-U			522	
	CA XOsoftWANSyncHA	XOsoft WANSync HA as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15260-C0288			699300	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C416U1			232	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C416U3			697	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C716			906	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C718-U			522	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C417U1			178	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C417U3			535	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C717			696	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C720-U			207	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C418U1			178	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C418U3			535	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C718			696	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C721-U			131	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C419U1			280	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C419U3			839	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C719			1871	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C722-U			207	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C420U1			71	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C420U3			212	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C720			276	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C723-U			131	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C421U1			45	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C421U3			134	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C721			175	
	UP ARCserve r11.5 WIN Sngl Srv-Full Edt	ARCserve r11.5 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r11.5 for Windows Standard Edition. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C780-U			406	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C422U1			71	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C422U3			212	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C722			276	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C423U1			45	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C423U3			134	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C723			175	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C424U1			71	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C424U3			212	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C724			276	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x	x	x	U15355-C428U1			286	

Rack Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C428U3			858	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C725			1028	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C429U1			232	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C429U3			697	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C726			1115	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C430U1			673	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C430U3			2018	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C727			906	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C431U1			89	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C431U3			266	
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C728			346	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C432U1			178	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C432U3			535	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C729			696	

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
OS/Application-SW (Continued)																												
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C433U1			178	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C433U3			535	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C730			2951	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x	x	x	x	U15355-C731			696	
UPS/Power supply																												
	APC-UPS COM Cable NOVELL,NT,OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey	x	x	x	x				x	x	x	x	x										S26113-F231-L1			24	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface	x	x	x	x				x	x	x	x	x										S26113-F233-L1			24	
	Power Supply Module 600W (hot plug)	for PS redundancy, incl. power cord										x	x											S26113-F453-L30			101	
	Power Supply Module 600W (hot plug)	for PS redundancy improved successor for L30, incl Power cable rack											x											S26113-F453-L40			101	
	Power Supply Upgrade 480W (hot plug)	for optional PS redundancy incl. mounting kit						x																S26113-F501-L1			128	
	Power Supply Upgrade 650W for RX200S3	for optional PS redundancy							x															S26113-F509-L1			112	
	Power Supply Module 625W (hot plug)	for PS redundancy, incl. power cord												x										S26113-F604-L1			115	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosence	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x		x	x	x			S26113-F80-L10			173	
	APC-UPS COM-Port extension	APC-UPS	x	x	x	x				x	x	x	x	x										S26113-F81-L1			65	
	Cable powercord rack, 4m	with Euro socket connector	x	x	x	x				x	x													T26139-Y1968-L10			11	
Miscellaneous																												
	Local Service Display Option Kit S2	LCD display with installation kit						x				x	x											S26361-F2557-L104			58	
	Parallelport Option Centronics	Cable with 25 pin Centronics interface									x													S26361-F2571-L8			14	
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 4 fans, cage and electronics										x	x											S26361-F2621-L4			51	
	cable Parallelport Option Centronics	Cable with 25 pin Centronics interface										x	x											S26361-F3120-L2			14	
	cable Serial port option	Cable for 2nd RS-232-C 9 pin interface										x	x											S26361-F3120-L3			27	
Media																												
	DAT160 cleaning cartridge	DAT160 cleaning cartridge without label																x						D:CL-DAT160-MX-01			16	New product
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label									x	x	x		x	x	x							D:CL-DAT72-MX-01			4	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO-1, LTO-2 and LTO-3 drives															x							D:CL-LTO2-FJ-01			41	
	LTO cleaning cartridge with label	cleaning cartridge with label from Fuji for LTO-1, LTO-2 and LTO-3 drives															x							D:CL-LTO2-FJ-01L			41	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO-1, LTO-2 and LTO-3 drives															x							D:CL-LTO2-IB-01			48	
	LTO cleaning cartridge with label	cleaning cartridge with label from IBM for LTO-1, LTO-2 and LTO3-drives															x							D:CL-LTO2-IB-01L			48	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO-1 and LTO-2 drives															x							D:CL-LTO2-MX-01			38	
	LTO cleaning cartridge with label	cleaning cartridge with label from Maxell for LTO-1 and LTO-2 drives															x							D:CL-LTO2-MX-01L			38	
	LTO cleaning label	label for LTO cleaning cartridges															x							D:CL-LTO-LAB			1	
	VXA cleaning label	Label for VXA cleaning cartridge														x	x							D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge														x	x							D:CL-VXA2-X-01			16	
	VXA cleaning cartridge with label	VXA cleaning cartridge														x	x							D:CL-VXA2-X-01L			17	
	DAT160 data cartridge	DAT160 data cartridge without label																x						D:CR-DAT160-MX-01			22	New product
	DAT72 data cartridge	DAT72 data cartridge without label									x	x	x		x	x	x							D:CR-DAT72-MX-01			9	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity															x							D:CR-LTO2-FJ-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity															x							D:CR-LTO2-FJ-01L			21	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity															x							D:CR-LTO2-IB-01			20	
	LTO 2 data cartridge with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity															x							D:CR-LTO2-IB-01L			21	
	LTO 2 barcode label	label for LTO-2 data cartridges															x							D:CR-LTO2-LAB			1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity															x							D:CR-LTO2-MX-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity															x							D:CR-LTO2-MX-01L			21	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity											x											D:CR-LTO3-FJ-01			29	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity															x							D:CR-LTO3-FJ-01L			29	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity															x							D:CR-LTO3-FJ-01W			57	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity															x							D:CR-LTO3-IB-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity															x							D:CR-LTO3-IB-01L			28	
	LTO 3 barcode label	label for LTO-3 data cartridges															x							D:CR-LTO3-LAB			1	
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity											x											D:CR-LTO3-SY-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Sony, 400 GB native capacity															x							D:CR-LTO3-SY-01L			27	
	VXA barcode label	Label for VXA data cartridge														x	x							D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB														x	x							D:CR-VXA2-X10-01			17	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB														x	x							D:CR-VXA2-X10-01L			18	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB														x	x							D:CR-VXA2-X23-01			35	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB														x	x							D:CR-VXA2-X23-01L			36	
	RDX Cartridge 80/160GB	RDX Cartridge 80GB uncompressed / 160GB compressed											x				x							S26361-F3857-L80			122	
	RDX Cartridge 120/240GB	RDX Cartridge 120GB uncompressed / 240GB compressed											x				x							S26361-F3857-L120			155	
Cables																												
	Console switch cable 2,5m	cable for keyboard, monitor and mouse	x	x			x			x	x								x					SNP:SY-F2293L11-P			31	Phased out
	Console switch cable 3,5m	cable for keyboard, monitor and mouse	x	x	x		x	x	x	x	x	x	x						x	x	x			SNP:SY-F2293L12-P			51	Phased out

Rack Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Cables (Continued)																												
	Console switch cable 10m	cable for keyboard, monitor and mouse	x	x			x			x	x								x					SNP:SY-F2293L13-P			92	Phased out
Additional Software																												
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C183			21	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C202			857	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C203			1394	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C210			2426	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C222			350	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C223			569	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x		x	x		x	x	x			x	x			x	x		x	x	U11081-C226			2276	

Rack Servers Services

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RXI300	PRIMERGY RXI600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Professional Services																												
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"'	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21021FX			480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21022FX			240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)'	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21023FX			1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21024FX			540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21025FX			960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21026FX			480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21027FX			750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21028FX			375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21029FX			1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21030FX			720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21031FX			120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21032FX			60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21033FX			60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21034FX			30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21035FX			1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x		x	x	x	x	x	x	x		x	x	x		x	x		x	x	CPS:PR-INT-21036FX			750	
Product related services																												
	SP 3y OS Svc,5x9	SP 3 years On-Site Service, 5x9	x	x	x	x																		FSP:GB3S00000GBPR1			27	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x	x	x	x																		FSP:GB4S20000GBPR1			53	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9					x	x	x	x														FSP:GB4S20000GBPR2			108	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9									x	x	x											FSP:GB4S20000GBPR3			167	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9													x	x	x	x						FSP:GB4S20000GBPR6			463	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9																				x		FSP:GB4S20000GBPR7			493	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9																	x	x	x			FSP:GB4S20000GBPR8			444	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x	x	x	x																		FSP:GB5S20000GBPR1			82	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9					x	x	x	x														FSP:GB5S20000GBPR2			174	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9									x	x	x											FSP:GB5S20000GBPR3			271	

Rack Servers Services

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Product related services (Continued)																												
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9													x	x	x	x						FSP:GB5S20000GBPR6			823	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9																				x		FSP:GB5S20000GBPR7			884	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9																	x	x	x			FSP:GB5S20000GBPR8			740	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x	x	x	x																		FSP:GD3S60000GBPR1			238	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9					x	x	x	x														FSP:GD3S60000GBPR2			305	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9									x	x	x											FSP:GD3S60000GBPR3			468	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9													x	x	x	x						FSP:GD3S60000GBPR6			704	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9																	x	x	x			FSP:GD3S60000GBPR8			853	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x	x	x	x																		FSP:GD3S63000GBPR1			300	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24					x	x	x	x														FSP:GD3S63000GBPR2			433	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24									x	x	x											FSP:GD3S63000GBPR3			724	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24													x	x	x	x						FSP:GD3S63000GBPR6			959	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24																	x	x	x			FSP:GD3S63000GBPR8			1177	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24	x	x	x	x																		FSP:GD3SG3000GBPR1			814	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24					x	x	x	x														FSP:GD3SG3000GBPR2			635	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24									x	x	x											FSP:GD3SG3000GBPR3			1527	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24													x	x	x	x						FSP:GD3SG3000GBPR6			2161	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24																	x	x	x			FSP:GD3SG3000GBPR8			4000	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x	x	x	x																		FSP:GD4S60000GBPR1			595	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9					x	x	x	x														FSP:GD4S60000GBPR2			595	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9									x	x	x											FSP:GD4S60000GBPR3			1033	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9													x	x	x	x						FSP:GD4S60000GBPR6			1535	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9																	x	x	x			FSP:GD4S60000GBPR8			2854	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x	x	x	x																		FSP:GD4S63000GBPR1			786	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24					x	x	x	x														FSP:GD4S63000GBPR2			786	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24									x	x	x											FSP:GD4S63000GBPR3			1364	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24													x	x	x	x						FSP:GD4S63000GBPR6			2026	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24																	x	x	x			FSP:GD4S63000GBPR8			3769	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24	x	x	x	x																		FSP:GD4SG3000GBPR1			1210	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24					x	x	x	x														FSP:GD4SG3000GBPR2			1210	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24									x	x	x											FSP:GD4SG3000GBPR3			2099	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24													x	x	x	x						FSP:GD4SG3000GBPR6			3118	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24																	x	x	x			FSP:GD4SG3000GBPR8			5799	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x	x	x	x																		FSP:GD5S60000GBPR1			831	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9					x	x	x	x														FSP:GD5S60000GBPR2			831	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9									x	x	x											FSP:GD5S60000GBPR3			1441	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9													x	x	x	x						FSP:GD5S60000GBPR6			2141	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9																	x	x	x			FSP:GD5S60000GBPR8			3982	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x	x	x	x																		FSP:GD5S63000GBPR1			1069	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24					x	x	x	x														FSP:GD5S63000GBPR2			1069	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24									x	x	x											FSP:GD5S63000GBPR3			1855	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24													x	x	x	x						FSP:GD5S63000GBPR6			2756	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24																	x	x	x			FSP:GD5S63000GBPR8			5126	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24	x	x	x	x																		FSP:GD5SG3000GBPR1			1599	

Rack Servers Services

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY RX100	PRIMERGY RX100 S2	PRIMERGY RX100 S3	PRIMERGY RX100 S4	PRIMERGY RX200	PRIMERGY RX200 S2	PRIMERGY RX200 S3	PRIMERGY RX220	PRIMERGY RX300	PRIMERGY RX300 S2	PRIMERGY RX300 S3	PRIMERGY RX330 S1	PRIMERGY RX600	PRIMERGY RX600 S2	PRIMERGY RX600 S3	PRIMERGY RX600 S4	PRIMERGY RX800	PRIMERGY RX800 S2	PRIMERGY RX800 S3	PRIMERGY RX1300	PRIMERGY RX1600	Code			End User Price (£)	Comments
Accessories & services matrix																												
Product related services (Continued)																												
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24					x	x	x	x														FSP:GD5SG3000GBPR2			1599	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24									x	x	x											FSP:GD5SG3000GBPR3			2774	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24													x	x	x	x						FSP:GD5SG3000GBPR6			4121	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24																	x	x	x			FSP:GD5SG3000GBPR8			7664	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9												x										FSP:GE3S20Z00GBPE1			271	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9	x	x	x	x																		FSP:GE3S20Z00GBPR1			158	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9					x	x	x	x														FSP:GE3S20Z00GBPR2			176	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9									x	x	x											FSP:GE3S20Z00GBPR3			271	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9													x	x	x	x						FSP:GE3S20Z00GBPR6			408	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9																	x	x	x			FSP:GE3S20Z00GBPR8			494	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x	x	x	x																		FSP:GN4S20000GBPR1			53	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9					x	x	x	x														FSP:GN4S20000GBPR2			109	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9									x	x	x											FSP:GN4S20000GBPR3			167	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9													x	x	x	x						FSP:GN4S20000GBPR6			463	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9																				x		FSP:GN4S20000GBPR7			493	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9																	x	x	x			FSP:GN4S20000GBPR8			444	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x	x	x	x																		FSP:GN5S20000GBPR1			82	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9					x	x	x	x														FSP:GN5S20000GBPR2			174	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9									x	x	x											FSP:GN5S20000GBPR3			271	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9													x	x	x	x						FSP:GN5S20000GBPR6			823	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																				x		FSP:GN5S20000GBPR7			884	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9																	x	x	x			FSP:GN5S20000GBPR8			740	

Positioning PRIMERGY Blade Servers



PRIMERGY BX600 S2

The BX600 S2 offers performance today and scalability for tomorrow with 64-bit processor-technology by Intel and AMD and a chassis that support future technologies.
The broad range of processor configurations and flexible scaling options (2-socket/ 4-socket/ 8-socket with Quad-Core and Dual-Core) enables the PRIMERGY BX600 to meet nearly all requirements in typical datacenter applications.

PRIMERGY BladeFrame BF200

With the PRIMERGY BladeFrame, Fujitsu Siemens Computers is extending its spectrum of dynamic data center solutions. Virtualization, automation and integration are the three core elements of Fujitsu Siemens Computers' TRIOLE™ strategy, which aims to make dynamic data centers a reality. Fujitsu Siemens Computers is the recognized market leader when it comes to providing today's pragmatic and practical solutions for dynamic data centers. Dynamic IT solutions provide our customers with markedly lower operating costs, reduced complexity and increased dynamic flexibility in the commercial use of their applications. PRIMERGY BladeFrame is a new type of dynamic enterprise server solution that creates a pool of virtualizable server nodes. What's new about this? BladeFrame disassociates the components that make up this pool – processors, networks and storage – and operates with virtually definable servers. The effect is to make the server hardware fundamentally independent of the operating system (Linux/Windows/Solaris) or application software. With BladeFrame you can map your business-critical enterprise applications onto a dynamically reacting operating environment.

PRIMERGY BladeFrame BF400 S2



PRIMERGY BX600 S2

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY BX600 - Advanced Blade Ecosystem an ideal platform for the Dynamic Data Center

The PRIMERGY BX600 blade server is a highly scalable 19-inch rack server system that occupies 7 height units (U) and has a modular infrastructure for accommodating highly compact server units (server blades).Due to their high performance PRIMERGY BX600 blade servers are qualified for sophisticated tasks in datacenter environments, such as database or application servers, web servers or communication servers with heavy load profiles. The BX600 offers performance today and scalability for tomorrow with 64-bit processor-technology by Intel and AMD and a chassis that support future technologies.The broad range of processor configurations and flexible scaling options (2-cockets/ 4-scokets/ 8-sockets all with Dual-Core processors) enables the PRIMERGY BX600 to meet nearly all requirements in typical datacenter applications.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BX600 S2							
	PY BX600 S2 Blade Server System Unit	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K920-V201			2289	

PRIMERGY BX600 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

The PRIMERGY BX600 blade server is a highly scalable 19-inch rack server system that occupies 7 height units (U) and has a modular infrastructure for accommodating highly compact server units (server blades). Due to their high performance PRIMERGY BX600 blade servers are qualified for sophisticated tasks in datacenter environments, such as database or application servers, web servers or communication servers with heavy load profiles. The BX600 today offers performance and scalability for tomorrow with 64-bit processor-technology by Intel and AMD and a chassis that supports future technologies. The broad range of processor configurations and flexible scaling options (Dual-, Quad- or Octo-socket, Dual- and Quad-Core) enable the PRIMERGY BX600 to meet nearly all requirements in typical datacenter applications. Satisfaction of ever growing demand for I/O capacity is a primary target with BX600 S3.
The enhancements now introduced
- trebled number of Ethernet connections
- higher throughput for FibreChannel traffic allow for more lanes to each destination.

Model	Processor	Operating_Systems	Cabinet	Memory	Hard_Disk_Drives	CD_ROM	DVD_ROM	CD_RW_DVD	DVD_RW_DL_DVD_RAM	FDD	Tape_Drives	LAN	Mouse	Keyboards	SCSI_Controller	RAID_Controller	Power_Pack	RAID_Option	SAS_Controller	FC_Controller	System_Option	Miscellaneous	Cable	Graphics	Code			End User Price (£)	Comments
Standard products																													
PRIMERGY BX600 S3																													
	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades, fan, 2 power supply 2100W without power cords, 2 dummy server blades, 1 special cable for connection to USB-CD-ROM / FD drive and 1x VGA, 1 special cable for connection to PS/2 and 1x VGA, ServerView, -Start, RemoteView on CD.																								S26361-K1156-V303			2459	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BX600 S3							
	PY BX600 S3 Blade Server System Unit	7U rack basic unit for 10 CPU-Blades incl. rack mounting kit, 2 Management-Blades, fan, 2 power supply 2100W with 2 power cords, dummy panels for all not plugged blade slots, 1 special cable for connection to KVM switch (2x PS/s, 1x VGA), 1 special cable for connection of released USB devices and monitor (2x USB, 1x VGA) to front side of the server blades, ServerView, -Start, RemoteView on CD.	S26361-K1156-V301			2459	

PRIMERGY BX620 S3

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY BX620 S3 - Dual-socket Intel® Xeon® server blade

Newest processors 1 – 2 Quad-Core Intel® Xeon® 5300 series from 1.60 up to 2.66 GHz and Dual-Core Intel® Xeon®; 5000 series from 3.00 up to 3.73 GHz and 5100 series from 1.60 up to 3.00 GHz with Front side bus frequencies from 667 up to 1333 MHz; Chipset Intel® 5000P (Blackford); FBD 533MHz, 4x2 DIMM sockets, 2 banks with 2 channels each, 2 memory controllers; memory mirroring mode and SDDC support; 2x Gigabit LAN ports via midplane at GbE switch or Pass-Thru blade; 1x VGA and 2x USB at the front via special cable; connection to the advanced KVM switch via the midplane; optional via midplane at FC or GbE switch or Pass-Thru blade: 2x 2-Gbit FibreChannel or 2x 1-Gbit Ethernet port; SAS (LSI 1068) - 2-channel SAS (RAID level 1) as pluggable storage module; SATA (from ESB2) - 2-channel SATA (RAID level 1) as pluggable storage module; Graphics ATI ES1000, 16Mbyte RAM; LAN (BCM5708) - 2x 1-channel Gbit Ethernet controller, - TOE, iSCSI and RDMA optional; Server management Baseboard management controller (BMC).

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BLADE BX620 S3							
	PY BX620 S3 /X 5110/ Server Blade	Dual Server Blade equipped with one Dual-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533MHz Fully Buffered DIMM PC2-4200F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V611			908	Phased out
	PY BX620 S3 /X 5150/ Server Blade	Dual Server Blade equipped with one Dual-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533/667MHz Fully Buffered DIMM PC2-4200F/5300F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V615			1329	Phased out
	PY BX620 S3 /X 5160/ Server Blade	Dual Server Blade equipped with one Dual-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533/667MHz Fully Buffered DIMM PC2-4200F/5300F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V616			1475	Phased out
	PY BX620 S3 /X 5148/ Server Blade	Dual Server Blade equipped with one Dual-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533/667MHz Fully Buffered DIMM PC2-4200F/5300F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V617			1214	Phased out
	PY BX620 S3 /X E5310/ Server Blade	Dual Server Blade equipped with one Quad-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533MHz Fully Buffered DIMM PC2-4200F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V710			929	Phased out

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BLADE BX620 S3 (Continued)							
	PY BX620 S3 /X E5320/ Server Blade	Dual Server Blade equipped with one Quad-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533MHz Fully Buffered DIMM PC2-4200F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V720			960	Phased out
	PY BX620 S3 /X L5320/ Server Blade	Dual Server Blade equipped with one low voltage Quad-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533MHz Fully Buffered DIMM PC2-4200F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V705			1025	Phased out
	PY BX620 S3 /X E5335/ Server Blade	Dual Server Blade equipped with one Quad-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533MHz Fully Buffered DIMM PC2-4200F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V735			1025	Phased out
	PY BX620 S3 /X E5345/ Server Blade	Dual Server Blade equipped with one Quad-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533MHz Fully Buffered DIMM PC2-4200F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V745			1139	Phased out
	PY BX620 S3 /X X5355/ Server Blade	Dual Server Blade equipped with one Quad-Core Intel Xeon processor for PRIMERGY BX600 S2 (max. 10 server blades), 4 bays for DDR2 533MHz Fully Buffered DIMM PC2-4200F ECC memory modules with SDDC, 2x 1-channel GBit Ethernet LAN on-board, different configurable Storage Modules to drive (controller) the internal SATA or SAS hard disks, 2 bays for 2.5" SATA or SAS HDD`s, RAID1 support for HDD`s, graphics controller ATI ES1000 16MB on-board.	S26361-K921-V755			1371	Phased out

PRIMERGY BX630

Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY BX630 - scalable dual socket server blade

The PRIMERGY Blade Ecosystem is a perfect choice for today's datacenter solutions, where the key demand is a reliable and innovative platform for performance and connectivity. Blade servers provide high performance and maximum redundancy with minimum rack space, power consumption and cabling effort. The Blade Ecosystem BX600 is designed for a broad range o application areas, from Web server or terminal server farms with lower performance demands all the way to high performance database or application server configurations. And if your business changes, PRIMERGY blade servers can grow easily to match new demands. They can even change their software configuration during operation if the load profiles vary. And they can be combined with all other rack-mounted devices without limits.

The PRIMERGY Advanced Blade Ecosystem BX600 is characterized by flexibility, allowing dynamic software reconfiguration and full control with a redundant single point of administration. The extensive software support for control, management and deployment minimizes administrative costs and frees you from time-consuming tasks to focus on your business. Our build-to-order process ensures that only fully built and pre-tested solutions are delivered to the customer, tailored to your requirements and ready to grow with your business needs.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BLADE BX630 Dual DP							
	PY BX630 Dual/OHE275 2x1M/2G	Dual Server Blade equipped with 1x AMD Opteron HE processor for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V522			1414	Phased out
	PY BX630 Dual/O275 2x1M/2G	Dual Server Blade equipped with 1x AMD Opteron processor for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V168			1380	Phased out
	PY BX630 Dual/O275 2x1M/4G	Dual Server Blade equipped with 1x AMD Opteron processor for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V169			1747	Phased out
	PY BX630 Dual/O280 2x1M/2G	Dual Server Blade equipped with 1x AMD Opteron processor for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V182			1421	Phased out
	PY BX630 Dual/O280 2x1M/4G	Dual Server Blade equipped with 1x AMD Opteron processor for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V183			1787	Phased out
	PY BX630 Dual/O285 2x1M/2G	Dual Server Blade equipped with 1x AMD Opteron processor for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V185			1536	Phased out
	PY BX630 Dual/O285 2x1M/4G	Dual Server Blade equipped with 1x AMD Opteron processor for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V186			1902	Phased out
PRIMERGY BLADE BX630 Dual MP							
	PY BX630 Dual/O875 2x1M/2G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V258			2001	Phased out
	PY BX630 Dual/O875 2x1M/4G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V259			2367	Phased out

PRIMERGY BX630

Data Sheets: http://www.fujitsu-siemens.com/primergy

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BLADE BX630 Dual MP (Continued)							
	PY BX630 Dual/O880 2x1M/2G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V282			2408	Phased out
	PY BX630 Dual/O880 2x1M/4G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V283			2774	Phased out
	PY BX630 Dual/O885 2x1M/2G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V285			3086	Phased out
	PY BX630 Dual/O885 2x1M/4G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V286			3453	Phased out
	PY BX630 Dual/O885 2x1M/8G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR-RAM PC-2700 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V292			6305	Phased out
	PY BX630 Dual/O890 2x1M/2G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V288			3833	Phased out
	PY BX630 Dual/O890 2x1M/4G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR 400 PC-3200 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V289			4199	Phased out
	PY BX630 Dual/O890 2x1M/8G	Dual Server Blade equipped with2x AMD Opteron processors (scalable to Quad) for PRIMERGY BX600 (max. 10 server blades), DDR-RAM PC-2700 ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, HDD controller (SATA or SAS) must be configured as decided, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), one bay can be optional occupied with a PCI slot module, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1025-V293			7052	Phased out
PRIMERGY BLADE BX630 S2 Dual							
	PY BX630 S2 Dual Server Blade	Dual Socket Server Blade configurable with 2 (not 1) Quad-Core AMD Opteron processors for PRIMERGY BX600 (up to 8*/10 server blades), DDR 667 PC-5300 registered ECC, 2x GBit Ethernet LAN on-board, one I/O on-board slot can be optional occupied with 1x Dual FC or 1x Dual LAN - I/O module, SAS/SATA HDD controller onboard, 2 bays for 3.5" SATA or SAS HDD`s (hot-plug), graphics controller (VGA) as part of the onboard Intelligent Remote Management Controller (iRMC), special connector for Y-cable with 2x USB and 1x VGA interface., * max. 8x in BX600S2! (not in slot 4 and 10)	S26361-K1131-V200			744	New product Price change Deliverable from: 29/11/2007 Orderable from: 12/12/2007
PRIMERGY BLADE BX630 Quad							

PRIMERGY BX630

Data Sheets: http://www.fujitsu-siemens.com/primergy

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BLADE BX630 Quad (Continued)							
	PY BX630 Quad/O875 2x1M/2G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V258			5721	Phased out
	PY BX630 Quad/O875 2x1M/4G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V259			6088	Phased out
	PY BX630 Quad/O880 2x1M/2G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V282			6128	Phased out
	PY BX630 Quad/O880 2x1M/4G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V283			6494	Phased out
	PY BX630 Quad/O885 2x1M/2G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V285			7485	Phased out
	PY BX630 Quad/O885 2x1M/4G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V286			7852	Phased out
	PY BX630 Quad/O885 2x1M/8G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR-RAM PC-2700 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V292			10704	Phased out
	PY BX630 Quad/O890 2x1M/2G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V288			8978	Phased out
	PY BX630 Quad/O890 2x1M/4G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR 400 PC-3200 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V289			9344	Phased out
	PY BX630 Quad/O890 2x1M/8G	Quad Server Blade equipped with 4x AMD Opteron processors for PRIMERGY BX600 (max. 5 server blades), DDR-RAM PC-2700 ECC, 4x GBit Ethernet LAN on-board, two I/O on-board slots can be optional occupied with 2x Dual FC or 2x Dual LAN - I/O modules, one SAS controller must be configured if SAS HDD`s are used, 4 bays for 3.5" SAS HDD`s (hot-plug), the 2 lower bays can be optional occupied with PCI slot modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface.	S26361-K1026-V293			12195	Phased out
PRIMERGY BLADE BX630 8-way							

PRIMERGY BX630

Data Sheets: http://www.fujitsu-siemens.com/primergy

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY BLADE BX630 8-way (Continued)							
	PY BX630 8-way/O880 2x1M/16G	8-way Server Blade equipped with 8x AMD Dual-Core Opteron processors for PRIMERGY BX600 S2 (max. 2 server blades), DDR 400 PC-3200 ECC, 8x GBit Ethernet LAN on-board, up to 2 SAS controller must be configured if SAS hard disks are used, 4 bays for 3.5" SATA HDD`s (hot-plug), four I/O on-board slots can be optional occupied with 2x Dual FC or 4x Dual LAN - I/O modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface	S26361-K1027-V282			17873	Phased out
	PY BX630 8-way/O880 2x1M/32G	8-way Server Blade equipped with 8x AMD Dual-Core Opteron processors for PRIMERGY BX600 S2 (max. 2 server blades), DDR 400 PC-3200 ECC, 8x GBit Ethernet LAN on-board, up to 2 SAS controller must be configured if SAS hard disks are used, 4 bays for 3.5" SATA HDD`s (hot-plug), four I/O on-board slots can be optional occupied with 2x Dual FC or 4x Dual LAN - I/O modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface	S26361-K1027-V283			21807	Phased out
	PY BX630 8-way/O885 2x1M/16G	8-way Server Blade equipped with 8x AMD Dual-Core Opteron processors for PRIMERGY BX600 S2 (max. 2 server blades), DDR 400 PC-3200 ECC, 8x GBit Ethernet LAN on-board, up to 2 SAS controller must be configured if SAS hard disks are used, 4 bays for 3.5" SATA HDD`s (hot-plug), four I/O on-board slots can be optional occupied with 2x Dual FC or 4x Dual LAN - I/O modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface	S26361-K1027-V285			20586	Phased out
	PY BX630 8-way/O885 2x1M/32G	8-way Server Blade equipped with 8x AMD Dual-Core Opteron processors for PRIMERGY BX600 S2 (max. 2 server blades), DDR 400 PC-3200 ECC, 8x GBit Ethernet LAN on-board, up to 2 SAS controller must be configured if SAS hard disks are used, 4 bays for 3.5" SATA HDD`s (hot-plug), four I/O on-board slots can be optional occupied with 2x Dual FC or 4x Dual LAN - I/O modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface	S26361-K1027-V286			24520	Phased out
	PY BX630 8-way/O890 2x1M/16G	8-way Server Blade equipped with 8x AMD Dual-Core Opteron processors for PRIMERGY BX600 S2 (max. 2 server blades), DDR 400 PC-3200 ECC, 8x GBit Ethernet LAN on-board, up to 2 SAS controller must be configured if SAS hard disks are used, 4 bays for 3.5" SATA HDD`s (hot-plug), four I/O on-board slots can be optional occupied with 2x Dual FC or 4x Dual LAN - I/O modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface	S26361-K1027-V288			23706	Phased out
	PY BX630 8-way/O890 2x1M/32G	8-way Server Blade equipped with 8x AMD Dual-Core Opteron processors for PRIMERGY BX600 S2 (max. 2 server blades), DDR 400 PC-3200 ECC, 8x GBit Ethernet LAN on-board, up to 2 SAS controller must be configured if SAS hard disks are used, 4 bays for 3.5" SATA HDD`s (hot-plug), four I/O on-board slots can be optional occupied with 2x Dual FC or 4x Dual LAN - I/O modules, graphics controller ATI Radeon 7000-M 16MB on-board, special connector for Y-cable with 2x USB and 1x VGA interface	S26361-K1027-V289			27640	Phased out

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
Processor																						
	Xeon DP 3.6GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB			x													S26361-F2549-L316			736	
	Xeon DP 2.8GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB			x													S26361-F2549-L317			268	
	Xeon DP 3.0GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB			x													S26361-F2549-L318			336	
	Xeon DP 3.4GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB			x													S26361-F2549-L320			540	
	Xeon DP 3.8GHz 2MB 800MHz	heat sink, PDA function, 800MHz FSB			x													S26361-F2549-L321			895	
	Xeon DP 5050 3.00GHz 2x2MB 667MHz	Xeon DP dual core, 3,00GHz, 2x2MB SLC ECC, 667MHz FSB, VT/HT/DBS, heat sink, PDA function				x												S26361-F2549-L344			220	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3,20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function				x												S26361-F2549-L345			356	
	Xeon DP 5080 3.73GHz 2x2MB 1066MHz	Xeon DP dual core, 3,73GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT/DBS, heat sink, PDA function				x												S26361-F2549-L347			865	
	Xeon MV DP 5063 3.20GHz 2x2MB 1066MHz	Xeon MV DP dual core, 3,73GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function				x												S26361-F2549-L349			424	
	PY BX630 upgrade kit Dual to Quad	upgrades from 2x Dual Blade to Quad Blade								x								S26361-F3162-L1			1560	
	Opteron 246 2.0GHz 1MB	heat sink, 1MB SLC ECC protected							x									S26361-F3180-L246			187	
	Opteron 250 2.4GHz 1MB	heat sink, 1MB SLC ECC protected							x									S26361-F3180-L250			254	Phased out
	Opteron 252 2.6GHz 1MB	heat sink, 1MB SLC ECC protected							x									S26361-F3180-L252			261	Phased out
	Opteron 254 2.8GHz 1MB	heat sink, 1MB SLC ECC protected							x									S26361-F3180-L254			329	Phased out
	Opteron 256 3.0GHz 1MB	heat sink, 1MB SLC ECC protected							x									S26361-F3180-L256			465	
	Opteron 265 1.8GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected							x									S26361-F3180-L265			200	
	Opteron 270 2.0GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected							x									S26361-F3180-L270			227	
	Opteron 275 2.2GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected							x									S26361-F3180-L275			227	
	Opteron 280 2.4GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected							x									S26361-F3180-L280			268	
	Opteron 285 2.6GHz 2x1MB	Dualcore, heat sink, 2x1MB SLC ECC protected							x									S26361-F3180-L285			384	
	Opteron 275 HE 2.2GHz, 2x 1MB	Dualcore HE, heat sink, 2x1MB SLC ECC protected							x									S26361-F3180-L575			329	
	Xeon DP 5110 1.60GHz 4MB 1066MHz	Xeon DP dual core, 1,60GHz, 4MB shared SLC ECC, 1066MHz FSB, VT, heat sink, PDA function				x	x											S26361-F3351-L160			220	
	Xeon DP 5130 2.00GHz 4MB 1333MHz	Xeon DP dual core, 2,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT, heat sink, PDA function				x	x											S26361-F3351-L200			336	
	Xeon DP 5140 2.33GHz 4MB 1333MHz	Xeon DP dual core, 2,33GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L233			451	
	Xeon LV DP 5148 2.33GHz 4MB 1333MHz	Xeon LV DP 5148 2.33GHz 4MB 1333MHz, low voltage dual core CPU, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L234			526	
	Xeon DP 5150 2.66GHz 4MB 1333MHz	Xeon DP dual core, 2,66GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L266			641	
	Xeon DP 5160 3.00GHz 4MB 1333MHz	Xeon DP dual core, 3,00GHz, 4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heat sink, PDA function				x	x											S26361-F3351-L300			787	
	Xeon LV DP L5320 1.86GHz 2x4MB 1066MHz	Xeon Low Voltage DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L150			336	
	Xeon DP E5310 1.60GHz 2x4MB 1066MHz	Xeon DP quad core, 1,60GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT, heatsink, PDA function				x	x											S26361-F3452-L160			240	
	Xeon DP E5320 1.86GHz 2x4MB 1066MHz	Xeon DP quad core, 1,86GHz, 2x4MB shared SLC ECC, 1066MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L186			272	
	Xeon DP E5335 2.00GHz 2x4MB 1333MHz	Xeon DP quad core, 2,00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT, heatsink, PDA function				x	x											S26361-F3452-L200			336	
	Xeon DP E5345 2.33GHz 2x4MB 1333MHz	Xeon DP quad core, 2,33GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L233			451	
	Xeon DP X5355 2.66GHz 2x4MB 1333MHz	Xeon DP quad core, 2,66GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function				x	x											S26361-F3452-L266			681	
	Xeon DP X5365 3.00GHz 2x4MB 1333MHz	Xeon DP quad core, 3.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function					x											S26361-F3452-L300			1119	
	Xeon LV DP L5335 2.00GHz 2x4MB 1333MHz	Xeon Low Voltage DP quad core, 2.00GHz, 2x4MB shared SLC ECC, 1333MHz FSB, VT/DBS, heatsink, PDA function					x											S26361-F3452-L400			400	
Memory																						
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, lp, registered DDR 266MHz, Chipkill		x														S26361-F2762-L826			976	Phased out
	1GB 2x512MB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz			x													S26361-F3072-L521			122	
	2GB 2x1GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz			x													S26361-F3072-L522			211	
	4GB 2x2GB DDR2-400 PC2-3200 rg ECC	2 modules, registered DDR2 400MHz			x													S26361-F3072-L523			569	
	MEM 1GB 2x512 DDR400 PC3200 rg ECC	2 modules 512MB each, registerd DDR1 400MHz						x	x	x	x							S26361-F3166-L521			133	
	MEM 2GB 2x1GB DDR400 PC3200 rg ECC	2 modules 1GB each, registerd DDR1 400MHz						x	x	x	x							S26361-F3166-L522			265	
	MEM 4GB 2x2GB DDR400 PC3200 rg d ECC	2 modules 2GB each, registerd DDR1 400MHz						x	x	x	x							S26361-F3166-L523			631	
	MEM 8GB 2x4GB DDR333 PC2700 rg d ECC	2 modules 4GB each, registerd dual rank DDR1 333MHz						x	x	x	x							S26361-F3166-L524			3484	
	MEM 1GB 2x512MB FBD667 PC2-5300F ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x											S26361-F3230-L521			112	
	MEM 2GB 2x1GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x											S26361-F3230-L522			193	
	MEM 4GB 2x2GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x											S26361-F3230-L523			387	
	MEM 8GB 2x4GB FBD667 PC2-5300F d ECC	2 modules, Fully Buffered DIMM DDR2 667MHz with SDDC				x	x											S26361-F3230-L524			1288	
	MEM 4GB 2x2GB FBD533 PC2-4200F d ECC	2 modules, Fully Buffered DIMM DDR2 533MHz with SDDC				x												S26361-F3313-L523			468	
	1GB 2x512MB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC										x						S26361-F3449-L511			105	
	2GB 2x1GB DDR2-667 PC2-5300 rg ECC	2 modules, registered DDR2 667MHz with SDDC										x						S26361-F3449-L512			187	
	4GB 2x2GB DDR2-667 PC2-5300 rg d ECC	2 modules, registered DDR2 667MHz with SDDC										x						S26361-F3449-L513			380	
	8GB 2x4GB DDR2-667 PC2-5300 rg d ECC	2 modules, registered DDR2 667MHz with SDDC										x						S26361-F3449-L514			1238	
	512MB DDR266 PC2100 rg ECC	1 module, registered DDR 266MHz	x															S26361-F2762-L514			119	Phased out
	1GB 2x512MB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz		x									x					S26361-F2762-L524			220	
	1GB DDR266 PC2100 rg ECC	1 module, registered DDR 266MHz	x															S26361-F2762-L515			246	Phased out
	2GB 2x1GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz		x									x					S26361-F2762-L525			407	
	4GB 2x2GB DDR266 PC2100 rg ECC	2 modules, registered DDR 266MHz											x					S26361-F2762-L526			976	
Removable Media Drives																						
	FDD USB (external)	external USB FDD, USB cable included	x	x	x	x	x		x	x	x	x	x					S26391-F264-L226			36	
	MEMORYBIRD P 2GB					x	x	x	x	x	x							S26391-F6047-L102			48	
	MEMORYBIRD P 4GB					x	x	x	x	x	x							S26391-F6047-L104			66	
	External DVD Dual Slim Slot-In Drive	include USB 2.0 data cable; AC adapter Retail packaging	x	x	x	x	x	x	x	x	x	x	x					S26391-F7119-L100			116	
Hard Disk Drives																						
	HDD U320 146GB 15k hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x									x					S26361-F2764-L514			384	
	HDD U320 15k 300GB hot plug 1"	15.000 rpm with 1" frame, U320 SCSI		x									x					S26361-F2764-L530			695	
	HDD IDE 60GB 5.4k non hot plug 2.5"	60GB, 2.5", 5.400 UpM, 9.5mm height	x															S26361-F3061-L60			218	Phased out
	HDD U320 146GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x								x					S26361-F3121-L114			218	
	HDD U320 300GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x								x					S26361-F3121-L130			384	
	HDD U320 73GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x								x					S26361-F3121-L173			153	
	HDD U320 146GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x								x					S26361-F3121-L514			274	
	HDD U320 300GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x								x					S26361-F3121-L530			553	
	HDD U320 36GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x								x					S26361-F3121-L536			146	
	HDD U320 73GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s			x								x					S26361-F3121-L573			180	
	HD SAS 3GB/s 146GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x	x	x	x							S26361-F3204-L114			231	Phased out
	HD SAS 3GB/s 300GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x	x	x	x							S26361-F3204-L130			384	
	HD SAS 3GB/s 73GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x	x	x	x							S26361-F3204-L173			153	Phased out
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x	x	x	x							S26361-F3204-L514			220	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x	x	x	x							S26361-F3204-L530			448	
	HD SAS 3GB/s 36GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x	x	x	x							S26361-F3204-L536			146	
	HD SAS 3GB/s 73GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x	x	x	x							S26361-F3204-L573			155	
	HDD SAS 146GB 10k 3GB/s hot plug 2.5"	10.000 UpM				x	x					x						S26361-F3208-L114			207	
	HDD SAS 36GB 10k 3GB/s hot plug 2.5"	10.000 UpM				x	x					x						S26361-F3208-L136			149	Phased out
	HDD SAS 73GB 10k 3GB/s hot plug 2.5"	10.000 UpM				x	x					x						S26361-F3208-L173			155	
	HDD SAS 36GB 15k 3GB/s hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug				x	x					x						S26361-F3208-L536			196	
	HDD SAS 73GB 15k 3GB/s hot plug 2.5"	15.000 rpm with 1" frame, , 2.5" SAS, hot plug				x	x					x						S26361-F3208-L573			245	
	HDD SATA 60GB 7.2k hot plug 2.5"	7.200 rpm				x	x					x						S26361-F3209-L60			105	Phased out
	HD SATA 160GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"							x	x								S26361-F3218-L160			68	
	HD SATA 250GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"							x	x								S26361-F3218-L250			92	
	HD SATA 500GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"							x	x								S26361-F3218-L500			184	
	HD SATA 80GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"							x	x								S26361-F3218-L80			54	
	HDD 73GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x									x					S26361-F2764-L173			169	Phased out
	HDD 146GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x									x					S26361-F2764-L114			240	Phased out
	HDD 73GB 15k U320 hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x									x					S26361-F2764-L573			224	
SCSI/RAID/SAS controller																						
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI			x				x	x	x							S26361-F2399-L1			142	
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI				x	x											S26361-F2737-L201			142	
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB			x													S26361-F3006-L128			468	
	RAID Ctrl 2-Channel 256MB BBU LSI	LSI 320-2, TBBU, U320, PCI-X controller, 256MB							x	x	x							S26361-F3090-L256			672	
	BBU onboard RAID Controller xX600 Sx	BBU modul for RAID onboard controller			x													S26361-F3128-L20			162	

Blade Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
SCSI/RAID/SAS controller (Continued)																						
	PCI slot carrier module for BX630	for mounting of PCI-X card (on lower HD position), full height, half length							x	x	x							S26361-F3159-L1			339	
SATA/SAS controller																						
	SATA Storage module	SATA Controller incl. mounting kit, RAID1support for 2 SATA hard disks				x	x											S26361-F3207-L1			34	
	SAS Storage module	SAS Controller incl. mounting kit, RAID1support for 2 SAS hard disks				x	x											S26361-F3207-L2			135	
	SAS/PCI-X Storage module	SAS Controller, PCI-X slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks				x	x											S26361-F3207-L3			220	
	SAS/PCIe Storage module	SAS Controller, PCIe slot for lp cards incl. mounting kit, RAID1support for 2 SAS hard disks				x	x											S26361-F3207-L4			220	
	SAS/RAID Storage module	SAS/RAID Controller, iTBBU/256MB Cache incl. mounting kit, RAID1support for 2 SAS hard disks				x	x											S26361-F3207-L5			593	
	SAS controller I/O module	2-channel SAS LSI1068 controller						x	x	x	x							S26361-F3315-L2			85	
	SATA Controller I/O Modul	4-channel SATA controller (Promise)							x	x								S26361-F3326-L2			51	
Fibre Channel																						
	FC module 2x2GBit/s BX600-FC22Q	Qlogic, 2GBit/s, 133MHz PCI-X, 2-channel			x	x	x	x	x	x	x		x					S26361-F3023-L2			424	
	GBE LAN I/O module (PCI-X)	Intel Ethernet LAN, 1GBit/s, 133MHz PCI-X, 2-channel		x	x	x		x	x	x	x							S26361-F3111-L1			92	
	FC Ctrl 2GBit/s LP1050 MMF LC	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, 1-channel, LC inferface			x				x	x	x							S26361-F3141-L10			576	
	FC Ctrl 2GBit/s LP1050 MMF LC LP	Emulex LP1050, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface				x	x											S26361-F3141-L210			576	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inferface					x											S26361-F3306-L201			549	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface				x	x											S26361-F3306-L202			821	
	FC module 2x4GBit/s BX600-FC42E	FC module 2x4GBit/s BX600-FC42E, exclusively in combination with the Fibre Channel Switches PY BX600 4/4GB FC Switch 12Port (SW4016-D4) or PY BX600 4/4GB FC Switch 16Port (SW4016-D4)					x											S26361-F3306-L601			404	
	GBE LAN I/O Module (PCIe)	Broadcom Ethernet LAN, 1GBit/s, PCIe, 2-channel			x	x	x											S26361-F3451-L1			200	
	FC Ctrl 4GBit/s QLE2462 MMF LC LP	QLE2462 , 4GBit/s, 2 channel FC controller, PCIe x4, low profile, MMF LC inferface, This controller is in PRIMERGY server not certified for Microsoft Cluster.				x	x											S26361-F3483-L202			1025	
Communication/Network																						
	PY BX600 GBE Switch Blade(Cisco CBS3040)	Interfaces: external 2x RJ45, 4xSFP sockets , - please read configuration hints!													x	x	x	S26361-F2297-L1			2869	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu lp	Intel Pro/1000MT Dual Port Server Adapt. with PCI-X bus, also for PCI64 and PCI32 10/100/1000TX, low profile PCI	x			x	x											S26361-F3011-L201			139	
	FC Pass-Thru Blade for BX600	Interfaces: external 10 ports for GBIC/SFP modules													x	x	x	S26361-F3024-L1			865	
	GBE Pass-Thru Blade for BX600	Interfaces: external 10x RJ45 sockets (1000 Base-T full duplex)													x	x	x	S26361-F3112-L1			506	
	BX600 digital KVM switch	Keyboard Video Mouse Switch, Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.														x	x	S26361-F3113-L102			879	
	KVM module	Interfaces: external 1x special connector to connect the special cable (part of the BX600 System Unit delivery), which provides 2x PS/2 and 1x VGA.													x	x	x	S26361-F3113-L2			119	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile	x															S26361-F3142-L201			51	
	PY BX600 4/4GB FC Switch 12port (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 12 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E															x	S26361-F3144-L14			3696	
	PY BX600 4/4GB FC Switch 16port (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 16 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC42E															x	S26361-F3144-L16			4884	
	PY BX600 4GB FC Switch 8/4 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 12 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal 2GB/sec and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC22Q														x	x	S26361-F3144-L4			4035	
	PY BX600 4GB FC Switch 10/6 (SW4016)	Brocade Silkworm 4016 incl. Lizenz for 16 Port with automatic assigment of active ports (DPOD = Dynamic Ports on Demand), Full Fabric and Access Gateway support, interfaces: 6 bays for SFP modules, supports internal 2GB/sec and external 4GB/sec Fibre Channel datarate, requires coercively the Fibre Channel mezzanine card BX600-FC22Q														x	x	S26361-F3144-L6			5222	
	PY BX600 GBE Switch Blade 10/6	Interfaces: external 6x RJ45 sockets , - please read configuration hints!													x	x	x	S26361-F3206-L6			831	
	PY BX600 GBE Switch Blade 10/6+2	Interfaces: external 6x RJ45 sockets, 1xCX4 socket, 1x slot for XFP module, - please read configuration hints!														x	x	S26361-F3206-L8			1353	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu	Intel Pro 1000GT Dual Port Server Adapter			x				x	x	x							S26361-F3227-L2			139	
	Eth Ctrl 2x1GBit PCI-X PRO/1000GT Cu lp	Intel Pro 1000GT Dual Port Server Adapter, low profile PCI				x	x											S26361-F3227-L202			139	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter				x	x											S26361-F3228-L201			139	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter				x	x											S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter				x	x											S26361-F3242-L201			252	
	PY BX600 GBE Switch Blade 30/12	Interfaces: external 12x RJ45 sockets (1000 Base-T full duplex)- please read configuration hints!															x	S26361-F3467-L1			1896	
	BX600 GBE Intelligent Blade Panel 10/6	Interfaces: external 6x RJ45 sockets , - please read configuration hints!														x	x	S26361-F3860-L1			688	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter		x	x				x	x	x							S26361-F3011-L1			139	
Rack-Infrastructure																						
	cable management arm for 3rd party racks	all-purpose for PRIMERGY server in 3rd party racks and PRIMERGY 19" Classic Racks												x	x	x	x	S26361-F2201-L20			34	
	Dummy Server Blade	Dummy CPU Blade													x	x	x	S26361-F3025-L1			24	
PRIMERGY-Software																						
	VMware VMotion w/1yr SNS	VMotion for VMware VI-STD w/1yr SNS OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.			x	x	x	x	x	x	x							S26361-F2341-L323			791	
	VMware VMotion w/3yr SNS	VMotion for VMware VI-STD w/3yr SNS OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VMotion. , Requires VMware Infrastructure Standard Edition.			x	x	x	x	x	x	x							S26361-F2341-L326			1074	
	VMware VMS-VCMS-BUN-C	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system.			x	x	x	x	x	x	x							S26361-F2341-L327			875	
	VMware VMS-VCMS-BUN-C DistributionOnly	VMware VirtualCenter for VMware Server and Support Bundle. Includes one Activation Key for VMware VirtualCenter Management Server for VMware Server, three 2-CPU-agents, and two support incidents. Is designed and licensed for use exclusively with VMware Server. Requires VirtualCenter for VMware Server binaries download from VMware. Requires a Windows Server 2003 operating system., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.			x	x	x	x	x	x	x							S26361-F2341-L328			655	
	VMware VI-STD w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.			x	x	x	x	x	x	x							S26361-F2341-L333			2119	
	VMware VI-STD w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.			x	x	x	x	x	x	x							S26361-F2341-L334			2876	
	VMware VI-EE w/1yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.			x	x	x	x	x	x	x							S26361-F2341-L335			3249	
	VMware VI-EE w/3yr SNS DistributionOnly	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription., Distributors must bundle the license with a certified PRIMERGY server and must ensure that the license is only sold together with the PRIMERGY server.			x	x	x	x	x	x	x							S26361-F2341-L336			4412	
	VMware RN SNS 1yr for VDI-STD-100	Renewal SNS Support and Subscription from FSC for VDI-STD-100 OEM			x	x	x	x	x	x	x							S26361-F2341-L364			2282	
	VMware RN SNS 1yr for VDI-ENT-100	Renewal SNS Support and Subscription from FSC for VDI-ENT-100 OEM			x	x	x	x	x	x	x							S26361-F2341-L365			3586	
	ESCoD V3.0 Installation Package	ESCoD V3.0 Installation package	x	x	x								x					U24529-C50			1042	
	FlexFrame AN Lizenz f.1PY RX300\BX dual	"FlexFrame License for one PRIMERGY BX620S3. Additional it is mandatory to order 3rd Level support for each server!"			x	x			x	x								S26361-F2346-L322			2091	
	FlexFrame-AN-License f. 1 PY BX630 Quad	FlexFrame License for one PRIMERGY BX630quad. , Additional it is mandatory to order 3rd Level support for each server!									x							S26361-F2346-L325			6259	
	PRIMERGY MultiPath Linux\WinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, licence for 1 Server			x	x	x		x	x	x	x	x					U15000-C197			593	
	FlexFrame AN L3Supp 3y f.1RX300\BX dual	"FlexFrame 3rd Level Support for 3 years for BX620S3 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!) "			x	x	x		x	x								S26361-F2346-L332			1320	
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003			x	x	x		x	x	x	x	x					U15000-C278			593	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
PRIMERGY-Software (Continued)																						
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY , configuration, includes MultiPath (1 License per Server)		x	x	x	x		x	x	x	x	x					U15000-C196			1862	
	FlexFrame-AN-L3Supply f.1 PY BX630Quad	FlexFrame 3rd Level , Support for 3 years for BX630quad (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)									x							S26361-F2346-L335			4026	
	PRIMERGY ServerStart Bundle subscription	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x						x	x	x	x		x	x			U15000-C176			146	
	RemoteDeploy 3.x Single license	Single license for operation of one client server (managed node) under RD 3.x	x	x	x	x		x	x	x	x		x	x				U15000-C262			94	
	Single Upgrade license from	License for upgrading from RD2.0 up to RD3.0.	x	x	x	x	x		x	x	x	x	x					U15000-C265			16	
	RemoteDeploy V4.0 Software CD	Full version with license key for SW usage - no license.	x	x	x	x	x		x	x	x		x	x				U15000-C286			20	
	RemoteDeploy 4.x Single License	Single license for operation of one client server (managed node) under RD 4.x	x	x	x	x	x		x	x	x	x	x	x				U15000-C287			95	
	RemoteDeploy 4.0 Single Upgrade License	for upgrades of one 3.x single license to version 4.0 - no software!	x	x	x	x	x		x	x	x		x	x				U15000-C288			41	
	Altiris Server Deployment Solution 6	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x		x	x	x	x	x	x				U15000-C251			122	
	Altiris Server Deployment AUP	Annual upgrade protection for Deployment Solution (to be ordered for each system)	x	x	x	x	x		x	x	x	x	x	x				U15000-C255			19	
	Altiris Premium Support Pack	1 year support package for Altiris	x	x	x	x	x		x	x	x	x	x	x				U15000-C259			9412	
	Altiris 5 Incidents Support	5 support incidents for Altiris	x	x	x	x	x		x	x	x	x	x	x				U15000-C260			1272	
	Altiris Server Management Suite - Level1	Single license for operation of one client server (to be ordered for each system)	x	x	x	x	x		x	x	x	x	x	x				U15000-C267			162	
	Altiris Server Management Suite - L1 AUP	Annual upgrade protection for Mangement Suite (to be ordered for each system)	x	x	x	x	x		x	x	x	x	x	x				U15000-C271			22	
	MS Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) GB	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L610			16	
	MS 1 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) D	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L611			16	
	MS 1 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 Device CAL Version) F	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L613			16	
	MS 5 Device CAL for Win Server 2003, GB	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) GB	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L650			72	Price change
	MS 5 Device CAL for Win Server 2003, D	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) D	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L651			72	Price change
	MS 5 Device CAL for Win Server 2003, I	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) I	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L652			72	Price change
	MS 5 Device CAL for Win Server 2003, F	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) F	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L653			72	Price change
	SUSE Linux ES BX600 +1Y	SUSE Linux Enterprise Server for all platforms BX600 System Unit 1-Year subscription (renewal)				x	x	x	x	x	x	x			x		x	S26361-F2346-L131			982	
	MS 5 Device CAL for Win Server 2003, E	Microsoft Device Access License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 Device CAL Version) E	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L654			72	Price change
	MS 1 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) GB	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L620			16	
	MS 1 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) D	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L621			16	
	MS 1 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) I	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L622			16	
	MS 1 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (1 User CAL Version) F	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L623			16	
	MS 5 User CAL for Win Server 2003, GB	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) GB	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L660			72	Price change
	MS 5 User CAL for Win Server 2003, D	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) D	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L661			72	Price change
	MS 5 User CAL for Win Server 2003, I	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) I	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L662			72	Price change
	MS 5 User CAL for Win Server 2003, F	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) F	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L663			72	Price change
	MS 5 User CAL for Win Server 2003, E	Microsoft User Client License Pack for Windows Server 2003 products, Standard, Enterprise, Datacenter Edition, 32bit and 64bit (5 User CAL Version) E	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L664			72	Price change
	MS 5 Device TS-CAL Win Server 2003, GB	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, GB	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L670			236	Price change
	MS 5 Device TS-CAL Win Server 2003, D	Microsoft Device Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 Device TS-CAL Version, D	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L671			236	Price change
	MS 5 User TS-CAL Win Server 2003, GB	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, GB	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L680			236	Price change
	MS 5 User TS-CAL Win Server 2003, D	Microsoft User Terminal Server Client License Pack für Windows Server 2003 Produkte, 32bit und 64bit Standard, Enterprise und Datacenter Edition, 5 User TS-CAL Version, D	x	x	x	x	x		x	x	x	x	x					S26361-F2565-L681			236	Price change
	ServerView Integration V2.0	ServerView Integration V2.0 CD and node licence for HP OpenView NNM and Operations IBM NetView and ServerView Plus TEC&Inventory	x	x	x	x	x		x	x	x	x	x					U15051-C108			68	
	SUSE Linux ES 32-CPU +1Y	SUSE Linux Enterprise Server for all platforms 1-Server up to 32-CPU sockets 1-Year subscription (renewal)	x	x	x	x	x		x	x		x	x					S26361-F2346-L111			196	
	SUSE Linux ES 9 x86 and x86_64 Media Kit	SUSE Linux Enterprise Server 9 for x86 and for AMD64 and Intel EM64T media kit	x	x	x	x	x		x	x	x	x	x					S26361-F2346-L109			58	
	SUSE Linux ES 8 x86 Media Kit	SUSE Linux Enterprise Server 8 for x86 media kit	x	x	x								x					S26361-F2346-L110			58	
	SUSE Linux ES 10 x86 and x86_64 Media	SUSE Linux Enterprise Server 10 for x86, AMD64 and Intel EM64T media kit			x	x	x	x	x	x	x	x						S26361-F2346-L192			58	
	Red Hat EL AP +1Y	Red Hat Enterprise Linux AP renewal for all platforms 1-Server 1-Year.		x		x	x		x	x	x	x	x					S26361-F2346-L201			488	
	Red Hat EL <=2CPU +1Y	Red Hat Enterprise Linux up to 2-CPU sockets renewal for all platforms 1-Server 1-Year.	x	x	x	x	x		x	x		x	x					S26361-F2346-L211			258	
	Red Hat EL 5 SRV x86 & x86_64 Media Kit	Red Hat Enterprise Linux ES 5 Server media kit for x86 & x86_64.				x		x	x	x	x	x						S26361-F2346-L292			34	
	Win Server 2003 R2, ROK SE SP2, GB	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L230			382	
	Win Server 2003 R2, ROK SE SP2, D	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L231			369	Price change
	Win Server 2003 R2, ROK SE SP2, I	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L232			369	Price change
	Win Server 2003 R2, ROK SE SP2, F	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L233			369	Price change
	Win Server 2003 R2, ROK SE SP2, E	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L234			369	Price change

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
PRIMERGY-Software (Continued)																						
	Win Server 2003 R2, ROK SE SP2, CZ	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L235			369	Price change
	Win Server 2003 R2, ROK SE SP2, PL	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L236			369	Price change
	Win Server 2003 R2, ROK SE SP2, RUS	The Windows Server 2003 R2 ROK Standard Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L237			369	New product Price change
	Win Server 2003 R2, ROK SE x64 SP2, GB	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L270			382	
	Win Server 2003 R2, ROK SE x64 SP2, D	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L271			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, I	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L272			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, F	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L273			369	Price change
	Win Server 2003 R2, ROK SE x64 SP2, E	The Windows Server 2003 R2 ROK Standard x64 Edition SP2 channel product (Reseller Option Kit) is only available for distribution and is only installable on PRIMERGY HW., , Attention: This part number will be blocked in P82 and will be shipped only with signed Server BIOS Lock Distribution Agreement. Please address related contract questions to your Sales Rep., , Contains: OEM CD, Microsoft Product Identifier (with certificate of authenticity - COA - for attaching to the PRIMERGY server system), Reseller Distribution License Agreement, End-User License Agreement (EULA) and manual.			x	x	x		x	x	x	x	x					S26361-F2565-L274			369	Price change
	VMware VI CD-ROM Media Kit	Virtual Infrastructure 3 Media Kit OEM Media Kit Only No License.			x	x	x	x	x	x	x	x						S26361-F2341-L300			54	
	VMware VI-STRT w/1yr SNS	Virtual Infrastructure 3 Starter OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.			x	x	x		x	x	x	x						S26361-F2341-L301			1072	
	VMware VI-STRT w/3yr SNS	Virtual Infrastructure 3 Starter OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.			x	x	x		x	x	x	x						S26361-F2341-L302			1825	
	VMware VI-STD w/1yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.			x	x	x	x	x	x	x	x						S26361-F2341-L303			2646	
	VMware VI-STD w/3yr SNS	Virtual Infrastructure 3 Standard OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.			x	x	x	x	x	x	x	x						S26361-F2341-L304			3654	
	VMware VI-EE w/1yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 1 year SNS Support and Subscription.			x	x	x	x	x	x	x	x						S26361-F2341-L305			4049	
	VMware VI-EE w/3yr SNS	Virtual Infrastructure 3 Enterprise OEM License for 2 sockets; additive licenses with 3 year SNS Support and Subscription.			x	x	x	x	x	x	x	x						S26361-F2341-L306			5605	
	VMware VI-STR-STD-UG w/1yr SNS	VI3 Starter to Standard Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS.			x	x	x		x	x	x	x	x					S26361-F2341-L309			1836	
	VMware VI-STR-STD-UG w/3yr SNS	VI3 Starter to Standard Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS.			x	x	x		x	x	x	x	x					S26361-F2341-L310			2378	
	VMware VI-STR-ENT-UG w/1yr SNS	VI3 Starter to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS.			x	x	x		x	x	x	x	x					S26361-F2341-L311			3171	
	VMware VI-STR-ENT-UG w/3yr SNS	VI3 Starter to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS.			x	x	x		x	x	x	x	x					S26361-F2341-L312			4107	
	VMware VI-STD-ENT-UG w/1yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 1 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.			x	x	x	x	x	x	x	x	x					S26361-F2341-L313			2002	
	VMware VI-STD-ENT-UG w/3yr SNS	VI3 Standard to Enterprise Upgrade OEM for 2 sockets, additive licenses with 3 year SNS Support and Subscription. Includes VSMP, VMFS, VMotion, HA, DRS, VCB.			x	x	x	x	x	x	x	x	x					S26361-F2341-L314			2594	
	VMware VCMS w/1yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 1 year SNS Support and Subscription.			x	x	x	x	x	x	x	x						S26361-F2341-L321			2825	
	VMware VCMS w/3yr SNS	VirtualCenter Management Server 2 OEM License per VCMS application instance with 3 year SNS Support and Subscription.			x	x	x	x	x	x	x	x						S26361-F2341-L322			3529	
	VMware RN SNS 1yr for VI-STRT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Starter OEM			x	x	x		x	x	x	x						S26361-F2341-L350			420	
	VMware RN SNS 1yr for VI-STD	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Standard OEM			x	x	x	x	x	x	x	x						S26361-F2341-L351			488	
	VMware RN SNS 1yr for VI-EE	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for Virtual Infrastructure 3 Enterprise OEM			x	x	x	x	x	x	x	x						S26361-F2341-L352			749	
	VMware RN SSS 1yr for VCMS	Renewal SNS Support and Subscription OEM from FSC for 1 year for VirtualCenter Management Server 2 OEM			x	x	x	x	x	x	x	x						S26361-F2341-L353			652	
	VMware RN SSS 1yr for VI-VMOT	Renewal SNS Support and Subscription OEM from FSC for 1 year for 2 sockets for VMotion for VI-STD OEM			x	x	x	x	x	x	x	x						S26361-F2341-L354			182	
	VMware RN SNS 1yr for VI-STR-STD-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad.				x	x		x	x	x	x						S26361-F2341-L355			359	
	VMware RN SNS 1yr for VI-STR-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad.				x	x		x	x	x	x						S26361-F2341-L356			619	
	VMware RN SNS 1yr for VI-STD-ENT-UG	Price is per each 2sockets. Order 2x for a PRIMERGY RX600, TX600, BX630 Quad, and order 4x for an RX800, BX630 8-way.				x	x	x	x	x	x	x						S26361-F2341-L357			392	
OS/Application-SW																						
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C732			17	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C10			1754	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C20			1473	

Blade Servers Accessories **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA für Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C40			2105	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C400U1			139	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C400U3			417	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C426			346	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C700			542	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C700-U			406	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C750			346	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C800			542	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C800-U			406	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C800U1			139	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C800U3			417	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C900			2094	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C920			4192	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C11			2455	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C21			2245	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C41			3157	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C401U1			178	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C401U3			535	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C427			2094	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C701			696	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C701-U			522	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C751			486	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C801			696	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C801-U			522	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C801U1			178	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C801U3			536	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C901			415	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C921			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C12			17538	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C22			2245	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C42			3157	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C402U1			232	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C402U3			697	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C426U1			89	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C702			906	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C702-U			679	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C750U1			89	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C802			696	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C802-U			522	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C802U1			178	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C802U3			536	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C902			835	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C922			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C13			24554	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C23			2245	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C43			3157	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C403U1			286	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C403U3			858	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C426U3			266	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C703			1115	
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C703-U			836	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C750U3			266	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C803			696	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C803-U			522	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C803U1			178	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C803U3			536	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C903			835	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C923			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C14			35077	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C30			2062	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA for Windows Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C60			2946	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C404U1			286	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C404U3			858	
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C427U1			537	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C704			1115	

Blade Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C704-U			836	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C751U1			124	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C804			696	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C804-U			522	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C804U1			178	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C804U3			536	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C904			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C15			49108	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Oracle Server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C31			3143	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C61			4420	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C405U1			124	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C405U3			373	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C427U3			1612	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C705			486	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C705-U			364	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C751U3			373	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C805			696	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C805-U			522	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C805U1			178	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C805U3			536	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C905			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C16			70154	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C32			3143	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C62			4420	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C406U1			178	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C406U3			535	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C706			696	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C706-U			522	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C806			276	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C806-U			207	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C806U1			71	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C806U3			213	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C906			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C17			98215	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C33			3143	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C63			4420	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C407U1			178	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C407U3			535	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C707			696	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C707-U			522	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C807			175	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C807-U			131	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C807U1			45	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C807U3			134	
	CA XOsoftWANSyncDR	XOsoft WANSync DR as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C0189			699300	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C50			3367	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C408U1			178	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C408U3			535	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C708			696	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C708-U			522	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C808			276	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C808-U			207	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C808U1			71	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C808U3			213	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C51			5051	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C409U1			143	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C409U3			428	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C709			556	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C709-U			417	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C809			175	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C809-U			131	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C809U1			45	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C809U3			134	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C52			5051	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C410U1			143	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C410U3			428	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C710			556	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C711-U			679	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C810			1115	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C810-U			836	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C810U1			286	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C810U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C53			5051	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C411U1			232	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C411U3			697	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C711			906	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C712-U			522	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C811			1115	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C811-U			836	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C811U1			286	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C811U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server-inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C70			5051	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C412U1			178	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C412U3			535	
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C712			696	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C713-U			836	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C812			906	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C812U1			232	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C812U3			697	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C71			7577	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C413U1			286	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C413U3			858	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C713			1115	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C715-U			522	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C813			346	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server-inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C72			7577	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C414U1			178	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C414U3			535	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C714			696	
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C716-U			679	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C814			696	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C73			7577	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C356			1625	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C415U1			178	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C415U3			535	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C715			696	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C717-U			522	
	CA XOsoftWANSyncHA	XOsoft WANSync HA as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	x	x		x	x	x	x		x	x	x	x		U15260-C0288			699300	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C416U1			232	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C416U3			697	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C716			906	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C718-U			522	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C417U1			178	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C417U3			535	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C717			696	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C720-U			207	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C418U1			178	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C418U3			535	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C718			696	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C721-U			131	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C419U1			280	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C419U3			839	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C719			1871	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C722-U			207	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C420U1			71	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C420U3			212	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C720			276	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C723-U			131	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C421U1			45	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C421U3			134	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C721			175	
	UP ARCserve r11.5 WIN Sngl Srv-Full Edt	ARCserve r11.5 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r11.5 for Windows Standard Edition. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C780-U			406	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C422U1			71	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C422U3			212	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C722			276	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C423U1			45	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C423U3			134	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C723			175	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C424U1			71	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C424U3			212	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C724			276	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C428U1			286	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C428U3			858	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
OS/Application-SW (Continued)																						
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C725			1028	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C429U1			232	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C429U3			697	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C726			1115	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C430U1			673	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C430U3			2018	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C727			906	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C431U1			89	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C431U3			266	
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C728			346	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C432U1			178	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C432U3			535	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C729			696	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C433U1			178	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C433U3			535	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C730			2951	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	x	x		x	x	x	x		x	x	x	x		U15355-C731			696	
UPS/Power supply																						
	Power Supply Modul 2100W (hot-plug)	for PS redundancy (3./4. PSU), with power cord														x	x	S26113-F603-L1			431	
	Cable powercord rack, 4m	with Euro socket connector												x				T26139-Y1968-L10			11	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20														x	x	S26361-F3151-L300			20	
	Power cord 16A IEC320 C19->CEE 7/7	with connector IEC320 C19->Schuko														x	x	S26361-F3151-L100			20	
	Power cord 16A IEC320 C19->16A CEE Blue	with connector IEC320 C19->16A CEE (IEC309)														x	x	S26361-F3151-L200			20	
Miscellaneous																						
	PCI slot carrier module for BX620 S2	1x PCI-X 64Bit/133MHz			x													S26361-F3022-L3			220	Phased out
	PY BX600 2GB FC Switch Licence (FF)	Full-Fabric licence for SW3014 VL2 variant														x	x	S26361-F3144-L32			1235	
	PY BX600 4GB FC Switch Lizenz (FWATCH)	Software Upgrade Lizenz (Fabric Watch) for SW4016														x	x	S26361-F3144-L45			675	
	PY BX600 4GB FC Switch Licence (POD)	Port Upgrade Lizenz for Brocade Silkworm 4016, 8 to 10 downlink, 4 to 6 uplink														x	x	S26361-F3144-L46			984	
	PY BX600 4GB FC Switch Licence (TRUNK)	Software Upgrade Licence (Trunking) for Brocade Silkworm 4016														x	x	S26361-F3144-L47			787	
	PY BX600 4GB FC Switch Lizenz (EFABRIC)	Software Upgrade Lizenz Extended Fabric for SW4016														x	x	S26361-F3144-L48			882	
	PY BX600 4GB FC Switch Lizenz (APERFM)	Lizenz Advanced Performance Monitoring for SW4016														x	x	S26361-F3144-L49			882	
	PY BX630 upgrade kit Quad to 8-way	für die Umrüstung von zwei BX630 Quad (ab GS05) zu einem BX630 8-way System (ohne Server Blades)									x					x	x	S26361-F3163-L1			1628	

Blade Servers Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX630 S2 Dual	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																						
Miscellaneous (Continued)																						
FC/IP-Infrastructure																						
	Cisco SFP Multi Mode (MMF) 1GBE	SFP MMF for BX600 Cisco Switch uplink ports													x	x	x	S26361-F3024-L101			404	
	Cisco SFP Copper Module RJ45 1GB	SFP RJ45 for BX600 Cisco Switch uplink ports													x	x	x	S26361-F3024-L102			322	
	SFP multi-mode 4G module (MMF)	Short-Wavelength SFP Transceiver														x	x	S26361-F3024-L4			65	
	XFP multi-mode module 10GBASE-SR	for BX600 GBE Switch with 10GB ports			x												x	S26361-F3206-L10			573	
	Infiniband cable 10GBASE-CX4, 10m	for BX600 GBE Switch with 10GB ports														x	x	S26361-F3206-L15			133	
Cables																						
	Console switch cable 2,5m	cable for keyboard, monitor and mouse												x				SNP:SY-F2293L11-P			31	Phased out
	Console switch cable 3,5m	cable for keyboard, monitor and mouse												x				SNP:SY-F2293L12-P			51	Phased out
	Console switch cable 10m	cable for keyboard, monitor and mouse												x				SNP:SY-F2293L13-P			92	Phased out
Additional Software																						
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	x			x	x	x	x	x	x	x	x			U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x			x	x	x	x				x			U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x			x	x	x	x				x			U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	x			x	x	x	x	x	x	x	x			U11081-C183			21	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	x			x	x	x	x	x	x	x	x			U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	x			x	x	x	x	x	x	x	x			U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	x			x	x	x	x	x	x	x	x			U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	x			x	x	x	x	x	x	x	x			U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C202			857	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C203			1394	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C210			2426	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	x			x	x	x	x	x	x	x	x			U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x			x	x	x	x	x	x	x	x			U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x			x	x	x	x	x	x	x	x			U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x			x	x	x	x	x	x	x	x			U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x			x	x	x	x	x	x	x	x			U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x			x	x	x	x	x	x	x	x			U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	x			x	x	x	x	x	x	x	x			U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	x			x	x	x	x	x	x	x	x			U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	x			x	x	x	x	x	x	x	x			U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	x			x	x	x	x	x	x	x	x			U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	x			x	x	x	x	x	x	x	x			U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	x			x	x	x	x	x	x	x	x			U11081-C222			350	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	x			x	x	x	x	x	x	x	x			U11081-C223			569	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	x			x	x	x	x	x	x	x	x			U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	x			x	x	x	x	x	x	x	x			U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	x			x	x	x	x	x	x	x	x			U11081-C226			2276	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																					
Professional Services																					
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"'	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21021FX			480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21022FX			240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)'	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21023FX			1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21024FX			540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21025FX			960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21026FX			480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21027FX			750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21028FX			375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21029FX			1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21030FX			720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21031FX			120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21032FX			60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21033FX			60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21034FX			30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21035FX			1500	

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																					
Professional Services (Continued)																					
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x	x		x	x	x	x	x	x	x	x		CPS:PR-INT-21036FX			750	
Product related services																					
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9												x	x	x	FSP:GB4S20000GBPB6			192	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9		x	x	x	x										FSP:GB4S20000GBPB7			107	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9												x	x	x	FSP:GB5S20000GBPB6			322	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9		x	x	x	x										FSP:GB5S20000GBPB7			175	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9												x	x	x	FSP:GD3S60000GBPB6			311	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9		x	x	x	x										FSP:GD3S60000GBPB7			155	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x														FSP:GD3S60000GBSBL			165	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9											x				FSP:GD3S60000GBSBX			276	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24												x	x	x	FSP:GD3S63000GBPB6			449	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24		x	x	x	x										FSP:GD3S63000GBPB7			225	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x														FSP:GD3S63000GBSBL			255	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24											x				FSP:GD3S63000GBSBX			387	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24												x	x	x	FSP:GD3SG3000GBPB6			489	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24		x	x	x	x										FSP:GD3SG3000GBPB7			453	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24	x														FSP:GD3SG3000GBSBL			453	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24											x				FSP:GD3SG3000GBSBX			489	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9												x	x	x	FSP:GD4S60000GBPB6			456	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9		x	x	x	x										FSP:GD4S60000GBPB7			273	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x														FSP:GD4S60000GBSBL			273	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9											x				FSP:GD4S60000GBSBX			456	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24												x	x	x	FSP:GD4S63000GBPB6			605	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24		x	x	x	x										FSP:GD4S63000GBPB7			398	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x														FSP:GD4S63000GBSBL			398	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24											x				FSP:GD4S63000GBSBX			605	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24												x	x	x	FSP:GD4SG3000GBPB6			721	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24		x	x	x	x										FSP:GD4SG3000GBPB7			668	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24	x														FSP:GD4SG3000GBSBL			668	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24											x				FSP:GD4SG3000GBSBX			721	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9												x	x	x	FSP:GD5S60000GBPB6			637	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9		x	x	x	x										FSP:GD5S60000GBPB7			381	

Blade Servers Services

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY BLADE BX300	PRIMERGY BLADE BX620	PRIMERGY BLADE BX620 S2	PRIMERGY BLADE BX620 S3	PRIMERGY BLADE BX620 S4	PRIMERGY BLADE BX630 8-way	PRIMERGY BLADE BX630 Dual DP	PRIMERGY BLADE BX630 Dual MP	PRIMERGY BLADE BX630 Quad	PRIMERGY BLADE BX660	PRIMERGY BX300	PRIMERGY BX600	PRIMERGY BX600 S2	PRIMERGY BX600 S3	Code			End User Price (£)	Comments
Accessories & services matrix																					
Product related services (Continued)																					
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x														FSP:GD5S60000GBSBL			381	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9											x				FSP:GD5S60000GBSBX			637	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24												x	x	x	FSP:GD5S63000GBPB6			822	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24		x	x	x	x										FSP:GD5S63000GBPB7			542	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x														FSP:GD5S63000GBSBL			542	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24											x				FSP:GD5S63000GBSBX			822	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24												x	x	x	FSP:GD5SG3000GBPB6			952	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24		x	x	x	x										FSP:GD5SG3000GBPB7			882	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24	x														FSP:GD5SG3000GBSBL			882	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24											x				FSP:GD5SG3000GBSBX			952	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9							x	x							FSP:GE3S20Z00GBP61			90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9									x						FSP:GE3S20Z00GBP62			90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9						x									FSP:GE3S20Z00GBP63			90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9												x	x	x	FSP:GE3S20Z00GBPB6			186	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9		x	x	x	x										FSP:GE3S20Z00GBPB7			90	
	SP 3y OS Svc,NBD Rt,5x9	SP 3 years On-Site Service, next business day response, 5x9										x					FSP:GE3S20Z00GBPB8			90	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9												x	x	x	FSP:GN4S20000GBPB6			192	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9		x	x	x	x										FSP:GN4S20000GBPB7			107	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9												x	x	x	FSP:GN5S20000GBPB6			322	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9		x	x	x	x										FSP:GN5S20000GBPB7			175	

Positioning PRIMERGY Storage

PRIMERGY SX10

The PRIMERGY SX10 is a flexible and economical component for all rack families like PRIMECENTER, PRIMERGY DataCenter racks and third-party products. Providing up to four bays for backup devices the SX10 can be used to simultaneously connect an individual backup medium with up to four servers. It fits perfectly with rack-based server farms where applications are consolidated on a few powerful Servers. The PRIMERGY SX10 is the best choice for eliminating storage and backup constraints.

PRIMERGY SX30

The PRIMERGY SX30 is a response to the dramatic increase in demand for external storage media. Furthermore, the trend towards bundling rack servers in data centers to achieve flexibility and scalability calls for rack-based storage solutions. The PRIMERGY SX30 subsystem accommodates up to 14 (2 x 7) 1-inch hard disks in a compact chassis and can be installed as a rack or floorstand system.

PRIMERGY SX10 Data Sheets: http://www.fujitsu-siemens.com/primergy

PRIMERGY SX10 - Storage subsystem for backup devices

The PRIMERGY SX10 supports the concept of consolidating data backup facilities in a 19-inch rack environment. This is an answer to the data centers' growing needs for storage capacity for archives and backup. Shared data backup facilities offer numerous advantages, for example in cluster configurations.

The PRIMERGY SX10 is a server-oriented storage subsystem that enables you to install backup drives in a separate 19-inch housing with 3 height units. In that case one

server can use up to 2 backup devices (1 SCSI channel, 1server, 1 or 2 devices). Integrating the optional upgrade to 4 SCSI channels up to 4 servers can be connected, each using 1 of the max. 4 backup devices (1 SCSI channel, 1 server, max. 1 device). This subsystem can be integrated into any of the currently available racks, such as the PRIMERGY DataCenter, PRIMECENTER, and third-party rack products. The PRIMERGY SX10 is a global product that is also used by PRIMEPOWER servers.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY SX10							
	PY SX10 2-CHANNEL U160	19" rack mountable basic unit (3U) for connection of 2 servers incl. mounting kit and 1x power supply module; 4x 1.6" or 2x 3.2" bays only for 5.25" backup devices incl. terminator; 2 seperat SCSI channels	S26361-K866-V100			540	

PRIMERGY SX30 **Data Sheets: http://www.fujitsu-siemens.com/primergy**

PRIMERGY SX30 - Storage Subsystem

The PRIMERGY SX30 storage subsystem is a passive, directly connectable system for data storage and for extending the hard disk capacity of connected PRIMERGY servers. With up to 14 hard disks and Ultra320 SCSI technology, the PRIMERGY SX30 offers a maximum total capacity of more than 4 Tbyte. Whereas the maximum internal hard disk capacity of a server is soon exhausted, depending on the model, the external PRIMERGY SX30 storage subsystem can grow gradually in line with business needs. The rack variant with three 3 height units (U) is the right choice for 19-inch rack infrastructures where small
dimensions are one of the requirements. The tower variant can extend the existing storage capacities of servers, for example in office environments.

The tower and rack variants of the PRIMERGY SX30 storage subsystem come in two types: with two independent SCSI busses with 7 hard disks each, or with all 14 hard disks on one SCSI bus. In addition, a special variant of the type with two SCSI busses can be ordered for use as a cluster subsystem. This can then also be used for previouslydelivered systems (with 2 SCSI busses) with the aid of a conversion kit. Cluster capability is enabled through the use of dual node SCSI modules. In conjunction with Microsoft Windows 2000 Advanced Server, Windows 2003 Enterprise Edition or with the Linux Enterprise Editions of Red Hat and
SUSE, two PRIMERGY servers can then each be operated via a 2-channel RAID controller on one 2-channel PRIMERGY SX30 subsystem.

Many active components in the PRIMERGY SX30 storage subsystem, such as hot-plug hard disks, hot-plug fans and hot-plug power supply modules, can be replaced online.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY SX30							
	PY SX30fs 2CH	Floorstand storage expansion unit incl. 1x hot plug power supply module; expansion unit for 14 hot replace LVD U160-SCSI HD; incl. 2 SCSI input modules; hot replace fan (N+1 redundant).	SNP:SY-K638V110-P			1320	
	PY SX30fs Cluster	Floorstand storage expansion unit incl. 2 x hot plug power supply module; extension-unit for 14 hot-replace LVD U320-SCSI-HD; incl. 2 x dual-SCSI Inputmodules U320; hot-replace fan (N+1 redundant).	S26361-K638-V150			2205	
	PY SX30 1-Channel Rack U320	19" rack mountable storage expansion unit (3U) incl. 1x hot plug power supply module; expansion unit for 14 hot replace LVD SCSI HD; incl. 2 SCSI input modules; hot replace fan (N+1 redundant), 2 power cords.	S26361-K638-V240			1353	
	PY SX30 2-Channel Rack U320	19" rack mountable storage expansion unit (3U) incl. 1x hot plug power supply module; expansion unit for 2x7 hot replace LVD SCSI HD; incl. 2 SCSI input modules; hot replace fan (N+1 redundant), 2 power cords.	SNP:SY-K638V210-P			1191	
	PY SX30 2-Channel Cluster Rack U320	19" rack mountable storage expansion unit (3U) incl. 2x hot plug power supply module; expansion unit for 14 hot replace LVD U320-SCSI HD; incl. 2 x dual-SCSI input modules U320; hot replace fan (N+1 redundant).	S26361-K638-V250			2082	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
Removable Media Drives									
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge	x		S26361-F2848-L3			339	
	Tape Kit DDS Gen5 36GB 3MB/s for OBDR	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge, for One Button Disaster Recovery	x		S26361-F2848-L31			366	
	Tape Kit VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge	x		S26361-F2849-L3			576	Phased out
	Tape Drv VXA-2 80GB 6MB/s internal	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), Delivery includes no cartridges	x		S26361-F2849-L30			492	Phased out
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge	x		S26361-F3224-L3			746	
	Tape Kit Entry LTO Ultr 100GB 16MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge	x		S26361-F3460-L3			744	
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge, without cable	x		S26361-F3157-L3			967	
	Tape Drv LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, Delivery includes no cartridges	x		S26361-F3157-L30			899	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge	x		S26361-F3459-L3			1207	
	Tape Kit LTO3 Ultrium 400GB 80MB/s int.	U160 SCSI Interface 68-pin, 3.2" fitting height, anthracite, with data and cleaning cartridge	x		S26361-F3158-L3			1740	
	Tape Kit SDLT320 160GB 16MB/s int.	U2W SCSI Interface 68-pin, 3.2" fitting height, black, with data and cleaning cartridge, without cable	x		S26361-F2850-L3			1248	Phased out
Hard Disk Drives									
	HDD U160 10k 146GB hot plug 1"	10.000 rpm with 1" frame, U160 SCSI, data transfer: 160MB/s		x	S26361-F2336-L114			240	Phased out
	HDD U160 10k 73GB hot plug 1"	10.000 rpm with 1" frame, U160 SCSI, data transfer: 160MB/s		x	S26361-F2336-L173			169	Phased out
	HDD 146GB U160 15k hot plug 1"	15.000 rpm with 1" frame, U160 SCSI, data transfer: 160MB/s		x	S26361-F2336-L514			384	Phased out
	HDD U160 15k 36GB hot plug 1"	15.000 rpm with 1" frame, U160 SCSI, data transfer: 160MB/s		x	S26361-F2336-L536			162	Phased out
	HDD U160 15k 73GB hot plug 1"	15.000 rpm with 1" frame, U160 SCSI, data transfer: 160MB/s		x	S26361-F2336-L573			224	Phased out
	HDD U320 146GB 15k hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F2764-L514			384	
	HDD U320 15k 300GB hot plug 1"	15.000 rpm with 1" frame, U320 SCSI		x	S26361-F2764-L530			695	
	HDD U320 146GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F3121-L114			218	
	HDD U320 300GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F3121-L130			384	
	HDD U320 73GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F3121-L173			153	
	HDD U320 36GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F3121-L536			146	
	HDD U320 73GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F3121-L573			180	
	HDD 73GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F2764-L173			169	Phased out
	HDD 146GB 10k U320 hot plug 1"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F2764-L114			240	Phased out
	HDD 73GB 15k U320 hot plug 1"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s		x	S26361-F2764-L573			224	
Rack-Infrastructure									
	cable management arm for 3rd party racks	all-purpose for PRIMERGY server in 3rd party racks and PRIMERGY 19" Classic Racks	x	x	S26361-F2201-L20			34	
	RMK 10 D/P/3rd P Racks sliding rails	1 pair sliding rails deepth 710-815mm incl. adapter angle, cable management and 2 powercords		x	S26361-F2734-L20			99	
	RMK 10 CR sliding rails	1 pair of sliding rails / 2 holders / 1 cable carrier		x	SNP:SY-F1331L102-P			65	
PRIMERGY-Software									
	PRIMERGY ServerStart Bundle subscription	Subscription for 1 year, ca. 10 releases, The subscription is licensed only for PRIMERGY servers.	x	x	U15000-C176			146	
OS/Application-SW									
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD	x	x	U15355-C732			17	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C10			1754	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C20			1473	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA für Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C40			2105	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C400U1			139	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C400U3			417	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C426			346	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C700			542	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C700-U			406	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C750			346	
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C800			542	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C800-U			406	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C800U1			139	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C800U3			417	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.	x	x	U15355-C900			2094	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.	x	x	U15355-C920			4192	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C11			2455	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C21			2245	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C41			3157	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C401U1			178	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C401U3			535	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C427			2094	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C701			696	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C701-U			522	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C751			486	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C801			696	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C801-U			522	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C801U1			178	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C801U3			536	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C901			415	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!	x	x	U15355-C921			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C12			17538	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C22			2245	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C42			3157	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C402U1			232	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C402U3			697	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C426U1			89	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C702			906	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C702-U			679	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C750U1			89	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C802			696	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C802-U			522	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C802U1			178	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C802U3			536	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C902			835	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!	x	x	U15355-C922			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C13			24554	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C23			2245	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C43			3157	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C403U1			286	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C403U3			858	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C426U3			266	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C703			1115	
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C703-U			836	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C750U3			266	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C803			696	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C803-U			522	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C803U1			178	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C803U3			536	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C903			835	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!	x	x	U15355-C923			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C14			35077	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C30			2062	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA for Windows Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Standard server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C60			2946	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C404U1			286	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C404U3			858	
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C427U1			537	

PRIMERGY Storage Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C704			1115	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C704-U			836	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C751U1			124	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C804			696	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C804-U			522	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C804U1			178	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C804U3			536	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C904			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C15			49108	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Oracle Server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C31			3143	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Standard server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C61			4420	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C405U1			124	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C405U3			373	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C427U3			1612	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C705			486	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C705-U			364	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C751U3			373	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C805			696	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C805-U			522	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C805U1			178	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C805U3			536	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C905			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C16			70154	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C32			3143	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C62			4420	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C406U1			178	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C406U3			535	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C706			696	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C706-U			522	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C806			276	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C806-U			207	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C806U1			71	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C806U3			213	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!	x	x	U15355-C906			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).	x	x	U15260-C17			98215	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C33			3143	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.	x	x	U15260-C63			4420	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C407U1			178	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C407U3			535	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C707			696	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C707-U			522	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C807			175	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C807-U			131	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C807U1			45	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C807U3			134	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	CA XOsoftWANSyncDR	XOsoft WANSync DR as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	U15260-C0189			699300	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C50			3367	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C408U1			178	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C408U3			535	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C708			696	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C708-U			522	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C808			276	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C808-U			207	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C808U1			71	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C808U3			213	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C51			5051	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C409U1			143	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C409U3			428	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C709			556	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C709-U			417	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C809			175	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C809-U			131	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C809U1			45	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C809U3			134	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C52			5051	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C410U1			143	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C410U3			428	
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C710			556	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C711-U			679	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C810			1115	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C810-U			836	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C810U1			286	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C810U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C53			5051	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C411U1			232	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C411U3			697	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C711			906	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C712-U			522	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C811			1115	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C811-U			836	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C811U1			286	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C811U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C70			5051	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C412U1			178	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C412U3			535	
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C712			696	
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C713-U			836	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C812			906	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C812U1			232	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C812U3			697	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C71			7577	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C413U1			286	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C413U3			858	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C713			1115	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C715-U			522	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C813			346	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C72			7577	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C414U1			178	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C414U3			535	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C714			696	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C716-U			679	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C814			696	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.	x	x	U15260-C73			7577	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp	x	x	U15355-C356			1625	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C415U1			178	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C415U3			535	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C715			696	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C717-U			522	
	CA XOsoftWANSyncHA	XOsoft WANSync HA as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.	x	x	U15260-C0288			699300	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C416U1			232	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C416U3			697	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C716			906	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C718-U			522	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C417U1			178	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C417U3			535	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C717			696	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C720-U			207	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C418U1			178	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C418U3			535	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C718			696	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C721-U			131	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C419U1			280	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C419U3			839	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C719			1871	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C722-U			207	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C420U1			71	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C420U3			212	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C720			276	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C723-U			131	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C421U1			45	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C421U3			134	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	U15355-C721			175	
	UP ARCserve r11.5 WIN Sngl Srv-Full Edt	ARCserve r11.5 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r11.5 for Windows Standard Edition. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C780-U			406	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C422U1			71	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C422U3			212	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p	x	x	U15355-C722			276	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C423U1			45	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C423U3			134	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C723			175	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C424U1			71	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C424U3			212	

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C724			276	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C428U1			286	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C428U3			858	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C725			1028	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C429U1			232	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C429U3			697	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C726			1115	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C430U1			673	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C430U3			2018	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C727			906	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C431U1			89	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C431U3			266	
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C728			346	

PRIMERGY Storage Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
OS/Application-SW (Continued)									
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C432U1			178	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C432U3			535	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C729			696	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!	x	x	U15355-C433U1			178	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!	x	x	U15355-C433U3			535	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C730			2951	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp	x	x	U15355-C731			696	
UPS/Power supply									
	Power supply module 500W (hot plug)	for PS redundancy with larger system configuration		x	SNP:PS-F598L1-P			115	
	Cable powercord rack, 4m	with Euro socket connector	x	x	T26139-Y1968-L10			11	
	sliding rails UPS for classic rack	for installation in 19" rack for USP, etc.	x		SNP:SY-F1331L51-P			27	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR		x	T26139-Y1740-L10			11	
	Cable powercord (UK, IR), 1.8m, grey	suitable for UK, IR		x	T26139-Y1744-L10			11	
Miscellaneous									
	SCSI input modul U320 (dual node)	To upgrade a SX30 to a SX30 U320 passive cluster variation		x	S26361-F2360-L2			515	
	Upgrade kit Prim. SX10 to 4 channel U160	Upgrade PRIMERGY SX10 from 2 channel U160 up to 4 channel U160	x		S26361-F2746-L40			75	
Media									
	DAT72 cleaning cartridge	DAT72 cleaning cartridge without label	x		D:CL-DAT72-MX-01			4	
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO-1, LTO-2 and LTO-3 drives	x		D:CL-LTO2-FJ-01			41	
	LTO cleaning cartridge with label	cleaning cartridge with label from Fuji for LTO-1, LTO-2 and LTO-3 drives	x		D:CL-LTO2-FJ-01L			41	
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO-1, LTO-2 and LTO-3 drives	x		D:CL-LTO2-IB-01			48	
	LTO cleaning cartridge with label	cleaning cartridge with label from IBM for LTO-1, LTO-2 and LTO3-drives	x		D:CL-LTO2-IB-01L			48	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO-1 and LTO-2 drives	x		D:CL-LTO2-MX-01			38	
	LTO cleaning cartridge with label	cleaning cartridge with label from Maxell for LTO-1 and LTO-2 drives	x		D:CL-LTO2-MX-01L			38	
	LTO cleaning label	label for LTO cleaning cartridges	x		D:CL-LTO-LAB			1	
	VXA cleaning label	Label for VXA cleaning cartridge	x		D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge	x		D:CL-VXA2-X-01			16	
	VXA cleaning cartridge with label	VXA cleaning cartridge	x		D:CL-VXA2-X-01L			17	
	DAT72 data cartridge	DAT72 data cartridge without label	x		D:CR-DAT72-MX-01			9	
	LTO 1 data cartridge Fuji	LTO-1 data cartridge without label from Fuji, 100 GB native capacity	x		D:CR-LTO1-FJ-01			23	
	LTO 1 data data cartridge with label	LTO-1 data cartridge with label from Fuji, 100 GB native capacity	x		D:CR-LTO1-FJ-01L			24	
	LTO 1 data cartridge IBM	LTO-1 data cartridge without label from IBM, 100 GB native capacity	x		D:CR-LTO1-IB-01			22	
	LTO 1 data cartridge with label	LTO-1 data cartridge with label from IBM, 100 GB native capacity	x		D:CR-LTO1-IB-01L			23	
	LTO 1 barcode label	label for LTO-1 data cartridges	x		D:CR-LTO1-LAB			1	
	LTO 1 data cartridge Maxell	LTO-1 data cartridge without label from Maxell, 100 GB native capacity	x		D:CR-LTO1-MX-01			20	
	LTO 1 data cartridge with label	LTO-1 data cartridge with label from Maxell, 100 GB native capacity	x		D:CR-LTO1-MX-01L			21	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity	x		D:CR-LTO2-FJ-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity	x		D:CR-LTO2-FJ-01L			21	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity	x		D:CR-LTO2-IB-01			20	
	LTO 2 data cartridge with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity	x		D:CR-LTO2-IB-01L			21	
	LTO 2 barcode label	label for LTO-2 data cartridges	x		D:CR-LTO2-LAB			1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity	x		D:CR-LTO2-MX-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity	x		D:CR-LTO2-MX-01L			21	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity	x		D:CR-LTO3-FJ-01			29	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity	x		D:CR-LTO3-FJ-01L			29	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity	x		D:CR-LTO3-FJ-01W			57	
	LTO 3 WORM data cartridge with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity	x		D:CR-LTO3-FJ-01WL			59	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity	x		D:CR-LTO3-IB-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity	x		D:CR-LTO3-IB-01L			28	
	LTO 3 barcode label	label for LTO-3 data cartridges	x		D:CR-LTO3-LAB			1	
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity	x		D:CR-LTO3-SY-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Sony, 400 GB native capacity	x		D:CR-LTO3-SY-01L			27	
	VXA barcode label	Label for VXA data cartridge	x		D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x		D:CR-VXA2-X10-01			17	

PRIMERGY Storage Accessories

Data Sheets: http://www.fujitsu-siemens.com/primergy

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
Media (Continued)									
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB	x		D:CR-VXA2-X10-01L			18	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x		D:CR-VXA2-X23-01			35	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB	x		D:CR-VXA2-X23-01L			36	
Cables									
	SCSI cable HD68(S)-HD68(S) 1,5m	HD68(S)-HD68(S) with screw connection, 1.5m	x		S26361-F2400-L15			78	
	SCSI cable HD68(S)-HD68(S) 5,0m	HD68(S)-HD68(S) with screw connection, 5m	x		S26361-F2400-L50			101	
	SCSI cable UHD68(S)-HD68(S) 1.8m	UHD68(S)-HD68(S) with screw connection	x		SNP:SY-F1947L18-P			78	
	SCSI cable UHD68(S)-HD68(S) 5m	UHD68(S)-HD68(S) with screw connection	x		SNP:SY-F1947L50-P			101	
	SCSI cable UHD68(S)-UHD68(S) 2m	UHD68(S)-UHD68(S) with screw connection		x	SNP:SY-F2365L20-P			44	
	SCSI cable UHD68(S)-UHD68(S) 5m	UHD68(S)-UHD68(S) with screw connection		x	SNP:SY-F2365L50-P			36	
Additional Software									
	OPENFT-CR (WINDOWS) V8.0	openFT - openFileTransfer; Datamedium CD-ROM; Activation of file encryption, "crypto module"; to openFT V8.0 and V8.1	x	x	U11081-C157			10	
	OPENFT-FTAM-2 (WINDOWS) V8.0	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	U11081-C171			787	
	OPENFT-FTAM-2-U (WINDOWS) V8.0	openFT-FTAM; Update Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	U11081-C177			393	
	OPENFT-SW-CD (WINDOWS) V8.1	openFT - openFileTransfer; Datamedium CD-ROM for Windows: Server 2003, 2000, XP, NT4, 98 / ME	x	x	U11081-C183			21	
	OPENFT-2 (WINDOWS) V8.1	openFT - openFileTransfer; Right to Use for usage in automated unattended mode, für 1 system with 1 to 4 CPUs	x	x	U11081-C186			787	
	OPENFT-2-U (WINDOWS) V8.1	openFT - openFileTransfer; Update Right to Use from V8.0 to V8.1 for usage in automated unattended mode, system with 1 to 4 CPUs	x	x	U11081-C192			315	
	OPENFT-CR (WINDOWS) V10.0	CD-ROM openFT-CR V10.0; Cryptographic Module; to openFT V10.0; Attention export restrictions	x	x	U11081-C199			10	
	OPENFT-SW-CD (WINDOWS) V10.0	Medium for Windows systems; CD-ROM openFT-SW V10.0	x	x	U11081-C201			21	
	OPENFT-1 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	U11081-C202			857	
	OPENFT-2 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	U11081-C203			1394	
	OPENFT-3 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	U11081-C204			2789	
	OPENFT-4 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	U11081-C205			4183	
	OPENFT-5 (WINDOWS) V10.0	License openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	U11081-C206			5578	
	OPENFT-1-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C201	x	x	U11081-C207			497	
	OPENFT-2-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C201	x	x	U11081-C208			808	
	OPENFT-3-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C201	x	x	U11081-C209			1617	
	OPENFT-4-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C201	x	x	U11081-C210			2426	
	OPENFT-5-U (WINDOWS) V10.0	Update license openFT (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C201	x	x	U11081-C211			3235	
	OPENFT-FTAM-1 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	U11081-C212			857	
	OPENFT-FTAM-2 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	U11081-C213			1394	
	OPENFT-FTAM-3 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	U11081-C214			2789	
	OPENFT-FTAM-4 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	U11081-C215			4183	
	OPENFT-FTAM-5 (WINDOWS) V10.0	License openFT-FTAM (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	U11081-C216			5578	
	OPENFT-FTAM-1-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C207	x	x	U11081-C217			497	
	OPENFT-FTAM-2-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C208	x	x	U11081-C218			808	
	OPENFT-FTAM-3-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C209	x	x	U11081-C219			1617	
	OPENFT-FTAM-4-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C210	x	x	U11081-C220			2426	
	OPENFT-FTAM-5-U (WINDOWS) V10.0	Upd license openFT-FTAM(WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C211	x	x	U11081-C221			3235	
	OPENFT-FTP-1 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system with 1 to 4 CPUs; required: U11081-C202	x	x	U11081-C222			350	
	OPENFT-FTP-2 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 8 CPUs; required: U11081-C203	x	x	U11081-C223			569	
	OPENFT-FTP-3 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 24 CPUs; required: U11081-C204	x	x	U11081-C224			1138	
	OPENFT-FTP-4 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; system extendable up to 64 CPUs; required: U11081-C205	x	x	U11081-C225			1708	
	OPENFT-FTP-5 (WINDOWS) V10.0	License openFT-FTP (WINDOWS) V10.0; for using in automated, unattended mode; server system, extendable up to 128 CPUs; required: U11081-C206	x	x	U11081-C226			2276	

PRIMERGY Storage Services **Data Sheets: http://www.fujitsu-siemens.com/primergy**

Category	Description	Details	PRIMERGY SX10	PRIMERGY SX30	Code			End User Price (£)	Comments
Accessories & services matrix									
Product related services									
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9	x		FSP:GB4S20000GBPS1			56	
	SP 4y OS Svc,NBD Rt,5x9	SP 4 years On-Site Service, next business day response, 5x9		x	FSP:GB4S20000GBPS2			119	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9	x		FSP:GB5S20000GBPS1			90	
	SP 5y OS Svc,NBD Rt,5x9	SP 5 years On-Site Service, next business day response, 5x9		x	FSP:GB5S20000GBPS2			170	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9	x		FSP:GD3S60000GBPS1			826	
	SP 3y OS Svc,4h Rt,5x9	SP 3 years On-Site Service, 4h response, 5x9		x	FSP:GD3S60000GBPS2			826	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24	x		FSP:GD3S63000GBPS1			958	
	SP 3y OS Svc,4h Rt,7x24	SP 3 years On-Site Service, 4h response, 7x24		x	FSP:GD3S63000GBPS2			958	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24	x		FSP:GD3SG3000GBPS1			1308	
	SP 3y OS Svc,8h Rec,7x24	SP 3 years On-Site Service, 8h recovery, 7x24		x	FSP:GD3SG3000GBPS2			1308	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9	x		FSP:GD4S60000GBPS1			1366	
	SP 4y OS Svc,4h Rt,5x9	SP 4 years On-Site Service, 4h response, 5x9		x	FSP:GD4S60000GBPS2			1366	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24	x		FSP:GD4S63000GBPS1			1497	
	SP 4y OS Svc,4h Rt,7x24	SP 4 years On-Site Service, 4h response, 7x24		x	FSP:GD4S63000GBPS2			1497	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24	x		FSP:GD4SG3000GBPS1			1928	
	SP 4y OS Svc,8h Rec,7x24	SP 4 years On-Site Service, 8h recovery, 7x24		x	FSP:GD4SG3000GBPS2			1928	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9	x		FSP:GD5S60000GBPS1			1906	
	SP 5y OS Svc,4h Rt,5x9	SP 5 years On-Site Service, 4h response, 5x9		x	FSP:GD5S60000GBPS2			1906	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24	x		FSP:GD5S63000GBPS1			2036	
	SP 5y OS Svc,4h Rt,7x24	SP 5 years On-Site Service, 4h response, 7x24		x	FSP:GD5S63000GBPS2			2036	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24	x		FSP:GD5SG3000GBPS1			2548	
	SP 5y OS Svc,8h Rec,7x24	SP 5 years On-Site Service, 8h recovery, 7x24		x	FSP:GD5SG3000GBPS2			2548	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9	x		FSP:GN4S20000GBPS1			56	
	TP 4y OS Svc,NBD Rt,5x9	TP 4 years On-Site Service, next business day response, 5x9		x	FSP:GN4S20000GBPS2			119	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9	x		FSP:GN5S20000GBPS1			90	
	TP 5y OS Svc,NBD Rt,5x9	TP 5 years On-Site Service, next business day response, 5x9		x	FSP:GN5S20000GBPS2			170	

Positioning SPARC Enterprise Servers

SPARC Enterprise T1000

The entry model T1000 incorporates the UltraSPARC T1 processor. This processor delivers with it´s 8 cores up to 32 simultaneous execution threads and 32 GB of memory. The SPARC® Enterprise T1000 model also offers 1 free PCI-E slots, 4 integrated Gigabit Ethernet interfaces and 1 SATA disk bay.

SPARC Enterprise T2000

The entry model T2000 also incorporates the UltraSPARC T1 processor. This processor delivers with it´s 8 cores up to 32 simultaneous execution threads and 64 GB of memory. The SPARC® Enterprise T2000 also offers 5 free PCI-E slots (3x PCI-E and 2x PCI-X), 4 integrated Gigabit Ethernet interfaces and 4 SAS disk bay.

SPARC Enterprise M4000

The midrange model M4000 scales up to 4 SPARC64VI dual core sockets thus having up to 8 cores, and supports
Memory Chipkill and memory mirroring. Furthermore, the model M4000 include built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration.

SPARC Enterprise M5000

Compared to the model M4000 the M5000 scales up to 8 SPARC64VI dual core sockets thus having up to 16 cores, with the same mission-critical features.

SPARC Enterprise M8000

The high end model SES M8000 scales up to 16 SPARC64VI dual core sockets thus having up to 32 cores. With symmetric multiprocessing (SMP) scalability from one to 16 processors, memory subsystems as large as 512 GB, and high-throughput I/O architectures. Furthermore, the model M8000 includes built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration.

SPARC Enterprise M9000

Like the model M8000 the SPARC® Enterprise Servers M9000 models address the mid-range and high-end processing requirements of mission-critical IT projects. There are two different floorstand models, the SES M9000-32 with 32 sockets and SES M9000-64 with 64 sockets

SPARC Enterprise Server T1000 **Data Sheets: http://www.fujitsu-siemens.com/primepower**

As organizations move from the organization age to the age of network computing, they must deliver new services to growing user bases with the request to reduce operational costs.
The new Fujitsu Siemens Computers SPARC® Enterprise servers T1000 and T2000 are setting new standards in the market for throughput computing, energy efficiency and compute density, providing the ideal platform for web services. SPARC® Enterprise servers are proven UNIX based computers based on the latest and most performant and reliable SPARC multi-core processor architecture and running the worldwide number 1 UNIX operating environment Solaris. These models are supported from Solaris 10 and future versions.
This SPARC® Enterprise servers T Model Family will become the new standard for network computing, mission critical service levels and IT production continuity demands that data centers are looking for.

SPARC® Enterprise servers Entry Model T1000
The Entry Model SE T1000 incorporates the UltraSPARC T1 processor. This processor delivers with its 8 cores up to 32 simultaneous execution threads and 32 GB of memory. The SE T1000 model also offers 1 free PCI-E slots, 4 integrated Gigabit Ethernet interfaces and 1 SATA or 2 SAS disk bays. The Solaris 10 Operating System is preinstalled and provides a highly flexible, efficient and secure application environment. Standard RAS features include advanced lights out manager (ALOM) and supports extended ECC protection. SE T1000 servers are intended for multithread capable workloads, where throughput, space and optimized power consumption are primary pur-chasing drivers and where the highest processor and core performance are less important.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server T1000							
	T1000:1.0GHz, 6core, 2GB Mem, 1x160GB	1.0GHz, 6core, 2GB Mem, SATAx1, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive	SEAPBAF1S			2000	
	T1000:1.0GHz, 6core, 8GB Mem, 1x160GB	1.0GHz, 6core, 8GB Mem, SATAx1, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive	SEAPBEF1S			2350	
	T1000:1.0GHz, 8core, 4GB Mem, 1x8160GB	1.0GHz, 8core, 4GB Mem, SATAx1, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive	SEAPCBF1S			4100	
	T1000:1.0GHz, 8core, 8GB Mem, 2x73GB	1.0GHz, 8core, 8GB Mem, SASx2, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive	SEAPCEC1S			4500	
	T1000:1.0GHz, 8core, 16GB Mem, 2x73GB	1.0GHz, 8core, 16GB Mem, SASx2, The SPARC Enterprise T1000 server comes with the following components:, The UltraSPARC® T1 multicore processor with six or eight cores, Up to 32 GB of DDR2 SDRAM memory in 8 available memory slots, Four on-board Gigabit Ethernet ports, One PCI-E (Express) slot , Up to one SATA disk drive	SEAPCHC1S			5000	



SPARC Enterprise Server T2000 **Data Sheets: http://www.fujitsu-siemens.com/primepower**

As organizations move from the organization age to the age of network computing, they must deliver new services to growing user bases with the request to reduce operational costs.
The new Fujitsu Siemens Computers SPARC® Enterprise servers T1000 and T2000 are setting new standards in the market for throughput computing, energy efficiency and compute density, providing the ideal platform for web ser-vices. SPARC® Enterprise servers are proven UNIX based computers based on the latest and most performant and reliable SPARC multi-core processor architecture and running the worldwide number 1 UNIX operating environment Solaris. These models are supported from Solaris 10 and future versions.
This SPARC® Enterprise servers T Model Family will become the new standard for network computing, mission critical service levels and IT production continuity demands that data centers are looking for.

SPARC® Enterprise servers Entry Model T2000
The Entry Model SE T2000 also incorporates the UltraS-PARC T1 processor. With its 8 cores, this processor deliv-ers up to 32 simultaneous execution threads and 64 GB of memory. The SE T2000 model also offers 5 free PCI-E slots (3x PCI-E and 2x PCI-X), 4 integrated Gigabit Ethernet interfaces and 4 SAS disk bay. The Solaris 10 Operating System is preinstalled. Standard RAS features include advanced lights out manager (ALOM) and supports extended ECC protection, hot-pluggable disk drives and redundant, hot-swappable power supplies. SE T2000 servers are intended for multithread capable workloads, where throughput, space and optimized power consumption are primary purchasing drivers

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server T2000							
	T2000:1.0GHz, 4core, 8GB Mem, 2x73GB	1.0GHz, 4core, 8GB Mem, SASx2, Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPACC1S			5500	
	T2000:1.0GHz, 8core, 8GB Mem, 2x73GB	1.0GHz, 8core, 8GB Mem, SASx2, Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPCCC1S			8800	
	T2000:1.2GHz, 8core, 16GB Mem, 2x73GB	1.2GHz, 8core, 16GB Mem, SASx2, Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPFFC1S			11800	
	T2000:1.2GHz, 8core, 32GB Mem, 2x73GB	1.2GHz, 8core, 32GB Mem, SASx2, Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPFJC1S			17900	
	T2000:1.2GHz, 8core, 64GB Mem, 2x73GB	8 core 1.2 / 64GB (16 x 4GB) / 2 x 73GB SAS / , Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPFMC1S			33100	
	T2000:1.4GHz, 8core, 64GB Mem, 2x73GB	8 core 1.4 / 64GB (16 x 4GB) / 2 x 73GB SAS / , Up to 64 GB of DDR2 SDRAM memory in 16 available memory slots, Four on-board Gigabit Ethernet ports, Three PCI-E (Express) slots, Two PCI-X slots, Up to four SAS disk drives, redundant power supply units (two in total)	SEBPJMC1S			38600	

SPARC Enterprise Server M4000 **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Cost cutting, robustness and flexibility are the requirements now demanded of rack servers for medium-sized and large enterprises.
The new Fujitsu Siemens Computers SPARC® Enterprise M4000 and M5000 systems fulfill these requirements. The world's most widespread UNIX operating system, Solaris™, is used. The central Fujitsu Siemens Computers Enterprise ServerView Suite management functions ensure a reduction in the need to rectify errors and the costs this entails, as well as remote access anytime, anywhere. Thanks to the servers' unique flexibility in adapting to changing priorities, excess and unused resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs and risk. The SPARC® Enterprise M4000 and M5000 systems are therefore the preferred UNIX platforms for a medium-sized company.

SPARC® Enterprise M4000
The rack-based SPARC® Enterprise server M4000 is a highly reliable, enterprise-grade, vertically-scalable system that addresses the mid-range processing requirements of mission-critical IT projects. The mid-range model SE M4000 scales up to 4 SPARC64TM VI Dual-Core CPUs, thus having up to 8 cores, and supports extended ECC protection and memory mirroring. Furthermore, the model SE M4000 includes built-in features such as Dynamic System Domains, extended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems computing platform. Massive computing power, a resilient system architecture, flexible resource control features, and the advanced capabilities of the Solaris 10 OE combine in SPARC® Enterprise server M4000 to provide organizations a best-in-class midrange enterprise platform.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server M4000							
	M4000 2.1GHz 2P16GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 2 2.1GHz cpus (1 2x2.1GHz CPU Module), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPAAA1S			31200	
	M4000 2.1GHz 2P32GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 2 2.1GHz cpus (1 2x2.1GHz CPU Module), 32GB system memory (2 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPACA1S			42700	
	M4000 2.1GHz 4P16GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPBAA1S			45600	
	M4000 2.1GHz 4P32GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 32GB system memory (2 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPBCA1S			57200	
	M4000 2.1GHz 4P64GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M4000 server. Includes M4000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEEPBDA1S			80300	
	M4CoD 2.1GHz 4P64GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M4000 server. FF1 COD (Capacity On Demand) system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 2 73GB HDD, 2 PSU, 1 I/O tray	SEERBDA1S			58322	

SPARC Enterprise Server M5000 — Data Sheets: http://www.fujitsu-siemens.com/primepower

Cost cutting, robustness and flexibility are the requirements now demanded of rack servers for medium-sized and large enterprises.
The new Fujitsu Siemens Computers SPARC® Enterprise M4000 and M5000 systems fulfill these requirements. The world's most widespread UNIX operating system, Solaris™, is used. The central Fujitsu Siemens Computers Enterprise ServerView Suite management functions ensure a reduction in the need to rectify errors and the costs this entails, as well as remote access anytime, anywhere. Thanks to the servers' unique flexibility in adapting to changing priorities, excess and unused resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs and risk. The SPARC® Enterprise M4000 and M5000 systems are therefore the preferred UNIX platforms for a medium-sized company.

SPARC® Enterprise Server M5000
The rack based SPARC® Enterprise server M5000 is a highly reliable, enterprise-grade, vertically-scalable system that address the mid-range processing requirements of mission-critical IT projects. The midrange model SE M5000 scales up to 8 SPARC64TM VI Dual-Core CPUs thus having up to 16 cores, and supports extended ECC protection and memory mirroring. Furthermore, the model SE M5000 includes built-in features such as Dynamic System Domains, extended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems computing platform. Massive computing power, a resilient system architecture, flexible resource control features, and the advanced capabilities of the Solaris 10 OE combine in SPARC® Enterprise server M5000 to provide organizations a best-in-class midrange enterprise platform. The SPARC® Enterprise Server M5000 is the key to lowering your TCO and decreasing IT complexity by precisely addressing your individual needs and saving unnecessary headroom costs from the very start.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server M5000							
	M5000 2.1GHz 2P16GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 2 2.1GHz cpus (1 2x2.1GHz CPU Modules), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPAAA1S			34100	
	M5000 2.1GHz 4P16GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 16GB system memory (2 ea. 8GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPBAA1S			48500	
	M5000 2.1GHz 4P32GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 4 2.1GHz cpus (2 2x2.1GHz CPU Modules), 32GB system memory (2 ea. 16GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPBCA1S			60100	
	M5000 2.1GHz 8P32GB 2x73GB 1xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 8 2.1GHz cpus (4 2x2.1GHz CPU Modules), 32GB system memory (4 ea. 8GB memory boards), 2 73GB HDD, 4 PSU, 1 I/O tray	SEFPCBA1S			88900	
	M5000 2.1GHz 8P64GB 4x73GB 2xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. Includes M5000 system, 8 2.1GHz cpus (4 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 4 73GB HDD, 4 PSU, 2 I/O tray	SEFPCDB1S			114900	
	M5CoD 2.1GHz 8P64GB 4x73GB 2xI/O tray	Fujitsu-Siemens Computer SPARC Enterprise M5000 server. FF2 COD (Capacity On Demand) system, 8 2.1GHz cpus (4 2x2.1GHz CPU Modules), 64GB system memory (4 ea. 16GB memory boards), 4 73GB HDD, 4 PSU, 2 I/O tray	SEFRCDB1S			66014	

SPARC Enterprise Server M8000 — Data Sheets: http://www.fujitsu-siemens.com/primepower

High availability, performance, robustness and flexibility are now demanded more than ever at data centers. Yet they also require the appropriate solution. Servers with the powerful generation of SPARC64 TM processor technology in conjunction with Solaris 10 are now available to meet these standards.

The SPARC64 TM based models of the high-end SPARC® Enterprise M8000 and M9000 systems are persuasive platforms. They have been developed to deliver maximum availability in conjunction with the very best performance and a broad range of applications. Your IT business processes are always available at any time with the Fujitsu Siemens Computers SPARC® Enterprise family. This sophisticated SPARC64 TM - based server generation sets new standards in terms of performance, quality and functionality. The world's most used UNIX operating system, Solaris™, is deployed. Thanks to the servers' unique flexibility in adapting to changing priorities, unused and unsuitable resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs.

SPARC® Enterprise M8000

The SPARC® Enterprise Server M8000 is a highly reliable, enterprise-grade, vertically-scalable systems that addresses the high-end processing requirements of mission-critical IT projects. The high-end model SPARC® Enterprise M8000 scales up to 16 SPARC64TM VI Dual-Core CPUs thus having up to 32 cores. With symmetric multiprocessing (SMP) scalability from two to 16 processors, memory subsystems as large as 512 GB, and high-throughput I/O architectures, SPARC® Enterprise servers easily perform the heavy lifting required by workloads such as global enterprise resource planning (ERP), intensive data mining, and complex database transactions. Furthermore, high-end SPARC® Enterprise servers include built-in features such as Dynamic System Domains, eXtended system boards, and Dynamic Reconfiguration, bringing mainframe-class sophisticated resource control to an open systems compute platform.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server M8000							
	M8000 base f. 4CMU/IOU 1ph1pwrf	M8000 server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option , AC Section 1-ph (ACS_A), Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY11S			37600	
	M8000 base f. 4CMU/IOU 3ph2pwrf delt	M8000 server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_A) , Power expansion cabinet, , Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY21S			68300	
	M8000 base f. 4CMU/IOU 3ph2pwrf star	M8000 server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_B) , Power expansion cabinet, , Common components for M8000, Converters (DDC_A) 2x , Power Supply Unit (PSU) 9x , PSU backplane (PSUBPA) 1x , PSU backplane (PSUBPB) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x , Operator Panel (OPNL)	SEGASY31S			68300	

SPARC Enterprise Server M9000 **Data Sheets: http://www.fujitsu-siemens.com/primepower**

High availability, performance, robustness and flexibility are now demanded more than ever at data centers. Yet they also require the appropriate solution. Servers with the powerful generation of SPARC64TM processor technology in conjunction with Solaris 10 are now available to meet these standards.
The SPARC64TM based models of the high-end SPARC® Enterprise M8000 and M9000 systems are persuasive platforms. They have been developed to deliver maximum availability in conjunction with the very best performance and a broad range of applications. Your IT business processes are always available at any time with the Fujitsu Siemens Computers SPARC® Enterprise family. This sophisticated SPARC64TM - based server generation sets new standards in terms of performance, quality and functionality. The world's most used UNIX operating system, Solaris™, is deployed. Thanks to the servers' unique flexibility in adapting to changing priorities, unused and unsuitable resources are a thing of the past. IT organizations thus have more powerful and resilient infrastructures, optimized hardware utilization and consequently lower costs.

SPARC® Enterprise M9000
The SPARC® Enterprise Servers M9000 models are highly reliable, enterprise-grade, vertically-scalable systems that address the high-end processing requirements of mission-critical IT projects. There are two different models, the SPARC® Enterprise M9000-32 with up to 32 CPUs and SPARC® Enterprise M9000-64 with expansion cabinet for up to 64 CPUs. With symmetric multiprocessing (SMP) scalability from two to 64 processors, memory subsystems as large as 2 TB, and high-throughput I/O architectures, SPARC® Enterprise servers easily perform the heavy lifting required by workloads such as global enterprise resource planning (ERP), intensive data mining, and complex database transactions. Furthermore, high-end SPARC® Enterprise servers include built-in features such as Dynamic System Domains, eXtended system boards, and

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server M9000							
	M9000/32 EC f. 8CMU/IOU 1ph1pwrf	M9000 server EXPANSION cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option. AC Section 1-ph (ACS_B), , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX11S			136500	
	M9000/32 EC f. 8CMU/IOU 3ph2pwrf delt	M9000 server EXPANSION cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_C) , Power expansion cabinet, , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX21S			187700	

SPARC Enterprise Server M9000 — Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server M9000 (Continued)							
	M9000/32 EC f. 8CMU/IOU 3ph2pwrf star	M9000 server EXPANSION cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_D) , Power expansion cabinet, , Common components for all M9000/M9000/64 EXPANSION cabinets , , Backplane (BP_B) 1x , Crossbar Unit (XBU_B) 8x, Clock Control Unit (CLKU_B) 2x, Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x, Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x, FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_C) 2x, DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , Operator Panel (OPNL) 1x , Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x , Cable set to connect BASE with XP frame , CLKU_B CLK cable 4x, CLKU_B Data cable 2x, XBU_B CLK cable 8x, XBU_B Data cable 48x, XSCFU_B/C Data cable 2x	SEHAEX31S			187700	
	M9000/32 base f. 8CMU/IOU 1ph1pwrf	M9000/32 BASE server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option. AC Section 1-ph (ACS_B), Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHASY11S			187700	
	M9000/32 base f. 8CMU/IOU 3ph2pwrf delt	M9000/32 BASE server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring , AC Section 3-ph (ACS_D) , AC Section DELTA (ACSTPH_C) , Power expansion cabinet, , Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHASY21S			238900	
	M9000/32 base f. 8CMU/IOU 3ph2pwrf star	M9000/32 BASE server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring , AC Section 3-ph (ACS_D) , AC Section Star (ACSTPH_D) , , Common components for M9000/32 BASE, , Backplane(BP_B) 1x , Crossbar Unit (XBU_B) 8x , Clock Control Unit (CLKU_B) 2x , Power Supply Unit (PSU) 15x, PSU backplane (PSUBPA) 3x , Air movers (FAN-A) 16x, FAN Backplane (FANBP_A) 1x , FAN Backplane (FANBP_B) 1x , Service processor (XSCFU_B) 2x , DVD Drive Unit (DVDDU) 1x , DVD Motherboard (DVDMB) 1x , TAPE Motherboard (TAPEMB) 1x, Operator Panel (OPNL) 1x, Sensor Unit (SNSU) 1x , Switch Backplane (SWBP) 1x	SEHASY31S			238900	
	M9000/64 base f. 16CMU/IOU 1ph1pwrf	M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 1-phase, single power feed, ready for dual feed option, AC Section 1-ph (ACS_B)	SEJASY11S			307100	

SPARC Enterprise Server M9000

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SPARC Enterprise Server M9000 (Continued)							
	M9000/64 base f. 16CMU/IOU 3ph2pwrf delt	M9000/64 base f. 16CMU/IOU 3ph2pwrf delt, , M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 3-phase, dual feed DELTA wiring	SEJASY21S			409500	
	M9000/64 base f. 16CMU/IOU 3ph2pwrf star	M9000/64 base f. 16CMU/IOU 3ph2pwrf star, , M9000/64 BASE and EXPANSION server cabinet with redundant power supplies & fans, 3-phase, dual feed STAR wiring	SEJASY31S			409500	

SPARC Enterprise Server Accessories **Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/**

Category	Description	SPARC Enterprise Server I/O	SPARC Enterprise Server M4000	SPARC Enterprise Server M5000	SPARC Enterprise Server M8000	SPARC Enterprise Server M9000	SPARC Enterprise Server T1000	SPARC Enterprise Server T2000	SPARC Enterprise Server T5120	SPARC Enterprise Server T5220	Code			End User Price (£)	Comments
Accessories & services matrix															
Processor															
	MR I/O Tray (4 PCIe and 1 PCI-X slots)		x	x							SEFX61U			2900	
	MR 2x2.1GHz processor module		x	x							SELX1A1U			14400	
	M8000/M9000 2xCPU 2,28Ghz				x	x					SEMX1A1U			49800	
	M8000/M9000 2xCPU 2,4Ghz				x	x					SEMX1B1U			62100	
	M8000/M9000 CMU 2p 2,28Ghz 16x1GB				x	x					SEMX4AA1U			96900	
	M8000/M9000 CMU 2p 2,28Ghz 16x2GB				x	x					SEMX4AC1U			121500	
	M8000/M9000 CMU 2p 2,28Ghz 16x4GB				x	x					SEMX4AE1U			189000	
	M8000/M9000 CMU 4p 2,28Ghz 16x1GB				x	x					SEMX4BA1U			146800	
	M8000/M9000 CMU 4p 2,28Ghz 16x2GB				x	x					SEMX4BC1U			171300	
	M8000/M9000 CMU 4p 2,28Ghz 16x4GB				x	x					SEMX4BE1U			238900	
	M8000/M9000 CMU 2p 2,4Ghz 16x1GB				x	x					SEMX4CA1U			121500	
	M8000/M9000 CMU 2p 2,4Ghz 16x2GB				x	x					SEMX4CC1U			145400	
	M8000/M9000 CMU 2p 2,4Ghz 16x4GB				x	x					SEMX4CE1U			213000	
	M8000/M9000 CMU 4p 2,4Ghz 16x2GB				x	x					SEMX4DC1U			208200	
	M8000/M9000 CMU 4p 2,4Ghz 16x4GB				x	x					SEMX4DE1U			275700	
	M8000/M9000 CoD CMU 4p 2,28Ghz 32x1GB				x	x					SEMX5BB1U			99231	
	M8000/M9000 CoD CMU 4p 2,28Ghz 32x2GB				x	x					SEMX5BD1U			174266	
	M8000/M9000 CoD CMU 4p 2,28Ghz 32x4GB				x	x					SEMX5BF1U			299231	
	M8000/M9000 CoD CMU 4p 2,4Ghz 32x1GB				x	x					SEMX5DB1U			140140	
	M8000/M9000 CoD CMU 4p 2,4Ghz 32x2GB				x	x					SEMX5DD1U			215175	
	M8000/M9000 CoD CMU 4p 2,4Ghz 32x4GB				x	x					SEMX5DF1U			340140	
	M8000/M9000 IOU				x	x					SEMX61U			10400	
Memory															
	LE 1GB MemoryExpansion(2x 512MB DIMM)						x	x			SEKX2A1U			260	
	LE 2GB Memory Expansion(2x 1GB DIMM)						x	x			SEKX2B1U			540	
	LE 4GB Memory Expansion(2x 2GB DIMM)						x	x			SEKX2C1U			1350	
	LE 8GB Memory Expansion(2x 4GB DIMM)						x	x			SEKX2D1U			3650	
	MR memory board 8GB (2 sets4x1GB DIMMs)		x	x							SELX2A1U			5800	
	MR memory board 16GB (2 sets4x2GB DIMMs)		x	x							SELX2B1U			11600	
	M8000/M9000 MEM 16x1GB				x	x					SEMX2A1U			17300	
	M8000/M9000 MEM 16x2GB				x	x					SEMX2B1U			38100	
	M8000/M9000 MEM 16x4GB				x	x					SEMX2C1U			95300	
	T5x, 2GB Memory Expansion (2x1GB)								x	x	SESX2A1U			220	New product
	T5x, 4GB Memory Expansion (2x2GB)								x	x	SESX2B1U			710	New product
	T5x, 8GB Memory Expansion (2x4GB)								x	x	SESX2C1U			2200	New product
Graphics															
	Graphic Accel. XVR200,2D,24-bit col,32MB							x			X3777			266	
Removable Media Drives															
	MR DAT 72 Tape Drive		x	x							SELX9DT1U			810	
	M8000/M9000 Dat72 Tape Unit				x	x					SEMX9DT1U			1150	
Hard Disk Drives															
	2.5" 73GB 10K SAS Disk Drive x2						x				SEAX3B11U			550	
	2.5" 146GB 10K SAS Disk Drive x2						x				SEAX3D11U			600	
	M8000/M9000 73GB, 10Krpm, 2,5 SAS HDD				x	x					SEMX3A11U			400	
	2.5" 73GB SAS Disk Drive		x	x				x			SEPX3A11U			260	
	2.5" 146GB SAS Disk Drive							x			SEPX3C11U			290	
	T5x, HDD, 73GB 10K RPM 2.5"								x	x	SESX3A11U			181	New product
	T5x, HDD, 146GB 10K RPM 2.5"								x	x	SESX3C11U			280	New product
SCSI/RAID/SAS controller															
	M8000/M9000 IOU Base IO Card (IOUA)				x	x					SEMX7BS1U			1150	
	SCSI LVD,U320,2port -- PCI-e		x	x	x	x	x	x			SG-XPCIE2SCSIU320Z			308	
Fibre Channel															
	IO Exp. unit FO Link Kit 2Cards, 10m FO		x	x	x	x					SENX8LK2U			2343	
	IO Exp. unit FO Link Kit 2Cards, 25m FO		x	x	x	x					SENX8LK3U			2413	
	Fibre Channel,4GBit,1port,Emu. -- PCI-X		x	x	x	x		x			SG-XPCI1FC-EM4-Z			804	
	Fibre Channel,4GBit,1port,Qlo. -- PCI-X		x	x	x	x		x			SG-XPCI1FC-QF4			804	
	Fibre Channel,4GBit,2port,Emu. -- PCI-X		x	x	x	x		x			SG-XPCI2FC-EM4-Z			1503	
	Fibre Channel,4GBit,2port,Qlo. -- PCI-X		x	x	x	x		x			SG-XPCI2FC-QF4			1503	
	Fibre Channel,4GBit,1port,Emu. -- PCI-e		x	x	x	x	x	x			SG-XPCIE1FC-EM4			804	
	Fibre Channel,4GBit,1port,Qlo. -- PCI-e		x	x	x	x	x	x			SG-XPCIE1FC-QF4			640	
	Fibre Channel,4GBit,2port,Emu. -- PCI-e		x	x	x	x	x	x			SG-XPCIE2FC-EM4			1503	
	Fibre Channel,4GBit,2port,Qlo. -- PCI-e		x	x	x	x	x	x			SG-XPCIE2FC-QF4			1150	
Communication/Network															
	T5x, 10 GBE XAUI card - Fiber								x	x	SESX7XA1U			220	New product
	10 Gigabit SR XFP Transceiver								x	x	SESX7XT1U			280	New product
	10 GE LR XFP Transceiver								x	x	SESX7XT2U			550	New product
	Ethernet,10GBit,2port_xxxxxx--PCI-e		x	x	x	x	x	x			X1027A-Z			601	
	RS232(SAI/P)adapter,8port_ext_box -- PCI		x	x	x	x					X2156A-2			601	
	Ethernet,1GBit,4port_xxxxxx--PCI-e		x	x	x	x	x	x			X4447A-Z			357	
	10 Gigabit SR XFP Transceiver		x	x	x	x	x	x			X5558A			357	
	10 GE LR XFP Transceiver		x	x	x	x	x	x			X5560A-Z			601	New product
	Ethernet,1GBit,2port_copper--PCI-e		x	x	x	x	x	x			X7280A-2			161	
	Ethernet,1GBit,2port_optic--PCI-e		x	x	x	x	x	x			X7281A-2			531	
Rack-Infrastructure															

SPARC Enterprise Server Accessories

Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/

Category	Description	SPARC Enterprise Server I/O	SPARC Enterprise Server M4000	SPARC Enterprise Server M5000	SPARC Enterprise Server M8000	SPARC Enterprise Server M9000	SPARC Enterprise Server T1000	SPARC Enterprise Server T2000	SPARC Enterprise Server T5120	SPARC Enterprise Server T5220	Code			End User Price (£)	Comments
Accessories & services matrix															
Rack-Infrastructure (Continued)															
	LAN-CAT 5 Enhanced, l=5m				x	x					S26361-F3417-L505			20	
	LAN-CAT 5 Enhanced, l=10m				x	x					S26361-F3417-L510			14	
	LAN-CAT 5 Enhanced, l=15m				x	x					S26361-F3417-L515			31	
	LAN_crossover-Cat 5e, l=5m				x	x					S26361-F3482-L5			14	
UPS/Power supply															
	M8000 1ph dual pwrf option				x						SEGX9DP1U			30700	
	M9000 1ph dual pwrf option					x					SEHX9DP1S			51200	
	MR AC Power Cord(for Continental Europe)		x	x							SELX9P21U			1	
	LE AC Power Cord(for Continental Europe)	x					x	x	x	x	SERXP312LU			1	
	LE AC Power Cord (for Switherland)	x					x	x	x	x	SERXP314LU			1	
	LE AC Power Cord (for HongKong/U.K.)	x					x	x	x	x	SERXP317LU			1	
	LE AC Power Cord (for Denmark)	x					x	x	x	x	SERXP383LU			1	
	LE AC Power Cord (for Italy)	x					x	x	x	x	SERXP384LU			1	
	Cable powercord rack, 4m	x					x	x	x	x	T26139-Y1968-L10			11	
Security															
	Crypto Accel. 6000 -- PCI-e		x	x	x	x					X6000A			804	
Miscellaneous															
	MR1 air filter kit		x								SEEX9FL1U			75	
	MR2 air filter kit			x							SEFX9FL1U			118	
	PCIE boat for IO Expansion unit	x	x	x	x	x					SENX8TE1U			4825	
	PCIX boat for IO Expansion unit	x	x	x	x	x					SENX8TX1U			4825	
Cables															
	Fibre optic cabel 10m		x	x	x	x					SENX8FC1U			240	
	Fibre optic cabel 25m		x	x	x	x					SENX8FC2U			300	
SW Networking															
	OPENFT-SW-CD (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C400			25	
	OPENFT-CR (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C399			10	
	OPENFT-1 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C401			857	
	OPENFT-2 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C402			1394	
	OPENFT-4 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C404			3229	
	OPENFT-5 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C405			4183	
	OPENFT-6 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C406			5578	
	OPENFT-1-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C407			497	
	OPENFT-2-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C408			808	
	OPENFT-3-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C409			1617	
	OPENFT-4-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C410			1873	
	OPENFT-5-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C411			2426	
	OPENFT-6-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C412			3235	
	OPENFT-FTAM-1 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C415			857	
	OPENFT-FTAM-2 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C416			1394	
	OPENFT-FTAM-3 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C417			2789	
	OPENFT-FTAM-4 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C418			3229	
	OPENFT-FTAM-5 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C419			4183	
	OPENFT-FTAM-6 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C420			5578	
	OPENFT-FTAM-1-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C421			497	
	OPENFT-FTAM-2-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C422			808	
	OPENFT-FTAM-3-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C423			1617	
	OPENFT-FTAM-4-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C424			1873	
	OPENFT-FTAM-5-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C425			2426	
	OPENFT-FTAM-6-U (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C426			3235	
	OPENFT-FTP-1 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C429			350	
	OPENFT-FTP-2 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C430			569	
	OPENFT-FTP-3 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C431			1138	
	OPENFT-FTP-4 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C432			1318	
	OPENFT-FTP-5 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C433			1708	
	OPENFT-FTP-6 (UNIX systems) V10.0		x	x	x	x	x	x			U10987-C434			2276	

SPARC Enterprise Server Options

Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/

Category	Description	Code			End User Price (£)	Comments
Options						
Processor						
	CoD CMU RTU licence for 1p	SEMX9RU1S			22727	
	M8000/M9000 IOU	SEMY61U			10400	
Memory						
	M8000/M9000 MEM 16x1GB	SEMY2A1U			17300	
	M8000/M9000 MEM 16x2GB	SEMY2B1U			28100	
	M8000/M9000 MEM 16x4GB	SEMY2C1U			95300	
Removable Media Drives						
	M8000/M9000 Dat72 Tape Unit	SEMY9DT1U			1150	
Hard Disk Drives						
	M8000/M9000 73GB, 10Krpm, 2,5 SAS HDD	SEMY3A11U			400	
SCSI/RAID/SAS controller						
	M8000/M9000 IOU Base IO Card (IOUA)	SEMY7BS1U			1150	
	SCSI LVD,U320,2port -- PCI-e	SG-PCIE2SCSIU320Z			308	
Fibre Channel						
	IO Exp. unit FO Link Kit 2Cards, 10m FO	SENY8LK2U			2343	
	IO Exp. unit FO Link Kit 2Cards, 25m FO	SENY8LK3U			2413	
	Fibre Channel,4GBit,1port,Emu. -- PCI-e	SG-PCIE1FC-EM4			804	
	Fibre Channel,4GBit,1port,Qlo. -- PCI-e	SG-PCIE1FC-QF4			804	
	Fibre Channel,4GBit,2port,Emu. -- PCI-e	SG-PCIE2FC-EM4			1503	
	Fibre Channel,4GBit,2port,Qlo. -- PCI-e	SG-PCIE2FC-QF4			1503	
Communication/Network						
	Ethernet,10GBit,2port_xxxxxx--PCI-e	1027A-Z			601	
	RS232(SAI/P)adapter,8port_ext_box -- PCI	2156A-2			601	
	Ethernet,1GBit,4port_xxxxxx--PCI-e	4447A-Z			357	
	Ethernet,1GBit,2port_copper--PCI-e	7280A-2			161	
	Ethernet,1GBit,2port_optic--PCI-e	7281A-2			531	
UPS/Power supply						
	M9000 1ph dual pwrf option	SEHY9DP1S			51200	
Security						
	Crypto Accel. 6000 -- PCI-e	6000A			804	
Cables						
	M8000/M9000 Powercord 1PHs USA	SEMX9P1U			1	
	M8000/M9000 Powercord 1PHs INTL	SEMX9P2U			1	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m	D:GP7KB-1204			35	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 10m	D:GP7KB-1210			52	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 30m	D:GP7KB-1230			105	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 5m	D:GP7KB-1305			24	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 10m	D:GP7KB-1310			25	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 15m	D:GP7KB-1315			36	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 30m	D:GP7KB-1330			59	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 50m	D:GP7KB-1350			80	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 5m	D:GP7KB-1405			27	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 10m	D:GP7KB-1410			36	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 20m	D:GP7KB-1420			59	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 50m	D:GP7KB-1450			59	
	UTP cat 5 enhanced IC-cable, 4m	D:GP7KB-2104			37	
	UTP cat 5 enhanced, 5m	D:GP7KB-2005			51	
	UTP cat 5 enhanced, 10m	D:GP7KB-2010			69	
	UTP cat 5 enhanced, 15m	D:GP7KB-2015			63	
	SCSI-Cable,LVD,HD68(S)-HD68(S),1.5m	D:KB230-C150			106	
	SCSI-Cable,LVD,HD68(S)-HD68(S),3m	D:KB230-M3			63	
	SCSI-Cable,LVD,HD68(S)-HD68(S),5m	D:KB230-M5			68	
	SCSI-Cable,LVD,HD68(S)-HD68(S),8m	D:KB230-M8			97	
	SCSI-Cable,LVD,HD68(S)-HD68(S),20m	D:KB230-M20			180	
	SCSI cable VHDCI68(S)-HD68(S) 5m	D:GP7KB-1005			182	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),1.5m	D:KB235-C150			119	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),3m	D:KB235-M3			136	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),5m	D:KB235-M5			153	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),8m	D:KB235-M8			171	
	SCSI cable UHD68(S)-UHD68(S) 4m (DN41)	D:GPDS2-KB04			136	
	SCSI cable UHD68(S)-UHD68(S) 5m (DN41)	D:GPDS2-KB05			140	
	SCSI cable UHD68(S)-UHD68(S) 10m (DN41)	D:GPDS2-KB10			175	
	SCSI Connection Cable, 5m	D:KB243-M5			125	
	SCSI Connection Cable, 10m	D:KB243-M10			192	
SW Operating Systems						
	Solaris 10 Update 4	SOLZ9-10HC9A7M			20	
	Solaris 10 SW Support M9000/32 ITPS	U24529-C825			1	
	Solaris 10 SW Support M9000/64 ITPS	U24529-C826			1	
	IPsec enabler CD	X6099A			20	
	Solaris 10 CD/DVD Premium Pack	U24529-C590A			210	
	Solaris 10 Acc. Kit SPARC Ent. Srv. DC	U24529-C594A			10	
	Solaris 10 (latest rel.) DVD media kit	SOLZ9-100C9A7M			20	

SPARC Enterprise Server Options

Data Sheets: http://www.fujitsu-siemens.com/products/unix_servers/sparc_enterprise/

Category	Description	Code			End User Price (£)	Comments
Options						
SW Operating Systems (Continued)						
SW Data Center Products						
	PCLLDS V42 (SOLARIS) RtU -CL128CPU	U11420-C735			57194	
	PCLLFS V42 (SOLARIS) RtU -CL128CPU	U11420-C741			57194	
	PCLSNP V42 (SOLARIS) RtU -CL128CPU	U11420-C747			57194	
	PCLLFDLS-P V42 (SOLARIS) RtU-CL128CPU	U11420-C753			97194	
	PCLCD1 V42 (SOLARIS) MED CD	U11420-C811			35	
	PCLCD2 V42 (SOLARIS) MED CD	U11420-C812			35	
	PCLCD3 V42 (SOLARIS) MED CD	U11420-C813			35	
	PCLCF V42 (SOLARIS) RtU -CL128CPU	U11420-C615			12063	
	PCLRMS V42 (SOLARIS) RtU -CL128CPU	U11420-C621			24126	
	PCLWT V42 (SOLARIS) RtU -CL128CPU	U11420-C627			8042	
	PCLPAS V42 (SOLARIS) RtU -CL128CPU	U11420-C633			26136	
	PCLSIS V42 (SOLARIS) RtU -CL128CPU	U11420-C639			12063	
	PCLDBMSW V42 (SOLARIS) RtU -CL128CPU	U11420-C657			16084	
	PCLSRIW V42 (SOLARIS) RtU -CL128CPU	U11420-C645			16084	
	PCLRMS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C663			39808	
	PCLSAPW V42 (SOLARIS) RtU -CL128CPU	U11420-C651			16084	
	PCLPAS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C669			63331	
	VERITAS Storage Foundation 5.0 Media Kit	U26000-C5000			209	
	VERITAS SF Standard 5.0 RTU Tier N	U26000-C5012			145747	
	VERITAS SF Enterprise 5.0 RTU Tier N	U26000-C5024			231449	
	VERITAS SF Enterprise 5.0, Proc. Tier 2	U26000-C5054			6076	
	PCLSIS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C675			50664	
	VERITAS SF Standard 5.0, Proc. Tier 2	U26000-C5051			3796	
	PCLEE-P V42 (SOLARIS) RtU -CL128CPU	U11420-C681			196700	
	VERITAS SF Standard 5.0 UG RTU Tier N	U26000-C5036			87448	
	PCLHAS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C687			164231	
	PCLPS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C693			159103	
	PCLSS-P V42 (SOLARIS) RtU -CL128CPU	U11420-C699			20507	
	PCLWKIT-P V42 (SOLARIS) RtU -CL128CPU	U11420-C705			41014	
	PCLGLS V42 (SOLARIS) RtU -CL128CPU	U11420-C711			21283	
	PCLGDS V42 (SOLARIS) RtU -CL128CPU	U11420-C717			63849	
	PCLGFS V42 (SOLARIS) RtU -CL128CPU	U11420-C723			63849	
	PCLGFDLS-P V42 (SOLARIS) RtU-CL128CPU	U11420-C729			126634	
Solution Services						
	SAMBA-25+CD	U16502-C104			140	
	SAMBA-unlim+CD	U16502-C105			140	

Positioning PRIMEPOWER Servers

PRIMEPOWER 250 pedestal

2-way Floorstand Server – Serving your applications with improved uptime

PRIMEPOWER 450 pedestal

4-way Floorstand Server – Peace of mind server solution for corporate workgroups and small enterprises

PRIMEPOWER 250 2U / 4U

250 2U - 2-way Rack Server – Optimized for low complexity and cost efficiency

250 4U - 2-way Rack Server – Combining the convenience of management and capacities of growth for long lifecycle

PRIMEPOWER 450 4U

4-way Rack Server – Reliable and powerful workhorse for Solaris server farms

PRIMEPOWER 450 7U

4-way Rack Server – Combining capacity and growth requirements with robust performance and affordable costs

PRIMEPOWER 650 8U

8-way Compute Node – The flexibility you need to individually set up your trusted production platform

PRIMEPOWER 850 16U

16-way Compute Node – Highly scale-up performance for your individual datacenter needs

PRIMEPOWER 900

16-way Enterprise Server – Serving dynamic workloads with efficient failsafe partitioning

PRIMEPOWER 1500

32-way Enterprise Server - Flexible and dynamical adaptation to keep IT business up with change

PRIMEPOWER 2500

64/128-way Enterprise Server - Unique scalability to serve dynamic IT production loads
– You deserve the best!

PRIMECENTER Rack family

Four PRIMECENTER Racks for each purpose
Flexible and stackable 12, 24, 38 and 46 horizontal units.
The universal scale-up infrastructure prerequisite for PRIMEPOWER, RM, PRIMERGY, Fujitsu Siemens Computers storage systems and even most of all existing rackable servers.

PRIMEPOWER 250

Data Sheets: http://www.fujitsu-siemens.com/primepower

PRIMEPOWER 250 Pedestal - 2-way Floorstand Server – Serving your applications with improved uptime

As independently usable system for workgroups or small enterprises the PW 250 can handle almost every business application and gets the job done in time, making use of up to two SPARC64™ V processors, up to 16 GB main memory and plenty of expansion options in a convenient housing.

PRIMEPOWER 250 2U - 2-way Rack Server – Optimized for low complexity and cost efficiency

PRIMEPOWER 250 2U offers exceptional value for money combining cost efficiency with low complexity computing. The server provides up to two SPARC64™ V processors in a cost cutting housing of two height units, and its integrated set of redundant components cares for enhanced production uptime.

PRIMEPOWER 250 4U - 2-way Rack Server – Combining the convenience of management and capacities of growth for long lifecycle

The PRIMEPOWER 250 4U is an attractive and compact rack server with reliable features intended for smaller companies as well as departments. Easy to install and manage, the server can help companies realize their goals without stretching their resources. The cost of managing and deploying systems can be a key decision criterion, so the automated management tools of the PRIMEPOWER 250 are designed to free the system operator from repetitive activities and potential disruptions, making it easier to manage. The features of the Solaris operating system allow policy-based resource allocation to be set, helping to cut costs and improve application performance. The system includes the same mainframe-inspired reliability, availability and serviceability (RAS) features as larger models, designed to help keep the applications up and running around the clock. The new fifth generation of the SPARC64 processors, running at 1.98 GHz clock speed, deliver high performance to run many demanding business applications and still leave room for tomorrow's growth. The server is designed to help companies do more work with fewer computer systems.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 250							
	PW250(F),S10,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 2 processor slots , 1 x 1,98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), - NO PCI included, 4 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR41F10			2937	
	PW250(F),S9,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 2 processor slots , 1 x 1,98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), - NO PCI included, 4 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR41F9			2937	
PRIMEPOWER 250N							
	PW250N(E),S10,1x 1.65GHz, no MEM,no Disk	The BC/package comes with :, , 2 processor slots , 1 x 1,65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31E10			1958	
	PW250N(E),S10,2x1.65GHz,2GB,noDisk,R_PSU	The BC/package comes with :, , 2 processor slots , 2 x 1,65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35E10			4056	
	PW250N(F),S10,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 2 processor slots , 1 x 1,98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31F10			2867	
	PW250N(F),S10,2x1.98GHz,2GB,noDisk,R_PSU	The BC/package comes with :, , 2 processor slots , 2 x 1,98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35F10			6084	
	PW250N(E),S9,1x 1.65GHz, no MEM,no Disk	The BC/package comes with :, , 2 processor slots , 1 x 1,65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31E9			1958	
	PW250N(E),S9,2x1.65GHz,2GB,noDisk,R_PSU	The BC/package comes with :, , 2 processor slots , 2 x 1,65 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35E9			4056	
	PW250N(F),S9,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 2 processor slots , 1 x 1,98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR31F9			2867	
	PW250N(F),S9,2x1.98GHz,2GB,noDisk,R_PSU	The BC/package comes with :, , 2 processor slots , 2 x 1,98 GHz-CPU included, 4 additional memory slots; max. 16 Gbyte , 2 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 3 PCI slots (2 slot 33 MHz, 1 slot 33/66 MHz), - NO PCI included, 2 HDD bays, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GR35F9			6084	

PRIMEPOWER 250 **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 250N (Continued)							
PRIMEPOWER 250F							
	PW250F(E),S10,1x1.65GHz, no MEM, no Disk	The BC/package comes with :, , 2 processor slots , 1x 1,65GHz-CPU included, 4 additional memory slots; max. 16Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), - 1 PCI slot long type, - NO PCI included, 6 HDD bays, 1 MTC slot , - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GF31E10			2308	
	PW250F(F),S10,1x1.98GHz, no MEM, no Disk	The BC/package comes with :, , 2 processor slots , 1x 1,98GHz-CPU included, 4 additional memory slots; max. 16Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), - 1 PCI slot long type, - NO PCI included, 6 HDD bays, 1 MTC slot , - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GF31F10			3217	
	PW250F(E),S9,1x1.65GHz, no MEM, no Disk	The BC/package comes with :, , 2 processor slots , 1x 1,65GHz-CPU included, 4 additional memory slots; max. 16Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), - 1 PCI slot long type, - NO PCI included, 6 HDD bays, 1 MTC slot , - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GF31E9			2308	
	PW250F(F),S9,1x1.98GHz, no MEM, no Disk	The BC/package comes with :, , 2 processor slots , 1x 1,98GHz-CPU included, 4 additional memory slots; max. 16Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), - 1 PCI slot long type, - NO PCI included, 6 HDD bays, 1 MTC slot , - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP250-GF31F9			3217	
PRIMEPOWER 2500							
	I/O cabinet f 8x PCI/disk box f PW2500	I/O cabinet for PW2500, 36 HU hight, 2 of these are reserved for cabeling, 2 HU for mounting MCCU and Ethernet hub/switch, 32HU for mounting PCI/DISK boxes (maximum of 8), Equipped with 4 AC outlet boxes with 6 sockets IEC320 10A each. The AC outlet boxes can supply the power source to PCI/DISK Boxes, The I/O cabinet and PCI/DISK boxes can be installed when the server is online.. , .An I/O cabinet joint kit is required for mounting the I/O cabinet. The type of kit depends of the server configuration. Please refer to the follow Cabinet configuration diagrams.	D:GPK25-BG71			12587	Phased out
	PRIMEPOWER 2500 D S10 base cabinet 64CPU	unfortunately at this time not completely implemented, , The model 2500-64 basic cabinet comes with :, , 8 system board slots , - No CPU, - No SBs , - NO memory, - No HDD bays , · 4 power supplies, sufficient for max. 4 SBs·, 4 redundant fan modules, sufficient for 4 SBs·, 1 Multi-port Console Connection Unit (MCCU), sufficient for the first 8 partitions	D:GPK25-GA80D			181818	Phased out
	PRIMEPOWER 2500 D So8 upgr cab 64-128CPU	The cabinet expansion comes with:, 1 crossbar for 16 system boards. The 8-SB Xbar of the BC has to be changed., 8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included, order number depends on the installed Solaris release within the basic cabinet So8 = Solaris 8	D:GPK25-GA71D			653846	
	PRIMEPOWER 2500 D So8 base cab 128CPU	unfortunately at this time not completely implemented, , The model 2500-128 basic cabinet comes with :, , 16 system board slots , - No CPU, - No SBs , - NO memory, - No HDD bays , · 12 power supplies, sufficient for max. 16 SBs·, - 16 redundant fan modules, sufficient for 16 SBs·, 1 Multi-port Console Connection Unit (MCCU), sufficient for the first 8 partitions	D:GPK25-GA72D			782622	Phased out

PRIMEPOWER 450

Data Sheets: http://www.fujitsu-siemens.com/primepower

PRIMEPOWER 450 Pedestal - 4-way Floorstand Server – Peace of mind server solution for corporate workgroups and small enterprises

As independently usable system the PW 450 Pedestal can handle almost every business application and gets the job done in time, making use of up to four SPARC64™ V processors, up to 32 GB main memory and internal disk capacity of more than 800 Gigabyte.

PRIMEPOWER 450 4U - 4-way Rack Server – Reliable and powerful workhorse for Solaris server farms

Consolidation strategies for corporate business applications in datacenter server farms need reliable and powerful building blocks which provide continuous operation and favourable cost of ownership. With up to four SPARC64™ V (max. 1.98 GHz) processors and up to 32 GB main memory the server represents the cadre for your datacenter.

PRIMEPOWER 450 7U - 4-way Rack Server – Combining capacity and growth requirements with robust performance and affordable costs

Featuring up to four SPARC64™ V processors and an innovative crossbar, along with 32 GB of available memory the server uses only seven height units to provide a strong and extensive growth capacity in terms of communication, connectivity and storage.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 450							
	PW450(E),S10,1x 1.65GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 9 PCI slots (7 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 6 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR51E10			8252	
	PW450(F),S10,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 9 PCI slots (7 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 6 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR51F10			9161	
	PW450(E),S9,1x 1.65GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 9 PCI slots (7 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 6 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR51E9			9021	
	PW450(F),S9,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 9 PCI slots (7 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 6 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR51F9			9930	
PRIMEPOWER 450N							
	PW450N(E),S10,1x 1.65GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR41E10			5245	
	PW450N(E),S10,2x1.65GHz,4GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 2x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR45E10			9790	
	PW450N(E)S10,4x1.65GHz,16GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 4 x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 x 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR47E10			20420	

PRIMEPOWER 450 **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 450N (Continued)							
	PW450N(F),S10,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR41F10			6224	
	PW450N(F),S10,2x1.98GHz,4GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 2 x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR45F10			11888	
	PW450N(F)S10,4x1.98GHz,16GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 4 x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 x 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR47F10			24615	
	PW450N(E),S9,1x 1.65GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR41E9			6014	
	PW450N(E),S9,2x1.65GHz,4GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 2 x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR45E9			10559	
	PW450N(E),S9,4x1.65GHz,16GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 4 x 1,65 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 x 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR47E9			21189	
	PW450N(F),S9,1x 1.98GHz, no MEM,no Disk	The BC/package comes with :, , 4 processor slots , 1x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , , 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR41F9			6993	
	PW450N(F),S9,2x1.98GHz,4GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 2 x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR45F9			12657	
	PW450N(F),S9,4x1.98GHz,16GB,noDisk,R_PSU	The BC/package comes with :, , 4 processor slots , 4 x 1,98 GHz-CPU included, 8 additional memory slots; max. 32 Gbyte , 4 x 4 GB incl., 1x CD/DVD drive (10x DVD/40x CD-ROM (speed)), , 6 PCI slots (4 slot 33 MHz, 2 slot 33/66 MHz), 3 long PCI slots, - NO PCI included, 4 HDD bays, 1 MTC slot, - NO MTC included, 2 serial ports RJ45, 1 LAN port 10/100/1000 Mbit/s (netboot is supported), 1 LAN port 10/100 Mbit/s (netboot is supported), 1 XSCF Ethernet port 10/100 Mbit/s (netboot is supported), 2 Keyboard/Mouse port (USB), 1 RCI port (RJ11 6-pin), 1 UPS (control) port (DSub 9-pin), , Redundant Components: Disk Drive (with disk mirroring software or disk array unit), PSU, Fan , Hot Swap Components: Disk Drive, internal Drive (option), PSU, Fan, , 1 SCSI port for all internal drive bays , for internal bays only, NOT for external peripheral boxes. The connection between internal SCSI controller and internal bays for storage devices is fix and cannot be changed.	D:GP450-GR47F9			25385	

PRIMEPOWER 650 8U **Data Sheets: http://www.fujitsu-siemens.com/primepower**

PRIMEPOWER 650 - 8-way Compute Node – The flexibility you need to individually set up your trusted production platform

The PRIMEPOWER 650 is the right solution for midsize and even large enterprises, which are looking for a remarkably cost effective Solaris platform, which is easy and flexible to deploy and yet provides high linear scalability with up to eight SPARC64™ V processors, ready to serve demanding enterprise workloads. PRIMEPOWER 650 ensure continuous system operation with its fail-save system design, unique error checking and correcting (ECC) features in processor, cache and memory, redundant and easy-to-replace hot swap components. All the features work together to drastically reduce susceptibility to your critical business applications. Designed as an 8 U compute-node, the PRIMEPOWER 650 provides a splendid flexibility of use: As high performance compute engine, integrated with corporate SAN/NAS storage networks. Alternatively, the server can easily be expanded with optional I/O-and disk extensions to constitute a fully fledged central system for medium sized enterprises or large branches. PRIMEPOWER 650 is the key to lowering your TCO and decreasing IT complexity by exactly covering your individual needs and save unnecessary headroom costs from the very start.

Model	Description	Details	Code			End User Price (€)	Comments
Base unit configurations							
PRIMEPOWER 650							
	PW 650(E), Sol10, 2x1.89GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 1,89 GHz CPU, 8 memory slots - no memory- , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50E10			10210	
	PW 650(E), Sol10, 2x1.89GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 1,89 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51E10			13007	
	PW 650(E), Sol10, 4x1.89GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 1,89 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52E10			21119	
	PW 650(E), Sol10, 8x1.89GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 1,89 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53E10			37902	
	PW 650(G), Sol10, 2x2.16GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 2,16 GHz CPU, 8 memory slots - no memory- , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50G10			11608	
	PW 650(G), Sol10, 2x2.16GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 2,025 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51G10			14406	
	PW 650(G), Sol10, 4x2.16GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 2,16 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52G10			23916	
	PW 650(G), Sol10, 8x2.16GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 2,16 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53G10			43497	

PRIMEPOWER 650 8U **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 650 (Continued)							
	PW 650(E), Sol9, 2x1.89GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 1,89 GHz CPU, 8 memory slots - no memory- , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50E9			12867	
	PW 650(E), Sol9, 2x1.89GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 1,89 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51E9			15664	
	PW 650(E), Sol9, 4x1.89GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 1,89 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52E9			23776	
	PW 650(E), Sol9, 8x1.89GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 1,89 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53E9			40559	
	PW 650(G), Sol9, 2x2.16GHz CPU, no MEM	The basic configuration comes with, 8 processor slots incl. 2 x 2,16 GHz CPU, 8 memory slots - no memory- , 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM50G9			14266	
	PW 650(G), Sol9, 2x2.16GHz CPU, 1x4GB	The basic configuration comes with, 8 processor slots incl. 2 x 2,16 GHz CPU, 8 memory slots 1x4 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM51G9			17063	
	PW 650(G), Sol9, 8x2.16GHz CPU, 2x8GB	The basic configuration comes with, 8 processor slots incl. 8 x 2,16 GHz CPU, 8 memory slots 2x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM53G9			46154	
	PW 650(G), Sol9, 4x2.16GHz CPU, 1x8GB	The basic configuration comes with, 8 processor slots incl. 4 x 2,16 GHz CPU, 8 memory slots 1x8 GB included, 8 PCI slots , - 2 slots 33/66 MHz, - 6 slots 33 MHz, 1 long slot, 2 HDD bays , 1 DVD slot - DVD drive included, 1 MTC slot , supports DPF as an option - no DPF included, 2 serial ports RS232C (for console and Teleservice only), 1 Ethernet port 10/100 Mbit/s, (netboot is supported), 2 SCSI ports for internal bays only, NOT for external boxes, 1 interface to connect 1 PCI-box , 2 cable carriers for 19" rack (BG5x), you need approx. 1 m cable length in addition, for more details see rack configurator, support brackets for PRIMECENTER 19" rack (BG4x or BG5x)	D:GP650-GM52G9			26573	

PRIMEPOWER 850 16U **Data Sheets: http://www.fujitsu-siemens.com/primepower**

PRIMEPOWER 850 - 16-way Compute Node – Highly scale-up performance for your individual datacenter needs

The PRIMEPOWER 850 is the foundation for enterprises, service providers and e-market datacenter, which are looking for highly scaling, linear performance growth and yet need the flexibility to compose their own server for optimum cost and functionality. PRIMEPOWER 850 ensures continuous system operation with its fail-save system design, unique error checking and correcting (ECC) features in processor, cache and memory, redundant and easy-to-replace hot swap components, which work together to reduce the susceptibility to your critical business applications. Up to 16 SPARC64™ V processors and up to 128 GB of memory together with the company's innovative high throughput system crossbar provide massive linear scaling performance to handle any workload. Designed as a 16 U compute node the server provides a splendid flexibility of use. It can work as a central, raw power compute engine with integrated corporate storage networks, which masters central transactional workloads. The server can easily by expand with optional I/O - disk boxes to constitute a fully fledged central production server for larger corporations. This server exactly covers your individual needs and assures optimal resource utilization as your organisation continues to grow.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 850							
	PW 850(E), Sol10, 4x1.89GHz, noMEM,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 1,89 GHz CPU included, 8 memory slots per systemboard, no memory , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 seria ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60E10			29930	
	PW 850(E), Sol10, 4x1.89GHz, 1x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 1,89 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61E10			35524	
	PW 850(E), Sol10, 8x1.89GHz, 2x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 8 x 1,89 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62E10			60699	
	PW 850(G),Sol10, 4x2.16GHz, noMEM,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 2,16 GHz CPU included, 8 memory slots per systemboard, no memory , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 seria ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60G10			34126	
	PW 850(G),Sol10, 4x2.16GHz, 1x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 2,16 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61G10			39720	
	PW 850(G),Sol10, 8x2.16GHz, 2x8GB,noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 8 x 2,16 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62G10			69091	

PRIMEPOWER 850 16U **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 850 (Continued)							
	PW 850(E), Sol9, 4x1.89GHz, noMEM, noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 1,89 GHz CPU included, 8 memory slots per systemboard, no memory , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 seria ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60E9			34825	
	PW 850(E), Sol9, 4x1.89GHz, 1x8GB, noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 1,89 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61E9			40420	
	PW 850(E), Sol9, 8x1.89GHz, 2x8GB, noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 8 x 1,89 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62E9			65594	
	PW 850(G),Sol9, 4x2.16GHz, noMEM, noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 2,16 GHz CPU included, 8 memory slots per systemboard, no memory , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 seria ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM60G9			39021	
	PW 850(G),Sol9, 4x2.16GHz, 1x8GB, noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 4 x 2,16 GHz CPU included, 8 memory slots per systemboard, 1 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM61G9			44615	
	PW 850(G),Sol9, 8x2.16GHz, 2x8GB, noSEB	The basic configuration comes with, 1 systemboard , 8 processor slots per systemboard, 8 x 2,16 GHz CPU included, 8 memory slots per systemboard, 2 x 8 GB included , 2 HDD bays per systemboard, 1 bay for a DVD drive - DVD drive included, 1 bay for a MTC drive - NO drive included, 8 PCI slots per systemboard, 2 slots 33/66 MHz, 6 slots 33 MHz, 1 long slot, , 2 serial ports RS232C (for console and Teleservice only), 2 Ethernet ports 10/100 Mbit/s,(netboot is supported), , SCSI ports for internal bays only, NOT for external boxes, , supports DPF as an option - NO DPF included, 1 interface to connect 1 PCI box, , for more details see rack configurator	D:GP850-GM62G9			73986	

PRIMEPOWER 900 **Data Sheets: http://www.fujitsu-siemens.com/primepower**

PRIMEPOWER 900 - 16-way Enterprise Server – Serving dynamic workloads with efficient failsafe partitioning

PRIMEPOWER 900 is the premium choice for enterprises looking for scalable performance and a very high flexibility to dynamically match varying workloads with best-in-class quality of IT production. Thus it is predestined for consolidation of different servers and applications onto a central system with high performance and enhanced business continuity. PW900 offers flexible configuration capabilities up to 16 processors in a 16HU space-saving 19” chassis, and in addition the benefits of dynamic reconfiguration and extended partitioning with up to 8 fail-safe and independent partitions. All major components are redundant and hot swappable or pluggable during operation for hardware upgrades or changes. Cost-intensive downtimes are reduced to an absolut minimum. The high performant and reliable SPARC64 processors, the large main memory capacities up to 64 GB per systemboard, the high speed crossbar interconnect and lowest memory latencies ensure your requested huge system and application throughput.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 900							
	PW900 D S10 virtualization package	Model 900 basic cabinet, 2 system boards, 12 CPUs, 64 MB memory, 8 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports , this connection is fix and cannot be changed, redundant fan modules, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Solaris RTU included, requires 16 HU in a 19" rack, included MCCU requires 1 HU in a 19" rack	D:GPK09-1ACE			220133	
	PRIMEPOWER 900 D So10 basic cab f 16CPU	Model 900 basic cabinet, 2 system board slots , - No CPU, - No SBs , - NO memory, 8 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 4 power supplies, sufficient for max. 2 SBs, 1 PSUs for the standard power I/F (power system #0), sufficient for no SBs, , redundant fan modules, sufficient with no SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Solaris RTU included (·So10 = Solaris 10), The D:GPK09-GA55D requires 16 HU in a 19" rack, The included MCCU requires 1 HU in a 19" rack, so the both need 16+1=17 HU	D:GPK09-GA55D			29720	
	PRIMEPOWER 900 D So9 basic cab f 16CPU	Model 900 basic cabinet, 2 system board slots , - No CPU, - No SBs , - NO memory, 8 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 4 power supplies, sufficient for max. 2 SBs, 1 PSUs for the standard power I/F (power system #0), sufficient for no SBs, , redundant fan modules, sufficient with no SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Solaris RTU included (·So9 = Solaris 9), The D:GPK09-GA53D requires 16 HU in a 19" rack, The included MCCU requires 1 HU in a 19" rack, so the both need 16+1=17 HU	D:GPK09-GA53D			36364	

PRIMEPOWER 1500 Data Sheets: http://www.fujitsu-siemens.com/primepower

PRIMEPOWER 1500 - 32-way Enterprise Server - Flexible and dynamical adaptation to keep IT business up with change

PRIMEPOWER 1500 is the foundation for enterprises, service providers and datacenters, that are looking for a highly scaling mission critical Solaris platform, suited to handle large corporate applications and databases as well as the dynamic workloads of multiple consolidated applications - with peace of mind and continuous quality of IT production. PW 1500 offers flexible and scalable configuration capabilities up to 32 processors in a space-saving system cabinet and optional I/O cabinet for additional PCI/disk boxes. Dynamic reconfiguration and extended partitioning with up to 15 fail-safe, hardware isolated and independent partitions is standard. All major components are redundant and hot swapable or plugable during operation for hardware upgrades or changes. Cost-intensive downtimes are reduced to an absolute minimum. The high performance and reliable SPARC64 processors, the large main memory capacities up to 64 GB per systemboard, the high speed crossbar interconnect and lowest memory latencies satisfy huge system and application throughput demands.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 1500							
	I/O cabinet f 3x PCI/disk box f PW 1500	For configurations with ext. PCI/DISK boxes connected to the 2nd, 3rd or 4th system board., The server must be switched off when installaling the I/O cabinet. , It is recommended to order the I/O cabinet together with the server to prepare the system for online upgrading with ext. PCI/DISK boxes connected to SB # 2 to 4.	D:GPK15-BG70			23427	
	PRIMEPOWER 1500 D S10 basic cab f 32CPU	Model 1500 basic cabinet, , 4 system board slots , - No CPU, - No SBs , - NO memory, 16 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 10 power supplies, sufficient for max. 2 SBs, 4 PSUs for the standard power I/F (power system #0), sufficient for max. 2 SBs, 6 PSUs for the Dual Power feed (DPF, power system #1), sufficient for max. 4 SBs, redundant fan modules, sufficient for 4 SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Internal 19" rack 8HU high, 2 of these 19" units are occupied by 1 CCU and 1 Hub/Switch, 2 power distribution box for rack boxes for DPF functionality	D:GPK15-GA64D			76923	
	PRIMEPOWER 1500 D So9 basic for 32CPU	Model 1500 basic cabinet, , 4 system board slots , - No CPU, - No SBs , - NO memory, 16 HDD bays for system drives, 4 per SB, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) at each SB, this connection is fix and cannot be changed, 10 power supplies, sufficient for max. 2 SBs, 4 PSUs for the standard power I/F (power system #0), sufficient for max. 2 SBs, 6 PSUs for the Dual Power feed (DPF, power system #1), sufficient for max. 4 SBs, redundant fan modules, sufficient for 4 SBs, 1 Console Connection Unit (CCU), sufficient for the first 8 partitions , Internal 19" rack 8HU high, 2 of these 19" units are occupied by 1 CCU and 1 Hub/Switch, 2 power distribution box for rack boxes for DPF functionality	D:GPK15-GA63D			97902	

PRIMEPOWER 1500

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 1500 (Continued)							
Category	**Description**		**Code**			**End User Price (£)**	**Comments**
Options							
	Highspeed Modem V.90/V.92 56kbit/s		D:GPCON-MD56K			238	
	ISDN Terminal Adaptor for Teleservice		D:GPCON-MD02			161	
Processor							
	Systemboard 2C f 8cpu 8mem 8pci PW 1500		D:GPK15-SE72D			12517	
	CPU submodul 1.89GHz SLC2MB f PW 1500 up		D:GPK15-ZE93			9315	
	CPU submodul 1.89GHz SLC3MB f PW 1500		D:GPK15-ZE94			9315	
	CPU Submodul 2,16GHz SLC2MB f PW 1500 up		D:GPK15-ZE95			10745	
	CPU Submodul 2,16GHz SLC4MB f PW 1500		D:GPK15-ZE96			10745	
Memory							
	Main memory exp. 4 GB f PW650-1500		D:GP70M-SP64			3497	
	Main memory exp. 8 GB f PW650-1500		D:GP70M-SP65			6993	
Hard Disk Drives							
	Hard Disk 73 GB 3,5" 10k rpm		D:GP71F-FP90			524	
	Hard Disk 147 GB 3,5" 10k rpm		D:GP71F-FP91			979	
SCSI/RAID/SAS controller							
	SCSI U320 Controller, LVD, dual port		D:GP70F-CS12			685	
Fibre Channel							
	Fibre Channel Cont. Single Port 2GBit/s		D:GP70F-CF33			1049	
	Fibre Channel Cont. Dual Port 2GBit/s		D:GP70F-CF34			1958	
	Fibre Channel Cont. Single Port 4GBit/s		D:GP70F-CF36			2448	
Communication/Network							
	Fast/Gigabit Ethernet Controller, RJ45		D:GP70F-CL15			350	
	Gigabit Ethernet NIC, Fibre Optic LC		D:GP70F-CL19			350	
	LC auf SC Adapter für CL19		D:GP7KB-LCSC			126	
	Quad Fast/Gigabit Ethernet Contr., RJ45		D:GP70F-CL21			909	
	WAN Controller PWXV (X.21, V.24, V.35)		D:GP71F-CW50			2073	
	WAN Submodul		D:GP71F-CW51			965	
	Adaptercable for PCI Contr. V.24		D:KB236-C150			90	
	Adaptercable for PCI Contr. V.35		D:KB237-C150			153	
	Adaptercable for PCI Contr. X.21		D:KB238-C150			90	
	ISDN Controller PWS0 (2x S0)		D:GP71F-CW56			1815	
	ISDN Controller PWS2 (1x S2M)		D:GP71F-CW57			5721	
	Serieller I/O Controller		D:GP70F-CT12			874	
Rack-Infrastructure							
	Console connection unit PRIMEPOWER-XA		D:GP70X-RC11			3497	
	PW_Baseplate f. Teleservice Modems, 1HU		D:GPRAC-GB523			140	
	E_PDU IEC320-10A > 3xSchuko		D:GPRAC-SV03			59	
	Ethernet Switch 8 Port 10/100 Mbps		D:GP70F-AL21			140	
	Consoleswitch 8port+1analog-Con(0801)1U		D:GPRAC-KS0801			1084	
	Rack mounting kit for PRIMESTATION		D:GPRAC-ZB26			152	
	1x Runner set for 19" Tray		D:GP70F-ZB20			38	
	Support bracket 1U for 19inch units PCR1		D:GP70F-ZB211			38	

PRIMEPOWER 1500

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
Rack-Infrastructure (Continued)							
	Support bracket 1U for 19inch units PCR2		D:GPRAC-ZB5211			42	
	Rear mounting kit for hubs/switches		D:GPRAC-ZB5214			63	
	Cable carrier for I/O cabinet PW1500		D:GP70X-ZB22			98	
	Dummy Panel for 19inch rack, 1U		D:GPRAC-ZB30			17	
UPS/Power supply							
	remote power on modul		D:GP70F-CL71			434	
	System expansion kit f PW1500 D So9		D:GPK15-SE54D			3636	
	System expansion kit f PW1500 S10		D:GPK15-SE55D			3636	
	DUAL power feed f PW 1500 D		D:GPK15-SV42D			8378	
Miscellaneous							
	Ext I/O box 10pci slot 4HDD bay PW 1500		D:GPK15-BG62			34266	
Cables							
	Cable & Adapter to Modem(3m)		D:GP70P-KA04			42	
	Cable & Adapter to Modem(10m)		D:GP70P-KA05			77	
	Cable & Adapter f. ISDN TA (3m)		D:GP70P-KA06			40	
	Cable & Adapter f. ISDN TA (10m)		D:GP70P-KA07			73	
	RC23 cable kit USB		D:GP70P-KA51			28	
	Signal-Cable Power-Control Connection		D:GP7KB-1903			77	
	Power cord IEC320 device 2.5m (F/M)		D:KB258-C250			14	
	Adapter for PS/2<->USB		D:GP70P-KA01			105	
	Adaption for PS/2-VGA on KVM-RJ45		D:GPRAC-AN10			143	
	Consol Switch KSxxxx Cable CAT 5 2_m		D:GPRAC-KB161			41	
	Power cable (F/M) 16A 2.5m		D:KB259-C250			37	
	Consol Switch KSxxxx Cable CAT 5 5_m		D:GPRAC-KB162			42	
	Adaption for USB-VGA on KVM-RJ45		D:GPRAC-AN20			143	
	Adaption for SUN-I/O-VGA on KVM-RJ45		D:GPRAC-AN30			175	
	Consol Switch KSxxxx Cable CAT 5 flex_m		D:GPRAC-KB16C			42	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m		D:GP7KB-1204			35	
	Cable for consolconnection unit 5 m		D:GP7KB-1805			133	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 5m		D:GP7KB-1305			24	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 10m		D:GP7KB-1310			25	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 15m		D:GP7KB-1315			36	
	FC cable MMF, 5m, LC/LC		D:FCKAB-MM-C05L			29	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 5m		D:GP7KB-1405			27	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 10m		D:GP7KB-1410			36	
	UTP cat 5 enhanced IC-cable, 4m		D:GP7KB-2104			37	
	UTP cat 5 enhanced, 5m		D:GP7KB-2005			51	
	UTP cat 5 enhanced, 15m		D:GP7KB-2015			63	
	FC cable MMF 5m, Connector SC-SC		D:KB248-M5			66	Phased out
	FC cable MMF, 5m, LC/SC		D:FCKAB-MM-B05L			31	
	SCSI cable VHDCI68(S)-HD68(S) 5m		D:GP7KB-1005			182	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),3m		D:KB235-M3			136	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),5m		D:KB235-M5			153	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),8m		D:KB235-M8			171	
	SCSI cable UHD68(S)-UHD68(S) 4m (DN41)		D:GPDS2-KB04			136	
	SCSI cable UHD68(S)-UHD68(S) 5m (DN41)		D:GPDS2-KB05			140	
SW Operating Systems							
	Solaris 10 Upgrade RTU up to 32 CPU		U24529-C704			42378	
	Solaris SW Support PW1000/1500		U24529-C664			1	
	Solaris Backlevel Support PW1500		U24529-C684			1	
	Solaris 8 CD/DVD Set PRIMEPOWER Export		U24529-C508-E			210	

PRIMEPOWER 1500

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SW Operating Systems (Continued)							
	Solaris 8 Accessories Kit for PRIMEPOWER		U24529-C420			10	
	Solaris 9 Reference RTU Enterpr. System		U24529-C404			1	
	Solaris 10 Reference RTU Enterpr. System		U24529-C434			1	
	Solaris 9 CD/DVD Set PRIMEPOWER		U24529-C509			210	
	Solaris 9 CD/DVD Set PRIMEPOWER Export		U24529-C509-E			210	
	Solaris 9 Accessories Kit for PRIMEPOWER		U24529-C407			10	
	Solaris 9 Patch CD		U24529-C578			25	
	Solaris 9 Upgrade RTU up to 32 CPU		U24529-C575			42378	
	Solaris 8 Patch CD		U24529-C554			25	
	Solaris 10 CD/DVD Set PRIMEPOWER		U24529-C590			210	
	Solaris 10 CD/DVD Set PRIMEPOWER Export		U24529-C590-E			210	
	Solaris 10 Accessories Kit PRIMEPOWER		U24529-C592			10	
	COMM-CD-SOL-SP MED (PRIMEPOWER) EN		U13643-C5008			25	
	Solaris Control DVD (SysMgmt)		U24529-C503			25	
	ESF 2.x (GP7000F/PRIMEPOWER)		U24529-C502			122	
SW Data Center Products							
	PCLCD3 V41 (SOLARIS PW) MED CD		U11420-C608			35	Phased out
	PCLLDS V42 (SOLARIS) RtU -CL32CPU		U11420-C733			26885	
	PCLLFS V42 (SOLARIS) RtU -CL32CPU		U11420-C739			23464	
	PCLSNP V42 (SOLARIS) RtU -CL32CPU		U11420-C745			23464	
	PCLLFDLS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C751			39901	
	PCLCD1 V42 (SOLARIS) MED CD		U11420-C811			35	
	PCLCD2 V42 (SOLARIS) MED CD		U11420-C812			35	
	PCLCD3 V42 (SOLARIS) MED CD		U11420-C813			35	
	EventAdmin-PH (for UNIX OS) V2.0		U16525-C203			3497	
	InstallAdmin-PH (for UNIX OS) V1.0		U16525-C301			1818	
	PRIMEPOWER KM for PATROL-PH V1.0		U16525-C600			10490	
	ARMTech ShareEnterprise V2.3 Mediakit		U24529-C18			84	
	ARMTech V2.3 License 1 CPU (1.-8. CPU)		U24529-C20			696	
	ARMTech V2.3 one CPU out of 9.-128. CPU		U24529-C21			416	
	ARMTech Upgrade to V2.3		U24529-C35			171	
	PCLCD1 V41 (SOLARIS PW) MED CD		U11420-C601			35	Phased out
	PCLCD2 V41 (SOLARIS PW) MED CD		U11420-C602			35	Phased out
	PCLCF V42 (SOLARIS) RtU -CL32CPU		U11420-C613			6294	
	PCLRMS V42 (SOLARIS) RtU -CL32CPU		U11420-C619			12587	
	PCLWT V42 (SOLARIS) RtU -CL32CPU		U11420-C625			4196	
	VERITAS SFE 4.1 UG RTU Tier 4A		U26000-C1133			58830	
	PCLPAS V42 (SOLARIS) RtU -CL32CPU		U11420-C631			13636	
	PCLSIS V42 (SOLARIS) RtU -CL32CPU		U11420-C637			6294	
	PCLDBMSW V42 (SOLARIS) RtU -CL32CPU		U11420-C655			8392	
	PCLSRIW V42 (SOLARIS) RtU -CL32CPU		U11420-C643			8392	
	PCLRMS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C661			20769	
	PCLSAPW V42 (SOLARIS) RtU -CL32CPU		U11420-C649			8392	
	CD-Xprint-Unix-OS		U11436-C231			25	
	VERITAS Storage Foundation 4.1 Media Kit		U26000-C1000			209	
	PCLPAS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C667			33042	
	VERITAS Storage Foundation 5.0 Media Kit		U26000-C5000			209	
	VERITAS SF Standard 5.0 RTU Tier K		U26000-C5009			59854	
	VERITAS SF Enterprise 5.0 RTU Tier K		U26000-C5021			98050	
	VERITAS SF Enterprise 5.0, Proc. Tier 2		U26000-C5054			6076	
	PCLSIS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C673			26434	

PRIMEPOWER 1500

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SW Data Center Products (Continued)							
	VERITAS SF Standard 5.0, Proc. Tier 2		U26000-C5051			3796	
	VERITAS SF Enterprise 5.0 UG RTU Tier K		U26000-C5045			58830	
	PCLEE-P V42 (SOLARIS) RtU -CL32CPU		U11420-C679			87924	
	VERITAS SF Standard 5.0 UG RTU Tier K		U26000-C5033			35912	
	VERITAS SF Enterprise 4.1 RTU Tier 4A		U26000-C1124			98050	
	VERITAS SF Standard 4.1 RTU Tier 4A		U26000-C1123			59854	
	PCLHAS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C685			70984	
	UPG auf VERITAS SFE 4.1 RTU Tier 4A		U26000-C1125			47502	
	VERITAS File System 4.1 RTU Tier 4A		U26000-C1126			35150	
	VERITAS Volume Manager 4.1 RTU Tier 4A		U26000-C1127			36861	
	VERITAS FlashSnap 4.1 RTU Tier 4A		U26000-C1128			35150	
	VERITAS SF 4.1 UG RTU Tier 4A		U26000-C1129			35913	
	VERITAS File System 4.1 UG RTU Tier 4A		U26000-C1130			21090	
	DomainAdmin-P10 (for UNIX OS) V2.2		U16525-C154			7692	
	VERITAS VolumeManager 4.1 UG RTU Tier 4A		U26000-C1131			22117	
	VERITAS FlashSnap 4.1 UG RTU Tier 4A		U26000-C1132			21090	
	PCLPS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C691			68309	
	PCLSS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C697			10699	
	DomainAdmin-PE (for UNIX OS) V2.2		U16525-C156			54545	
	PCLWKIT-P V42 (SOLARIS) RtU -CL32CPU		U11420-C703			21399	
	PCLGLS V42 (SOLARIS) RtU -CL32CPU		U11420-C709			8634	
	PCLGDS V42 (SOLARIS) RtU -CL32CPU		U11420-C715			25900	
	PCLGFS V42 (SOLARIS) RtU -CL32CPU		U11420-C721			25900	
	PCLGFDLS-P V42 (SOLARIS) RtU -CL32CPU		U11420-C727			51369	
	RCRMS-YH-PCLRMS-P V42 (SOL) UGRtU-32CPU		U11420-C215			6923	
	RCRMS-YL-PCLRMS-P V42 (SOL) UGRtU-32CPU		U11420-C219			15577	
	RCRMS-N-PCLRMS-P V42 (SOL) UGRtU-32CPU		U11420-C224			17308	
	RCOBS-YH-PCLRMS-P V42 (SOL) UGRtU-32CPU		U11420-C227			6923	
	RCOBS-YL-PCLRMS-P V42 (SOL) UGRtU-32CPU		U11420-C231			15577	
	RCOBS-N-PCLRMS-P V42 (SOL) UGRtU-32CPU		U11420-C236			17308	
	RCSPS-YH-PCLPAS-P V42 (SOL) UGRtU-32CPU		U11420-C239			11014	
	RCSPS-YL-PCLPAS-P V42 (SOL) UGRtU-32CPU		U11420-C243			24781	
	RCSPS-N-PCLPAS-P V42 (SOL) UGRtU-32CPU		U11420-C248			27535	
	Multipath V1.1B RoU (Sparc)		U24529-C530			2860	
	Xprint-UG1 (Solaris/FSC) V8.0 LC f.		U11436-C531			664	
	Xprint-NET (Solaris/FSC) V8.0 LC f.		U11436-C532			2832	
	Xprint-NET-CL (Solaris/FSC) V8.0 LC f.		U11436-C533			769	
	Xprint-UGM (Solaris/FSC) V8.0 LC f.		U11436-C534			944	
	Xprint-UG2 (Solaris/FSC) V8.0 LC f.		U11436-C535			944	
	Xprint-UG3 (Solaris/FSC) V8.0 LC f.		U11436-C536			1608	
	Xprint-UG4 (Solaris/FSC) V8.0 LC f.		U11436-C537			1469	
	Xprint-UG5 (Solaris/FSC) V8.0 LC f.		U11436-C538			1224	
	Xprint-UG6 (Solaris/FSC) V8.0 LC f.		U11436-C539			1224	
	Xprint-UG7 (Solaris/FSC) V8.0 LC f.		U11436-C540			1224	
	Xprint-UG8 (Solaris/FSC) V8.0 LC f.		U11436-C541			1224	
	Xprint-R/3-Kit (Solaris/FSC) V8.0 LC f.		U11436-C542			2874	
	Xprint-UG1-UP (Solaris/FSC) V8.0 LC f.		U11436-C544			287	
	Xprint-NET-UP (Solaris/FSC) V8.0 LC f.		U11436-C545			1140	
	Xprint-NET-CL-UP(Solaris/FSC)V8.0 LC		U11436-C546			315	
	Xprint-UGM-UP (Solaris/FSC) V8.0 LC f.		U11436-C547			381	
	Xprint-UG2-UP (Solaris/FSC) V8.0 LC f.		U11436-C548			381	

PRIMEPOWER 1500

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
SW Data Center Products (Continued)							
	Xprint-UG3-UP (Solaris/FSC) V8.0 LC f.		U11436-C549			650	
	Xprint-UG4-UP (Solaris/FSC) V8.0 LC f.		U11436-C550			587	
	Xprint-UG5-UP (Solaris/FSC) V8.0 LC f.		U11436-C551			490	
	Xprint-UG6-UP (Solaris/FSC) V8.0 LC f.		U11436-C552			490	
	Xprint-UG7-UP (Solaris/FSC) V8.0 LC f.		U11436-C553			490	
	Xprint-UG8-UP (Solaris/FSC) V8.0 LC f.		U11436-C554			490	
	Xprint-R/3-Kit-UP(Solaris/FSC) V8.0 LC		U11436-C555			1168	
	DomainAdmin-P10 (for UNIX OS) V2.1		U16525-C141			6993	
	Domain Monitoring GUI -UG1 V1.0		U11436-C664			280	
	Domain Monitoring GUI -UG2 V1.0		U11436-C665			280	
	Domain Monitoring GUI -UG3 V1.0		U11436-C666			420	
	Domain Monitoring GUI -UG4 V1.0		U11436-C667			629	
	DomainAdmin-PE (for UNIX OS) V2.1		U16525-C143			45455	
SW Networking							
	CMX-GK V6.0 NR (PRIMEPOWER) EN		U10808-C124			1042	
	CMX-GKU V6.0 NR (PRIMEPOWER) EN		U10808-C126			497	
	CCP-OSI/NEA-GK V6.0 NR (PRIMEPOWER) EN		U10826-C218			2657	
	CCP-OSI/NEA-GKU V6.0 NR (PRIMEPOWER) EN		U10826-C220			1259	
	OPENFT-SW-CD (UNIX) V8.1		U13806-C23			25	
	OPENFT-CR (UNIX) V8.0		U13806-C22			10	
	Medium for UNIX systems		U13806-C21			25	
	TRANS-CP-BNR (for UNIX OS) V3 6		U13620-C100			751	
	TRANS-CL-BNR (for UNIX OS) V3 6		U13621-C42			769	
	TRANS-SV-NR (for UNIX OS) V3 6		U13622-C45			36	
	TRANS-SV-BNR-PP (for UNIX OS) V3 6		U13622-C48			357	
	OPENFT-5 (UNIX) V8.0		U10987-C351			4183	
SW OLTP							
	openUTM LU62 V50 ROU Sync1 Unx/Win-Sys		U13655-C26			10011	
	openUTM LU62 V50 ROU Sync2 Unx/Win-Sys		U13655-C27			20022	
	openUTM LU62 V50 ROU UD Sync1 Unx/Win		U13655-C28			3504	
	openUTM LU62 V50 ROU UD Sync2 Unx/Win		U13655-C29			7008	
SW Compilers & Tools							
	COB_SE V4.0 SW 1 User (Sol)		U24539-C641			3095	
	COB_AS V4.0 SW 10cUsr (Sol)		U24539-C642			1214	
	Studio10 V10 SW 1User (Sol)		U24539-C579			2098	
	Studio10 V10 SW 10User (Sol)		U24539-C580			17972	
	Studio10 V10 SW 25User (Sol)		U24539-C581			42238	
	Studio10S V10 SW 1User (Sol)		U24539-C586			2308	
	COB_AS V4.0 SW 10nUsr (Sol)		U24539-C643			667	
	Studio10S V10 SW 10User (Sol)		U24539-C587			19769	
	Studio10S V10 SW 25User (Sol)		U24539-C588			46462	
	Studio10 V10 DT Media (Sol)		U24539-C585			85	
	COB_AS V4.0 SW 100nUsr (Sol)		U24539-C644			6675	
	COB_WAS V4.0 SW 2CPU (Sol)		U24539-C645			15778	
	COB_WAS V4.0 SW 4CPU (Sol)		U24539-C646			27610	
	COB_WAS V4.0 SW 8CPU (Sol)		U24539-C647			43389	
	COB_NE V4.0 SW 1 User (Sol)		U24539-C648			3401	
	COB_SE V2.2 SW 1 User (Sol)		U24539-C621			2731	
Solution Services							
	SAMBA-25+CD		U16502-C104			140	
	SAMBA-unlim+CD		U16502-C105			140	

PRIMEPOWER 2500 — Data Sheets: http://www.fujitsu-siemens.com/primepower

PRIMEPOWER 2500 - 64/128-way Enterprise Server - Unique scalability to serve dynamic IT production loads – You deserve the best!

PRIMEPOWER 2500 is the best-in-class Solaris datacenter platform that combines superiority in up-most scalability to handle your most important corporate applications, with impressive flexibility for dynamic resource adoption that agile corporate businesses need to ensure their business critical IT production. PW 2500 offers unique scalability of 64 processors in the basic system cabinet and up to 128 processors in the extended system cabinet and optional one to four I/O cabinets for up to 32 PCI/disk boxes. Dynamic reconfiguration and extended partitioning with up to 15 independent, fail-safe and hardware isolated partitions provide superior business continuity and resource optimization for dynamic IT production loads. Very all components – including crossbar hardware - are redundant and major components are hot swapable or plugable during operation for hardware upgrades, maintenance or changes. Thus cost-intensive downtimes are almost eliminated. The high performance SPARC64 processors, the large main memory capacities up to 64 GB per systemboard and the high speed crossbar ensure most compelling system and application throughput demands.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER 2500							
	I/O cabinet f 8x PCI/disk box f PW2500	I/O cabinet for PW2500, 36 HU hight, 2 of these are reserved for cabeling, 2 HU for mounting MCCU and Ethernet hub/switch, 32HU for mounting PCI/DISK boxes (maximum of 8), Equipped with 4 AC outlet boxes with 6 sockets IEC320 10A each. The AC outlet boxes can supply the power source to PCI/DISK Boxes, The I/O cabinet and PCI/DISK boxes can be installed when the server is online.. , .An I/O cabinet joint kit is required for mounting the I/O cabinet. The type of kit depends of the server configuration. Please refer to the follow Cabinet configuration diagrams.	D:GPK25-BG71			12587	Phased out
	PRIMEPOWER 2500 D S10 base cabinet 64CPU	unfortunately at this time not completely implemented, , The model 2500-64 basic cabinet comes with :, , 8 system board slots , - No CPU, - No SBs , - NO memory, - No HDD bays , · 4 power supplies, sufficient for max. 4 SBs·, 4 redundant fan modules, sufficient for 4 SBs·, 1 Multi-port Console Connection Unit (MCCU), sufficient for the first 8 partitions	D:GPK25-GA80D			181818	Phased out
	PRIMEPOWER 2500 D So8 upgr cab 64-128CPU	The cabinet expansion comes with:, 1 crossbar for 16 system boards. The 8-SB Xbar of the BC has to be changed., 8 slots for system boards, NO SB included, NO HDD bays, 6 power supplies, sufficient for max. 8 SBs, 8 redundant fan modules, sufficient for 8 SBs, Solaris RTU (65-128 processors) is included, order number depends on the installed Solaris release within the basic cabinet So8 = Solaris 8	D:GPK25-GA71D			653846	
	PRIMEPOWER 2500 D So8 base cab 128CPU	unfortunately at this time not completely implemented, , The model 2500-128 basic cabinet comes with :, , 16 system board slots , - No CPU, - No SBs , - NO memory, - No HDD bays , · 12 power supplies, sufficient for max. 16 SBs·, - 16 redundant fan modules, sufficient for 16 SBs·, 1 Multi-port Console Connection Unit (MCCU), sufficient for the first 8 partitions	D:GPK25-GA72D			782622	Phased out

PRIMECENTER

Data Sheets: http://www.fujitsu-siemens.com/primepower

PRIMECENTER - 19-inch rack system

19-inch rack technology for all Fujitsu Siemens rack components (PRIMERGY, PRIMEPOWER, storage products, BS2000) based on the 19-inch rack industry standard

PRIMECENTER Racks for each purpose. Flexible and stackable 12, 24, 38 and 46 horizontal units and the new PRIMECENTER LC (Liquid cooled) Rack. The universal scale-up infrastructure prerequisite for PRIMEPOWER, RM, PRIMERGY, Fujitsu Siemens Computers storage systems and even most of all existing rackable servers. And - that's not all: often necessary components like uninterruptible power supplies, hubs, routers, (console-) switches and a LAN console are easily to be installed here;

this is supported also by the built-in optimal cable management, allowing cost saving serviceability of included components. The installation dimensions of the enclosure make the integration in existing IT environments easy. Thanks to their modular design, the racks can be expanded on-site. All four models are offering the same functionality - only with different sizings and different numbers of horizontal height units behind the secure front door.

New member of the PRIMECENTER family is the new low cost entry PRIMECENTER SME rack, a 42 U rack enclosure capable to host all Fujitsu Siemens servers as well as 3rd party systems at an extremly low price.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack							
	PRIMECENTER Rack 12 U, 1000 deep	19" rack (12U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting kit for stack fixing, mounting frame 1x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 670x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V101			1082	
	PRIMECENTER Rack 24 U, 1000 deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V102			1184	
	PRIMECENTER Rack 38 U, 1000 deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V103			1387	
	PRIMECENTER Rack 46 U, 1000 deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1000 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V104			1591	
	PRIMECENTER Rack 24U, 1100mm deep	19" rack (24U), stackable, basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 2x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V212			1286	

PRIMECENTER

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMERGY PRIMECENTER Rack (Continued)							
	PRIMECENTER Rack 38HU, 1100mm deep	19" rack (38U), stackable, large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, Mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD = 1825x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V213			1489	
	PRIMECENTER Rack 46U, 1100mm deep	19" rack (46U), large basic cabinet matching protection type IP00 with side panels, lockable front- and back-door, including tilting protection, horizontal self-ventilation, mounting frame 3x 2U vertical, circumferential cable management at the back, cable outlet to the top, below, left and right., HxWxD =2220x700x1100 mm; incl. pre-assembling, packing and accessory pack (var. installation material, manual).	S26361-K826-V214			1693	
	PCR LC-RACK 31U	PRIMECENTER LC Rack 38U / 31U (31U useable for server), basic cabinet (1825 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 1x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 1825 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V100			8632	
	PCR LC-RACK 40U	PRIMECENTER LC Rack 46U / 40U (40U useable for server), basic cabinet (2220 mm) to protection type IP52 with side panels, lockable front- and back-door. Including tilting protection; Liquid cooled via chilled water (connection to external water via "quick loock"); Mounting frame 2x 2U vertical; Circumferential cable management at the back, cable outlet to the top, below; Addition of several racks without accessory, no personal variation., Basic rack without power connection; refer to part H/I for further informations and order numbers (connection concepts)., HxWxD = 2220 x 700 x 1200 mm, Incl. heat exchanger, climate rear door with fans, rack monitoring system, smoke detector, temperature and humidity sensor, installation preparation, packing, , accessory pack including:, Server addition (var.installation material), manual German / English	S26361-K1022-V200			8801	
PRIMEPOWER PRIMECENTER Rack							
	PRIMECENTER Rack 12 U, 1000mm deep	This 19" rack is a 12U basic cabinet (HxWxD 670x700x1000mm) from Fujitsu-Siemens Computer GmbH, offering 12 units for installing standard 19" components., max. allowable weight: 1000 kg, The interior is divided into two areas. This allows the installation of 12U horizontally and 1x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation.	D:GPRAC-BG50			1224	

PRIMECENTER

Data Sheets: http://www.fujitsu-siemens.com/primepower

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PRIMEPOWER PRIMECENTER Rack (Continued)							
	PRIMECENTER Rack 24 U, 1000mm deep	This 19" rack is a 24U basic cabinet (HxWxD 1230x700x1000mm) from Fujitsu-Siemens Computer GmbH, offering 24 units for installing standard 19" components., max. allowable weight: 1000 kg, ATTENTION: Two 24HU-rack with mounted PW850/900 may NOTbe stacked! >>Tilting danger<<, The interior is divided into two areas. This allows the installation of 24U horizontally and 2x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation.	D:GPRAC-BG51			1364	
	PRIMECENTER Rack 38 U, 1000mm deep	This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) from Fujitsu-Siemens Computer GmbH, offering 38 units for installing standard 19" components., max. allowable weight: 1000 kg, The interior is divided into two areas. This allows the installation of 38U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation.	D:GPRAC-BG52			1643	
	PRIMECENTER Rack 46 U, 1000mm deep	This 19" rack is a 46U basic cabinet (HxWxD 2220x700x1000mm) from Fujitsu-Siemens Computer GmbH, offering 46 units for installing standard 19" components., max. allowable weight: 1000 kg, The interior is divided into two areas. This allows the installation of 46U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation.	D:GPRAC-BG53			1923	
	Earthquake proofed PCR, 38U, EMEA	For a NEBS certifying these racks, after customer's request equips, a concession request must be placed. The earthquake-proof Rack is not stackable!, , This earthquake proofed 19"-rack is a 38HU basic cabinet (HxWxD 1825x700x1000mm) from Fujitsu-Siemens Computer GmbH, offering 38 height units for installing standard 19"-components. max. allowable weight: 1000 kg, , The interior is divided into two areas. This allows the installation of 38HU horizontally and 2x2HU vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device is included in the package and must be fitted before initial operation., A connection in the central potential balance system of the building installation should take place by an electrotechnical expert	D:GPRAC-BG55EQ			2420	

Console systems

Data Sheets: http://www.fujitsu-siemens.com/primepower

Console systems

Starting mid of 2004 a new "System Management Console" (SMC) is provided based on PRIMEPOWER technology. The SMC forms the basis for the administration of the PRIMEPOWER Enterprise Servers with the systems 800 and 900 upward. In comparison to the PRIMESTATION-based SMC the new SMC is equipped with the Fujitsu-branded SPARC64TMV 1.1GHz processor offering significant better performance. The SMC now embraces all demands of the JAVA-based PRIMEPOWER ServerView Suite (previous WSA) running parallel to SCS administering a larger number of servers, provided sufficient RAM is installed to the SMC. If necessary the SMC can be upgraded with an second processor.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
PW RACK Console							
	RC23 with 17"-TFT and UK keyboard	Rack console with 17"-TFT monitor, keyboard, touchpad and EBS for DC/PC/3rd party racks, incl. assembly., , delivered cable-: VGA, PS/"-mouse, -keyboard, USB - length 3m, power cord IEC320 - 3m, CD mouse's driver / manual RC23, , Connection of PS/2-mouse/keyboard over USB-PS/2-adapter is here not possible and not allowed!, , In order to re-fitting in the PCR1-Rack (GP70F-BG4x) one support bracket (GP70F-ZB211) must be ordered in addition.	D:GPRAC-MO08Z17			1259	
	RC23 mit 17"-TFT u. US/Int. Tastatur	Rack console with 17"-TFT monitor, keyboard, touchpad and EBS for DC/PC/3rd party racks, incl. assembly (cable management and support bracket)., delivered cable:VGA, PS/2-mouse, -keyboard, USB - length 3m, power cord IEC320 - 3m, CD mouse's driver / manual RC23, , Connection of PS/2-mouse/keyboard over USB-PS/2-adapter is here not possible and not allowed!, , In order to re-fitting in the PCR1-Rack (GP70F-BG4x) one support bracket (GP70F-ZB211) must be ordered in addition.	D:GPRAC-MO09Z17			1259	

PRIMEPOWER Accessories **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Category	Description	Details	PRIMEPOWER 1000	PRIMEPOWER 100N	PRIMEPOWER 1500	PRIMEPOWER 200	PRIMEPOWER 2000	PRIMEPOWER 200F	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 400	PRIMEPOWER 400N	PRIMEPOWER 400T	PRIMEPOWER 450	PRIMEPOWER 450F	PRIMEPOWER 450N	PRIMEPOWER 600	PRIMEPOWER 650	PRIMEPOWER 800	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER Peripheral Boxes	PRIMEPOWER PRIMECENTER Rack	PRIMEPOWER projects	Code			End User Price (£)	Comments
Accessories & services matrix																															
Rack-Infrastructure																															
	2-joint arm for cable guidance, towed	The 2-joint arm for cable guidance take the cable for 19inch server build-in into foreign/3rd-party-racks. Server height > 2HU and with telescopic rails. So you don´t need to unlock the cables, when you pull out the systems for services.							x			x				x		x		x		x	x		x	x	D:GPRAC-ZB523			112	
	RMK 10 D/P/3rd P Racks sliding rails	1 pair sliding rails deepth 710-815mm incl. adapter angle, cable management and 2 powercords																							x		S26361-F2734-L20			99	
	RMK 1 D/P/3rd P Racks telescopic rails	1 pair telescopic rails deepth 735-770mm incl. adapter angle and cable management																							x		S26361-F2734-L31			165	
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D\P\3rd P Racks incl.vario carrier and cable management																							x		S26361-F2734-L32			122	
	RMK 6 D/P/3rd P Racks telescopic rails	1 pair telescopic rails deepth704-790mm incl. adapter angle and cable management for DC-, PC- and 3rd party racks																							x		S26361-F2734-L70			122	
	reinforced tilting protection(PCR2-1100)	relevant to security																							x		S26361-F2735-L210			261	
	Remodelling kit, 24U up to 1100mm depth	Remodelling kit for a PRIMECENTER Rack, 1000mm up to 1100mm depth, incl. mounting description																							x		S26361-F2735-L212			424	
	Remodelling kit up to 1100mm depth	Remodelling kit for a PRIMECENTER Rack, 1000mm up to 1100mm depth, incl. mounting description																							x		S26361-F2735-L213			472	
	Remodelling kit, 46U up to 1100mm depth	Remodelling kit for a PRIMECENTER Rack, 1000mm up to 1100mm depth, incl. mounting description																							x		S26361-F2735-L214			481	
OS/Application-SW																															
	CS-GATE V6.0 NR (PRIMEPOWER) EN	CS-GATE V6.0 Licence for PRIMEPOWER, international	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x	x			x	U13665-C31			2797	
UPS/Power supply																															
	APC-UPS COM Cable NOVELL,NT,OS2	UPS control cable for Win-NT and OS/2, for 2nd+3rd server, grey																							x		S26113-F231-L1			24	
	APC-UPS COM Cable extension	UPS control cable extension 5m, for connection to an APC-UPS COM-Interface																							x		S26113-F233-L1			24	
	APC-UPS WEB Management Adapter	for APC-UPS (use one smart slot), SNMP WEB Management adapter, 10 / 100 Mbit autosence																							x		S26113-F80-L10			173	
	APC-UPS COM-Port extension	APC-UPS																							x		S26113-F81-L1			65	
Miscellaneous																															
	Hybrid-rack install.ex works,PW a. PS	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order																							x		S26361-F1647-L700			1119	
Media																															
	VXA cleaning label	Label for VXA cleaning cartridge																						x			D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge																						x			D:CL-VXA2-X-01			16	
	VXA cleaning cartridge with label	VXA cleaning cartridge																						x			D:CL-VXA2-X-01L			17	
	VXA barcode label	Label for VXA data cartridge																						x			D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																						x			D:CR-VXA2-X23-01			35	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB																						x			D:CR-VXA2-X23-01L			36	
Cables																															
	FC cable MMF, 10m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-C10L			31	
	FC cable MMF, 20m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-C20L			42	
	FC cable MMF, 50m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-C50L			68	
	FC Kabel MMF 100m, Connector LC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-C100L			112	Phased out
	FC cable MMF, 10m, LC/SC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-B10L			31	
	FC cable MMF, 20m, LC/SC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-B20L			42	
	FC Kabel MMF 50m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-B50L			70	Phased out

PRIMEPOWER Accessories

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1000	PRIMEPOWER 100N	PRIMEPOWER 1500	PRIMEPOWER 200	PRIMEPOWER 2000	PRIMEPOWER 200F	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 400	PRIMEPOWER 400N	PRIMEPOWER 400T	PRIMEPOWER 450	PRIMEPOWER 450F	PRIMEPOWER 450N	PRIMEPOWER 600	PRIMEPOWER 650	PRIMEPOWER 800	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER Peripheral Boxes	PRIMEPOWER PRIMECENTER Rack	PRIMEPOWER projects	Code			End User Price (£)	Comments
Accessories & services matrix																															
Cables (Continued)																															
	FC Kabel MMF 100m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)																							x		D:FCKAB-MM-B100L			112	Phased out
	SCSI cable UHD68(S)-UHD68(S) 5m	UHD68(S)-UHD68(S) with screw connection																							x		SNP:SY-F2365L50-P			36	

PRIMEPOWER Services **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450F	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	System Console	Code			End User Price (£)	Comments
Accessories & services matrix																			
Professional Services																			
	Standard PRIMEPOWER200,250 Installation	System implementation support by service 'PRIMEPOWER 250 Implementation'		x		x	x								CPS:UX-INT-21003FX			480	
	Standard PRIMEPOWER400,450 Installation	System implementation support by service 'PRIMEPOWER 450 Implementation'						x	x	x					CPS:UX-INT-21004FX			900	
	Standard PRIMEPOWER 650 Installation	System implementation support by service 'PRIMEPOWER 650 Implementation'									x				CPS:UX-INT-21005FX			1450	
	PRIMEPOWER 850 Implementation	System implementation support by service 'PRIMEPOWER 850 Implementation'										x			CPS:UX-INT-21006FX			2150	
	Add.PRIMEPOWER 250 Implementation	System Implementation Service, PRIMEPOWER 250 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x		x	x								CPS:UX-INT-21011FX			240	
	Add.PRIMEPOWER 450 Implementation	System Implementation Service, PRIMEPOWER 450 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM						x	x	x					CPS:UX-INT-21012FX			450	
	Add.PRIMEPOWER 650 Implementation	System Implementation Service, PRIMEPOWER 650 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM									x				CPS:UX-INT-21013FX			725	
	Add.PRIMEPOWER 850 Implementation	System Implementation Service, PRIMEPOWER 850 Implementation, Standard; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM										x			CPS:UX-INT-21014FX			1075	
	PRIMEPOWER 250 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 250 Implementation, Advanced'		x		x	x								CPS:UX-INT-21503FX			795	
	PRIMEPOWER 450 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 450 Implementation, Advanced'						x	x	x					CPS:UX-INT-21504FX			1620	
	PRIMEPOWER 650 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 450 Implementation, Advanced'									x				CPS:UX-INT-21505FX			3250	
	PRIMEPOWER 850 Implementation, Advanced	System implementation support by service 'PRIMEPOWER 850 Implementation, Advanced'										x			CPS:UX-INT-21506FX			4800	
	PRIMEPOWER 900 Implementation, Advanced	System Implementation Service, PRIMEPOWER 900 Implementation, Advanced'											x		CPS:UX-INT-21511FX			9999999	
	PRIMEPOWER 1500 Implementation, Advanced	System Implementation Service, PRIMEPOWER 1500 Implementation, Advanced'	x												CPS:UX-INT-21512FX			9999999	
	PRIMEPOWER 2500 Implementation, Advanced	System Implementation Service, PRIMEPOWER 2500 Implementation, Advanced'			x										CPS:UX-INT-21513FX			9999999	
	Add.PRIMEPOWER 250 Implement., Advanced	System Implementation Service, PRIMEPOWER 250 Implementation, Advanced; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM		x		x	x								CPS:UX-INT-21514FX			398	
	Add.PRIMEPOWER 450 Implement., Advanced	System Implementation Service, PRIMEPOWER 450 Implementation, Advanced; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM						x	x	x					CPS:UX-INT-21515FX			810	
	Add.PRIMEPOWER 650 Implement., Advanced	System Implementation Service, PRIMEPOWER 650 Implementation, Advanced; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM									x				CPS:UX-INT-21516FX			1625	
	Add.PRIMEPOWER 850 Implement., Advanced	System Implementation Service, PRIMEPOWER 850 Implementation, Advanced'										x			CPS:UX-INT-21517FX			2400	
Product related services																			
	SP 3y OS Svc,4h Rt,5x9	SP 3On-Site Service, 4h response, 5x9		x		x	x							x	FSP:GD3S60000GBP03			1680	
	SP 3y OS Svc,4h Rt,5x9	SP 3On-Site Service, 4h response, 5x9						x	x	x					FSP:GD3S60000GBP05			3170	
	SP 3y OS Svc,4h Rt,7x24	SP 3On-Site Service, 4h response, 7x24		x		x	x							x	FSP:GD3S63000GBP03			3870	
	SP 3y OS Svc,4h Rt,7x24	SP 3On-Site Service, 4h response, 7x24						x	x	x					FSP:GD3S63000GBP05			5860	
	SP 3y OS Svc,8h Rec,7x24	SP 3On-Site Service, 8h recovery, 7x24		x		x	x							x	FSP:GD3SG3000GBP03			5663	
	SP 3y OS Svc,8h Rec,7x24	SP 3On-Site Service, 8h recovery, 7x24						x	x	x					FSP:GD3SG3000GBP05			8563	

PRIMEPOWER Options **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
	Highspeed Modem V.90/V.92 56kbit/s	Highspeed Analog Modem V.90 56kbit/s; async mode, fax mode, V.24 / RS-232 interfa	x		x											D:GPCON-MD56K			238	
	ISDN Terminal Adaptor for Teleservice	1 x ISDN Terminal Adapter for Teleservice; , Desktop model with wall-plugged power supply (Euro connector), Mounting in a rack is only possible after configuration of a "PW_Baseplate for peripherals, 680mm, 1HU" or - starting with Febr. 2006 - of a "PW_Baseplate for Teleservice Modems, 1HU" (GB523). Last-mentioned one saves 1 HU.	x		x											D:GPCON-MD02			161	
Processor																				
	CPU Submodul 1.89GHz SLC 3MB f.PW650(DE)	1x SPARC64®GP processor (1,89GHz, 3 MByte SLC)								x			x			D:GP650-ZE84			3077	
	CPU Subm. 2.16GHz SLC 4 MB f.PW650(G)	1x SPARC64®GP processor (2,16GHz, 4 MByte SLC)								x			x			D:GP650-ZE86			3636	
	CPU(E)1.65GHz/3MB SLC f PW250N(E) Rack2U	CPU(E)1,65GHz/3MB SLC f PW250N(E) Rack2U, only for PW250N					x						x			D:GP70P-ZE12			909	
	CPU(E)1,65GHz/3MB SLC f PW250F	CPU(E)1,65GHz/3MB SLC f PW250F				x										D:GP70P-ZE13			909	
	CPU(E) 1.65GHz/3MB SLC f PW450x(E)	1x SPARC64®GP processor CPU(E) 1,65GHz/3MB SLC f PW450x(E)						x	x				x			D:GP70P-ZE14			2087	
	CPU(F) 1.98GHz/3MB SLC f PW250N(F)Rack2U	CPU(E)1,98GHz/3MB SLC f PW250N(E) Rack2U, only for PW250N					x						x			D:GP70P-ZE15			1843	
	CPU(F) 1.98GHz/3MB SLC f PW250F	1x SPARC64®GP processor (1,98 GHz, 3 MByte SLC), only for PW250N		x		x										D:GP70P-ZE16			1703	
	CPU(F) 1.98GHz/3MB SLC f PW450x(F)	1x SPARC64®GP processor CPU(E) 1,98 GHz/3MB SLC f PW450x(E)						x	x				x			D:GP70P-ZE17			2902	
	System expansion board f.PW 850 (EFG)S10	No mixed configuration with different CPU types allowed: select CPU type of base unit!									x		x			D:GP850-ZE63F10			9510	
	System expansion board f. PW 850 (EFGS8	No mixed configuration with different CPU types allowed: select CPU type of base unit!											x			D:GP850-ZE63F8			9510	
	System expansion board f. PW 850 (EFG)S9	No mixed configuration with different CPU types allowed: select CPU type of base unit!									x		x			D:GP850-ZE63F9			9510	
	CPU Submodul 1.89GHz SLC 3MB f.PW850(DE)	1x SPARC64®GP processor (1,89GHz, 3 MByte SLC)									x		x			D:GP850-ZE84			4867	
	CPU Submodul 1.89GHz SLC 3MB f.PW850(DE)	1x SPARC64®GP processor (1,89GHz, 3 MByte SLC)									x		x			D:GP850-ZE84			4867	
	CPU Subm. 2.16GHz SLC 4 MB f.PW850(G)	1x SPARC64®GP processor CPU Subm. 2,16GHz SLC 4 MB f.PW850(G)									x		x			D:GP850-ZE86			5580	
	CPU Subm. 2.16GHz SLC 4 MB f.PW850(G)	1x SPARC64®GP processor CPU Subm. 2,16GHz SLC 4 MB f.PW850(G)									x		x			D:GP850-ZE86			5580	
	CPU(E)1,65GHz/3MB SLC f SMC3 (Floor+4U)	CPU(E)1,65GHz/3MB SLC for LAN Console 3 and System Management Console 3 (SMC3) with PW250 Floorstand Unit and 4U Rack.													x	D:GPCON-ZE13			367	
	Systemboard 2A f 8cpu 8mem 8PCI f PW900	First SB for SPARC64TMV processor ·, Slots for 8 CPU modules ·, Slots for 8 memory options·, Slots for 8 PCI controller·, 5 slots 33MHz (4 short, 1 long)·, 3 slots 33/66MHz (all short)·, Integrated I/O controller (no PCI slot required)·, 2x RS232C for Console I/F (2nd I/F for use with SPARC64TMV processor only)·, 2x SCSI (40Mbyte/s) for internally HDDs only)·, 2x Ethernet 10/100Mbit/s·, 1 interface to connect 1 ext. PCI/disk box·, 1 power supply unit and 1 fanNO CPU, NO memory, NO PCI controller included									x				D:GPK09-SE72A			12448	
	Systemboard2B10 f 8cpu 8mem 8PCI f PW900	Second SB (Solaris 10) for SPARC64TMV processor ·, Slots for 8 CPU modules ·, Slots for 8 memory options·, Slots for 8 PCI controller·, 5 slots 33MHz (4 short, 1 long)·, 3 slots 33/66MHz (all short)·, Integrated I/O controller (no PCI slot required)·, 2x RS232C for Console I/F (2nd I/F for use with SPARC64TMV processor only)·, 2x SCSI (40Mbyte/s) for internally HDDs only)·, 2x Ethernet 10/100Mbit/s·, 1 interface to connect 1 ext. PCI/disk box·, 1 power supply unit and 1 fanNO CPU, NO memory, NO PCI controller included									x				D:GPK09-SE72B10			12448	
	Systemboard 2B9 f 8cpu 8mem 8PCI f PW900	Second SB (Solaris 9) for SPARC64TMV processor ·, Slots for 8 CPU modules ·, Slots for 8 memory options·, Slots for 8 PCI controller·, 5 slots 33MHz (4 short, 1 long)·, 3 slots 33/66MHz (all short)·, Integrated I/O controller (no PCI slot required)·, 2x RS232C for Console I/F (2nd I/F for use with SPARC64TMV processor only)·, 2x SCSI (40Mbyte/s) for internally HDDs only)·, 2x Ethernet 10/100Mbit/s·, 1 interface to connect 1 ext. PCI/disk box·, 1 power supply unit and 1 fanNO CPU, NO memory, NO PCI controller included									x				D:GPK09-SE72B9			12448	
	CPU submodul 1.89GHz SLC2MB f PW 900 up	1 SPARC64TMV processor 1,89GHz,, 2 MByte SLC on chip, SLC 4 ways à ½ MByte,, 2x DC/DC converter.									x					D:GPK09-ZE93			8997	
	CPU submodul 1.89GHz SLC3MB f PW 900	1 SPARC64TMV processor 1,89GHz,, 3 MByte SLC on chip, SLC 3 ways à 1 MByte) ,, 2x DC/DC converter., Notes: do NOT install within server containing processors with ½ MByte SLC way length.									x					D:GPK09-ZE94			8997	
	CPU Submodul 2,16GHz SLC2MB f PW 900 up	1 SPARC64TMV processor 2,16GHz,, 2 MByte SLC on chip, SLC 4 ways à ½ MByte,, 2x DC/DC converter.									x					D:GPK09-ZE95			10451	
	CPU Submodul 2,16GHz SLC4MB f PW 900	1 SPARC64TMV processor 2,16GHz,, 4 MByte SLC on chip, SLC 4 ways à 1 MByte) ,, 2x DC/DC converter.									x					D:GPK09-ZE96			10451	
	Systemboard 2C f 8cpu 8mem 8pci PW 1500	The system board is a key component of the PRIMEPOWER 1500 system. The PRIMEPOWER 1500 has slots for a maximum of up to 4 system board. One standard I-O board is installed with each physical system board., The system board with it's standard I-O board allows the system to have up to 8 CPU modules, up to 8 main memory options (= 32 memory DIMMs), and up to 8 PCI cards., The following I-O interfaces are provided as standard:, 2 LAN ports 10/100Mbit/s, 2 console I/F RS232C (1 for future use), 2 SCSI port, connected to 2 HDD bays within the system cabinet. This connection cannot be changed., 1 I/F to connect a I/O box.	x													D:GPK15-SE72D			12517	
	CPU submodul 1.89GHz SLC2MB f PW 1500 up	1 SPARC64TMV processor 1,89GHz,, 2 Mbyte SLC on chip, SLC 4 ways à ½ MByte,, 2x DC/DC converter. , Notes: this processor is for upgrades (of server containing processors with ½ MByte SLC) only. SR required.	x													D:GPK15-ZE93			9315	
	CPU submodul 1.89GHz SLC3MB f PW 1500	1 SPARC64TMV processor 1,89GHz,, 3 Mbyte SLC on chip, SLC 3 ways à 1 MByte,, 2x DC/DC converter. , Notes: do NOT install within server containing processors with ½ MByte SLC way length.	x													D:GPK15-ZE94			9315	
	CPU Submodul 2,16GHz SLC2MB f PW 1500 up	1 SPARC64TMV processor 2,16GHz,, 2 Mbyte SLC on chip, SLC 4 ways à ½ MByte,, 2x DC/DC converter.	x													D:GPK15-ZE95			10745	
	CPU Submodul 2,16GHz SLC4MB f PW 1500	1 SPARC64TMV processor 2,16GHz,, 4 Mbyte SLC on chip, SLC 4 ways à 1 MByte,, 2x DC/DC converter.	x													D:GPK15-ZE96			10745	
	Systemboard 1D for 8CPU + 4 MEM PW2500 D	SB for SPARC64TMV dual processor , Slots for 4 DCPU modules , Slots for 4 memory options (each for 8 DIMMs), Integrated I/O controller (no PCI slot required), 1x RS232C for Console I/F , 1x Ethernet 10/100Mbit/s, 2 interfaces (CHIF) to connect 1-2 ext. PCI/DISK box, NO CPU, NO memory, NO PCI controller included			x											D:GPK25-SE73D			14685	
	Dual CPU modul 1.3GHz SLC2MB f PW 2500	2 SPARC64TMV processor (1,3GHz, 2 MByte SLC) ,5x DC/DC converter (4+1 redundancy)			x											D:GPK25-ZE90			11552	Phased out
	DUAL CPU mod 1.82GHz SLC2MB PW 2500 D up	2 SPARC64TMV processors 1,82GHz,, 2 MByte SLC on chip, SLC 4 ways à ½ MByte, , 5x DC/DC converter (4+1 redundancy). , Notes: this processor is for upgrades (of server containing processors with ½ MByte SLC) only. SR required.			x											D:GPK25-ZE93			26538	
	DUAL CPU mod 1.82GHz SLC3MB PW 2500 D	2 SPARC64TMV processors, 1,82GHz,, 3 MByte SLC on chip, SLC 3 ways à 1 MByte),, 5x DC/DC converter (4+1 redundancy). , Notes: do NOT install within server containing processors with ½ MByte SLC way length.			x											D:GPK25-ZE94			26538	
	DUAL CPU mod 2,08GHz SLC2MB PW 2500 D up	2 SPARC64TMV processors 2,08GHz,, 2 MByte SLC on chip, SLC 4 ways à ½ MByte, , 4x DC/DC converter (3+1 redundancy).			x											D:GPK25-ZE95			30787	
	DUAL CPU mod 2,08GHz SLC4MB PW 2500 D	2 SPARC64TMV processors, 2,08GHz,, 4 MByte SLC on chip, SLC 4 ways à 1 MByte),, 4x DC/DC converter (3+1 redundancy).			x											D:GPK25-ZE96			30787	
Memory																				

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
Memory (Continued)																				
	Main memory exp. 4 GB f PW650-1500	Main memory option 4 GByte(4x 1 GByte DIMM) for PW 850/650								x	x		x			D:GP70M-SP64			3497	
	Main memory exp. 4 GB f PW650-1500	Main memory option 4 GByte(4x 1 GByte DIMM) for PW 850/650	x								x	x	x			D:GP70M-SP64			3497	
	Main memory exp. 8 GB f PW650-1500	Main memory option 8 GByte(4 x 2 GByte DIMM) for PW 650 - 1500								x	x		x			D:GP70M-SP65			6993	
	Main memory exp. 8 GB f PW650-1500	Main memory option 8 GByte(4 x 2 GByte DIMM) for PW 650 - 1500	x								x	x	x			D:GP70M-SP65			6993	
	Main memory expansion 4 GB for PW 2500	Main memory package 4 GByte (8x 512 MByte DIMM)			x											D:GPK25-SP73			4196	
	Main memory expansion 8 GB for PW 2500	Main memory package 8 GByte (8x 1 GByte DIMM)			x											D:GPK25-SP74			9790	Phased out
	Main memory expansion 8 GB for PW 2500 D	Main memory package 8 GB f. PW 2500 D			x											D:GPK25-SP75			9790	
	Main memory expansion 16 GB f PW 2500 D	Main memory package 16 GB f. PW 2500 D			x											D:GPK25-SP76			19580	
	Memory 1 GByte for PW250x, PW450x	Memory 1 GByte for PW250x, PW450x		x		x	x	x					x		x	D:GP70P-SP01			559	
	MEM 2 GByte f. PW250(DRS), PW450x(DRS)	Memory 2 GByte for PW450D		x		x	x	x					x		x	D:GP70P-SP02D			1119	
	MEM 4 GB f PW250x(BCDRS) PW450x(BCDRS)	Memory 4 GByte for PW250x		x		x	x	x					x		x	D:GP70P-SP03			2622	
Graphics																				
	Graphik Controller 32MB	Graphic Controller 32MB frame buffer, 24 bit colors, HD15 connector., Up to 1920x1200 screen resolution is supported in 24 bit color mode., An 8-bit color application and a 24-bit color application can be executed simultaneously. Driver available for Solaris 8, 9 and 10.		x		x	x	x	x	x	x		x		x	D:GP70F-CC14			318	
Removable Media Drives																				
	MTC DAT72 (DDSg5), 36/72 GB PW 650/850									x	x		x			D:GP70M-MC57			1014	
	MBK DAT72 (DDSg5),36/72GB PW250F, PW450	DAT-LW DAT72, 4mm 36/72 GB PW250F, PW450x, , Please refer config hints !!!		x		x		x	x				x		x	D:GP70P-MC57			1014	
Hard Disk Drives																				
	Hard Disk 73 GB 3,5" 10krpm	Hard Disk 73 GB 3,5" 10krpm		x		x	x	x					x		x	D:GP70P-FP90			524	
	Hard Disk 147 GB 3.5" 10krpm	Hard Disk 146 GB 3,5"" HH U320 10krpm		x		x	x	x					x		x	D:GP70P-FP91			979	
	Disk Less delivery - boot with Net Boot	Hard Disk less delivery		x		x	x	x	x	x	x		x			D:GP71Y-FP00			1	
	Disk Less delivery - boot with Net Boot	Hard Disk less delivery									x		x			D:GP71Y-FP00			1	
	Hard Disk 73 GB 3,5" 10k rpm	Hard Disk 73 GB 3,5" 10k rpm								x	x		x			D:GP71F-FP90			524	
	Hard Disk 73 GB 3,5" 10k rpm	Hard Disk 73 GB 3,5" 10k rpm	x		x						x	x	x			D:GP71F-FP90			524	
	Hard Disk 147 GB 3,5" 10k rpm	Hard Disk 146 GB 3,5" 10k rpm								x	x		x			D:GP71F-FP91			979	
	Hard Disk 147 GB 3,5" 10k rpm	Hard Disk 146 GB 3,5" 10k rpm	x		x						x	x	x			D:GP71F-FP91			979	
SCSI/RAID/SAS controller																				
	SCSI U320 Controller, LVD, dual port	This controller is suitable for use in high availability configurations (hot-plug)., PRIMEPOWER systems PW200-2500. , 2 SCSI-connectors (LVD/ SE) to connect DN413, DN423/F and other external devices. Automatic switch to LVD / SE		x		x	x	x	x	x	x		x			D:GP70F-CS12			685	
	SCSI U320 Controller, LVD, dual port	This controller is suitable for use in high availability configurations (hot-plug)., PRIMEPOWER systems PW200-2500. , 2 SCSI-connectors (LVD/ SE) to connect DN413, DN423/F and other external devices. Automatic switch to LVD / SE	x		x					x	x	x	x			D:GP70F-CS12			685	
Fibre Channel																				
	Fibre Channel Cont. Single Port 2GBit/s	-2 GBit/s bzw. 1 GBit/s link, -2MB Flash memory, - universal controller (einsetzbar in 3,3 und 5V slots), - volldruplex, - automatic speed negotiation, - voller fabric support, - Mischbetrieb mit LP8000 und LP9002		x		x	x	x	x	x	x		x			D:GP70F-CF33			1049	
	Fibre Channel Cont. Single Port 2GBit/s	-2 GBit/s bzw. 1 GBit/s link, -2MB Flash memory, - universal controller (einsetzbar in 3,3 und 5V slots), - volldruplex, - automatic speed negotiation, - voller fabric support, - Mischbetrieb mit LP8000 und LP9002	x		x					x	x	x	x			D:GP70F-CF33			1049	
	Fibre Channel Cont. Dual Port 2GBit/s	-2 GBit/s bzw. 1 GBit/s link, -2MB Flash memory, - universal controller (einsetzbar in 3,3 und 5V slots), - volldruplex, - automatic speed negotiation, - voller fabric support, - Mischbetrieb mit LP8000 und LP9002		x		x	x	x	x	x	x		x			D:GP70F-CF34			1958	
	Fibre Channel Cont. Dual Port 2GBit/s	-2 GBit/s bzw. 1 GBit/s link, -2MB Flash memory, - universal controller (einsetzbar in 3,3 und 5V slots), - volldruplex, - automatic speed negotiation, - voller fabric support, - Mischbetrieb mit LP8000 und LP9002	x		x					x	x	x	x			D:GP70F-CF34			1958	
	Fibre Channel Cont. Single Port 4GBit/s	Software requirements: Solaris 9 and 10 , The HBA is only released in combination with the Leadville driver (minimal version 4.4.8). For Solaris 9 the driver can be downloaded from SUN internet pages, due to licence reasons redistribution with FSC media is not allowed. In Solaris 10 the required driver is already included., , Note: , The controller can only operate in a 66MHz slot of a PRIMEPOWER system., The controller is compliant to the EMC standard FCC Class A / EN 55022 Class A. If the controller is used in a PRIMEPOWER system, Class A is also valid for the PRIMEPOWER system!		x		x	x	x	x	x	x		x			D:GP70F-CF36			2448	
	Fibre Channel Cont. Single Port 4GBit/s	Software requirements: Solaris 9 and 10 , The HBA is only released in combination with the Leadville driver (minimal version 4.4.8). For Solaris 9 the driver can be downloaded from SUN internet pages, due to licence reasons redistribution with FSC media is not allowed. In Solaris 10 the required driver is already included., , Note: , The controller can only operate in a 66MHz slot of a PRIMEPOWER system., The controller is compliant to the EMC standard FCC Class A / EN 55022 Class A. If the controller is used in a PRIMEPOWER system, Class A is also valid for the PRIMEPOWER system!	x		x					x	x	x	x			D:GP70F-CF36			2448	
Communication/Network																				
	Fast/Gigabit Ethernet Controller, RJ45	Copper 1000BASE-T with bandwidth of 1GBps can be connected directly. , Full-duplex communication with IEEE 802.3x flow control is supported. , The load on the host CPU is reduced by installing ASIC for optimization of interrupt handling on the host CPU. , Network boot function is supported, , supports VLAN tagging (IEEE 802.1q)		x		x	x	x	x	x	x		x		x	D:GP70F-CL15			350	
	Fast/Gigabit Ethernet Controller, RJ45	Copper 1000BASE-T with bandwidth of 1GBps can be connected directly. , Full-duplex communication with IEEE 802.3x flow control is supported. , The load on the host CPU is reduced by installing ASIC for optimization of interrupt handling on the host CPU. , Network boot function is supported, , supports VLAN tagging (IEEE 802.1q)	x		x					x	x	x	x			D:GP70F-CL15			350	
	Gigabit Ethernet NIC, Fibre Optic LC	1000BASE-SX with bandwidth of 1GBps can be connected directly. , Full-duplex communication with IEEE 802.3x flow control is supported. , The load on the host CPU is reduced by installing ASIC for optimization of interrupt handling on the host CPU. , Network boot function is supported, For usage in existing network with SC-connectors please use D:GP7KB-LCSC., supports VLAN tagging (IEEE 802.1q)		x		x	x	x	x	x	x		x		x	D:GP70F-CL19			350	
	Gigabit Ethernet NIC, Fibre Optic LC	1000BASE-SX with bandwidth of 1GBps can be connected directly. , Full-duplex communication with IEEE 802.3x flow control is supported. , The load on the host CPU is reduced by installing ASIC for optimization of interrupt handling on the host CPU. , Network boot function is supported, For usage in existing network with SC-connectors please use D:GP7KB-LCSC., supports VLAN tagging (IEEE 802.1q)	x		x					x	x	x	x			D:GP70F-CL19			350	
	LC auf SC Adapter für CL19	Connection conversion kit LC to SC, for D:GP70F-CL19		x		x	x	x	x	x	x		x		x	D:GP7KB-LCSC			126	
	LC auf SC Adapter für CL19	Connection conversion kit LC to SC, for D:GP70F-CL19	x		x					x	x	x	x			D:GP7KB-LCSC			126	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
Communication/Network (Continued)																				
	Quad Fast/Gigabit Ethernet Contr., RJ45	This Quad Fast/Gigabit Ethernet Controller with for connectors allows the connection to an Ethernet network via copper cable (cat 5e) to a CSMA/CD network in accordance with IEEE 802.3ab with the physical variant 10/100/1000BASE-T. The controller automatically senses the network speed and the operating mode (half-duplex or full-duplex). Each port has its own MAC address. VLAN tagging according IEEE 802.1q and link aggregation according IEEE 802.3ad (except LACP) are supported. Also DR (dynamic reconfiguration) and PHP (PCI hot plug) in corresponding systems. Speed 33/66 MHz, 64 bit bus width. This Controller is RoHS compliant according to the EU Directive 2002/95/EC.		x		x	x	x	x	x	x		x		x	D:GP70F-CL21			909	
	Quad Fast/Gigabit Ethernet Contr., RJ45	This Quad Fast/Gigabit Ethernet Controller with for connectors allows the connection to an Ethernet network via copper cable (cat 5e) to a CSMA/CD network in accordance with IEEE 802.3ab with the physical variant 10/100/1000BASE-T. The controller automatically senses the network speed and the operating mode (half-duplex or full-duplex). Each port has its own MAC address. VLAN tagging according IEEE 802.1q and link aggregation according IEEE 802.3ad (except LACP) are supported. Also DR (dynamic reconfiguration) and PHP (PCI hot plug) in corresponding systems. Speed 33/66 MHz, 64 bit bus width. This Controller is RoHS compliant according to the EU Directive 2002/95/EC.	x		x					x	x	x	x			D:GP70F-CL21			909	
	WAN Controller PWXV (X.21, V.24, V.35)		x		x					x	x	x	x			D:GP71F-CW50			2073	
	WAN Controller PWXV (X.21, V.24, V.35)			x		x	x	x	x	x	x		x			D:GP71F-CW50			2073	
	WAN Submodul		x		x					x	x	x	x			D:GP71F-CW51			965	
	WAN Submodul			x		x	x	x	x	x	x		x			D:GP71F-CW51			965	
	Adaptercable for PCI Contr. V.24		x		x					x	x	x	x			D:KB236-C150			90	
	Adaptercable for PCI Contr. V.24			x		x	x	x	x	x	x		x			D:KB236-C150			90	
	Adaptercable for PCI Contr. V.35		x		x					x	x	x	x			D:KB237-C150			153	
	Adaptercable for PCI Contr. V.35			x		x	x	x	x	x	x		x			D:KB237-C150			153	
	Adaptercable for PCI Contr. X.21		x		x					x	x	x	x			D:KB238-C150			90	
	Adaptercable for PCI Contr. X.21			x		x	x	x	x	x	x		x			D:KB238-C150			90	
	ISDN Controller PWS0 (2x S0)		x		x					x	x	x	x			D:GP71F-CW56			1815	
	ISDN Controller PWS0 (2x S0)			x		x	x	x	x	x	x		x			D:GP71F-CW56			1815	
	ISDN Controller PWS2 (1x S2M)		x		x					x	x	x	x			D:GP71F-CW57			5721	
	ISDN Controller PWS2 (1x S2M)			x		x	x	x	x	x	x		x			D:GP71F-CW57			5721	
	Serieller I/O Controller	This CONTROLLER orders over 8 asynchronous ports RS232, with D-sub plug 25 pin. The transmission takes place full-duplex. The CONTROLLER can be operated in the 7-bit and 8-bit mode. Those max. Transmission rate amounts to 60-115.2 kbit/s., This controller is Solaris 10 ready !		x		x	x	x	x	x	x		x		x	D:GP70F-CT12			874	
	Serieller I/O Controller	This CONTROLLER orders over 8 asynchronous ports RS232, with D-sub plug 25 pin. The transmission takes place full-duplex. The CONTROLLER can be operated in the 7-bit and 8-bit mode. Those max. Transmission rate amounts to 60-115.2 kbit/s., This controller is Solaris 10 ready !	x		x					x	x	x	x			D:GP70F-CT12			874	
Rack-Infrastructure																				
	Console connection unit PRIMEPOWER-XA	Takes 1 unit in a 19 inch rack, 8 serial ports (D-sub, 9pin), 1 Ethernet port 10Base T (IEEE802.3, RJ45).	x		x							x				D:GP70X-RC11			3497	
	PW_Baseplate f. Teleservice Modems, 1HU	This baseplate is used for 2 teleservice modems, maximum bearing force, static = 50kg., , For mounting into a PCR1-rack (GP70F-BG4x) you have to order one support bracket 1HU (GP70F-ZB211) in addition.	x		x											D:GPRAC-GB523			140	
	2-joint arm for cable guidance, towed	The 2-joint arm for cable guidance take the cable for 19inch server build-in into foreign/3rd-party-racks. Server height > 2HU and with telescopic rails. So you don´t need to unlock the cables, when you pull out the systems for services.								x	x		x			D:GPRAC-ZB523			112	
	Cable magmt. for 19" DC- PC- Rack	Cablemanagement for adding a server or storage subsystem into the PRIMECENTER rack 2													x	S26361-F2735-E7			27	
	E_PDU IEC320-10A > 3xSchuko	E_PDU = Power distribution unit, expansion, 3-way socket strip with 3 grounded (Schuko, each 16A) plug sockets and 1 IEC320 connector plug 10A!, For connection to SV011, SV13, SV33., To connect the mains adapter from teleservice modem.	x		x											D:GPRAC-SV03			59	
	Ethernet Switch 8 Port 10/100 Mbps	Ethernet Switch 8Port 10 / 100Mbps with a 2 area power supply for 110 V / 230 V. For desktop variant a power cord with Schuko connector is provided., Caskading of Eth. Switch to Eth. Switch is possible for cable: GP7KB-13xx.	x		x											D:GP70F-AL21			140	
	Consoleswitch 8port+1analog-Con(0801)1U	Consoleswitch 8port with On-Screen-Display function (OSD) for switching of keyboard/monitor/mouse up to 8 systems to 1analog-console, For desktop installation a cable with cold device socket IEC320 and a country-specific plug is in addition to order., If the new firmware isn´t available on the delivered CD, you can download the firmware!	x		x											D:GPRAC-KS0801			1084	
	Rack mounting kit for PRIMESTATION	19inch rack mounting kit for PRIMESTATION TS21/T25	x		x											D:GPRAC-ZB26			152	
	1x Runner set for 19" Tray	This sliding rail set is used for 19inch components like BG55 or PRIMESTATION into a rack. This sliding rail set must be ordered separately.	x		x											D:GP70F-ZB20			38	
	Support bracket 1U for 19inch units PCR1	The assembly kit contains one mounting bracket only for BG4x (PCR1) for installing 19" modules on the rear, right-hand cross-member (630mm to 19inch)., see Rack-configurator												x		D:GP70F-ZB211			38	
	Support bracket 1U for 19inch units PCR1	The assembly kit contains one mounting bracket only for BG4x (PCR1) for installing 19" modules on the rear, right-hand cross-member (630mm to 19inch)., see Rack-configurator	x		x											D:GP70F-ZB211			38	
	Support bracket 1U for 19inch units PCR2	The assembly kit contains one 1HUsupport bracket for installing 19" modules on the rear, right-hand cross-member (630mm to 19inch).		x			x				x		x	x		D:GPRAC-ZB5211			42	
	Support bracket 1U for 19inch units PCR2	The assembly kit contains one 1HUsupport bracket for installing 19" modules on the rear, right-hand cross-member (630mm to 19inch).	x		x					x	x		x			D:GPRAC-ZB5211			42	
	Support bracket 2U for 19inch units PCR2	The assembly kit contains one 2U mounting bracket for installing 19" modules on the rear, right-hand cross-member (630mm to 19inch)., Upload up to 150kg		x				x	x				x			D:GPRAC-ZB5212			45	
	Tragewinkel 3HE für 19"-Einbauten PCR2	The assembly kit contains one 3HU mounting bracket for installing 19" modules on the rear, right-hand cross-member (630mm to 19inch)., Upload up to 150kg							x				x			D:GPRAC-ZB5215			63	
	Rear mounting kit for hubs/switches	The assembly kit contains one 1U support bracket and 1 dummy panel 1U for the front.	x		x											D:GPRAC-ZB5214			63	
	cable carrier BG5x, laterally assembly	The cable guide take the cable for 19inch build-in > 1U and with telescop trays. So you don´t need to unlock the cables, when you pull out the systems for services. Look about the order quantity in the configurator.		x			x	x	x		x		x		x	D:GPRAC-ZB527			45	
	cable carrier BG5x, laterally assembly	The cable guide take the cable for 19inch build-in > 1U and with telescop trays. So you don´t need to unlock the cables, when you pull out the systems for services. Look about the order quantity in the configurator.								x	x		x			D:GPRAC-ZB527			45	
	Cable carrier for I/O cabinet PW1500	MOUNTING KIT WITH CABLE CARRIER I/OCAB	x		x										x	D:GP70X-ZB22			98	
	Mounting kit I with cable carrier PCR2	One cable carrier ZB527 with one 2U support bracket ZB5212													x	D:GPRAC-ZB560			84	
	Mounting kit II with cable carrier PCR2	Two cabel carriers with one 3U support bracket.								x			x			D:GPRAC-ZB561			147	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
Rack-Infrastructure (Continued)																				
	Mounting kit III with cable carrier PCR2	Four cabel carriers with one 1U and two 3U support brackets.									x	x	x			D:GPRAC-ZB562			294	
	Mounting kit IV with cable carrier PCR2	Two cabel carriers ZB527 with one 2U support bracket ZB5212.									x		x			D:GPRAC-ZB563			140	
	Dummy Panel for 19inch rack, 1U	Dummy panel with 1 HU.To cover empty height units.Requirements are generated automatically with dummy cover function.													x	D:GPRAC-ZB30			17	
	Dummy Panel for 19inch rack, 1U	Dummy panel with 1 HU.To cover empty height units.Requirements are generated automatically with dummy cover function.	x		x											D:GPRAC-ZB30			17	
PRIMERGY-Software																				
	FF-AN RTU for PW250	FlexFrame ApplicationNode RTU for PW250		x		x	x						x			U21348-C301			3350	
	FF-AN SAN-connectivity RTU PW250	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (PW250), which is connected via SAN to the database		x		x	x						x			U21348-C302			1675	
	FF-AN Accounting RTU PW250	FlexFrame Application Node Accounting RTU for PW250 (optional)		x		x	x						x			U21348-C303			1676	
	FF-AN RTU for PW450	FlexFrame ApplicationNode RTU for PW450						x	x				x			U21348-C311			9671	
	FF-AN SAN-connectivity RTU PW450	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (PW450), which is connected via SAN to the database						x	x				x			U21348-C312			4836	
	FF-AN Accounting RTU PW450	FlexFrame Application Node Accounting RTU for PW450 (optional)						x	x				x			U21348-C313			4836	
	FF-AN RTU for PW650	FlexFrame ApplicationNode RTU for PW650								x			x			U21348-C321			26825	
	FF-AN SAN-connectivity RTU PW650	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (PW650), which is connected via SAN to the database								x			x			U21348-C322			13413	
	FF-AN Accounting RTU PW650	FlexFrame Application Node Accounting RTU for PW650 (optional)								x			x			U21348-C323			13413	
	FF-AN RTU for PW850	FlexFrame ApplicationNode RTU for PW850									x		x			U21348-C331			62238	
	FF-AN SAN-connectivity RTU PW850	FlexFrame Application Node SAN connection (optional). This RTU has to be ordered for each AN (PW850), which is connected via SAN to the database									x		x			U21348-C332			31119	
	FF-AN Accounting RTU PW850	FlexFrame Application Node Accounting RTU for PW850 (optional)									x		x			U21348-C333			31119	
UPS/Power supply																				
	DUAL power feed option f. PW 650(CDEF)									x			x			D:GP650-SV24			1259	
	remote power on modul	Required for controlling the "Remote Power Switch"		x		x	x	x	x	x	x		x			D:GP70F-CL71			434	
	remote power on modul	Required for controlling the "Remote Power Switch"	x		x					x	x	x	x			D:GP70F-CL71			434	
	PSU for PW250N	Redundant PSU for PW250N				x							x			D:GP70P-SV00			552	
	PSU for PW250F, SMC-Floorst.	Redundant PSU for PW250F				x									x	D:GP70P-SV01			552	
	PSU for PW450x, SMC-4U_Rack	Redundant PSU for PW450x		x				x	x				x		x	D:GP70P-SV02			455	
	DUAL power feed option f. PW 850(CDEF)										x		x			D:GP850-SV25			4105	
	DUAL power feed f PW 900 D	A Dual Power Feed has to be ordered (if required) as an option for all PW900 server with an order number ending with a D, The dual power feed option is standard for the PCI/Disk-box.										x				D:GPK09-SV41D			4545	
	System expansion kit f PW1500 D So9	2 PSUs for power system #0 and RTU for 17-32 processors, Order together with the 3rd system board	x													D:GPK15-SE54D			3636	
	System expansion kit f PW1500 S10	2 PSUs for power system #0 and RTU for 17-32 processors, Order together with the 3rd system board	x													D:GPK15-SE55D			3636	
	DUAL power feed f PW 1500 D	A Dual Power Feed has to be ordered (if required) as an option for all PW1500 server with an order number ending with a D	x													D:GPK15-SV42D			8378	
	System exp kit f PW2500 D S10 64CPU	2 PSUs, 4 redundant fan modules and RTU for 33-64 Order together with the 5th system board·, Order together with the expansion cabinet in configurations with less than 5 SBs			x											D:GPK25-SE57D			12937	
	DUAL power feed f PW 2500 D bc 64CPU	Dual power supply for PW2500, The dual power supply expands the PRIMEPOWER 2500 model with a redundant power connection. The dual power supply will possibly have to be ordered both for the system cabinet and for an optional expansion cabinet. With the optional dual power supply, the PRIMEPOWER 2500 model can be connected to 2 different phases and/or to two independent UPSs. Alternatively, one 3-phase connection can be expanded with an independent second 3-phase connection. (For more details, see note on power connection), , The dual power supply comes with a set of power supply units for a cabinet (system or expansion cabinet) (7+1 redundancy), i.e. when the power for the 2500 model is supplied via the dual power supply, a second independent set of power supply units takes over the 48V supply. The optional dual power supply thus provides maximum possible security with regard to the power supply. The power distribution board for the "peripheral plug-in box for 19" rack" is divided into two connections. In this way, the sockets for the standard power supply units in these boxes are supplied through one connection and the socket			x											D:GPK25-SV43D			17203	
	DUAL power feed f PW2500 D cabinet up	Dual power supply for PW2500, The dual power supply expands the PRIMEPOWER 2500 model with a redundant power connection. The dual power supply will possibly have to be ordered both for the system cabinet and for an optional expansion cabinet. With the optional dual power supply, the PRIMEPOWER 2500 model can be connected to 2 different phases and/or to two independent UPSs. Alternatively, one 3-phase connection can be expanded with an independent second 3-phase connection. (For more details, see note on power connection), , The dual power supply comes with a set of power supply units for a cabinet (system or expansion cabinet) (7+1 redundancy), i.e. when the power for the 2500 model is supplied via the dual power supply, a second independent set of power supply units takes over the 48V supply. The optional dual power supply thus provides maximum possible security with regard to the power supply. The power distribution board for the "peripheral plug-in box for 19" rack" is divided into two connections. In this way, the sockets for the standard power supply units in these boxes are supplied through one connection and the socket			x											D:GPK25-SV44D			69580	
	DUAL power feed f PW 2500 D bc 128CPU	Dual power supply for PW2500, The dual power supply expands the PRIMEPOWER 2500 model with a redundant power connection. The dual power supply will possibly have to be ordered both for the system cabinet and for an optional expansion cabinet. With the optional dual power supply, the PRIMEPOWER 2500 model can be connected to 2 different phases and/or to two independent UPSs. Alternatively, one 3-phase connection can be expanded with an independent second 3-phase connection. (For more details, see note on power connection), , The dual power supply comes with a set of power supply units for a cabinet (system or expansion cabinet) (7+1 redundancy), i.e. when the power for the 2500 model is supplied via the dual power supply, a second independent set of power supply units takes over the 48V supply. The optional dual power supply thus provides maximum possible security with regard to the power supply. The power distribution board for the "peripheral plug-in box for 19" rack" is divided into two connections. In this way, the sockets for the standard power supply units in these boxes are supplied through one connection and the socket			x											D:GPK25-SV45D			129720	
Miscellaneous																				
	I/O cabinet joint kit A f PW2500 bc64	For the I/O cabinet that is connected to the base cabinet. Do NOT use in configurations with I/O cabinets connected to the system expansion cabinet.			x											D:GPK25-BG72			10490	
	I/O cabinet joint kit B f PW2500 I/O-I/O	For the second I/O Rack connection. (When the cabinet is connected to another I/O cabinet.)			x											D:GPK25-BG73			10490	
	I/O cabinet joint kit C f PW2500 bc128	For the I/O cabinet that is connected to the base cabinet in configurations with I/O cabinets connected to the system expansion cabinet			x											D:GPK25-BG74			10490	
	I/O cabinet joint kit D f PW2500 ec128	For the I/O cabinet that is connected to the system expansion cabinet.			x											D:GPK25-BG75			10490	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
Miscellaneous (Continued)																				
	Ext PCI box 12 slot f. PW 650/850 f.PCR2	The PCI box comes with : , 12 PCI slots, 3 slots 33/66 MHz (1 long slot), 9 slots 33 MHz (3 long slots), 2 cable carrier ZB527 for 19" rack (BG5x), you need approx. 1m cable length in addition , for more details see rack configurator, 2 support brackets ZB5211 for PRIMECENTER 19 rack Rack space required and max. number of boxes max. 1 box may be connected to a PW650, max. 2 boxes may be connected to a PW850, requires 4U in a 19rack, direct above the server								x	x		x			D:GP70M-BG61			6434	
	PCI/DISK box 10PCI slot 4HDD bay f PW900	The PCI/DISK box comes with : , 2x Ethernet ports, 10/100Mbit/s, 2x console ports RS232C , 10 PCI slots, 7 slots 33 MHz (5 short, 2 long), 3 slots 33/66 MHz (1 short, 2 long), 2 SCSI ports and 4 HDD bays for system volume, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) this connection is fix and cannot be changed, cable carrier and support brackets for mounting into 19" rack PRIMECENTER2 (GB5x)., Rack space required, max. 1 box may be connected to each system board, BG61 requires 4U in a 19 rack, directly above the server., As an exception you may mount Rack console with TFT monitor + keyboard (from the SMC) between Server and PCI/DISK box.										x				D:GPK09-BG61			34266	
	Ext I/O box 10pci slot 4HDD bay PW 1500	The PCI/DISK box comes with : , 2x Ethernet ports, 10/100Mbit/s, 2x console ports RS232C , 10 PCI slots, 7 slots 33 MHz (5 short, 2 long), 3 slots 33/66 MHz (1 short, 2 long), 2 SCSI ports and 4 HDD bays for system volume, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) , this connection is fix and cannot be changed, Rack space required, max. 1 box may be connected to each system board, BG62 requires 4U in a 19rack, either in the PW1500 system cabinet or in an optional I/O cabinet (GPK15-BG70)	x													D:GPK15-BG62			34266	
	PCI/DISK box 10PCI slot 4HDD bay PW2500	The PCI/DISK box comes with : ·, 2x Ethernet ports, 10/100Mbit/s·, 2x console ports RS232C, used in XPAR configurations only·, 10 PCI slots·, 7 slots 33 MHz (5 short, 2 long)·, 3 slots 33/66 MHz (1 short, 2 long)·, 2 SCSI ports and 4 HDD bays for system volume·, 2 bays are connected to each (of the 2) SCSI ports (40Mbyte/s) ·, this connection is fix and cannot be changed·, Boot-PROM, used in XPAR configurations only·, Cables for connecting to the SB and mounting kit for installing into a I/O cabinetRack space required·, max. 2 boxes may be connected to each systemboard·, BG63 requires 4U in an I/O cabinet GPK25-BG71.			x											D:GPK25-BG63			17483	
Keyboard /Mouse																				
	Mouse, PS2, optical, with Scroll Wheel	Optical technology, Techniques from Logitech Cooperation, Precise and comfortable navigation due to LED sensor with 400 dpi resolution, Country-specific warranty, Ergonomics:, Two Button Mouse, Wheel works also as third Button, Optimized for right and left hand use													x	D:TMA-3T			17	
	Orig. SUN USB Keyb. + Mouse, Internat.	Keyboard with USB-connector,International, incl. USB-3-keys mouse, only table device.													x	D:GPRAC-TAS24			83	
	Keyboard, PS2, international	with cable 1,4m with plug PS2 type													x	D:TAMFL-E811			53	
Cables																				
	Cable & Adapter to Modem(3m)	Modem Cable (3m) + Adapter for connection to PW-based SMC or LAN Console, PW250 and PW450, , Adapter: 25pins D-Sub male <-> RJ45 jack , Cable : RJ45 plug <-> RJ45 plug	x		x										x	D:GP70P-KA04			42	
	Cable & Adapter to Modem(10m)	Modem Cable (10m) + Adapter for connection to PW-based SMC or LAN Console, PW250, and PW450, , Adapter: 25pins D-Sub male <-> RJ45 jack , Cable : RJ45 plug <-> RJ45 plug	x												x	D:GP70P-KA05			77	
	Cable & Adapter f. ISDN TA (3m)	ISDN TA Cable for MD02 (3m) + Adapter for connection to PW-based SMC or LAN Console, PW250 and PW450, , Adapter: 9pin D-Sub male <-> RJ45 jack, Cable : RJ45 plug <-> RJ45 plug	x	x	x	x	x	x	x				x		x	D:GP70P-KA06			40	
	Cable & Adapter f. ISDN TA (10m)	ISDN TA Cable for MD02 (10m) + Adapter for connection to PW-based SMC or LAN Console, PW250 and PW450, , Adapter: 9pin D-Sub male <-> RJ45 jack, Cable : RJ45 plug <-> RJ45 plug	x	x	x	x		x	x				x		x	D:GP70P-KA07			73	
	RC23 cable kit USB	USB cable for console connection, , USB_B <-->USB, cable length: 3m. IT is needed only for the console wiring with the keyboard drawer in connection with a monitor on the baseplate for 17/19inch displays.	x		x											D:GP70P-KA51			28	
	Signal-Cable Power-Control Connection	Power control connection cable for PW server power on.	x		x											D:GP7KB-1903			77	
	Power cord IEC320 device 2.5m (F/M)	power cable, cold-cold	x		x											D:KB258-C250			14	
	Adaptercable D-SUB9 to RJ45	Connection UPS to PW250x / PW450x, D-SUB9 to COM RJ45		x		x	x	x	x				x			D:UPS-V24-RJ45KAB			52	
	Power Cable, UK, 3m	Power Cable, UK, 3m				x									x	D:KB8GB-M3			20	
	VGA-Extension Cable 1.8m	VGA extension cable for the connection between the monitor and server., With connection of console about Switch NO VGA extension is necessary., BY CONNECTION FROM CONSOLE WITHOUT SWITCH A VAG-EXTENSION ALWAYS IS NEEDED.				x									x	D:GPRAC-KB01			31	
	PS2-cable extension, 1,8m	PS2-cable extension, 1.8m:, 1 cable for keyboard connect and 1 cable for mouse connect, WITH CONNECTION OF CONSOLE OVER SWITCH, NO PS2-EXTENSION IS NECESSARY!, WITH WIRING OF CONSOLE WITHOUT SWITCH ALWAYS BECOMES A PS2-EXTENSION REQUIRED				x									x	D:GPRAC-KB02			31	
	Modem Cable D-Sub 25p(f)-25p(m), Pin 1:1	Modem Cable - serial line to the server interface, Length 5m, D-Sub 25pol.(f) - D-Sub 25pol.(m); pin assignment 1:1								x	x		x		x	D:GPRAC-KB03			25	
	Adapter for PS/2<->USB	Adapter for PS/2 <-->USB, Only for connecting PW-Server with Keyboard/Mouse/VGA of the rackconsole MO04-MO09!, Not useable for conneting with the RC23 (MO04Z17-MO09Z17)	x		x											D:GP70P-KA01			105	
	Adaption for PS/2-VGA on KVM-RJ45	smart cable adapter between server and CAT5 cable, incl. assembly, 2x PS/2 + 1x VGA to RJ45 connector	x		x											D:GPRAC-AN10			143	
	Consol Switch KSxxxx Cable CAT 5 2_m	Cable UTP CAT5, RJ45, color blue, incl. assembly., , Note: Connection is not possible for 4-/8- switches KS04/KS08!	x		x											D:GPRAC-KB161			41	
	Power cable (F/M) 16A 2.5m	Power cable, 16A, with F/M (C19/C20) connect for connection to UPS	x													D:KB259-C250			37	
	Consol Switch KSxxxx Cable CAT 5 5_m	Cable UTP CAT5, RJ45, color blue, , Attention: connection with previous 4-field/8 - field switches KS04/KS08 is not possible!	x		x											D:GPRAC-KB162			42	
	Adaption for USB-VGA on KVM-RJ45	intelligent cable adapter between server ans CAT5 cable incl. mounting, 1x USB + 1x VGA on RJ45-connector	x		x				x				x		x	D:GPRAC-AN20			143	
	Adaption for USB-VGA on KVM-RJ45	intelligent cable adapter between server ans CAT5 cable incl. mounting, 1x USB + 1x VGA on RJ45-connector	x		x											D:GPRAC-AN20			143	
	Adaption for SUN-I/O-VGA on KVM-RJ45	Keyboard, Mouse, Monitor- System connect on PW200/400/6x0/850 over GPRAC-KBxxx on GPRAC-KS0801/16xx	x													D:GPRAC-AN30			175	
	Consol Switch KSxxxx Cable CAT 5 flex_m	Cable UTP CAT5, RJ45, color blue, length is customised (depends on mounting requirements), incl. assembly.	x		x											D:GPRAC-KB16C			42	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 4m	x		x											D:GP7KB-1204			35	
	Cable for consolconnection unit 5 m	Cable for connecting console with MCCU (PW900/1500/2500), DSub 9pins female <--> DSub 25pins male	x		x											D:GP7KB-1805			133	
	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 10m	RCI cable RJ45 6pin(S)-RJ45 6pin(S) 10m			x											D:GP7KB-1210			52	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 5m	UTP category 5 straight-through cable 10/100 Mbit Ethernet. For connection with a Hub o. Switch.	x		x											D:GP7KB-1305			24	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
Cables (Continued)																				
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 10m	UTP category 5 straight-through cable 10/100 Mbit Ethernet. For connection with a Hub o. Switch.	x													D:GP7KB-1310			25	
	UTP CAT 5 Eth-cable 2xRJ45 8pin(S) 15m	UTP category 5 straight-through cable 10/100 Mbit Ethernet. For connection with a Hub o. Switch.	x													D:GP7KB-1315			36	
	FC cable MMF, 5m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x		x											D:FCKAB-MM-C05L			29	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 5m	UTP category 5 crossover cable for 10/100 Mbit Ethernet to make direct connection between Ethernet controllers in a two node configuration.	x		x											D:GP7KB-1405			27	
	UTP CAT 5 IC-cable 2xRJ45 8pin(S) 10m	UTP category 5 crossover cable for 10/100 Mbit Ethernet to make direct connection between Ethernet controllers in a two node configuration.	x													D:GP7KB-1410			36	
	UTP cat 5 enhanced IC-cable, 4m	cross over cable for GBit Ethernet (1000Base-T)	x		x											D:GP7KB-2104			37	
	UTP cat 5 enhanced, 5m	UTP category 5 enhanced patch cable for GBit Ethernet (1000Base-T) to connect GE_Ethernet controllers with a hub or switch.	x		x											D:GP7KB-2005			51	
	UTP cat 5 enhanced, 15m	UTP category 5 enhanced patch cable for GBit Ethernet (1000Base-T) to connect GE_Ethernet controllers with a hub or switch.	x													D:GP7KB-2015			63	
	FC cable MMF 5m, Connector SC-SC	Fibre channel cable 50 µm, 5 m	x		x											D:KB248-M5			66	Phased out
	FC cable MMF, 5m, LC/SC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x													D:FCKAB-MM-B05L			31	
	SCSI cable VHDCI68(S)-HD68(S) 5m		x		x											D:GP7KB-1005			182	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),3m	SCSI-Cable, 3m ; UHD68(S) --> HD68(S), use for LVD and HVD Inteface;, replaces D:KB246-xyyy	x		x											D:KB235-M3			136	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),5m	SCSI-Cable, 1,5m; UHD68(S) --> HD68(S), use for LVD and HVD Interface;, replaces D:KB246-xyyy	x		x											D:KB235-M5			153	
	SCSI-Cable,LVD,UHD68(S)-HD68(S),8m	SCSI-Cable, 8m; UHD68(S) --> HD68(S), use for LVD and HVD Interface;, replaces D:KB246-xyyy	x		x											D:KB235-M8			171	
	SCSI cable UHD68(S)-UHD68(S) 4m (DN41)	Cables for connecting disk nodes DN41 to Ultra3 SCSI controller CS10 (up to 160 MByte/s) and to Ultra2 RAID-controller CS30/32 (up to 80 MByte/s)	x		x											D:GPDS2-KB04			136	
	SCSI cable UHD68(S)-UHD68(S) 5m (DN41)	UHD68(S)-UHD68(S) with screw connection, , Cables for connecting disk nodes DN41 to Ultra3 SCSI controller CS10 (up to 160 MByte/s) and to Ultra2 RAID-controller CS30/32 (up to 80 MByte/s)	x		x											D:GPDS2-KB05			140	
	SCSI cable UHD68(S)-UHD68(S) 10m (DN41)	UHD68(S)-UHD68(S) witrh srew connection, length 10m			x											D:GPDS2-KB10			175	
SW Operating Systems																				
	Solaris 10 Upgrade RTU up to 2 CPU	Solaris 10 RTU Upgrade (Right to Use) for 2 CPUs		x		x	x						x			U24529-C700			175	
	Solaris 10 Upgrade RTU up to 4 CPU	Solaris 10 Upgrade RTU (Right to Use) for 4 CPUs max./PW400						x	x				x			U24529-C701			699	
	Solaris 10 Upgrade RTU up to 8 CPU	Solaris 10 Upgrade RTU (Right to Use) for 8 CPUs								x			x			U24529-C702			4266	
	Solaris 10 Upgrade RTU up to 16 CPU	Solaris 10 Upgrade / Downgrade RTU (Right to Use) for 16 CPUs									x	x	x			U24529-C703			14126	
	Solaris 10 Upgrade RTU up to 32 CPU	Solaris 10 Upgrade RTU (Right to Use) for 32 CPUs	x													U24529-C704			42378	
	Solaris 10 Upgrade RTU up to 128 CPU	Solaris 10 Upgrade / Downgrade RTU (Right to Use) for 128 CPUs max.			x											U24529-C706			282308	
	Solaris SW Support PW200/250/SMC	Solaris SW Support PW250 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!		x		x	x						x		x	U24529-C660			1	
	Solaris SW Support PW400/450/600/650	Solaris SW Support PW450/650 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!						x	x	x			x			U24529-C661			1	
	Solaris SW Support PW850	Solaris SW Support PW900 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!									x		x			U24529-C662			1	
	Solaris SW Support PW800/900	Solaris SW Support PW900 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!										x				U24529-C663			1	
	Solaris SW Support PW1000/1500	Solaris SW Support PW1500 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. via Siebel) independent from this order number!	x													U24529-C664			1	
	Solaris SW Support PW2000/2500	Solaris SW Support PW2500 with the Right of Solaris upgrade included, Requires the separate signing of a Service Contract (e.g. Siebel) independent from this order number!			x											U24529-C665			1	
	Solaris Backlevel Support PW250	Solaris Backlevel Support PW250 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!		x		x	x						x		x	U24529-C680			1	
	Solaris Backlevel Support PW450/650	Solaris Backlevel Support PW450/650 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!						x	x	x			x			U24529-C681			1	
	Solaris Backlevel Support PW850	Solaris Backlevel Support PWPW850 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!									x		x			U24529-C682			1	
	Solaris Backlevel Support PW900	Solaris Backlevel Support PWPW900 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!										x				U24529-C683			1	
	Solaris Backlevel Support PW1500	Solaris Backlevel Support PW1500 with the Right of Solaris upgrade included, Requires the separate signing of a Partner Service Contract independent from this order number!	x													U24529-C684			1	
	Solaris Backlevel Support PW2500	Solaris Backlevel Support PW2500; Required for Partner Service Contract; Right of Solaris upgrade included;			x											U24529-C685			1	
	Solaris 8 RTU PRIMEPOWER 250 + SMC (PW)	Solaris 8 RTU (Rigth to USE), PW250 with Solaris 8											x			U24529-C418			1	
	Solaris 8 RTU PRIMEPOWER 450	Solaris 8 RTU (Rigth to USE), PW450 with Solaris 8											x			U24529-C419			1	
	Solaris 8 RTU PRIMEPOWER	Solaris 8 RTU (Rigth to USE), PW650 with Solaris 8											x			U24529-C422			1	
	Solaris 8 CD/DVD Set PRIMEPOWER Export	Solaris 8 CD/DVD Set for all PRIMEPOWER systems:, Solaris 8 Media Kit, Control² DVD Export (-C503-E), ESF CD (-C502), Exportable Version (instead of U24529-C508), Export granted for:, - Cuba, Iran, Iraq, Lybia, North Korea, Sudan, Syria, - Croatia, Reduced contents according restrictions for US Embargoed and Terrorist Countries: , -> w/o openSSH and w/o openSSL, -> adapted documents	x		x							x	x			U24529-C508-E			210	
	Solaris 8 Accessories Kit for PRIMEPOWER	Solaris 8 Accessories Kit PRIMEPOWER for all PRIMEPOWER systems, - only for orders with new systems, Contents:, - current Solaris 8 Patch CD, - FSC plus² CD Pack for Solaris, Software "openSEAS eBiz Suite for Solaris" is available free of charge for an evaluation period of three months	x		x							x	x			U24529-C420			10	
	Solaris 9 Reference RTU Enterpr. System	Solaris 9 RTU (Rigth to USE)	x													U24529-C404			1	
	Solaris 9 RTU PRIMEPOWER 250 / SMC (PW)	Solaris 9 RTU, for PRIMEPOWER 250		x		x	x						x		x	U24529-C409			1	
	Solaris 9 RTU PRIMEPOWER 450	Solaris 9 RTU, for PRIMEPOWER 450						x	x				x			U24529-C421			1	
	Solaris 9 RTU PRIMEPOWER	Solaris 9 RTU, for PRIMEPOWER 650								x	x		x			U24529-C423			1	
	Solaris 9 RTU PW900	Right to Use Solaris 9 for a PRIMEPOWER 900, only to be used with PW900 with 1.89 GHz CPUs (since autumn 2004)										x				U24529-C428			1	
	Solaris10 RTU (2 CPU)	Solaris 10 RTU, for PRIMEPOWER 250		x		x	x						x		x	U24529-C430			1	
	Solaris10 RTU (4 CPU)	Solaris 10 RTU, for PRIMEPOWER 450						x	x				x			U24529-C431			1	
	Solaris10 RTU for PW650/850/900	Solaris 10 RTU, for PRIMEPOWER 650, 850, and 900								x	x	x	x			U24529-C432			1	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Operating Systems (Continued)																				
	Solaris 10 Reference RTU Enterpr. System	Solaris 10 RTU (Right to Use)	x		x											U24529-C434			1	
	Solaris 9 CD/DVD Set PRIMEPOWER	Solaris 9 CD Set for GP7000F and PRIMEPOWER. , Solaris 9 Media Kit, Control² DVD (-C503), ESF CD (-C502)	x	x	x	x	x	x	x	x	x	x	x		x	U24529-C509			210	
	Solaris 9 CD/DVD Set PRIMEPOWER Export	Solaris 9 CD Set for GP7000F and PRIMEPOWER. , Solaris 9 Media Kit, Control² DVD Export (-C503-E), ESF CD (-C502), Exportable Version (instead of U24529-C509), Export granted for:, - Cuba, Iran, Iraq, Lybia, North Korea, Sudan, Syria, - Croatia, Reduced contents according restrictions for US Embargoed and Terrorist Countries: , -> w/o openSSH and w/o openSSL, -> adapted documents	x	x	x	x	x	x	x	x	x	x	x		x	U24529-C509-E			210	
	Solaris 9 Accessories Kit for PRIMEPOWER	Solaris 9 Accessories Kit PRIMEPOWER for all PRIMEPOWER systems, - only for orders with new systems, Contents: current Solaris Patch CD	x	x	x	x	x	x	x	x	x	x	x			U24529-C407			10	
	Solaris 9 Patch CD	current Solaris 9 Patch CD	x	x	x	x	x	x	x	x	x	x	x		x	U24529-C578			25	
	Solaris 9 Upgrade RTU up to 2 CPU	Solaris 9 RTU Upgrade (Right to Use) for 2 CPUs max.PW100/PW200											x		x	U24529-C571			175	
	Solaris 9 Upgrade RTU up to 4 CPU	Solaris 9 Upgrade RTU (Right to Use) for 4 CPUs, from Solaris 8 to Solaris 9											x			U24529-C572			699	
	Solaris 9 Upgrade RTU up to 8 CPU	Solaris 9 Upgrade RTU (Right to Use) for 8 CPUs max., PW600 + PW650											x			U24529-C573			4266	
	Solaris 9 Upgrade RTU up to 16 CPU	Solaris 9 Upgrade / Downgrade RTU (Right to Use) for 16 CPUs max., For PW800, PW850, PW900 mit Solaris 2.6, 2.7 oder 8 , oder, as a Downgrade from Solaris 10.										x	x			U24529-C574			14126	
	Solaris 9 Upgrade RTU up to 32 CPU	Solaris 9 Upgrade RTU (Right to Use) for 32 CPUs applicable as an Upgrade from 8 or as a Downgrade from Solaris 10	x													U24529-C575			42378	
	Solaris 9 Upgrade RTU up to 128 CPU	Solaris 10 Upgrade / Downgrade RTU (Right to Use) for 128 CPUs max.			x											U24529-C577			282308	
	Solaris 8 Patch CD	current Solaris 8 Patch CD	x		x							x	x			U24529-C554			25	
	Solaris 10 CD/DVD Set PRIMEPOWER	Solaris 10 CD/DVD Set for PRIMEPOWER., Solaris 10 Media Kit, Control² DVD (-C503), ESF CD (-C502)	x	x	x	x	x	x	x	x	x	x	x		x	U24529-C590			210	
	Solaris 10 CD/DVD Set PRIMEPOWER Export	Solaris 10 CD/DVD Set Export for PRIMEPOWER systems:, Solaris 10 Media Kit, Control² DVD Export (-C503-E), ESF CD (-C502), Exportable Version (instead of U24529-C590), Reduced contents according restrictions for US Embargoed and Terrorist Countries: , -> w/o openSSH and w/o openSSL, -> adapted documents, Further details concerning Export Control refer: http://my.fsc.net/PortalA/DesktopDefault.aspx?tabid=4324&DatalistSI=-1&tabindex=8&mid=757	x	x	x	x	x	x	x	x	x	x	x		x	U24529-C590-E			210	
	Solaris 10 Accessories Kit PRIMEPOWER	Solaris 10 Accessories Kit PRIMEPOWER for all PRIMEPOWER systems, - only for orders with new systems, Contents:, - current Solaris Patch CD	x	x	x	x	x	x	x	x	x	x	x			U24529-C592			10	
	Solaris 10 Patch CD	Solaris 10 Patch CD													x	U24529-C593			25	
	COMM-CD-SOL-SP MED (PRIMEPOWER) EN	CD-ROM with all communications products for all PRIMEPOWER	x	x	x	x	x	x	x	x	x	x	x			U13643-C5008			25	
	Solaris Control DVD (SysMgmt)	PRIMEPOWER System Management SW, Data Medium DVD; without Right to Use	x	x	x	x	x	x	x	x	x	x	x		x	U24529-C503			25	
	ESF 2.x (GP7000F/PRIMEPOWER)	Enhanced Support Facility (ESF) for Solaris , (mandatory for PRIMEPOWER)	x	x	x	x	x	x	x	x	x	x	x		x	U24529-C502			122	
	RtU LAN Console V1.0 (SPARC)	SW LAN console V1.0 for one console for max. 1-256 PRIMEPOWER 100/200/400/600/650/850 / RM / Linux , (CD-ROMs, License, Documentation in English and German)													x	U16525-C20			105	
	SCS for SMC	System Console Software - SCS V2.3 for System Management Console (SMC) current release for Management of max. 8 PRIMEPOWER 800/900/1x00/2x00 Systems, (CD-ROM, License, Documentation English)													x	U24529-C529			4196	
SW Data Center Products																				
	PCL Framework CD (SOLARIS) V3.0	PRIMECLUSTER CD (Binaries / Documents / Acrobat reader) 1 Medium, German & English Version								x	x		x			U11420-C600			35	
	PCLCD3 V41 (SOLARIS PW) MED CD	PRIMECLUSTER CD3 (Solaris) version 4.1; 1 Medium; contains Fujitsu Add-On Software, English Version	x	x	x	x	x	x	x	x	x	x	x			U11420-C608			35	Phased out
	PCLCD1 V41B (LINUX PS) MED CD	PRIMECLUSTER CD1 (Linux) 4.1B; Platform Support; 1 Medium; English Version			x											U11420-C609			35	Phased out
	PCLLDS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C730			3226	
	PCLLDS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPU, Solaris 9and 10								x			x			U11420-C731			4366	
	PCLLDS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C732			14152	
	PCLLDS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C733			26885	
	PCLLDS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Local Disk Services 4.1, (LDS), Right to Use f. 1 System, PW-2X00 up to 128 CPU, Solaris			x											U11420-C735			57194	
	PCLLFS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Local Disk Services 4.2 (LDS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPU , Solaris 9 and 10		x		x	x	x	x				x			U11420-C736			2846	
	PCLLFS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Local File Services 4.2 (LFS) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C737			3986	
	PCLLFS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Local File Services 4.2 (LFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10								x	x		x			U11420-C738			12348	
	PCLLFS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Local File Services 4.2 (LFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C739			23464	
	PCLLFS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Local File Services 4.1, (LFS), Right to Use f. 1 System, PW-2X00 up to 128 CPU, Solaris			x											U11420-C741			57194	
	PCLSNP V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C742			2846	
	PCLSNP V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C743			3986	
	PCLSNP V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C744			12348	
	PCLSNP V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C745			23464	
	PCLSNP V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Snapshot 4.2 (SNP) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C747			57194	
	PCLLFDLS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C748			4746	
	PCLLFDLS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 600,-650, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C749			6646	
	PCLLFDLS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C750			20994	
	PCLLFDLS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C751			39901	
	PCLLFDLS-P V42 (SOLARIS) RtU-CL128CPU	PRIMECLUSTER Lo. File Disk Link Pack.4.2 (LFS + LDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C753			97194	
	FFAN-P V32 (SOLARIS PW) RtU -2CPU	FlexFrame License for one PRIMEPOWER250. , Additional it is mandatory to order 3rd Level support for each server!		x		x	x						x			U11420-C754			4892	
	FFAN-P V32 (SOLARIS PW) MNT3Y -2CPU	FlexFrame 3rd Level Support for 3 years for PW250 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)		x		x	x						x			U11420-C754-W			3133	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Data Center Products (Continued)																				
	FFAN-P V32 (SOLARIS PW) MNT1Y -2CPU	FlexFrame 3rd Level , Support for 1 year for PW250 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)		x		x	x						x			U11420-C754-W1			1097	
	FFAN-P V32 (SOLARIS PW) RtU -4CPU	FlexFrame License for one PRIMEPOWER 450 , Additional it is mandatory to order 3rd Level support for each server!						x	x				x			U11420-C755			11049	
	FFAN-P V32 (SOLARIS PW) MNT3Y -4CPU	FlexFrame 3rd Level Support for 3 years for PW450 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)						x	x				x			U11420-C755-W			7112	
	FFAN-P V32 (SOLARIS PW) MNT1Y -4CPU	FlexFrame 3rd Level Support for 1 year for PW450 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)						x	x				x			U11420-C755-W1			2489	
	FFAN-P V32 (SOLARIS PW) RtU -8CPU	FlexFrame License for one PRIMEPOWER650 Additional it is mandatory to order 3rd Level support for each server!								x			x			U11420-C756			26825	
	FFAN-P V32 (SOLARIS PW) MNT3Y -8CPU	FlexFrame 3rd Level Support for 3 years for PW650 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)								x			x			U11420-C756-W			16923	
	FFAN-P V32 (SOLARIS PW) MNT1Y -8CPU	FlexFrame 3rd Level Support for 1 year for PW650 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)								x			x			U11420-C756-W1			5923	
	FFAN-P V32 (SOLARIS PW) RtU -16CPU	FlexFrame License for one PRIMEPOWER850 Additional it is mandatory to order 3rd Level support for each server!									x		x			U11420-C757			84965	
	FFAN-P V32 (SOLARIS PW) MNT3Y -16CPU	FlexFrame 3rd Level Support for 3 years for PW850 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)									x		x			U11420-C757-W			53601	
	FFAN-P V32 (SOLARIS PW) MNT1Y -16CPU	FlexFrame 3rd Level Support for 1 year for PW850 (One 3rd-Level delivery unit (1 or 3 years) per server is mandatory!)									x		x			U11420-C757-W1			18760	
	FFANDVD-S V32 (SOLARIS PW) MED DVD	FlexFrame DVD set for Solaris, has to be ordered 1x per PRIMEPOWER configuration		x		x	x	x	x	x	x		x			U11420-C758			35	
	PCLCD1 V42 (SOLARIS) MED CD	PRIMECLUSTER CD1 (Solaris) version 4.2A20; 1 Medium; contains Fujitsu Add-On Software, german and English Version	x	x	x	x	x	x	x	x	x	x	x			U11420-C811			35	
	PCLCD2 V42 (SOLARIS) MED CD	PRIMECLUSTER CD2 - version 4.2A20 contains Global File, Global Disk and Global Link Services.(Binaries / Documents / Acrobat reader) 1 Medium, German & English Version	x	x	x	x	x	x	x	x	x	x	x			U11420-C812			35	
	PCLCD3 V42 (SOLARIS) MED CD	PRIMECLUSTER CD3 (Solaris) version 4.2A20; 1 Medium; contains Fujitsu Add-On Software, English Version	x	x	x	x	x	x	x	x	x	x	x			U11420-C813			35	
	PCLCD2 V42 (LINUX) MED CD	PRIMECLUSTER CD2 (Linux) 4.2A20 (Binaries / Documents / Acrobat reader) 1 Medium, English Version			x											U11420-C816			35	
	PCLCD3 V42 (LINUX) MED CD	PRIMECLUSTER CD3 (Linux) 4.2A20 Fujitsu Add-On Software 1 Medium, English Version			x											U11420-C817			35	
	EventAdmin-PL (for UNIX OS) V2.0	EventAdmin V2.0 Licence for one PRIMEPOWER 200 to 650/850 system		x		x	x	x	x	x	x		x			U16525-C202			699	
	EventAdmin-PH (for UNIX OS) V2.0	EventAdmin V2.0 Licence for one PRIMEPOWER 800/900 to 2500 system	x		x							x				U16525-C203			3497	
	InstallAdmin-PL (for UNIX OS) V1.0	InstallAdmin V1.0 Licence for one PRIMEPOWER 200 to 650/850 system		x		x	x	x	x	x	x		x			U16525-C300			909	
	InstallAdmin-PH (for UNIX OS) V1.0	InstallAdmin V1.0 Licence for one PRIMEPOWER 800/900 to 2500 system	x		x							x				U16525-C301			1818	
	PRIMEPOWER KM for PATROL-PH V1.0	PRIMEPOWER Knowledge Module V1.0 for BMC Patrol; Licence for one Highend PRIMEPOWER System (800 to 2500)	x		x							x				U16525-C600			10490	
	PRIMEPOWER KM for PATROL-PL V1.0	PRIMEPOWER Knowledge Module V1.0 for BMC Patrol; Licence for one Midrange PRIMEPOWER System (200 to 850)		x		x	x	x	x	x	x		x			U16525-C601			2098	
	ARMTech ShareEnterprise V2.3 Mediakit	ARMTech ShareEnterprise V2.3 Media Kit , (CD-ROM, User Guide english and Installation Guide English on CD)	x	x	x	x	x	x	x	x	x	x	x			U24529-C18			84	
	ARMTech V2.3 License 1 CPU (1.-8. CPU)	Right to Use for ARMTech ShareEnterprise V2.3 for 1 cpu on one PRIMEPOWER/Solaris 8 or 9 system	x	x	x	x	x	x	x	x	x	x	x			U24529-C20			696	
	ARMTech V2.3 one CPU out of 9.-128. CPU	Right to Use for ARMTech ShareEnterprise V2.3 for 1 cpu on one PRIMEPOWER/Solaris 8 or 9 system	x		x						x	x	x			U24529-C21			416	
	ARMTech Upgrade to V2.3	Upgrade Right to Use for ARMTech ShareEnterprise V2.1 von V1.0 oder V2.0 for 1 to 4 cpus; for 1 PRIMEPOWER/Solaris 8 or 9 system	x	x	x	x	x	x	x	x	x	x	x			U24529-C35			171	
	PCLCF-PW-M6(SOLARIS) V1.5 RtU	PRIMECLUSTER Cluster Foundation 1.5 (CF 1.5A) Right to Use f. 1 System PW-600/650 Solaris 7/8								x			x			U11420-C161			2098	Phased out
	PCLCD1 V41 (SOLARIS PW) MED CD	PRIMECLUSTER CD1 4.1 contains RMS, SIS, PAS and cadmin/web-based admin view. (Binaries / Documents / Acrobat reader) 1 Medium, German & English Version	x	x	x	x	x	x	x	x	x	x	x			U11420-C601			35	Phased out
	PCLCD2 V41 (SOLARIS PW) MED CD	PRIMECLUSTER CD2 - version 4.1 contains Global File, Global Disk and Global Link Services.(Binaries / Documents / Acrobat reader) 1 Medium, German & English Version	x	x	x	x	x	x	x	x	x	x	x			U11420-C602			35	Phased out
	PCLCF V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-400,-200,-100, up to 4 CPU, /SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C610			1049	
	PCLCF V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-600,-650, SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C611			1573	
	PCLCF V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-800,-850, SF 8X0,-900, Class 16 CPU, Solaris 9 and 10									x	x	x			U11420-C612			4196	
	PCLCF V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Cluster Foundation 4.2 (CF 4.1A) Right to Use f. 1 System PW-1000/PW-1500, SF 1X00, Class 32 CPU, Solaris 9 and 10	x													U11420-C613			6294	
	PCLCF V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Cluster Foundation 4.1 (CF 4.1A) Right to Use f. 1 System PW-2000/2500/SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C615			12063	
	ASSAT V12 (SOL/LIN/WIN PS/PW) RtU-CL4CPU	Adaptive Services Satellite 1.2, (ASSAT), Right to Use for 1 Server, up to 4 CPUs/1Blade, Solaris/Linux/Windows		x		x	x	x	x				x			U11420-C408			3147	
	PCLRMS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Reliant Monitor Services 4.2 (RMS) Nutzungsrecht f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPU, SolarisSolaris 9 and 10		x		x	x	x	x				x			U11420-C616			2098	
	PCLRMS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Reliant Monitor Services 4.2 (RMS) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPU, Solaris 9 and 10								x			x			U11420-C617			3147	
	PCLRMS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Reliant Monitor Services4.2 (RMS) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPU, Solaris 9 and 10									x	x	x			U11420-C618			8392	
	PCLRMS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Reliant Monitor Services4.2 (RMS) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPU, Solaris 9 and 10	x													U11420-C619			12587	
	PCLRMS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Reliant Monitor Services4.2 (RMS) Right-To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPU, Solaris 9 and 10			x											U11420-C621			24126	
	ASSAT V12 (SOL/LIN/WIN PS/PW) RtU-CL8CPU	Adaptive Services Satellite 1.2, (ASSAT), Right to Use for 1 Server, up to 8 CPU, Solaris/Linux/Windows								x			x			U11420-C409			6294	
	PCLWT V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPU, Solaris 9 and 10		x		x	x	x	x				x			U11420-C622			699	
	PCLWT V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPU, Solaris 9 and 10								x			x			U11420-C623			1049	
	PCLWT V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPU, Solaris 9 and 10									x	x	x			U11420-C624			2797	
	PCLWT V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPU, Solaris 9 und 10	x													U11420-C625			4196	
	PCLWT V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Wizard Tools 4.2 (WT) Right-To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPU, Solaris 9 und 10			x											U11420-C627			8042	
	VERITAS SFE 4.1 UG RTU Tier 4A	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; for PRIMEPOWER 1500	x													U26000-C1133			58830	

PRIMEPOWER Options **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Data Center Products (Continued)																				
	ASSAT V12 (SOL/LIN/WIN PS/PW)RtU-CL16CPU	Adaptive Services Satellite 1.2, (ASSAT), Right to Use for 1 Server, up to 16 CPUs, Solaris/Linux/Windows									x		x			U11420-C410			11189	
	PCLPAS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPU, Solaris 9 und 10		x		x	x	x	x				x			U11420-C628			2273	
	PCLPAS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPU, Solaris 9 and 10								x			x			U11420-C629			3409	
	PCLPAS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPU, Solaris 9 and 10									x	x	x			U11420-C630			9091	
	PCLPAS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPU, Solaris 9 and 10	x													U11420-C631			13636	
	PCLPAS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Parallel Appl.Services 4.2 (PAS) Nutzungsrecht f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C633			26136	
	PCLSIS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9and 10		x		x	x	x	x				x			U11420-C634			1049	
	PCLSIS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C635			1573	
	PCLSIS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C636			4196	
	PCLSIS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C637			6294	
	PCLSIS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Scal. Internet Services 4.2 (SIS + SAT) Right-To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C639			12063	
	PCLRMSP-PW-M6-P(SOLARIS) V3.0 RtU	PRIMECLUSTER RMS Package 3.0 (RMS 3.1E + CF 1.5A + WT 3.3A) Right to Use f. 1 System PW-600/650, Solaris 7/8								x			x			U11420-C196			6923	Phased out
	PCLSRIW V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C640			1399	
	PCLDBMSW V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 und 10		x		x	x	x	x				x			U11420-C652			1399	
	PCLDBMSW V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C653			2098	
	PCLDBMSW V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C654			5594	
	PCLDBMSW V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C655			8392	
	PCLSRIW V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C641			2098	
	PCLDBMSW V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Wizard 4.2 for DBMS (DBMSW) Right-To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C657			16084	
	PCLSRIW V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C642			5594	
	PCLSRIW V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C643			8392	
	PCLSRIW V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Wizard 4.2 for SRI (SRIW) Right-To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C645			16084	
	PCLPASP-PW-M6-P(SOLARIS) V3.0 RtU	PRIMECLUSTER PAS Package 3.0 (PAS 1.0A + CF 1.5A + RMS 3.1E + WT 3.3A) Right to Use f. 1 System PW-600/650, Solaris 7/8								x			x			U11420-C201			11014	Phased out
	PCLPASP-PW-M8-P(SOLARIS) V3.0 RtU	PRIMECLUSTER PAS Package 3.0 (PAS 1.0A + CF 1.5A + RMS 3.1E + WT 3.3A) Right to Use f. 1 System PW-800/850, Solaris 7/8									x		x			U11420-C202			22028	Phased out
	PCLPASP-PW-M10-P(SOLARIS) V3.0 RtU	PRIMECLUSTER PAS Package 3.0 (PAS 1.0A + CF 1.5A + RMS 3.1E + WT 3.3A) Right to Use f. 1 System PW-1000/PW-1500, Solaris 7/8				x										U11420-C203			33042	Phased out
	PCLSAPW V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C646			1399	
	PCLRMS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C658			3462	
	PCLRMS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C659			5192	
	PCLRMS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C660			13846	
	PCLRMS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C661			20769	
	PCLSAPW V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C647			2098	
	PCLRMS-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER RMS Package 4.2 (RMS + CF + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPUs, Solaris 9and 10			x											U11420-C663			39808	
	PCLSAPW V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C648			5594	
	PCLSAPW V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10	x													U11420-C649			8392	
	PCLSAPW V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Wizard 4.2 for mySAP (SAPW) Right-To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPUs, Solaris			x											U11420-C651			16084	
	ASNB V12 (SOL/LIN PS/PW) RtU -CL4CPU	Adaptive Services Netboot 1.2 (ASNB), Right to Use for 1 Server up to 4 CPUs, Linux		x		x	x	x	x				x			U11420-C416			1573	
	PCLPAS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C664			5507	
	CD-Xprint-Unix-OS	CD-Xprint (Linux, UX, AIX,Solaris), Data media for Xprint Unix Alien, Intel/HP/IBM-based HW	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C231			25	
	DomainAdmin-P2 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 100N, 200, 250 System, one PW-based SMC, one PRIMESTATION (LAN Console/SMC) or one LINUX System		x		x	x						x		x	U16525-C150			559	
	VERITAS Storage Foundation 4.1 Media Kit	VERITAS Storage Foundation V4.1, Media and Documentation for the VERITAS Storage Foundation Products	x	x	x	x	x	x	x	x	x	x	x		x	U26000-C1000			209	
	PCLPAS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C665			8261	
	PCLPAS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C666			22028	
	RCSPS-N-PCLPAS-P V42 (LIN) UGRtU-CL4CPU	Upgrade SIDLM-N/SPS-N/RM-->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use for 1 or more PRIMERGY Systems, together expandable up to 4 CPUs, Linux				x										U11420-C283			804	
	PCLPAS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPU, Solaris 9 und 10	x													U11420-C667			33042	
	PCLPAS-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER PAS Package 4.2 (PAS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWERs/SSF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C669			63331	
	VERITAS Storage Foundation 5.0 Media Kit	Media and Documentation for the VERITAS Storage Foundation Products	x	x	x	x	x	x	x	x	x	x	x		x	U26000-C5000			209	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Data Center Products (Continued)																				
	ASNB V12 (SOL/LIN PS/PW) RtU -CL8CPU	Adaptive Services Netboot 1.2 (ASNB), Right to Use for 1 Server up to 8 CPUs, Linux								x			x			U11420-C417			3147	
	PCLSIS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER/SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C670			4406	
	DomainAdmin-P4 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 400 und 450 System						x	x				x			U16525-C151			1224	
	VERITAS SF Standard 5.0 RTU Tier K	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x													U26000-C5009			59854	
	VERITAS SF Standard 5.0 RTU Tier N	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N			x											U26000-C5012			145747	
	VERITAS SF Enterprise 5.0 RTU Tier A	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x		x	x						x			U26000-C5013			2656	
	VERITAS SF Enterprise 5.0 RTU Tier B	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class B						x	x				x			U26000-C5014			6646	
	VERITAS SF Enterprise 5.0 RTU Tier E	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E									x		x			U26000-C5016			19664	
	VERITAS SF Enterprise 5.0 RTU Tier G	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G									x		x			U26000-C5018			36576	
	VERITAS SF Enterprise 5.0 RTU Tier H	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class H										x				U26000-C5019			44937	
	VERITAS SF Enterprise 5.0 RTU Tier K	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x													U26000-C5021			98050	
	VERITAS SF Enterprise 5.0 RTU Tier N	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N			x											U26000-C5024			231449	
	VERITAS SF Enterprise 5.0, Proc. Tier 2	Right to Use for one Tier-Level 2 Processor in a PRIMEPOWER / SPARC Enterprise Server	x	x	x	x	x	x	x	x	x	x	x		x	U26000-C5054			6076	
	PCLSIS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C671			6608	
	PCLSIS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C672			17622	
	PCLSIS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C673			26434	
	PCLSIS-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER SIS Package 4.2 (SIS + CF + RMS + WT) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C675			50664	
	VERITAS SF Standard 5.0 RTU Tier A	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x		x	x						x			U26000-C5001			1421	
	VERITAS SF Standard 5.0 RTU Tier B	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class B						x	x				x			U26000-C5002			3796	
	VERITAS SF Standard 5.0 RTU Tier E	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E								x			x			U26000-C5004			11302	
	VERITAS SF Standard 5.0 RTU Tier G	Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G									x		x			U26000-C5006			20994	
	VERITAS SF Standard 5.0, Proc. Tier 2	Right to Use for one Tier-Level 2 Processor in a PRIMEPOWER / SPARC Enterprise Server	x	x	x	x	x	x	x	x	x	x	x		x	U26000-C5051			3796	
	ASNB V12 (SOL/LIN PS/PW) RtU -CL16CPU	Adaptive Services Netboot 1.2 (ASNB), Right to Use for 1 Server up to 16 CPUs, Linux									x		x			U11420-C418			5594	
	PCLEE-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPU; Solaris 9 and 10		x		x	x	x	x				x			U11420-C676			13846	
	DomainAdmin-P6 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 600, 650 or 850 System								x	x		x			U16525-C152			1748	
	VERITAS SF Standard 5.0 UG RTU Tier A	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x		x	x						x			U26000-C5025			853	
	VERITAS SF Enterprise 5.0 UG RTU Tier A	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class A		x		x	x						x			U26000-C5037			1594	
	VERITAS SF Enterprise 5.0 UG RTU Tier B	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class B						x	x				x			U26000-C5038			3988	
	VERITAS SF Enterprise 5.0 UG RTU Tier E	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E								x			x			U26000-C5040			11798	
	VERITAS SF Enterprise 5.0 UG RTU Tier G	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G									x		x			U26000-C5042			21945	
	VERITAS SF Enterprise 5.0 UG RTU Tier H	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class H										x				U26000-C5043			26962	
	VERITAS SF Enterprise 5.0 UG RTU Tier K	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x													U26000-C5045			58830	
	VERITAS SF Enterprise 5.0 UG RTU Tier N	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N			x											U26000-C5048			138869	
	PCLEE-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C677			19978	
	PCLEE-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C678			52266	
	PCLEE-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C679			87924	
	PCLEE-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Enterprise Edition Pack.4.2 (RMS+PAS+SIS+CF+WT+GLS+GDS+GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C681			196700	
	VERITAS SF Standard 5.0 UG RTU Tier B	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class B						x	x				x			U26000-C5026			2277	
	VERITAS SF Standard 5.0 UG RTU Tier E	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class E								x			x			U26000-C5028			6781	
	VERITAS SF Standard 5.0 UG RTU Tier G	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class G									x		x			U26000-C5030			12596	
	VERITAS SF Standard 5.0 UG RTU Tier H	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class H										x				U26000-C5031			15732	
	VERITAS SF Standard 5.0 UG RTU Tier K	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class K	x													U26000-C5033			35912	
	VERITAS SF Standard 5.0 UG RTU Tier N	Upgrade Right to Use for one PRIMEPOWER / SPARC Enterprise Server Tier-Class N			x											U26000-C5036			87448	
	PCLHAS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C682			11022	
	DomainAdmin-P8 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 800 or 900 system										x				U16525-C153			2937	
	PCLHAS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 und 10								x			x			U11420-C683			15743	
	VERITAS SF Enterprise 4.1 RTU Tier 1A	VERITAS Storage Foundation Enterpr. V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A ; for PRIMEPOWER 250, as well for PW100, 200, and PRIMESTATION		x		x	x						x			U26000-C1008			2656	
	VERITAS SF Enterprise 4.1 RTU Tier 1B	VERITAS Storage Foundation Enterpr. V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400, and 450						x	x				x			U26000-C1009			6646	
	VERITAS SF Enterprise 4.1 RTU Tier 2B	VERITAS Storage Foundation Enterpr. V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 650 und 800								x			x			U26000-C1011			19657	
	VERITAS SF Enterprise 4.1 RTU Tier 3A	VERITAS Storage Foundation Enterpr. V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1012			36573	
	VERITAS SF Enterprise 4.1 RTU Tier 3B	VERITAS Storage Foundation Enterpr. V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B; for PRIMEPOWER 900										x				U26000-C1107			44937	
	VERITAS SF Enterprise 4.1 RTU Tier 4A	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; für PRIMEPOWER 1500	x													U26000-C1124			98050	

PRIMEPOWER Options **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Data Center Products (Continued)																				
	VERITAS SF Enterprise 4.1 RTU Tier 4D	VERITAS Storage Foundation Enterpr. V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier Level 4D; für PRIMEPOWER 2500			x											U26000-C1158			231449	
	PCLHAS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 und 10									x	x	x			U11420-C684			40973	
	VERITAS SF Standard 4.1 RTU Tier 1A	VERITAS Storage Foundation Standard V4.1 Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A; PRIMEPOWER 250, as well for PW100, 200, and PRIMESTATION		x		x	x						x			U26000-C1001			1421	
	VERITAS SF Standard 4.1 RTU Tier 1B	VERITAS Storage Foundation Standard V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400, and 450						x	x				x			U26000-C1002			3796	
	VERITAS SF Standard 4.1 RTU Tier 2B	VERITAS Storage Foundation Standard V4.1, Right to Use for one PRIMEPOWER, Solaris Server Tier-Level 2B; for PRIMEPOWER 650, and 850								x			x			U26000-C1004			11301	
	VERITAS SF Standard 4.1 RTU Tier 3A	VERITAS Storage Foundation Standard V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1005			20993	
	VERITAS SF Standard 4.1 RTU Tier 4A	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; für PRIMEPOWER 1500	x													U26000-C1123			59854	
	VERITAS SF Standard 4.1 RTU Tier 4D	VERITAS Storage Foundation Standard V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; for PRIMEPOWER 2500			x											U26000-C1157			145747	
	PCLHAS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C685			70984	
	UPG auf VERITAS SFE 4.1 RTU Tier 1A	VERITAS Storage Foundation Enterpr. V4.1, functional-Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A from Storage Foundation Standard (1A); for PRIMEPOWER 250, as well for PW100, 200, and PRIMESTATION		x		x	x						x			U26000-C1015			1449	
	UPG auf VERITAS SFE 4.1 RTU Tier 1B	VERITAS Storage Foundation Enterpr. V4.1, functional-Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B from Storage Foundation Standard (1B); for PRIMEPOWER 400, and 450						x	x				x			U26000-C1016			3421	
	UPG auf VERITAS SFE 4.1 RTU Tier 2B	VERITAS Storage Foundation Enterpr. V4.1, functional-Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B from Storage Foundation Standard (2B); for PRIMEPOWER 800, and 650								x	x		x			U26000-C1018			10056	
	UPG auf VERITAS SFE 4.1 RTU Tier 3A	VERITAS Storage Foundation Enterpr. V4.1, functional-Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A from Storage Foundation Standard (3A); for PRIMEPOWER 850									x		x			U26000-C1019			18727	
	VERITAS File System 4.1 RTU Tier 1A	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A ; for PRIMESTATION, PRIMEPOWER 100, 200, and 250		x		x	x						x			U26000-C1022			1420	
	VERITAS Volume Manager 4.1 RTU Tier 3A	VERITAS Volume Manager V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1033			14147	
	UPG auf VERITAS SFE 4.1 RTU Tier 4A	VERITAS Storage Foundation Enterpr. V4.1, Functional Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; for PRIMEPOWER 1500; from Storage Foundation Enterprise (3B)	x													U26000-C1125			47502	
	UPG auf VERITAS SFE 4.1 RTU Tier 4D	VERITAS Storage Foundation Enterpr. V4.1, Functional Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; for PRIMEPOWER 2500; from Storage Foundation Enterprise (4B)			x											U26000-C1159			107551	
	VERITAS File System 4.1 RTU Tier 1B	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400, and 450						x	x				x			U26000-C1023			2846	
	VERITAS File System 4.1 RTU Tier 3A	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1026			12343	
	VERITAS File System 4.1 RTU Tier 4A	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; for PRIMEPOWER 1500	x													U26000-C1126			35150	
	VERITAS File System 4.1 RTU Tier 4D	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; für PRIMEPOWER 2500			x											U26000-C1160			85793	
	PCLHAS-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER HA Server Package 4.2 (RMS + CF + WT + GLS + GDS + GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C687			164231	
	VERITAS Volume Manager 4.1 RTU Tier 1A	VERITAS Volume Manager V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A; for PRIMEPOWER 250, as well for PW100, 200, and PRIMESTATION		x		x	x						x			U26000-C1029			1797	
	VERITAS Volume Manager 4.1 RTU Tier 2B	VERITAS Volume Manager V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800 and 650								x			x			U26000-C1032			7594	
	VERITAS Volume Manager 4.1 RTU Tier 4D	VERITAS Volume Manager V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; for PRIMEPOWER 2500			x											U26000-C1161			85793	
	VERITAS File System 4.1 RTU Tier 2B	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800, and 650								x			x			U26000-C1025			6643	
	VERITAS FlashSnap 4.1 RTU Tier 1A	VERITAS FlashSnap V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A; for PRIMEPOWER 250, as well for PW100, 200, and for PRIMESTATION		x		x	x						x			U26000-C1036			1420	
	VERITAS FlashSnap 4.1 RTU Tier 1B	VERITAS FlashSnap V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400, and 450						x	x				x			U26000-C1037			2846	
	VERITAS FlashSnap 4.1 RTU Tier 2B	VERITAS FlashSnap V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800, and 650								x			x			U26000-C1039			6643	
	VERITAS FlashSnap 4.1 RTU Tier 3A	VERITAS FlashSnap V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1040			12343	
	VERITAS Volume Manager 4.1 RTU Tier 4A	VERITAS Volume Manager V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; für PRIMEPOWER 1500	x													U26000-C1127			36861	
	VERITAS FlashSnap 4.1 RTU Tier 4D	VERITAS FlashSnap V4.1; Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; for PRIMEPOWER 2500			x											U26000-C1162			85793	
	VERITAS SFE 4.1 UG RTU Tier 1A	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A; for PRIMEPOWER 250, as well for PW100, 200, and for PRIMESTATION		x		x	x						x			U26000-C1071			1594	
	VERITAS SFE 4.1 UG RTU Tier 1B	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400, and 450						x	x				x			U26000-C1072			3988	
	VERITAS SFE 4.1 UG RTU Tier 2B	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800								x			x			U26000-C1074			11794	
	VERITAS SFE 4.1 UG RTU Tier 3A	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1075			21944	
	VERITAS SFE 4.1 UG RTU Tier 4C	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4C; for PRIMEPOWER 2000			x											U26000-C1077			92576	
	VERITAS FlashSnap 4.1 RTU Tier 4A	VERITAS FlashSnap V4.1; Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; für PRIMEPOWER 1500	x													U26000-C1128			35150	
	VERITAS SF 4.1 UG RTU Tier 4D	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; for PRIMEPOWER 2500			x											U26000-C1163			87448	
	VERITAS SF 4.1 UG RTU Tier 1A	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A; for PRIMEPOWER 250, as well for PW100, 200, and for PRIMESTATION		x		x	x						x			U26000-C1043			852	

PRIMEPOWER Options **Data Sheets: http://www.fujitsu-siemens.com/primepower**

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Data Center Products (Continued)																				
	VERITAS SF 4.1 UG RTU Tier 1B	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400, and 450						x	x				x			U26000-C1044			2277	
	VERITAS SF 4.1 UG RTU Tier 2B	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800 and 650								x			x			U26000-C1046			6780	
	VERITAS SF 4.1 UG RTU Tier 3A	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 8500									x		x			U26000-C1047			12596	
	VERITAS SF 4.1 UG RTU Tier 4A	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; für PRIMEPOWER 1500	x													U26000-C1129			35913	
	VERITAS File System 4.1 UG RTU Tier 1A	VERITAS File System V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A, ; for PRIMEPOWER 250, as well for PW100, 200, and for PRIMESTATION		x		x	x						x			U26000-C1050			852	
	VERITAS File System 4.1 UG RTU Tier 1B	VERITAS File System V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400 and 450						x	x				x			U26000-C1051			1708	
	VERITAS File System 4.1 UG RTU Tier 1C	VERITAS File System V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1C; for PRIMEPOWER 600								x			x			U26000-C1052			2392	
	VERITAS File System 4.1 UG RTU Tier 2B	VERITAS File System V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800, and 650								x			x			U26000-C1053			3986	
	VERITAS File System 4.1 UG RTU Tier 3A	VERITAS File System V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1054			7406	
	VERITAS File System 4.1 UG RTU Tier 4A	VERITAS File System V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; für PRIMEPOWER 1500	x													U26000-C1130			21090	
	VERITAS VolumeManager 4.1 UG RTU Tier 4D	VERITAS Volume Manager V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; for PRIMEPOWER 2500			x											U26000-C1165			51476	
	PCLPS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C688			10577	
	DomainAdmin-P10 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 1000 or 1500 System	x													U16525-C154			7692	
	VERITAS VolumeManager 4.1 UG RTU Tier 1A	VERITAS Volume Manager V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A; for PRIMEPOWER 250, as well for PW100, 200, and for PRIMESTATION		x		x	x						x			U26000-C1057			1078	
	VERITAS VolumeManager 4.1 UG RTU Tier 1B	VERITAS Volume Manager V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400 and 450						x	x				x			U26000-C1058			1934	
	VERITAS VolumeManager 4.1 UG RTU Tier 2B	VERITAS Volume Manager V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800, and 650								x			x			U26000-C1060			4557	
	VERITAS VolumeManager 4.1 UG RTU Tier 3A	VERITAS Volume Manager V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1061			8488	
	VERITAS VolumeManager 4.1 UG RTU Tier 4A	VERITAS Volume Manager V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; for PRIMEPOWER 1500	x													U26000-C1131			22117	
	VERITAS FlashSnap 4.1 UG RTU Tier 4D	VERITAS FlashSnap V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; for PRIMEPOWER 2500			x											U26000-C1166			51476	
	PCLPS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C689			15074	
	VERITAS Volume Manager 4.1 RTU Tier 1B	VERITAS Volume Manager V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400 and 450						x	x				x			U26000-C1030			3224	
	VERITAS FlashSnap 4.1 UG RTU Tier 1A	VERITAS FlashSnap V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1A; for PRIMEPOWER 250, as well for PW100, 200, and for PRIMESTATION		x		x	x						x			U26000-C1064			852	
	VERITAS FlashSnap 4.1 UG RTU Tier 1B	VERITAS FlashSnap V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 1B; for PRIMEPOWER 400, and 450						x	x				x			U26000-C1065			1708	
	VERITAS FlashSnap 4.1 UG RTU Tier 2B	VERITAS FlashSnap V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 2B; for PRIMEPOWER 800, and 650								x			x			U26000-C1067			3986	
	VERITAS FlashSnap 4.1 UG RTU Tier 3A	VERITAS FlashSnap V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3A; for PRIMEPOWER 850									x		x			U26000-C1068			7406	
	VERITAS FlashSnap 4.1 UG RTU Tier 4A	VERITAS FlashSnap V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4A; for PRIMEPOWER 1500	x													U26000-C1132			21090	
	VERITAS SFE 4.1 UG RTU Tier 4D	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 4D; für PRIMEPOWER 2500			x											U26000-C1167			138869	
	PCLPS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C690			39190	
	PCLPS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C691			68309	
	PCLPS-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Parallel Server Package 4.2 (PAS + CF + GLS + GDS + GFS) Right To-Use f. 1 System PRIMEPOWER/SF 2X00 Class 128 CPU, Solaris 9 und 10			x											U11420-C693			159103	
	PCLSS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C694			1783	
	DomainAdmin-P20 (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for one PRIMEPOWER 2000 or 2000 system			x											U16525-C155			13147	
	UPG auf VERITAS SFE 4.1 RTU Tier 3B	VERITAS Storage Foundation Enterpr. V4.1, Functional Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B from Storage Foundation Enterprise (3B); for PRIMEPOWER 900										x				U26000-C1108			22650	
	PCLSS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C695			2675	
	VERITAS File System 4.1 RTU Tier 3B	VERITAS File System V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B; for PRIMEPOWER 900										x				U26000-C1109			15387	
	PCLSS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C696			7133	
	VERITAS Volume Manager 4.1 RTU Tier 3B	VERITAS Volume Manager V4.1, Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3C; for PRIMEPOWER 900										x				U26000-C1110			17288	
	PCLSS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C697			10699	
	VERITAS FlashSnap 4.1 RTU Tier 3B	VERITAS FlashSnap V4.1; Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B, for PRIMEPOWER 900										x				U26000-C1111			15387	
	VERITAS SF 4.1 UG RTU Tier 3B	VERITAS Storage Foundation Standard V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B; for PRIMEPOWER 900										x				U26000-C1112			15731	
	PCLSS-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Scalability Server Pack.4.2 (SIS + CF) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C699			20507	
	VERITAS File System 4.1 UG RTU Tier 3B	VERITAS File System V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B; for PRIMEPOWER 900										x				U26000-C1113			9232	
	VERITAS VolumeManager 4.1 UG RTU Tier 3B	VERITAS Volume Manager V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B; for PRIMEPOWER 900										x				U26000-C1114			10373	
	VERITAS FlashSnap 4.1 UG RTU Tier 3B	VERITAS FlashSnap V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B; for PRIMEPOWER 900										x				U26000-C1115			9232	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Data Center Products (Continued)																				
	VERITAS SFE 4.1 UG RTU Tier 3B	VERITAS Storage Foundation Enterprise V4.1, Upgrade Right to Use for one PRIMEPOWER Solaris Server Tier-Level 3B; für PRIMEPOWER 900										x				U26000-C1116			26962	
	PCLWKIT-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPU, Solaris 9 and 10		x		x	x	x	x				x			U11420-C700			3566	
	DomainAdmin-PE (for UNIX OS) V2.2	DomainAdmin V2.2 Licence for all PRIMEPOWER-Systems at the same customer site	x	x	x	x	x	x	x	x	x	x	x			U16525-C156			54545	
	PCLWKIT-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C701			5350	
	PCLWKIT-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C702			14266	
	PCLWKIT-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C703			21399	
	PCLWKIT-P V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Wizard Kit Package 4.2 (SRIW + SAPW + DBMSW) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C705			41014	
	PCLGLS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER/ SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C706			1303	
	PCLGLS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C707			1822	
	PCLGLS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C708			4688	
	PCLGLS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C709			8634	
	PCLGLS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Global Link Services 4.2 (GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C711			21283	
	PCLGDS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C712			3909	
	PCLGDS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C713			5465	
	PCLGDS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C714			14065	
	PCLGDS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C715			25900	
	PCLGDS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Global Disk Services 4.2 (GDS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C717			63849	
	PCLGFS V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C718			3909	
	PCLGFS V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C719			5465	
	PCLGFS V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C720			14065	
	PCLGFS V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C721			25900	
	PCLGFS V42 (SOLARIS) RtU -CL128CPU	PRIMECLUSTER Global File Services 4.2 (GFS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C723			63849	
	PCLGFDLS-P V42 (SOLARIS) RtU -CL4CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 4X0,-2X0,-TX000, Class 4 CPUs, Solaris 9 and 10		x		x	x	x	x				x			U11420-C724			7753	
	PCLGFDLS-P V42 (SOLARIS) RtU -CL8CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 6X0, Class 8 CPUs, Solaris 9 and 10								x			x			U11420-C725			10839	
	PCLGFDLS-P V42 (SOLARIS) RtU -CL16CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 8X0,-900, Class 16 CPUs, Solaris 9 and 10									x	x	x			U11420-C726			27896	
	PCLGFDLS-P V42 (SOLARIS) RtU -CL32CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 1X00, Class 32 CPUs, Solaris 9 and 10	x													U11420-C727			51369	
	PCLGFDLS-P V42 (SOLARIS) RtU-CL128CPU	PRIMECLUSTER Gl. File Disk Link Pack.4.2 (GFS + GDS + GLS) Right-To-Use f. 1 System PRIMEPOWER / SF 2X00 Class 128 CPUs, Solaris 9 and 10			x											U11420-C729			126634	
	RCRMS-YH-PCLRMS-P V42 (SOL) UGRtU-16CPU	Upgrade RMS-YH/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C214			350	
	RCRMS-YH-PCLRMS-P V42 (SOL) UGRtU-32CPU	Upgrade RMS-YH/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C215			6923	
	RCRMS-YH-PCLRMS-P V42 (SOL) UGRtU-128CPU	Upgrade RMS-YH/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C216			25962	
	RCRMS-YL-PCLRMS-P V42 (SOL) UGRtU-8CPU	Upgrade RMS-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-6X0, up to 8 CPU, Solaris								x			x			U11420-C217			175	
	RCRMS-YL-PCLRMS-P V42 (SOL) UGRtU-16CPU	Upgrade RMS-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C218			8654	
	RCRMS-YL-PCLRMS-P V42 (SOL) UGRtU-32CPU	Upgrade RMS-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C219			15577	
	RCRMS-YL-PCLRMS-P V42 (SOL) UGRtU-128CPU	Upgrade RMS-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C220			34615	
	RCRMS-N-PCLRMS-P V42 (SOL) UGRtU-4CPU	Upgrade RMS-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-4X0,-2X0,-100, up to 4 CPU, Solaris		x		x	x	x	x				x			U11420-C221			105	
	RCRMS-N-PCLRMS-P V42 (SOL) UGRtU-8CPU	Upgrade RMS-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-6X0, up to 8 CPU, Solaris								x			x			U11420-C222			1731	
	RCRMS-N-PCLRMS-P V42 (SOL) UGRtU-16CPU	Upgrade RMS-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C223			10385	
	RCRMS-N-PCLRMS-P V42 (SOL) UGRtU-32CPU	Upgrade RMS-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C224			17308	
	RCRMS-N-PCLRMS-P V42 (SOL) UGRtU-128CPU	Upgrade RMS-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C225			36346	
	RCOBS-YH-PCLRMS-P V42 (SOL) UGRtU-16CPU	Upgrade OBSERVE-YH/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C226			3147	
	RCOBS-YH-PCLRMS-P V42 (SOL) UGRtU-32CPU	Upgrade OBSERVE-YH/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C227			6923	
	RCOBS-YH-PCLRMS-P V42 (SOL) UGRtU-128CPU	Upgrade OBSERVE-YH/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C228			25962	
	RCOBS-YL-PCLRMS-P V42 (SOL) UGRtU-8CPU	Upgrade OBSERVE-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-6X0, up to 8 CPU, Solaris								x			x			U11420-C229			1224	
	RCOBS-YL-PCLRMS-P V42 (SOL) UGRtU-16CPU	Upgrade OBSERVE-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C230			8654	
	RCOBS-YL-PCLRMS-P V42 (SOL) UGRtU-32CPU	Upgrade OBSERVE-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C231			15577	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Data Center Products (Continued)																				
	RCOBS-YL-PCLRMS-P V42 (SOL) UGRtU-128CPU	Upgrade OBSERVE-YL/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C232			34615	
	RCOBS-N-PCLRMS-P V42 (SOL) UGRtU-4CPU	Upgrade OBSERVE-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-4X0,-2X0,-100, up to 4 CPU, Solaris		x		x	x	x	x				x			U11420-C233			804	
	RCOBS-N-PCLRMS-P V42 (SOL) UGRtU-8CPU	Upgrade OBSERVE-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-6X0, up to 8 CPU, Solaris								x			x			U11420-C234			1731	
	RCOBS-N-PCLRMS-P V42 (SOL) UGRtU-16CPU	Upgrade OBSERVE-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C235			10385	
	RCOBS-N-PCLRMS-P V42 (SOL) UGRtU-32CPU	Upgrade OBSERVE-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C236			17308	
	RCOBS-N-PCLRMS-P V42 (SOL) UGRtU-128CPU	Upgrade OBSERVE-N/RM-->PCL RMS-Package; (RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C237			36346	
	RCSPS-YH-PCLPAS-P V42 (SOL) UGRtU-16CPU	Upgrade SPS-YH/RM-->PCL PAS-Package; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C238			3147	
	RCSPS-YH-PCLPAS-P V42 (SOL) UGRtU-32CPU	Upgrade SPS-YH/RM-->PCL PAS-Package; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris	x													U11420-C239			11014	
	RCSPS-YH-PCLPAS-P V42 (SOL) UGRtU-128CPU	Upgrade SPS-YH/RM-->PASRMS/PRIMEPOWER (PAS + RMS + CF) Right to Use f. 1 System GP-PW-M2000 or 2500			x											U11420-C240			41303	
	RCSPS-YL-PCLPAS-P V42 (SOL) UGRtU-8CPU	Upgrade SIDLM-Y/SPS-YL/RM->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-6X0, up to 8 CPU, Solaris								x			x			U11420-C241			1224	
	RCSPS-YL-PCLPAS-P V42 (SOL) UGRtU-16CPU	Upgrade SIDLM-Y/SPS-YL/RM->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C242			13767	
	RCSPS-YL-PCLPAS-P V42 (SOL) UGRtU-32CPU	Upgrade SIDLM-Y/SPS-YL/RM->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C243			24781	
	RCSPS-YL-PCLPAS-P V42 (SOL) UGRtU-128CPU	Upgrade SIDLM-Y/SPS-YL/RM->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C244			55070	
	RCSPS-N-PCLPAS-P V42 (SOL) UGRtU-4CPU	Upgrade SIDLM-N/SPS-N/RM-->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-4X0,-2X0,-100, up to 4 CPU, Solaris		x		x	x	x	x				x			U11420-C245			804	
	RCSPS-N-PCLPAS-P V42 (SOL) UGRtU-8CPU	Upgrade SIDLM-N/SPS-N/RM-->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-6X0, up to 8 CPU, Solaris								x			x			U11420-C246			2754	
	RCSPS-N-PCLPAS-P V42 (SOL) UGRtU-16CPU	Upgrade SIDLM-N/SPS-N/RM-->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-8X0,-900, up to 16 CPU, Solaris									x	x	x			U11420-C247			16521	
	RCSPS-N-PCLPAS-P V42 (SOL) UGRtU-32CPU	Upgrade SIDLM-N/SPS-N/RM-->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-1X00, up to 32 CPU, Solaris	x													U11420-C248			27535	
	RCSPS-N-PCLPAS-P V42 (SOL) UGRtU-128CPU	Upgrade SIDLM-N/SPS-N/RM-->PCL PAS-Pack.; (PAS + RMS + CF + WT); Right to Use f. 1 System; PW-2X00 up to 128 CPU, Solaris			x											U11420-C249			57824	
	DomainAdmin-P2 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 100N, 200, 250 System, one PRIMESTATION (LAN Console) or one LINUX System		x		x	x						x		x	U16525-C130			559	
	Multipath V1.1B RoU (Sparc)	Right of Use for one PRIMEPOWER server for the access to one or more FibreCAT S80, PXRE-(H)F(R) RAID Subsystems or FC600E.	x	x	x	x	x	x	x	x	x	x	x			U24529-C530			2860	
	DomainAdmin-P4 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 400 und 450 System						x	x				x			U16525-C131			1224	
	DomainAdmin-P6 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 600, 650 or 850 System								x	x		x			U16525-C132			1748	
	Xprint-UG1 (Solaris/FSC) V8.0 LC f.	For connection of 32 logical printers relative to one computer	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C531			664	
	Xprint-NET (Solaris/FSC) V8.0 LC f.	For Xprint-Net-Server with up to 32 logical printers	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C532			2832	
	Xprint-NET-CL (Solaris/FSC) V8.0 LC f.	License for Xprint-NET-Client (requires Xprint-NET from another host)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C533			769	
	Xprint-UGM (Solaris/FSC) V8.0 LC f.	License for connection of 33 to 128 logical printers (requires Xprint-UG1 or -NET)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C534			944	
	Xprint-UG2 (Solaris/FSC) V8.0 LC f.	License for connection of 129 to 256 logical printers (requires Xprint-UGM)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C535			944	
	Xprint-UG3 (Solaris/FSC) V8.0 LC f.	License for connection of 257 to an unlimited number of printers (requires Xprint-UG2)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C536			1608	
	Xprint-UG4 (Solaris/FSC) V8.0 LC f.	License for connection of 513 to 1024 printers (requires Xprint-UG3)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C537			1469	
	Xprint-UG5 (Solaris/FSC) V8.0 LC f.	License for connection of 1025 to 2048 printers (requires Xprint-UG4)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C538			1224	
	Xprint-UG6 (Solaris/FSC) V8.0 LC f.	License for connection of 2049 to 4096 printers (requires Xprint-UG5)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C539			1224	
	Xprint-UG7 (Solaris/FSC) V8.0 LC f.	License for connection of 4097 to 8192 printers (requires Xprint-UG6)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C540			1224	
	Xprint-UG8 (Solaris/FSC) V8.0 LC f.	License for connection of 4097 to an ulimited number of printers (requires Xprint-UG7)	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C541			1224	
	Xprint-R/3-Kit (Solaris/FSC) V8.0 LC f.	SAP R/3 Kit in connection with Solaris/FSC	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C542			2874	
	Xprint-UG1-UP (Solaris/FSC) V8.0 LC f.	For connection of 32 logical printers relative to one computer, Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C544			287	
	Xprint-NET-UP (Solaris/FSC) V8.0 LC f.	For Xprint-Net-Server with up to 32 logical printers, Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C545			1140	
	Xprint-NET-CL-UP(Solaris/FSC)V8.0 LC	For Xprint-Net-Server with up to 32 logical printers, Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C546			315	
	Xprint-UGM-UP (Solaris/FSC) V8.0 LC f.	License for connection of 33 to 128 logical printers (requires Xprint-UG1 or -NET), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C547			381	
	Xprint-UG2-UP (Solaris/FSC) V8.0 LC f.	License for connection of 129 to 256 logical printers (requires Xprint-UGM), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C548			381	
	Xprint-UG3-UP (Solaris/FSC) V8.0 LC f.	License for connection of 257 to 512 printers (requires Xprint-UG2), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C549			650	
	Xprint-UG4-UP (Solaris/FSC) V8.0 LC f.	License for connection of 513 to 1024 printers (requires Xprint-UG3), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C550			587	
	Xprint-UG5-UP (Solaris/FSC) V8.0 LC f.	License for connection of 1025 to 2048 printers (requires Xprint-UG4), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C551			490	
	Xprint-UG6-UP (Solaris/FSC) V8.0 LC f.	License for connection of 2049 to 4096 printers (requires Xprint-UG5), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C552			490	
	Xprint-UG7-UP (Solaris/FSC) V8.0 LC f.	License for connection of 4097 to 8192 printers (requires Xprint-UG6), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C553			490	
	Xprint-UG8-UP (Solaris/FSC) V8.0 LC f.	License for connection of 8193 to unlimited number of printers (requires Xprint-UG7), Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C554			490	
	Xprint-R/3-Kit-UP(Solaris/FSC) V8.0 LC	SAP R/3 Kit in connection with Solaris/FSC, Update from Xprint 7.0 to Xprint 8.0	x	x	x	x	x	x	x	x	x	x	x		x	U11436-C555			1168	
	DomainAdmin-P8 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 800 or 900 system										x				U16525-C140			2657	
	DomainAdmin-P10 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 1000 or 1500 System	x													U16525-C141			6993	
	Domain Monitoring GUI -UG1 V1.0	Domain Monitoring GUI -UG1 V1.0 Licence for 3 to 8 instances	x	x	x	x	x	x	x	x	x	x	x	x		U11436-C664			280	
	Domain Monitoring GUI -UG2 V1.0	Domain Monitoring GUI -UG2 V1.0 Licence for 9 to 16 instances	x	x	x	x	x	x	x	x	x	x	x			U11436-C665			280	
	Domain Monitoring GUI -UG3 V1.0	Domain Monitoring GUI -UG3 V1.0 Licence for 17 to 32 instances	x	x	x	x	x	x	x	x	x	x	x			U11436-C666			420	
	Domain Monitoring GUI -UG4 V1.0	Domain Monitoring GUI -UG4 V1.0 Licence for 33 to 64 instances	x	x	x	x	x	x	x	x	x	x	x	x	x	U11436-C667			629	
	DomainAdmin-P20 (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for one PRIMEPOWER 2000 or 2000 system			x											U16525-C142			11958	
	DomainAdmin-PE (for UNIX OS) V2.1	DomainAdmin V2.1 Licence for all PRIMEPOWER-Systems at the same customer site	x	x	x	x	x	x	x	x	x	x	x			U16525-C143			45455	
SW Networking																				
	CMX-G V6.0 NR (PRIMEPOWER) EN	License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER Entry and Midrange Models; Models 200 to 6xx; international		x	x	x	x	x	x	x			x			U10808-C123			685	
	CMX-GK V6.0 NR (PRIMEPOWER) EN	License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER High End Models, starting with Model 800; international	x		x						x	x	x			U10808-C124			1042	

PRIMEPOWER Options

Data Sheets: http://www.fujitsu-siemens.com/primepower

Category	Description	Details	PRIMEPOWER 1500	PRIMEPOWER 250	PRIMEPOWER 2500	PRIMEPOWER 250F	PRIMEPOWER 250N	PRIMEPOWER 450	PRIMEPOWER 450N	PRIMEPOWER 650	PRIMEPOWER 850	PRIMEPOWER 900	PRIMEPOWER projects	PW RACK Console	System Console	Code			End User Price (£)	Comments
Options matrix																				
SW Networking (Continued)																				
	CMX-GU V6.0 NR (PRIMEPOWER) EN	Upgrade License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER Entry and Midrange ModelsLicense for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER High End Models, Models 200 to 6xx; international		x	x	x	x	x	x				x			U10808-C125			329	
	CMX-GKU V6.0 NR (PRIMEPOWER) EN	Upgrade License for Communications Manager UNIX V6.0 for 1 system; for PRIMEPOWER High End Models, starting with 800; international	x		x						x	x	x			U10808-C126			497	
	CCP-OSI/NEA-G V6.0 NR (PRIMEPOWER) EN	Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Systems, Models 200 to 6xx		x		x	x	x	x	x			x			U10826-C217			2098	
	CCP-OSI/NEA-GK V6.0 NR (PRIMEPOWER) EN	Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Systems, Models starting with 800	x		x							x				U10826-C218			2657	
	CCP-OSI/NEA-GU V6.0 NR (PRIMEPOWER) EN	Upgrade Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Entry and Midrange Models, 200 to 6xx		x		x	x	x	x	x			x			U10826-C219			839	
	CCP-OSI/NEA-GKU V6.0 NR (PRIMEPOWER) EN	Upgrade Right to Use for CCP-OSI/NEA-G V6.0 for PRIMEPOWER Systems, 800 and higher	x		x							x				U10826-C220			1259	
	OPENFT-SW-CD (UNIX) V8.1	Shared CD-ROM for openFT with Reliant UNIX, Solris (SPARC) Solaris (Intel), Linux, Linux390, AIX, HP-UX, SCO OpenServer, OSF1 (Tru64), UnixWare; without licenses	x	x	x	x	x	x	x	x	x	x	x			U13806-C23			25	
	OPENFT-CR (UNIX) V8.0	Right to use Cryptographic Module; CD-ROM for use of the crypto module of openFT V8.0 und V8.1 for UNIX; valid for all UNIX platforms; this selectable unit is subject to export restriction.	x	x	x	x	x	x	x	x	x	x	x			U13806-C22			10	
	Medium for UNIX systems	Shared CD-ROM f. openFT f. RM200/300/400/600 (Reliant UNIX), Sun SPARCStation and PRIMEPOWER (Solaris), Sun (Intel), LINUX, HP-UX, AIX-UX, SCO (OpenServer), UnixWare, Compaq (Tru64); IRIX on request; without licenses	x	x	x	x	x	x	x	x	x	x	x			U13806-C21			25	
	TRANS-CP-BNR (for UNIX OS) V3 6	TRANSIT-CPIC V3.6 License for unlimited user	x	x	x	x	x	x	x	x	x	x	x			U13620-C100			751	
	OPENFT-2 (UNIX) V8.1	for using in automated unattended mode, system with 1 to 4 CPUs		x		x	x	x					x			U10987-C372			787	
	OPENFT-3 (UNIX) V8.1	for using in automated unattended mode, system extendable up to 8 CPUs								x			x			U10987-C373			1394	
	OPENFT-4 (UNIX) V8.1	for using in automated unattended mode, system extendable up to 24 CPUs									x	x	x			U10987-C374			2789	
	OPENFT-2-U (UNIX) V8.1	Update for using in automated unattended mode, system with 1 to 4 CPUs		x		x	x	x					x			U10987-C378			315	
	TRANS-CL-BNR (for UNIX OS) V3 6	TRANSIT-CLIENT V3.6 License for unlimited User	x	x	x	x	x	x	x	x	x	x	x			U13621-C42			769	
	TRANS-SV-NR (for UNIX OS) V3 6	TRANSIT-SERVER V3.6 License for one session	x	x	x	x	x	x	x	x	x	x	x			U13622-C45			36	
	TRANS-SV-BNR-PP (for UNIX OS) V3 6	TRANSIT-SERVER V3.6 Basic license incl. one session for PrimePower.	x	x	x	x	x	x	x	x	x	x	x			U13622-C48			357	
	OPENFT-2 (UNIX) V8.0	for using in automated unattended mode, system with 1 to 4 CPUs		x		x	x	x					x			U10987-C348			787	
	OPENFT-3 (UNIX) V8.0	for using in automated unattended mode, system extendable up to 8 CPUs								x			x			U10987-C349			1394	
	OPENFT-4 (UNIX) V8.0	for using in automated unattended mode, system extendable up to 24 CPUs									x	x	x			U10987-C350			2789	
	OPENFT-5 (UNIX) V8.0	for using in automated unattended mode, system extendable up to 64 CPUs	x													U10987-C351			4183	
	OPENFT-FTAM-2 (UNIX) V8.0	FTAM for using in automated unattended mode, system with 1 to 4 CPUs		x		x	x	x					x			U10987-C360			787	
	OPENFT-FTAM-3 (UNIX) V8.0	FTAM for using in automated unattended mode, system extendable up to 8 CPUs								x			x			U10987-C361			1034	
	OPENFT-FTAM-4 (UNIX) V8.0	FTAM for using in automated unattended mode, system extendable up to 24 CPUs									x	x	x			U10987-C362			2066	
	OPENFT-FTAM-2-U (UNIX) V8.0	FTAM update for using in automated unattended mode, system with 1 to 4 CPUs		x		x	x	x	x				x			U10987-C366			460	
	OPENFT-FTAM-3-U (UNIX) V8.0	FTAM update for using in automated unattended mode, system extendable up to 8 CPUs								x			x			U10987-C367			604	
	OPENFT-FTAM-4-U (UNIX) V8.0	FTAM update for using in automated unattended mode, system extendable up to 24 CPUs									x		x			U10987-C368			1208	
SW OLTP																				
	openUTM LU62 V50 ROU Sync1 Unx/Win-Sys	Right Of Use 1 Unix/NT System Synch-Level 0/1 Connection without Transaction Security	x	x	x	x	x	x	x	x	x	x	x			U13655-C26			10011	
	openUTM LU62 V50 ROU Sync2 Unx/Win-Sys	Right Of Use 1 Unix/NT System Synch-Level 2 Connection with Transaction Security	x	x	x	x	x	x	x	x	x	x	x			U13655-C27			20022	
	openUTM LU62 V50 ROU UD Sync1 Unx/Win	Right Of Use Update 1 Unix/NT System , Synch-Level 0/1 Connection , without Transaction Security	x	x	x	x	x	x	x	x	x	x	x			U13655-C28			3504	
	openUTM LU62 V50 ROU UD Sync2 Unx/Win	Right Of Use Update 1 Unix/NT System , Synch-Level 2 Connection , with Transaction Security	x	x	x	x	x	x	x	x	x	x	x			U13655-C29			7008	
SW Compilers & Tools																				
	COB_SE V4.0 SW 1 User (Sol)	COBOL Server Express V4.0, Right to Use for 1 User (Solaris), Data Medium (CD) and Manuals on CD	x	x	x	x	x	x	x	x	x	x	x			U24539-C641			3095	
	COB_AS V4.0 SW 10cUsr (Sol)	COBOL Application Server V4.0, Right to Use for 10 Concurrent Users (Solaris), Data Medium (CD) and Manuals on CD	x	x	x	x	x	x	x	x	x	x	x			U24539-C642			1214	
	Studio10 V10 SW 1User (Sol)	Studio 10 -SW-Suite V10 1-user & S.O.; C/C++/Fortran Enterprise Edition; for Solaris/Sparc - without Service Option	x	x	x	x	x	x	x	x	x	x	x			U24539-C579			2098	
	Studio10 V10 SW 10User (Sol)	Studio 10 SW Suite V10 10-user & S.O.; C/C++/Fortran Enterprise Edition; for Solaris/Sparc - without service contract option	x	x	x	x	x	x	x	x	x	x	x			U24539-C580			17972	
	Studio10 V10 SW 25User (Sol)	Studio 10 SW Suite V10 25-user & S.O.; C/C++/Fortran Enterprise Edition; for Solaris/Sparc - without Service Option	x	x	x	x	x	x	x	x	x	x	x			U24539-C581			42238	
	Studio10S V10 SW 1User (Sol)	Studio 10 SW Suite V10 1-user & S.O.; C/C++/Fortran Enterprise Edition; for Solaris/Sparc - with Service Option	x	x	x	x	x	x	x	x	x	x	x			U24539-C586			2308	
	COB_AS V4.0 SW 10nUsr (Sol)	COBOL Application Server V4.0, Right to Use for 10 Authorized Users (Solaris), Data Medium (CD) and Manuals on CD	x	x	x	x	x	x	x	x	x	x	x			U24539-C643			667	
	Studio10S V10 SW 10User (Sol)	Studio 10 SW Suite V10 10-user & S.O.; C/C++/Fortran Enterprise Edition; for Solaris/Sparc - with service contract option	x	x	x	x	x	x	x	x	x	x	x			U24539-C587			19769	
	Studio10S V10 SW 25User (Sol)	Studio 10 SW Suite V10 25-user & S.O.; C/C++/Fortran Enterprise Edition; for Solaris/Sparc - with Service Option	x	x	x	x	x	x	x	x	x	x	x			U24539-C588			46462	
	Studio10 V10 DT Media (Sol)	Studio 10 SW Suite V10 Media; C/C++/Fortran Enterprise Edition; for Solaris/Sparc	x	x	x	x	x	x	x	x	x	x	x			U24539-C585			85	
	COB_AS V4.0 SW 100nUsr (Sol)	COBOL Application Server V4.0, Right to Use for 100 Authorized Users (Solaris), Data Medium (CD) and Manuals on CD	x	x	x	x	x	x	x	x	x	x	x			U24539-C644			6675	
	COB_WAS V4.0 SW 2CPU (Sol)	COBOL Web Application Server for 2 CPUs, Right to Use (Solaris), Data Medium (CD) and Manuals on CD	x	x	x	x	x	x	x	x	x	x	x			U24539-C645			15778	
	COB_WAS V4.0 SW 4CPU (Sol)	COBOL Web Application Server for 4 CPUs, Right to Use (Solaris), Data Medium (CD) and Manuals on CD	x	x	x	x	x	x	x	x	x	x	x			U24539-C646			27610	
	COB_WAS V4.0 SW 8CPU (Sol)	COBOL Web Application Server for 8 CPUs, Right to Use (Solaris), Data Medium (CD) and Manuals on C	x	x	x	x	x	x	x	x	x	x	x			U24539-C647			43389	
	COB_NE V4.0 SW 1 User (Sol)	COBOL NetExpress V4.0, Development Tool, Right to Use for 1 User (Solaris), Data Medium (CD) and Manuals on CD	x	x	x	x	x	x	x	x	x	x	x			U24539-C648			3401	
	COB_SE V2.2 SW 1 User (Sol)	Server Express Development Suite V2.2	x		x	x		x		x	x	x	x			U24539-C621			2731	
Solution Services																				
	SAMBA-25+CD	SAMBA service for 25 users on one server inclusive medium	x	x	x	x	x	x	x	x	x	x	x			U16502-C104			140	
	SAMBA-unlim+CD	SAMBA service for unlimited users on one server inclusive medium	x	x	x	x	x	x	x	x	x	x	x			U16502-C105			140	

Positioning PRIMEQUEST

PRIMERGY

PRIMEQUEST servers are mission critical IA servers which enable customers to realize the economic benefits and flexibility of Linux and Windows industry standards while preserving all the attributes for mission critical datacenter services. Combining the power of 64 bit Intel® Itanium®2 processors, the standard specifications of Microsoft Windows and Linux operating systems and the wealth of market solutions with innovative fault immune system architecture for highest availability and business continuity, PRIMEQUEST servers provide a new operational efficiency for business critical computing with truly open standards. They meet the demands of customers to expand the reach of open industry standards to include mission critical enterprise operations.

PRIMEQUEST 520 / 540 / 580 **Data Sheets: http://www.fujitsu-siemens.com/PRIMEQUEST**

PRIMEQUEST 520 / 540 / 580 - 16 / 32- / 64-way mission critical IA servers for Linux & Windows industry standards

T QUEST 500 series are best choices for enterprises that are looking for a mission critical Intel® Itanium® 2 based Linux or Windows p rovide highest availability, robust performance and enhanced flexibility plus optimum resource usage.

T cation areas for PRIMEQUEST servers include medium to largest-scale database systems and online transaction processing (OLTP) environments that require a fail-safe mission critical platform with flexibility for future growth.

PRIMEQUEST models offer flexible and scalable configuration capabilities for up to 32 Dual-Core processors and belonging I/O resources in a 19" rack-mounted chassis (model 520) or in space-saving system cabinets. Automatic reconfiguration and flexible partitioning with up to 16 fail-safe, software isolated partitions using eXtended PARtitioning (XPAR) provide optimum resource usage with multiple OS instances.

PRIME QUEST 520

Th advanced system architecture incorporates two innovative key technologies that provide highest availability in a single system: Mirror Mode and F).

V de, crossbar interconnects and memory modules can operate in duplex mode to isolate faults without causing a system halt, i.e. not i IT production. FIO allows on demand reallocation of I/O resources to specific processing resources, which enables I/O to match t performance requirements.

H ce and reliability of the Intel® Itanium® 2 9000 series processors, large main memory capacities up to 2 Tbyte, high speed crossbar i to 136 Gbyte/s throughput) and lowest memory latencies satisfy huge system and application bandwidth demands.

PRIME QUEST 540/580

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
Primequest 520							
	PQ BaseUnit PRIMEQUEST520	The PRIMEQUEST 520, 8socket rack mount basic unit contains:, Cross bar, 2x slots for System-Boards, NO SB included, 1x IOU, NO IOU included, 1x IOX, NO IOX included, 1x Management Board (MMB), PSUs, Fans	D:00-MC3B0R211S			12587	
	PQ520 package w/ 2x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 1 PQ (SB) 533 MHz PQ520, D:00-MC-01AC212 2 PQ520 1.42GHz/12MB CPU	D:01-MC3B0R211S			19580	
	PQ520 package w/ 2x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 1 PQ (SB) 533 MHz PQ520, D:00-MC-01EA112 2 PQ520 1.60GHz/24M	D:02-MC3B0R211S			29371	
	PQ520 package w/ 4x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 1 PQ (SB) 533 MHz PQ520, D:00-MC-01AC212 4 PQ520 1.42GHz/12MB CPU	D:03-MC3B0R211S			27972	
	PQ520 package w/ 4x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 1 PQ (SB) 533 MHz PQ520, D:00-MC-01EA112 4 PQ520 1.60GHz/24M	D:04-MC3B0R211S			48951	
	PQ520 package w/ 6x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 2 PQ (SB) 533 MHz PQ520, D:00-MC-01AA212 6 PQ520 1.42GHz/12MB CPU	D:05-MC3B0R211S			36364	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
Primequest 520 (Continued)							
	PQ520 package w/ 6x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 2 PQ (SB) 533 MHz PQ520, D:00-MC-01EA112 6 PQ520 1.60GHz/24M CPU	D:06-MC3B0R211S			68531	
	PQ520 package w/ 8x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 2 PQ (SB) 533 MHz PQ520, D:00-MC-01EC112 8 PQ520 1.42GHz/12MB CPU	D:07-MC3B0R211S			43357	
	PQ520 package w/ 8x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC3A0R111S 1 PQ Base-Unit PQ520, D:00-MC-37UX11 1 PQ I/O Unit (IOU) for PQ520, D:00-MC-37BM11 1 PQ BMC BMM) for PQ520, D:00-MC-37SB21 2 PQ (SB) 533 MHz PQ520, D:00-MC-01AA212 8 PQ520 1.60GHz/24M	D:08-MC3B0R211S			86713	
Primequest 540							
	PQ BaseUnit PRIMEQUEST540	The PRIMEQUEST 540, 16socket base cabinet contains:, Crossbar, 4x slots for System Boards, NO SB included, 4x slots for IOU, NO IOU included, 2x Management Board (MMB), 2x slots for GSWB, NO GSWB included, 1x KVMU incl. DVD drive , PSUs, Fans	D:00-MC4B0P211S			27972	
	PQ540 package w/ 4x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 1 PQ System Board (SB) 533 MHz , D:00-MC-01EC114 4 PQ540 1.42GHz/12M CPU	D:01-MC4B0P211S			52448	
	PQ540 package w/ 4x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 1 PQ System Board (SB) 533 MHz , D:00-MC-01EA114 4 PQ540 1.60GHz/24	D:02-MC4B0P211S			76923	
	PQ540 package w/ 8x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 2 PQ System Board (SB) 533 MHz , D:00-MC-01EC114 8 PQ540 1.42GHz/12M CPU	D:03-MC4B0P211S			73427	
	PQ540 package w/ 8x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 2 PQ System Board (SB) 533 MHz , D:00-MC-01EA114 8 PQ540 1.60GHz/24	D:04-MC4B0P211S			129371	
	PQ540 package w/ 12x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 3 PQ System Board (SB) 533 MHz , D:00-MC-01EC114 12 PQ540 1.42GHz/12M CPU	D:05-MC4B0P211S			94406	
	PQ540 package w/ 12x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 3 PQ System Board (SB) 533 MHz , D:00-MC-01EA114 12 PQ540 1.60GHz/24	D:06-MC4B0P211S			181818	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
Primequest 540 (Continued)							
	PQ540 package w/ 16x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 1 PQ System Board (SB) 533 MHz , D:00-MC-01EC114 4 PQ540 1.42GHz/12M CPU	D:07-MC4B0P211S			113287	
	PQ540 package w/ 16x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC4B0P211S 1 PQ540 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 4 PQ System Board (SB) 533 MHz , D:00-MC-01EA114 16 PQ540 1.60GHz/24	D:08-MC4B0P211S			230769	
Primequest 580							
	PQ BaseUnit PRIMEQUEST580	The PRIMEQUEST 580, 32socket base cabinet contains:, Crossbar, 8x slots for System Boards, NO SB included, 8x slots for IOU, NO IOU included, 2x Management Board (MMB), 2x slots for GSWB, NO GSWB included, 1x KVMU incl. DVD drive , PSUs, Fans	D:00-MC5B0P211S			118881	
	PQ580 package w/ 8x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 2 PQ System Board (SB) 533 MHz , D:00-MC-01EC11 8 PQ580 1.42GHz/12MB CPU	D:01-MC5B0P211S			209790	
	PQ580 package w/ 8x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 2 PQ System Board (SB) 533 MHz , D:00-MC-01EA11 8 PQ580 1.60GHz/24M CPU	D:02-MC5B0P211S			300699	
	PQ580 package w/ 16x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 2 PQ System Board (SB) 533 MHz , D:00-MC-01EC11 8 PQ580 1.42GHz/12MB CPU	D:03-MC5B0P211S			321678	
	PQ580 package w/ 16x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 4 PQ System Board (SB) 533 MHz , D:00-MC-01EA11 16 PQ580 1.60GHz/24M CPU	D:04-MC5B0P211S			482517	
	PQ580 package w/ 24x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 6 PQ System Board (SB) 533 MHz , D:00-MC-01EC11 24 PQ580 1.42GHz/12MB CPU, D:00-MC-57PS21S 1 PQ add PSU package	D:05-MC5B0P211S			433566	
	PQ580 package w/ 24x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 6 PQ System Board (SB) 533 MHz , D:00-MC-01EA11 24 PQ580 1.60GHz/24M CPU, D:00-MC-57PS21S 1 PQ add. PSU package	D:06-MC5B0P211S			664336	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
Primequest 580 (Continued)							
	PQ580 package w/ 32x Itanium 1.42GHz/12M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 8 PQ System Board (SB) 533 MHz , D:00-MC-01EC11 32 PQ580 1.42GHz/12MB CPU, D:00-MC-57PS21S 1 PQ add PSU package	D:07-MC5B0P211S			545455	
	PQ580 package w/ 32x Itanium 1.60GHz/24M	Content Qty. Description, D:00-MC5B0P211S 1 PQ580 Base Cabinet, D:00-MC-87UX11 1 PQ I/O Unit (IOU) for PQ540/580, D:00-MC-87BM11 1 PQ BMC (BMM) for PQ540/580, D:00-MC-87SB41 8 PQ System Board (SB) 533 MHz , D:00-MC-01EA11 32 PQ580 1.60GHz/24M CPU, D:00-MC-57PS21S 1 PQ add PSU pachage	D:08-MC5B0P211S			846154	

PRIMEQUEST Accessories **Data Sheets: http://www.fujitsu-siemens.com/PRIMEQUEST**

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest IO box	Code			End User Price (£)	Comments
Accessories & services matrix														
Rack-Infrastructure														
	USB Cable 5m Connector A-B	USB cable kit for direct connection between RC23 and PQ	x	x	x	x	x	x		T26139-Y2660-L5			11	
OS/Application-SW														
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp							x	U15355-C710			556	

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest IO box	Code			End User Price (£)	Comments
Accessories & services matrix											
Professional Services											
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"'	x	x	x	x	CPS:PR-INT-21021FX			480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21022FX			240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)'	x	x	x	x	CPS:PR-INT-21023FX			1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21024FX			540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x	x	CPS:PR-INT-21025FX			960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21026FX			480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x	x	CPS:PR-INT-21027FX			750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21028FX			375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'	x	x	x	x	CPS:PR-INT-21029FX			1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21030FX			720	
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x	x	CPS:PR-INT-21031FX			120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21032FX			60	

PRIMEQUEST Services **Data Sheets: http://www.fujitsu-siemens.com/PRIMEQUEST**

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest IO box	Code			End User Price (£)	Comments
Accessories & services matrix											
Professional Services (Continued)											
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x	x	CPS:PR-INT-21033FX			60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21034FX			30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x	x	CPS:PR-INT-21035FX			1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x	x	CPS:PR-INT-21036FX			750	

PRIMEQUEST Options **Data Sheets: http://www.fujitsu-siemens.com/PRIMEQUEST**

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest IO box	Code			End User Price (£)	Comments
Accessories & services matrix														
Rack-Infrastructure														
	USB Cable 5m Connector A-B	USB cable kit for direct connection between RC23 and PQ	x	x	x	x	x	x		T26139-Y2660-L5			11	
OS/Application-SW														
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp							x	U15355-C710			556	
Professional Services														
	PRIMERGY RX100 - RX600 Standard Implem.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"'	x	x	x				x	CPS:PR-INT-21021FX			480	
	Addit.PPIMERGY RX100-RX600 Stand.Impl.	System Implementation Service, Standard "PRIMERGY RX100, RX300, RX450, RX600 Implementation"; Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21022FX			240	
	PRIMERGY BX600 Standard Implementation	System Implementation Service, Standard "PRIMERGY BX600 Implementation" (up to 10 blades)'	x	x	x				x	CPS:PR-INT-21023FX			1080	
	Additional PR. BX600 Standard Implement.	System Implementation Service, PRIMERGY BX600 Standard Implementation (up to 10 blades); Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21024FX			540	
	PRIMERGY RX800 Standard Implementation	System Implementation Service, PRIMERGY RX 800 Standard Implementation 1st SYSTEM	x	x	x				x	CPS:PR-INT-21025FX			960	
	Additional PR.RX800 Standard Implement.	System Implementation Service, PRIMERGY RX 800 Standard Implementation. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21026FX			480	
	PRIMERGY RX100-RX600 Advanced Implement.	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation'	x	x	x				x	CPS:PR-INT-21027FX			750	
	Addit.PRIMERGY RX100-RX600 Adv.Implement	System Implementation Service, PRIMERGY RX100, RX300,RX450 & RX600 Advanced Implementation. Additional systems AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21028FX			375	
	PRIMERGY BX600 Advanced Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade)'	x	x	x				x	CPS:PR-INT-21029FX			1440	
	Additional PR. BX600 Adv Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation (including 1st blade). Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21030FX			720	

PRIMEQUEST Options

Data Sheets: http://www.fujitsu-siemens.com/PRIMEQUEST

Category	Description	Details	Primequest 420	Primequest 440	Primequest 480	Primequest 520	Primequest 540	Primequest 580	Primequest IO box	Code			End User Price (£)	Comments
Accessories & services matrix														
Professional Services (Continued)														
	PRIMERGY BX600 Blade Advanced Implement.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software 1st SYSTEM	x	x	x				x	CPS:PR-INT-21031FX			120	
	Add. PRIM. BX600 Blade Advanced Implem.	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITHOUT Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21032FX			60	
	PRIM.X600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software 1st SYSTEM	x	x	x				x	CPS:PR-INT-21033FX			60	
	Add.BX600 Blade Depl. Adv.Implementation	System Implementation Service, PRIMERGY BX600 Advanced Implementation, additional blade cost (per blade) WITH Remote Deploy Software. Additional system AT SAME SITE AND AT SAME TIME AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21034FX			30	
	PRIMERGY RX800 Advanced Implementation	System Implementation Service, PRIMERGY RX800 Advanced Implementation'	x	x	x				x	CPS:PR-INT-21035FX			1500	
	Additional PR. RX800 Advanced Implement.	System Implementation Service, PRIMERGY RX800 Advanced Implementation. Additional system AT SAME SITE AS 1st SYSTEM	x	x	x				x	CPS:PR-INT-21036FX			750	

Positioning Storage Disk Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

FibreCAT NX20

FibreCAT NX20: NAS solution with up to 2 TB disk capacity for small and medium enterprises (SME).

FibreCAT NX40

The FibreCAT NX40 system is a file and print server for small and medium-sized enterprises. The system is very reliable and attractively priced.

FibreCAT SX30

The FibreCAT SX30 extends storage capacity and eliminates bottlenecks.

FibreCAT SX40

The FibreCAT SX40 SAS storage subsystem is a passive, directly connectable system for data storage or expanding the hard disk capacity of connected PRIMERGY servers.

FibreCAT SX60 / SX80

FibreCAT SX60 / FibreCAT SX80 - Storage systems you can simply rely on

FibreCAT CX3

The FibreCAT CX3 UltraScale series delivers on optimized performance combined with outstanding scalability and offers a valuable investment protection. Proven software tools guarantee highest data protection.

FibreCAT CX300

Entry-level storage system with more capacity and new software functionalities for different server environments.

FibreCAT NX20

Data Sheets: http://www.fujitsu-siemens.com/storage

FibreCAT NX20 - Reliable file and print server for small and medium-sized enterprises

The FibreCAT NX20 system is a file and print server for small and medium-sized enterprises. The system is very reliable and attractively priced. The FibreCAT NX20 is a tower model, which owing to its innovative ventilation technology and extremely quiet fans can also be used in any office environment. Neither loud noises nor unpleasant drafts affect office operation. The system can be used alternately with a pre-configured storage capacity of 1TB or 2TB with SATA2 hard disks.

Model	Description	Details	Code			End User Price (£)	Comments
Standard products							
FibreCAT NX40							
	FibreCAT NX40 base unit:, - 2 HE 19" Rack Unit incl. universal rack insert kit , - place for a second. CPU , - 1 GB MEM inserted 3 additional Ranks for Memory, max. 4 GB MEM possible , - 5 PCI Slots , - place for 4 data HD, - Two system disks connected via PCI Express Controller (with BBU)., - For more external capacity is the FibreCAT NAS expansion shelf D:FC-SX30-Z via raid controller D:FCNX-RAID released., - Different FC HBA are released (2GBit/s and 4GBit/s). Released RAID systems: SX60, SX80, CX300, CX500 , - Optional iSCSI SW						
	FIBRECAT NX40 /MEM 1 GB/2X 80GB SATA/	FIBRECAT NX40 /MEM 1 GB/2X 80GB SATA/ FC 1CH LPE1150 LP/FC NX40 REC.KIT/ , FibreCAT NX40 Gateway for FibreCAT SX 60 / SX80	LKN:INT1024902-001			3189	
	FIBRECAT NX40 /MEM 1 GB/2X 36GB SAS/	FIBRECAT NX40 /MEM 1 GB/2X 36GB SAS/ FC 1CH LPE1150 LP/FC NX40 REC.KIT/ , FibreCAT NX40 Gateway for FibreCAT SX60 / SX80	LKN:INT1024902-002			3408	
	FIBRECAT NX40 /MEM 1 GB/	FIBRECAT NX40 /MEM 1 GB/ 2X 80GB 4X 500GB/FC NX40 REC.KIT/ , FibreCAT NX40 with 2TB HDD capacity	LKN:INT1024902-003			4080	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT NX40							
	FibreCAT NX40 Base Unit	FibreCAT NX40 base unit:, - 2 HE 19" Rack Unit incl. universal rack insert kit , - place for a second. CPU , - 1 GB MEM inserted 3 additional Ranks for Memory, max. 4 GB MEM possible , - 5 PCI Slots , - place for 4 data HD, - Two system disks connected via PCI Express Controller (with BBU)., - For more external capacity is the FibreCAT NAS expansion shelf D:FC-SX30-Z via raid controller D:FCNX-RAID released., - Different FC HBA are released (2GBit/s and 4GBit/s). Released RAID systems: SX60, SX80, CX300, CX500 , - Optional iSCSI SW	D:FCNX-40-S3			2265	

FibreCAT NX40

Data Sheets: http://www.fujitsu-siemens.com/storage

FibreCAT NX 40 – Reliable file and print server for small and medium-sized enterprises

The FibreCAT NX40 system is a file and print server for small and medium-sized enterprises. The system is very reliable and attractively priced. The FibreCAT NX40 is a rack housing model that comprises just two height units (2HE). The system can be equipped with high-performance SAS hard disks and in its full configuration offers a storage capacity of 1.2 TB. External storage systems can be added on via a fiber channel or SCSI interface to increase the capacity of the system allowing the system to therefore function as a SAN/NAS gateway for the FibreCAT SX family. The FibreCAT NX40 is also optionally available with iSCSI functionality.

Model	Description	Details	Code			End User Price (£)	Comments
Standard products							
FibreCAT NX40							
	FibreCAT NX40 base unit:, - 2 HE 19" Rack Unit incl. universal rack insert kit , - place for a second. CPU , - 1 GB MEM inserted 3 additional Ranks for Memory, max. 4 GB MEM possible , - 5 PCI Slots , - place for 4 data HD, - Two system disks connected via PCI Express Controller (with BBU)., - For more external capacity is the FibreCAT NAS expansion shelf D:FC-SX30-Z via raid controller D:FCNX-RAID released., - Different FC HBA are released (2GBit/s and 4GBit/s). Released RAID systems: SX60, SX80, CX300, CX500 , - Optional iSCSI SW						
	FIBRECAT NX40 /MEM 1 GB/2X 80GB SATA/	FIBRECAT NX40 /MEM 1 GB/2X 80GB SATA/ FC 1CH LPE1150 LP/FC NX40 REC.KIT/ , FibreCAT NX40 Gateway for FibreCAT SX 60 / SX80	LKN:INT1024902-001			3189	
	FIBRECAT NX40 /MEM 1 GB/2X 36GB SAS/	FIBRECAT NX40 /MEM 1 GB/2X 36GB SAS/ FC 1CH LPE1150 LP/FC NX40 REC.KIT/ , FibreCAT NX40 Gateway for FibreCAT SX60 / SX80	LKN:INT1024902-002			3408	
	FIBRECAT NX40 /MEM 1 GB/	FIBRECAT NX40 /MEM 1 GB/ 2X 80GB 4X 500GB/FC NX40 REC.KIT/ , FibreCAT NX40 with 2TB HDD capacity	LKN:INT1024902-003			4080	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT NX40							
	FibreCAT NX40 Base Unit	FibreCAT NX40 base unit:, - 2 HE 19" Rack Unit incl. universal rack insert kit , - place for a second. CPU , - 1 GB MEM inserted 3 additional Ranks for Memory, max. 4 GB MEM possible , - 5 PCI Slots , - place for 4 data HD, - Two system disks connected via PCI Express Controller (with BBU)., - For more external capacity is the FibreCAT NAS expansion shelf D:FC-SX30-Z via raid controller D:FCNX-RAID released., - Different FC HBA are released (2GBit/s and 4GBit/s). Released RAID systems: SX60, SX80, CX300, CX500 , - Optional iSCSI SW	D:FCNX-40-S3			2265	

FibreCAT SX30

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT® SX30 Storage Subsystem is “attached storage” for the FibreCAT® N40i NAS Storage System. Designed in light of to the dramatically increasing demand for external storage media. The FibreCAT® SX30 can accommodate up to 14 one-inch hard disk drives in a compact chassis.

Model	Description	Details	Code			End User Price (£)	Comments
Standard products							
FibreCAT SX30							
	FIBRECAT N30 EXPANSION /4x300GB HDD/	FIBRECAT N30 EXPANSION /4x300GB HDD/ ,	LKN:GBR-X30-002			3797	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT SX30							
	FibreCAT NAS Expansion	FibreCAT SX30 Base Unit, Rack mountable 19" (3U) , FibreCAT NAS Memory Expansion Unit for 2 up to 14 hot replace LVD U320-SCSI HDDs incl., - redundancy hot plug power supply module, - 2 SCSI input module, - 2 SCSI Cables 5m, - rack mounting kit	D:FC-SX30-Z			1968	

FibreCAT SX40

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT SX40 SAS storage subsystem is a passive, directly connectable system for data storage or expanding the hard disk capacity of connected PRIMERGY servers. With a height of 2U, the FibreCAT SX40 subsystem meets the requirements for a compact design with high hard disk capacity in 19-inch rack infrastructures.Up to 12 SAS hard disks offer a total maximum capacity of 3.6 Tbytes in an external housing. Cascading of up to 3 FibreCAT SX40s via the second SAS x4 link permits expansion to a maximum of 10.8 Tbytes of external hard disk capacity.

In the FibreCAT SX40 storage subsystem, the active components – hot-plug hard disks and hot-plug power supply modules – can be replaced while the server is running. The redundant hot-plug power supply units can be connected with phase redundancy via separate power lines. Optimum and secure cooling of the hard disks is ensured by 2 independent fans in each power supply unit.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT SX40							
	FibreCAT SX40 SAS Disk Subsystem	19" rack mountable storage expansion unit (2U) for 12 hot replace SAS HD incl. rack mounting kit,1x SAS input/output module and redundant hot plug power supplies with power cords.	S26361-K1122-V200			1421	

FibreCAT CX3

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT CX3 UltraScale Series – new levels of performance, scalability and ease-of-use

The FibreCAT CX3 UltraScale series excels in high performance, outstanding levels of scale, flexible configurations, and high integrity. State-of-the-art technology with Pentium 4 Xeon CPUs, high-capacity cache and PCI Express based storage processors allows highest processing power. Proven software tools offer powerful secure management utilities and safeguards to ensure continuous data availability and integrity. The product family, consisting of the models FibreCAT CX3-20, FibreCAT CX3-40 and FibreCAT CX3-80 scales from 365 GB to 239TB in a modular fashion. The smaller systems as well as systems from previous FibreCAT CX generations can be upgraded by simply swapping storage processor enclosures. Thus, former investments in FibreCAT CX and FibreCAT CX3 hardware, software and training keep their value. FibreCAT CX3 systems are the perfect fit for storage integration into open systems environments from Fujitsu Siemens Computers.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT CX3 ExpansionShelf							
	FibreCAT CX3-10C S4 Disk Ext. Frame,	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Supplys, 2 AC-Distributors, assembly material., 2 Interlink cable (FC2-HSSDC), Point to Point connection with 4GBit Switch for each drive.	D:FCXS4D-00A			3175	
	FibreCAT CX S4 Disk Ext. Frame, empty	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors and assembly material., 2 Interlink cable (FC2-HSSDC), Point to Point connection with 4GBit Switch for each drive.	D:FCXS4D-00D			3175	
	FibreCAT CX3-10 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-300F			10014	
	FibreCAT CX3-20 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-20-300F			10692	
	FibreCAT CX3-40 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-40-300F			10692	
	FibreCAT CX3-80 BasisMod. S4 5x300GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 300GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-80-300F			10692	

FibreCAT CX3

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT CX3 ExpansionShelf (Continued)							
	FibreCAT CX3-10 BasisMod. S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-146F			7969	
	FibreCAT CX3-20 BaseUnit S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule., .	D:FCX3-20-146F			8000	
	FibreCAT CX3-40 BaseUnit S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-40-146F			8000	
	FibreCAT CX3-80 BaseUnit S4 5x146GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-80-146F			8000	
	FibreCAT CX3-10 BasisMod. S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-73F			6287	
	FibreCAT CX3-20 BaseUnit S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-20-73F			6269	
	FibreCAT CX3-40 BaseUnit S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-40-73F			6269	

FibreCAT CX3

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT CX3 ExpansionShelf (Continued)							
	FibreCAT CX3-80 BaseUnit S4 5x73GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * 73GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the ProcessorModule.	D:FCX3-80-73F			6269	
	FibreCAT CX3-10 BasisMod. S4 5x750G/7.2k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * SATA II 750GB/7.2K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-S750			8517	New product Deliverable from: 05/11/2007 Orderable from: 01/12/2007
	FibreCAT CX3-10 BasisMod. S4 5x500G/7.2k	High-Availability-HDD-Frame 19", 3 hight units,, 5 * SATA II 500GB/7.2K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors to the SPS Modul and the assembly material., Note:, Power consumption and weightiness of the product are counted into the values of the processorModule.	D:FCX3-10-S500			7636	
FibreCAT CX3 Projects							
	FC CX3-20 BasisMod.(NSN) S4 15x146GB/15k	High-Availability-HDD-Frame 19", 3 hight units,, 15 * 146GB/15K HDD, 4GBit/s Switch (Switched Backend), 2 Power Supplies, 2 AC-Distributors, assembly material. Modul for NSN (NokiaSiemensNetwork), , .	D:FCX3-22-146F			14259	
	FC CX3-20F (NSN) StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 2 GB Cache and 6 FrontEnd Ports and 1 BackEnd Port., 1 HE SPS (Accu Box), Modul for NSN (NokiaSiemensNetwork)	D:FCX3-22F-SPE			6538	
	FC CX S4 (NSN) Ext.Frame 15*146GB/15K	High-Availability-HDD-Frame 19", 3 hight units, Empty shelf, extendable up to 15 HDD, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material., Point to Point connection with 4GBit Switch for each drive. Modul for NSN (NokiaSiemensNetwork)	D:FCXS4D-146FD			11881	
FibreCAT CX300							
	FibreCAT CX300 base mod. 5x73GB/10k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 73GB/10K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords., Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-73H			9685	

FibreCAT CX3

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT CX300 (Continued)							
	FibreCAT CX300 base mod. 5x73GB/15k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 73GB/15K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords., Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-73FH			10629	
	FibreCAT CX300 base mod. 5x146GB/10k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 146GB/10K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords	D:FCX30R-146H			10895	
	FibreCAT CX300 base mod. 5x146GB/15k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 146GB/15K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords, Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-146FH			12364	
	FibreCAT CX300 base mod. 5x300GB/10k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 300GB/10K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords, Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-300H			12538	
FibreCAT CX300 Projects							
	FC CX300_S Basism.15x73GB/15k SI COM	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 15 Harddisk 73GB/15K, 2 SPS Models, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords	D:FCX32R-73FH			19231	
	FC CX Ext. Shelf S2 15* 73GB/15K SI COM	High-Availability-HDD-Frame 19", 3 hight units, with 15 * 73GB/15K Drives, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXS2D-73FD			14545	
	FC CX Extension Shelf 15* 73GB/15K COM	High-Availability-HDD-Frame 19", 3 hight units, with 15 * 73GB/15K Drives, 2 Power Supplies, 2 Standby-Emergency-Electricity-Supplys, 2 AC-Distributors, assembly material.	D:FCXDR-73FD			14545	
FibreCAT CX3-10C							
	FibreCAT CX3-10C StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 1 GB Cache 1 Port 4GBit/s (BackEnd Ports, 2 Ports 4 GBit/s and 2 Ports 1 GBit/s ISCSI (FrontEnd). Port Multimode-Connector (SFP), 1 HE SPS (Accu Box)	D:FCX3-10C-SPE			6941	

FibreCAT CX3

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT CX3-10C (Continued)							
FibreCAT CX3-20							
	FibreCAT CX3-20F StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 2 GB Cache and 6 FrontEnd Ports and 1 BackEnd Port., 1 HE SPS (Accu Box)	D:FCX3-20F-SPE			8916	
FibreCAT CX3-20C							
	FibreCAT CX3-20C StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 hight units, 2 RAID-Controller each with 2 GB Cache and 2 FC-Ports with Multimode Connection (SFP) and 1 hight SPS (Accu Box)	D:FCX3-20C-SPE			8986	
FibreCAT CX3-40							
	FibreCAT CX3-40F StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 4 GB Cache and 4 BackEnd Ports and 4 FrontEnd Port., 1 HE SPS (Accu Box)	D:FCX3-40F-SPE			22584	
	FibreCAT CX3-40 StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 height units, 2 RAID-Controller each with 4 GB Cache and 2 BackEnd Ports and 2 FrontEnd Port., 1 HE SPS (Accu Box).	D:FCX3-40SPE			22755	Phased out
FibreCAT CX3-40C							
	FibreCAT CX3-40C StorageProcessorSet	High-Availability-RAID-System-Frame 19", 1 hight units, 2 RAID-Controller each with 4 GB Cache and 2 FC-Ports 4GBit/s swith Multimode Connection (SFP) and 1 hight SPS (Accu Box)	D:FCX3-40C-SPE			22755	
FibreCAT CX3-80							
	FibreCAT CX3-80 StorageProcessorSet	High-Availability-RAID-System-Frame 19", 4 hight units, 2 RAID-Controller each with 8GB Cache and 4 FC-Ports 4GBit/s swith Multimode Connection (SFP) and 2 hight SPS (Accu Box)	D:FCX3-80SPE			44755	

FibreCAT CX300

Data Sheets: http://www.fujitsu-siemens.com/storage

Entry-level FibreCAT storage system

The FibreCAT CX300 entry-level storage system offers you the choice to be either used in a Fibre Channel or an iSCSI environment. The new iSCSI model enables you to deploy lower- cost Storage Area Networks (SANs) by using your existing IP network infrastructure. Both systems provide you a cost-effective way for storage consolidation in workgroups or small to medium enterprises.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT CX300							
	FibreCAT CX300 base mod. 5x73GB/10k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 73GB/10K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords., Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-73H			9685	
	FibreCAT CX300 base mod. 5x73GB/15k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 73GB/15K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords., Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-73FH			10629	
	FibreCAT CX300 base mod. 5x146GB/10k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 146GB/10K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords	D:FCX30R-146H			10895	
	FibreCAT CX300 base mod. 5x146GB/15k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 146GB/15K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords, Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-146FH			12364	
	FibreCAT CX300 base mod. 5x300GB/10k	High-Availability-HDD-Frame 19", 4 hight units, 3 Hight units for SystemFrame and 1 HU for SPS (Standby Power Supply) , System Content: 5 Harddisk 300GB/10K, extensible to 15 Harddisks, 2 Storage Processoren (800Mhz) with each 1GB Cache, 4 Host FC Ports, 2 Power Supplies with 2 Power cords, Note: It is not recommended to use the first five harddisks for customer data!!	D:FCX30R-300H			12538	

FibreCAT SX60

Data Sheets: http://www.fujitsu-siemens.com/storage

Entry-level FibreCAT storage system

The FibreCAT SX60 is the perfect system for small and medium sized companies. It offers large storage capacity with 1-2 enclosures.

The FibreCAT SX60 offers enterprise class reliability Of course all this comes at a very affordable price. In addition it features FibreCap technology to protect the RAID controller cache in case of power failure. The FibreCAT SX60 is a fast storage system. This comes from brand new 4Gbit per second Fibre Channel technology and FibreCache. Plus the system can be set up quickly and easily.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT SX60							
	Base Unit FibreCAT SX60	FibreCAT S60 Base Unit incl., 1x SX 60 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots (2x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX60-BASE			2044	
	FibreCAT SX60 APAK 5x 250GB	FibreCAT SX60 package:, 1x SX 60 RAID-Controller,, 5x SATA HDD 250GB, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 1 bays for 2nd RAID-Controller,, 2 Snapshots (2x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX60P1-250-5			3819	
	FibreCAT SX60 APAK 5x 500GB	FibreCAT SX60 package:, 1x SX 60 RAID-Controller,, 5x SATA HDD 500GB, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 1 bays for 2nd RAID-Controller,, 2 Snapshots (2x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX60P2-500-5			4918	
	FibreCAT SX60 DDM Bundle	FibreCAT SX60 package with DDM Bundle, , 1x SX60 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA HDD bays, , 1 bays for 2nd RAID-Controller,, 2 Snapshots (2x per RAID-Controller),, RAIL-Kit to install into a Rack, certification paper for:, Windows, connect to PRIMERGY Server	D:FCSX60P3-DDM			2879	Phased out New product
	FibreCAT SX60 APAK 2x 250GB	FibreCAT SX60 package:, 1x SX 60 RAID-Controller,, 2x SATA HDD 250GB, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 1 bays for 2nd RAID-Controller,, 2 Snapshots (2x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX60P5-250-2			3299	
FibreCAT SX60 Expansion							
	Expansion Shelf FibreCAT SX60	FibreCAT SX60 Expansion Shelf incl. , 1x I/O Module, 1x Cascading Cable,, 2x redundant Power Supplies with 2.5m power cords, , 12 SATA HDD bays, , 2 bays for I/O Module,, RAIL-Kit to install into a Rack.	D:FCSX60-EXPN			1622	

FibreCAT SX80

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT SX80 is the perfect storage system for the data center. The FibreCAT SX80 offers enterprise class reliability as well as snapshot functionality.

All this comes at a very affordable price. It features FibreCap technology to protect the RAID controller cache in case of power failure. The FibreCAT SX80 is a fast storage system. This results from brand new 4 Gigabit per second Fibre Channel technology, FibreCache, and the latest 15k SAS drives. Plus it can be set up quickly and easily.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT SX80							
	Base Unit FibreCAT SX80	FibreCAT SX80 Base Unit incl., 1x SX80 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 8 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack	D:FCSX80-BASE			2659	
	FibreCAT SX80 APAK 5x 250GB	FibreCAT SX80 package:, 5x SATA HDD 250GB, 2nd RAID Controller, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 8 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX80P1-250-5			7638	
	FibreCAT SX80 APAK 5x 500GB	FibreCAT SX80 package:, 5x SATA HDD 500GB, 2nd RAID Controller, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 8 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX80P2-500-5			8722	
	FibreCAT SX80 APAK 5x 73GB	FibreCAT SX80 package:, 5x SAS HDD 73GB, 2nd RAID Controller, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 8 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX80P3-73-5			8635	
	FibreCAT SX80 APAK 5x 143GB	FibreCAT SX80 package., 5x SAS HDD 146GB, 2nd RAID Controller, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 8 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX80P4-146-5			10016	
	FibreCAT SX80 DDM Bundle	FibreCAT SX80 package with DDM Bundle, , 1x SX80 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 4 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack, certification paper for:, Windows, connect to PRIMERGY Server	D:FCSX80P6-DDM			4094	
	FibreCAT SX80 APAK 2x 250GB	FibreCAT SX80 package:, 2x SATA HDD 250GB, certification paper for:, Windows, Linux and VMWare, connect to PRIMERGY, , 2x redundant Power Supplies with 2.5m power cords,, 4 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack.	D:FCSX80P8-250-2			4453	
FibreCAT SX80 Expansion							
	Expansion Shelf FibreCAT SX80	FibreCAT SX80 Expansion Shelf incl., 1x I/O Module, 1x Cacading Cable,, 2x redundant Power Supplies with 2.5m power cords, , 12 SATA / SAS HDD bays, , 2 bays for I/O Module, , RAIL-Kit to install into a Rack	D:FCSX80-EXPN			1692	

FibreCAT SX88

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT SX88 is the premium model of the FibreCAT SX storage series. The FibreCAT SX88 complements the successful FibreCAT SX80 technology but provides even more performance and is thus up to 50% faster.

This is realized by using the latest technology, such as significantly improved RAID controllers for highest performance. This makes it the fastest FibreCAT SX ever and thus the perfect system for applications that need extra-fast storage. The FibreCAT SX88 is especially suited for databases, backup to disk and streaming media. Due to its optimized data throughput it is also predestined for applications like email, web services and archiving.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT SX88							
	Base Unit FibreCAT SX88	FibreCAT SX88 Base Unit incl., 1x SX88 RAID-Controller,, 2x redundant Power Supplies with 2.5m power cords,, 12 SATA / SAS HDD bays, , 1 bays for 2nd RAID-Controller,, 8 Snapshots (4x per RAID-Controller),, RAIL-Kit to install into a Rack	D:FCSX88-BASE			3491	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
Memory																					
	MEM 512MB DDR2-533 PC2-4200 ubECC (1mod)	1 module, unbuffered DDR2-533					x										S26361-F3000-L513			41	
	MEM 1GB DDR2-533 PC2-4200 ub ECC(1mod)	1 module, unbuffered DDR2-533					x										S26361-F3000-L514			61	
Removable Media Drives																					
	FDD USB (external)	external USB FDD, USB cable included					x	x									S26391-F264-L226			36	
	Floppy Disk Drive 1.44MB 1"	1" fitting height					x										S26361-F2575-L1			16	
	DVD-RW DL\DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite					x										S26361-F3148-L1			58	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge					x										S26361-F3459-L3			1207	
Hard Disk Drives																					
	SX-HDD SAS 146GB 15k for single shipment	FibreCAT SX80/SX88 SAS HDD, 146GB 15,000rpm as single shipment											x	x	x	x	D:FCSX-SAS146-L			333	Price change
	SX-HDD SAS 300GB 15k for single shipment	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm as single shipment											x	x	x	x	D:FCSX-SAS300-L			594	Price change
	SX-HDD SAS 73GB 15k for single shipment	FibreCAT SX80/SX88 SAS HDD, 73GB 15,000rpm as single shipment											x	x	x	x	D:FCSX-SAS73-L			216	Price change
	HDD SATA 250GB 7.2k for single shipmet	FibreCAT SX60/SX80/SX88 SATA HDD, 250GB 7,200rpm as single shipment									x	x	x	x	x	x	D:FCSX-SATA250-L			189	
	HDD SATA 500GB 7.2k for single shipment	FibreCAT SX60/SX80/SX88 SATA HDD, 500GB 7,200rpm as single shipment									x	x	x	x	x	x	D:FCSX-SATA500-L			164	Price change
	HDD SATA 750GB 7.2k for single shipment	FibreCAT SX60/SX80/SX88 SATA HDD, 750GB 7,200rpm as single shipment									x	x	x	x	x	x	D:FCSX-SATA750-L			748	
	HDD U320 146GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s							x								S26361-F3121-L114			218	
	HDD U320 300GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s							x								S26361-F3121-L130			384	
	HDD U320 73GB 10k hot plug 3.5"	10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s							x								S26361-F3121-L173			153	
	HDD U320 146GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s							x								S26361-F3121-L514			274	
	HDD U320 300GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s							x								S26361-F3121-L530			553	
	HDD U320 73GB 15k hot plug 3.5"	15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s							x								S26361-F3121-L573			180	
	HD SAS 3GB/s 146GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x									S26361-F3204-L114			231	Phased out
	HD SAS 3GB/s 300GB 10k hot plug 3.5"	10.000 rpm, fitting height 1"						x									S26361-F3204-L130			384	
	HD SAS 3GB/s 146GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x									S26361-F3204-L514			220	
	HD SAS 3GB/s 300GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x									S26361-F3204-L530			448	
	HD SAS 3GB/s 36GB 15k hot plug 3.5"	15.000 rpm, fitting height 1"						x									S26361-F3204-L536			146	
	HD SATA 250GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"					x	x									S26361-F3218-L250			92	
	HD SATA 500GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"					x	x									S26361-F3218-L500			184	
	HD SATA 80GB 7.2k 3GB/s hot plug 3.5"	7.200 rpm, fitting height 1"						x									S26361-F3218-L80			54	
	HD SAS 3GB/s 146GB 10k hot pl 3.5" SX40	10.000 rpm, fitting height 1"								x							S26361-F3244-L114			231	Phased out
	HD SAS 3GB/s 300GB 10k hot pl 3.5" SX40	10.000 rpm, fitting height 1"								x							S26361-F3244-L130			384	
	HD SAS 3GB/s 73GB 10k hot pl 3.5" SX40	10.000 rpm, fitting height 1"								x							S26361-F3244-L173			153	Phased out
	HD SAS 3GB/s 146GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"								x							S26361-F3244-L514			220	
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"								x							S26361-F3244-L530			448	
	HD SAS 3GB/s 73GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"								x							S26361-F3244-L573			155	
	HD SATA 3GB/s 250GB 7.2k hot plug 3,5"	7.200 rpm, fitting height 1"								x							S26361-F3245-L250			119	Orderable from: 12/11/2007
	HD SATA 3GB/s 500GB 7.2k hot plug 3,5"	7.200 rpm, fitting height 1"								x							S26361-F3245-L500			211	Orderable from: 12/11/2007
	HD SATA 3GB/s 750GB 7.2k hot plug 3,5"	7.200 rpm, fitting height 1"								x							S26361-F3245-L750			325	Orderable from: 12/11/2007
SCSI/RAID/SAS controller																					
	I/O Modul for single shipment	FibreCAT SX I/O Modul to cascading a shelf as single shipment										x		x		x	D:FCSX-IO-L			388	
	RAID Controller SX60 for single shipment	FibreCAT SX60 RAID Controller 4 GBit/s as single shipment									x						D:FCSX-RD60-L			2073	
	RAID Controller SX80 for single shipment	FibreCAT SX80 RAID Controller 4 GBit/s as single shipment											x				D:FCSX-RD80-L			2661	
	RAID Controller SX88 for single shipment	FibreCAT SX88 RAID Controller 4 GBit/s as single shipment													x		D:FCSX-RD88-L			3926	
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI					x	x									S26361-F2399-L1			142	
	PCI-X-risercard 3x64bit/133MHz option	encludes 3 slots for PCI-X standard cards (1x long, 2x short)						x									S26361-F2622-L4			85	
	SCSI Ctrl U160 1- ch int/ext lp	Adaptec 29160LP, 1x U160 SCSI						x									S26361-F2737-L201			142	
	RAID Ctrl 2-Channel 128MB BBU LSI	LSI 320-2, TBBU, U320, PCI controller, 128MB						x									S26361-F3006-L128			468	
	RAID Ctrl SAS 8 Port 256MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU, , >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.						x									S26361-F3215-L201			366	
	RAID Ctrl BBU Upgrade 8344ELP LP LSI	BBU Upgrade for LSI 8344ELP						x									S26361-F3215-L210			95	
Fibre Channel																					
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60						x									S26361-F3122-L1			336	
	FC Ctrl 2GBit/s LP101 MMF LC LP	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60						x									S26361-F3122-L201			336	
	First SAN FC Ctrl 2GBit/s LP101 LC LP	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60									x		x		x		S26361-F3122-L299			288	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
Fibre Channel (Continued)																					
	First SAN FC Ctrl 2GBit/s LP101 LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60									x		x		x		S26361-F3122-L99			288	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inferface						x									S26361-F3306-L201			549	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface						x									S26361-F3306-L202			821	
	First SAN FC Ctrl 4GBit/s LPe1150 LC LP	LPe1150, 4GBit/s, 1 Kanal FC Controller, PCIe x4, low profile, MMF LC-Inferface can only be ordered in combination with a FibreCAT SX60 or SX80									x		x		x		S26361-F3306-L299			492	
	First SAN FC Ctrl 4GBit/s LPe1150 LC	LPe1150, 4GBit/s, 1 Kanal FC Controller, PCIe x4, MMF LC-Inferface can only be ordered in combination with a FibreCAT SX60 or SX80									x		x		x		S26361-F3306-L99			492	
Communication/Network																					
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu lp	Intel Pro/1000MT Dual Port Server Adapt. with PCI-X bus, also for PCI64 and PCI32 10/100/1000TX, low profile PCI						x									S26361-F3011-L201			139	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu	Intel PRO 1000 GT desktop adapter					x	x									S26361-F3142-L1			51	
	Eth Ctrl 1x1GBit PCI32 PRO/1000GT Cu lp	Intel PRO 1000 GT Desktop Adapter, low profile						x									S26361-F3142-L201			51	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter						x									S26361-F3228-L201			139	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter						x									S26361-F3241-L201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter						x									S26361-F3242-L201			252	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter						x									S26361-F3011-L1			139	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter					x	x									S26361-F3053-L1			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile						x									S26361-F3053-L201			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC	Intel PRO 1000 MF Server Adapter						x									S26361-F3054-L1			252	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MF LC lp	Intel PRO 1000 MF Server Adapter, low profile						x									S26361-F3054-L201			252	
Rack-Infrastructure																					
	Conversionkit PRY TX150 S4 Floor -> Rack	for conversion of a floorstand BU to rack BU					x										S26361-F2618-L240			51	Phased out
	RMK TX150 s4 telescopic rails	1 pair telescopic rails depth 704-790mm, D\P\3rd P Racks incl.vario carrier and cable management					x										S26361-F2734-L32			122	
PRIMERGY-Software																					
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection					x										S26361-F1790-L240			204	
	PRIMERGY MultiPath Linux\WinServ GB 3.x	Support of redundant Multipath between PRIMERGY and Disk Storage, for W2K, Windows2003 and LINUX, Full product, licence for 1 Server	x	x	x	x											U15000-C197			593	
	PRIMERGY MultiPath MPIO WinServ GB 4.x	MultiPath based on Microsoft MPIO supporting multiple paths between server and subsystem; for Windows Server 2003						x									U15000-C278			593	
	PRIMERGY DuplexDataManager GB 3.x	Advanced Edition, Software under W2K, Windows2003 and Linux, for disaster-tolerant PRIMERGY , configuration, includes MultiPath (1 License per Server)	x	x	x	x		x									U15000-C196			1862	
OS/Application-SW																					
	FibreCAT NX40 iSCSI fuctionality	iSCSI Target Option, , While using this iSCSI Target option it is possible to provide block based disks via iSCSI for attached hosts. The administration is done with a multilingual MMC on the FibreCAT NX40. Snapshots and export of Snapshots are included., , For supported hosts (initiators) VSS Hardware Provider and VDS Providers are included without additional charge (x86 and x64).						x									D:FCNX-ISCSI			489	
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD					x	x	x		x		x				U15355-C732			17	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C10			1754	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C20			1473	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA für Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C40			2105	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C400U1			139	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C400U3			417	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp							x		x		x				U15355-C426			346	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C700			542	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C700-U			406	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C750			346	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C800			542	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C800-U			406	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C800U1			139	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C800U3			417	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.							x		x		x				U15355-C900			2094	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.							x		x		x				U15355-C920			4192	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C11			2455	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Oracle server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C21			2245	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C41			3157	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C401U1			178	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C401U3			535	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp							x		x		x				U15355-C427			2094	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C701			696	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C701-U			522	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C751			486	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C801			696	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp											x				U15355-C801-U			522	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C801U1			178	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C801U3			536	
	BSRM Managed Srv Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!							x		x		x				U15355-C901			415	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!							x		x		x				U15355-C921			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C12			17538	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C22			2245	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C42			3157	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C402U1			232	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C402U3			697	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C426U1			89	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C702			906	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C702-U			679	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C750U1			89	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C802			696	
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C802-U			522	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C802U1			178	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C802U3			536	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!							x		x		x				U15355-C902			835	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!							x		x		x				U15355-C922			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C13			24554	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C23			2245	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C43			3157	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C403U1			286	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C403U3			858	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlload software and patches; Upgrade protection for 3 years...!							x		x		x				U15355-C426U3			266	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C703			1115	
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C703-U			836	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C750U3			266	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C803			696	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C803-U			522	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C803U1			178	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C803U3			536	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!							x		x		x				U15355-C903			835	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!							x		x		x				U15355-C923			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C14			35077	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C30			2062	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA for Windows Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Standard server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C60			2946	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C404U1			286	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C404U3			858	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C427U1			537	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C704			1115	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C704-U			836	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C751U1			124	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C804			696	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C804-U			522	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C804U1			178	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C804U3			536	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!							x		x		x				U15355-C904			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C15			49108	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Oracle Server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C31			3143	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Standard server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C61			4420	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C405U1			124	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C405U3			373	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 3 years...!							x		x		x				U15355-C427U3			1612	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C705			486	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C705-U			364	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C751U3			373	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C805			696	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C805-U			522	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C805U1			178	
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C805U3			536	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!							x		x		x				U15355-C905			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C16			70154	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C32			3143	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C62			4420	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C406U1			178	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C406U3			535	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C706			696	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C706-U			522	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C806			276	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C806-U			207	
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C806U1			71	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C806U3			213	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!							x		x		x				U15355-C906			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).					x	x	x		x		x				U15260-C17			98215	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C33			3143	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.					x	x	x		x		x				U15260-C63			4420	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C407U1			178	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C407U3			535	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C707			696	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C707-U			522	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C807			175	
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C807-U			131	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C807U1			45	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C807U3			134	
	CA XOsoftWANSyncDR	XOsoft WANSync DR as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.					x	x	x		x		x				U15260-C0189			699300	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C50			3367	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C408U1			178	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C408U3			535	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C708			696	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C708-U			522	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C808			276	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C808-U			207	
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C808U1			71	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C808U3			213	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C51			5051	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C409U1			143	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C409U3			428	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C709			556	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C709-U			417	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C809			175	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C809-U			131	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C809U1			45	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C809U3			134	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C52			5051	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C410U1			143	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C410U3			428	
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x								U15355-C710			556	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C711-U			679	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C810			1115	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C810-U			836	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C810U1			286	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C810U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server-inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C53			5051	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C411U1			232	
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C411U3			697	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C711			906	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C712-U			522	
	ARCserve r11.5 LX SAN SecondarySrvBundle	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C811			1115	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C811-U			836	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C811U1			286	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C811U3			858	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C70			5051	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C412U1			178	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C412U3			535	
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C712			696	
	UP ARCserve r11.5 MS Exch.Premium Bundle	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C713-U			836	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C812			906	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C812U1			232	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!							x		x		x				U15355-C812U3			697	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C71			7577	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C413U1			286	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C413U3			858	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C713			1115	
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C715-U			522	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C813			346	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C72			7577	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C414U1			178	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C414U3			535	
	ARCserve r11.5 WIN Exchange Prem.Add-On	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C714			696	
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C716-U			679	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C814			696	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server-inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.					x	x	x		x		x				U15260-C73			7577	
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp							x		x		x				U15355-C356			1625	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C415U1			178	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C415U3			535	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C715			696	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C717-U			522	
	CA XOsoftWANSyncHA	XOsoft WANSync HA as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.					x	x	x		x		x				U15260-C0288			699300	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C416U1			232	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C416U3			697	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C716			906	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C718-U			522	
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C417U1			178	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C417U3			535	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C717			696	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C720-U			207	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C418U1			178	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C418U3			535	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C718			696	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C721-U			131	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C419U1			280	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C419U3			839	
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C719			1871	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C722-U			207	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C420U1			71	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C420U3			212	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C720			276	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C723-U			131	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C421U1			45	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C421U3			134	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p					x	x	x		x		x				U15355-C721			175	
	UP ARCserve r11.5 WIN Sngl Srv-Full Edt	ARCserve r11.5 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r11.5 for Windows Standard Edition. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C780-U			406	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C422U1			71	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C422U3			212	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p					x	x	x		x		x				U15355-C722			276	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C423U1			45	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C423U3			134	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C723			175	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C424U1			71	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C424U3			212	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C724			276	
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C428U1			286	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C428U3			858	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C725			1028	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Downlaod software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C429U1			232	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C429U3			697	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C726			1115	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C430U1			673	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C430U3			2018	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C727			906	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C431U1			89	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C431U3			266	
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C728			346	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C432U1			178	

Category	Description	Details	FibreCAT CX200	FibreCAT CX300	FibreCAT CX400	FibreCAT CX500	FibreCAT NX20	FibreCAT NX40	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	Code			End User Price (£)	Comments
Accessories & services matrix																					
OS/Application-SW (Continued)																					
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C432U3			535	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C729			696	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!					x	x	x		x		x				U15355-C433U1			178	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!					x	x	x		x		x				U15355-C433U3			535	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C730			2951	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp					x	x	x		x		x				U15355-C731			696	
UPS/Power supply																					
	Power Supply Module 400W (hot plug)	for PS redundancy					x										S26113-F483-L11			101	
	Power Supply Upgrade 400W (hot plug)	for optional PS redundancy, incl. mounting kit and 1st power supply module					x										S26113-F483-L5			218	
Miscellaneous																					
	Serial port option	Cable with 9 pin D-SUB interface					x										S26361-F2571-L10			20	
Cables																					
	Cascading Cable for single shipment	FibreCAT SX Cascading Cable 0.5m as single shipment										x		x		x	D:FCSX-IO-CAB-L			52	
	SAS cable external 2 m	SFF 8470-SFF 8470 with screw connection, 2.0m								x							S26361-F3246-L20			61	
	SAS cable external 0.5 m	SFF 8470-SFF 8470 with screw connection, 0.5m								x							S26361-F3246-L5			44	

Category	Description	Details	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX3 Projects	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX3-10C	FibreCAT CX3-20	FibreCAT CX3-20C	FibreCAT CX3-40	FibreCAT CX3-40C	FibreCAT CX3-80	FibreCAT NX20	FibreCAT NX40	FibreCAT S80 Extension	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Options matrix																																	
Processor																																	
	Xeon DP 5060 3.20GHz 2x2MB 1066MHz	Xeon DP dual core, 3,20GHz, 2x2MB SLC ECC, 1066MHz FSB, VT/HT, heat sink, PDA function														x														D:FCNX-CPU320			425	
Memory																																	
	1GB MEM for FibreCAT NX40															x														D:FCNX-1GBMEM			210	
	512MB DDR2-533 PC2-4200 ub ECC	1 module, unbuffered DDR2-533													x															S26361-F3000-E513			41	
	1GB DDR2-533 PC2-4200 ub ECC	1 module, unbuffered DDR2-533													x															S26361-F3000-E514			61	
Removable Media Drives																																	
	Floppy Disk Drive 1.44MB 1"	1" fitting height													x															S26361-F2575-E1			16	
	DVD-ROM ATAPI	ATAPI/IDE, 1.6" fitting height													x															SNP:SY-F2234E1-A			16	
	CD-RW \ DVD ATAPI slimline	CD-RW / DVD drive ATAPI/IDE 0.5" 24/24/24/8x, incl. SW, 0,5" fitting height, anthracite														x														S26361-F3123-E1			44	
	DVD-RW DL\DVD-RAM ATAPI	DVDRW DL/DVD-RAM ATAPI 40/24/40x 16x/16 16x8, incl. Nero SW, 1.6" fitting height, anthracite													x															S26361-F3148-E1			58	
	Tape Kit DDS Gen5 36GB 3MB/s int.	LVD U2W SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge													x															S26361-F2848-E3			339	
	Tape Kit VXA-320 160GB 12MB/s int.	LVD U160 SCSI Interface 68-pin , 1.6" fitting height, with description (G/US), data and cleaning cartridge													x															S26361-F3224-E3			746	Phased out
	Tape Kit LTO2HH Ultrium 200GB 24MB/s int	U160 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge													x															S26361-F3157-E3			967	
	Tape Kit LTO3HH Ultrium 400GB 60MB/s int	U320 SCSI Interface 68-pin, 1.6" fitting height, anthracite, with data and cleaning cartridge													x															S26361-F3459-E3			1207	
Hard Disk Drives																																	
	4x HD250GB SATA²1"FC4	4x SATA HDD 250 GB 7.200 rpm, fitting height 1"													x															D:FCN-HDSATA2504			534	
	4x HD500GB SATA²1"FC4	4x SATA HDD 500 GB 7.200 rpm, fitting height 1"													x															D:FCN-HDSATA5004			1457	
	HDD U320 10k 146GB hot plug 3,5"	HDD 146 GB / 10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s																x												D:FCNI-HDD14610			259	
	HDD U320 15k 146GB hot plug 3,5"	HDD 146 GB / 15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s																x												D:FCNI-HDD14615			327	
	HDD U320 10k 300GB hot plug 3,5"	HDD 146 GB / 10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s																x												D:FCNI-HDD30010			457	
	HDD U320 10k 73GB hot plug 3,5"	HDD 73 GB / 10.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s																x												D:FCNI-HDD7310			183	
	HDD U320 15k 73GB hot plug 3,5"	HDD 73 GB / 15.000 rpm with 1" frame, U320 SCSI, data transfer: 320MB/s																x												D:FCNI-HDD7315			215	
	2x HD SAS 3GB/s 36GB 15k hot plug 3.5"	2x HDD 36 GB SAS Disc, 15.000 rpm, fitting height 1"														x														D:FCNX-SAS-OS			348	
	2x HD SAS 36GB 4x SAS 146GB	2x HDD 36 GB/15.000 rpm for OS, 4x HDD 146 GB/15.000 rpm														x														D:FCNX-SAS-OS146			1400	
	2x HD SAS 36GB 4x SAS 146GB 10k	2x HDD 36 GB/15.000 rpm for OS, 4x HDD 146 GB/10.000 rpm														x														D:FCNX-SAS-OS14610			1448	
	2x HD SAS 36GB 4x SAS 300GB	2x HDD 36 GB/15.000 rpm for OS, 4x HDD 300 GB/15.000 rpm														x														D:FCNX-SAS-OS300			2486	
	2x HD SAS 36GB 4x SAS 300GB 10k	2x HDD 36 GB/15.000 rpm for OS, 4x HDD 300 GB/10.000 rpm														x														D:FCNX-SAS-OS30010			2177	
	2x 80GB SATA Disc	2x HDD 80 GB SATA Disc, 7.200 UpM, fitting height 1"														x														D:FCNX-SATA-OS			129	
	2x 80GB 4x 250GB SATA Disc	2x HDD 80 GB/7.200 rpm for OS, 4x HDD 250 GB/7.200 rpm														x														D:FCNX-SATA-OS250			662	
	2x 80GB 4x 500GB SATA Disc	2x HDD 80 GB/7.200 rpm for OS, 4x HDD 500 GB/7.200 rpm														x														D:FCNX-SATA-OS500			1586	
	SX-HDD SAS 146GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 146GB 15,000rpm																				x	x	x	x					D:FCSX-SAS146			283	
	SX-HDD SAS 300GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 300GB 15,000rpm																				x	x	x	x					D:FCSX-SAS300			505	
	SX-HDD SAS 73GB 15.000rpm	FibreCAT SX80/SX88 SAS HDD, 73GB 15,000rpm																				x	x	x	x					D:FCSX-SAS73			184	
	SX-HDD SATA 250GB 7.200rpm	FibreCAT SX60/SX80/SX88 SATA HDD, 250GB 7,200rpm																		x	x	x	x	x	x					D:FCSX-SATA250			90	
	SX-HDD SATA 500GB 7.200rpm	FibreCAT SX60/SX80/SX88 SATA HDD, 500GB 7,200rpm																		x	x	x	x	x	x					D:FCSX-SATA500			140	
	SX-HDD SATA 750GB 7.200rpm	FibreCAT SX60/SX80SX88 SATA HDD, 750GB 7,200rpm																		x	x	x	x	x	x					D:FCSX-SATA750			256	
	S80 HD Dummy	FibreCAT S80 HDD Dummy Panel															x													D:S80-DUMMY			21	
	S80 HD 73GB/15000 rpm	FibreCAT S80 HDD, 73GB 15,000rpm															x													D:S80-HD7315			629	
	HD SAS 3GB/s 146GB 10k hot pl 3.5" SX40	10.000 rpm, fitting height 1"																	x											S26361-F3244-E114			231	Phased out
	HD SAS 3GB/s 300GB 10k hot pl 3.5" SX40	10.000 rpm, fitting height 1"																	x											S26361-F3244-E130			384	
	HD SAS 3GB/s 73GB 10k hot pl 3.5" SX40	10.000 rpm, fitting height 1"																	x											S26361-F3244-E173			153	Phased out
	HD SAS 3GB/s 146GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																	x											S26361-F3244-E514			220	
	HD SAS 3GB/s 300GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																	x											S26361-F3244-E530			448	
	HD SAS 3GB/s 73GB 15k hot pl 3.5" SX40	15.000 rpm, fitting height 1"																	x											S26361-F3244-E573			155	
	HD SATA 3GB/s 250GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																	x											S26361-F3245-E250			119	Orderable from: 12/11/2007
	HD SATA 3GB/s 500GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																	x											S26361-F3245-E500			211	Orderable from: 12/11/2007
	HD SATA 3GB/s 750GB 7.2k hot p 3.5" SX40	7.200 rpm, fitting height 1"																	x											S26361-F3245-E750			325	Orderable from: 12/11/2007
SCSI/RAID/SAS controller																																	
	PCI U160 SCSI LP	Adaptec 29160LP, 1x U160 SCSI														x														D:FCNI-SCSI			170	
	I/O Modul	FibreCAT SX I/O Modul to cascading a shelf																			x		x		x					D:FCSX-IO			378	
	RAID Controller SX60	FibreCAT SX60 RAID Controller 4 GBit/s																		x										D:FCSX-RD60			1252	
	RAID Controller SX80	FibreCAT SX80 RAID Controller 4 GBit/s																				x								D:FCSX-RD80			1655	
	RAID Controller SX88	FibreCAT SX88 RAID Controller 4 GBit/s																						x						D:FCSX-RD88			2493	
	S80 I/O Modul CU/CU	FibreCAT S80 I/O Modul to cascading a shelf															x													D:S80FC-IOC2			287	
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI													x	x														S26361-F2399-E1			142	
	SCSI Ctrl U160 1- ch int/ext	Adaptec 29160, 1x U160 SCSI controller for internal backup drives													x															S26361-F2399-E2			142	
	PCI-X-risercard 3x64bit/133MHz option	encludes 3 slots for PCI-X standard cards (1x long, 2x short)														x														S26361-F2622-E4			85	
	68-Pin Kit for accessible drives	Cable with terminator													x															S26361-F2814-E6			34	
	RAID Ctrl SAS onboard 256MB iTBBU LSI	MegaRaid ROMB SAS Upgrade Kit,, includes iButton, 256 MB Cache and iTBBU, This SAS RAID controller supports SAS and SATA disks.														x														S26361-F3205-E556			218	
	RAID Ctrl SAS 8 Port 256MB LP LSI	RAID-Ctrl, LSI MegaRAID SAS8344ELP, PCIe x4, 256MB Cache, 4 external ports, 4 internal ports, optional BBU,, >>>exclusive for external attachment of FibreCAT SX40 !!!, This SAS RAID controller supports SAS and SATA disks.														x														S26361-F3215-E201			366	

Category	Description	Details	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX3 Projects	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX3-10C	FibreCAT CX3 -20	FibreCAT CX3 -20C	FibreCAT CX3 -40	FibreCAT CX3 -40C	FibreCAT CX3 -80	FibreCAT NX20	FibreCAT NX40	FibreCAT S80 Extension	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Options matrix																																	
SCSI/RAID/SAS controller (Continued)																																	
	RAID Ctrl SATA 8 port 128MB LSI	RAID-Ctrl, LSI MegaRAID SAS8308ELP, PCIe x4, 128MB Cache, 8 internal ports, optional BBU., only for attachment of SATA disks in TX150 S5, This SAS RAID controller supports SAS and SATA disks.													x															S26361-F3216-E1			292	
	RAID Ctrl Upgrade BBU 3080ELP LSI	BBU upgrade for SATA RAID 5 Controller (LSI 3080ELP)													x															S26361-F3216-E10			95	
Fibre Channel																																	
	FC Ctrl 2GBit/s LP101 MMF LC	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, full height, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60														x														S26361-F3122-E1			336	
	FC Ctrl 2GBit/s LP101 MMF LC LP	Emulex LP101, 2GBit/s, 64Bit/133MHz PCI, low profile, 1-channel, LC inferface, only for attachment of the subsystem FibreCAT SX60														x														S26361-F3122-E201			336	
	FC Ctrl 4GBit/s LPe1150 MMF LC LP	LPe1150 , 4GBit/s, 1-channel FC controller, PCIe x4, low profile, MMF LC inferface														x														S26361-F3306-E201			549	
	FC Ctrl 2x4GBit/s LPe11002 MMF LC LP	LPe11002 , 4GBit/s, 2-channel FC controller, PCIe x4, low profile, MMF LC inferface														x														S26361-F3306-E202			821	
Communication/Network																																	
	Eth Ctrl 2x1GBit PCIe PRO/1000PT Cu lp	Intel Pro 1000PT 2 Port Server Adapter														x														S26361-F3228-E201			139	
	Eth Ctrl 1x1GBit PCIe Pro/1000PT Cu lp	Intel Pro 1000PT 1 Port Server Adapter														x														S26361-F3241-E201			71	
	Eth Ctrl 1x1GBit PCIe Pro/1000PF LC lp	Intel Pro 1000PF 1 Port Server Adapter														x														S26361-F3242-E201			252	
	Eth Ctrl 2x1GBit PCI-X PRO/1000MT Cu	Intel Pro 1000MT 2 Port Server Adapter														x														S26361-F3011-E1			139	Phased out
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu	Intel PRO 1000 MT Server Adapter													x															S26361-F3053-E1			85	
	Eth Ctrl 1x1GBit PCI-X Pro/1000MT Cu lp	Intel PRO 1000 MT Server Adapter, low profile														x														S26361-F3053-E201			85	
StorageSystem Units																																	
	SCSI cable UHD68(S)-UHD68(S) custom+ass	UHD68(S)-UHD68(S) with screw connection, length customized																x												SNP:SY-F2365E500-P			36	
Rack-Infrastructure																																	
	PRIMERGY Rackinstallation SX ex works	Service for installation of a FibreCAT SX60 / SX80 Raid-Subsystem into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT SX will be premounted in a 12/24/38U Rack ex works.																		x	x	x	x	x	x					D:FCSX-INPSR			80	
	PRIMERPOWER Rackinstallation SX ex work	Service for installation of a FibreCAT SX80 Raid-Subsystem into a PRIMEPOWER Rack ex works., With ordering this service, the FibreCAT SX will be premounted in a 12/24/38U Rack ex works.																				x	x	x	x					D:FCSX-INPWR			80	
	Rackinstallation TX works Augsburg	Service for installation of a FibreCAT TX System into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.																								x	x	x	x	D:FCTX-INPSR			80	
	PRIMERPOWER Rackinstallation TX ex work	Service for installation of a FibreCAT TX System into a PRIMEPOWER Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.																								x	x	x	x	D:FCTX-INPWR			80	
	Rackinstallation CX3-xx works Augsburg	Service for installation of a FibreCAT CX3 Raid-Subsystem into a Rack ex works., With ordering this service, the FibreCAT CX3 will be premounted in a 12/24/38U Rack ex works.	x	x	x		x		x	x	x	x	x	x																D:FCX3-INSTALL-A			80	
	Rackinstallation CX3-xx works Paderborn	Service for installation of a FibreCAT CX3 Raid-Subsystem into a Rack ex works Paderborn., With ordering this service, the FibreCAT CX3 will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	x		x	x	x	x	x	x																D:FCX3-INSTALL-P			80	
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.																	x											S26361-F1647-E302			44	
	Support bracket 2U for 19inch units PCR2	The assembly kit contains one 2U mounting bracket for installing 19" modules on the rear, right-hand cross-member (630mm to 19inch)., Upload up to 150kg						x																						D:GPRAC-ZB5212			45	
OneBox-Keyboards																																	
	KBPC SX GB standard keyboard	KBPC SX keyboard standard, England, cable (PS/2, 2m), global design													x															S26381-K397-E165			9	
PRIMERGY-Software																																	
	iRMC advanced pack	integrated remote management controller activation key for graphical console redirection and remote media redirection													x	x														S26361-F1790-E240			204	
	RemoteView Software 5.0	Installation and configuration of RemoteView Web and LAN FrontEnd RSB, BMC-Manager, RTDS and FreeDOS													x	x														S26361-F1790-E221			27	
OS/Application-SW																																	
	FibreCAT NX40 S3 Recovery Kit	Recovery DVD with Windows Storage Server 2003, Storage Manager, Services for NetWare and Services for NFS.Supported protocols: CIFS, NFS, HTTP, FTP. , The software is pre-installed in the factory already on the system and is orderable only in connection with the FibreCAT NX40.														x														S26361-F2565-E528			18	
	FibreCAT NX20-S5 Recovery Kit	Recovery DVD with Windows Storage Server 2003 R2, Storage Manager, Services for NFS.Supported protocols: CIFS, NFS, HTTP, FTP. The software is pre-installed in the factory already on the system and is orderable only in connection with the FibreCAT NX20.													x															S26361-F2565-E539			18	
UPS/Power supply																																	
	Power Supply Upgrade 400W (hot plug)	incl. 1. PS module for optional PS redundancy, and mounting kit													x															S26113-F483-E1			115	
	Power Supply Module 400W (hot plug)	for PS redundancy													x															S26113-F483-E11			101	
	No powercord as order option	For Countries without specific cable orderable like e.g. China													x															T26139-Y3850-E10			1	

Category	Description	Details	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX3 Projects	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX3-10C	FibreCAT CX3 -20	FibreCAT CX3-20C	FibreCAT CX3 -40	FibreCAT CX3-40C	FibreCAT CX3-80	FibreCAT NX20	FibreCAT NX40	FibreCAT S80 Extension	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Options matrix																																	
UPS/Power supply (Continued)																																	
	Cable powercord (D,..), 1.8m, grey	suitable for D, A, B, F, NL, FIN, N, S, E, P, RUS, TR													x															T26139-Y1740-E10			7	
	Cable powercord (UK, S), 1.8m, grey	suitable for UK, IR													x															T26139-Y1744-E10			7	
Miscellaneous																																	
	Mounting Kit FibreCAT f. PrimeCenterRack	Mounting Kit FibreCAT PRIMECENTER Rack., Substitute Kit D:FCRAIL-1.	x	x			x	x																						D:FCRAIL-2			105	
	Mounting Kit FibreCAT f. Siemens NSN	Mounting Kit FibreCAT PRIMECENTER Rack., Substitute Kit D:FCRAIL-2.						x									x													D:FCRAIL-NSN			105	
	SX60/SX80/SX88 with LINUX	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with LINUX operating system.																		x		x		x						D:FCSX-ANLIN			1	
	SX80/SX88 with SOLARIS	FibreCAT SX80/SX88 order position if connect it to a Server with SOLARIS operating system.																				x		x						D:FCSX-ANSUN			1	
	SX60/SX80/SX88 with VMware	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with VMware operating system.																		x		x		x						D:FCSX-ANVM			1	
	SX60/SX80/SX88 with Windows	FibreCAT SX60/SX80/SX88 order position if connect it to a Server with WINDOWS operating system.																		x		x		x						D:FCSX-ANWIN			1	
	Local Service Display OptionKit S2	LCD display with installation kit														x														S26361-F2557-E104			58	
	Serial port option	Cable with 9 pin D-SUB interface													x															S26361-F2571-E10			20	
	Fan upgrade kit hot-plug redundancy	Redundant hot plug fans option, incl. 4 fans, cage and electronics														x														S26361-F2621-E4			51	
	Parallelport Option Centronics	Cable with 25 pin Centronics interface														x														S26361-F3120-E2			14	
Factory-inst. Solutions																																	
	SI COM LUN Configuration Standard	Configuration for LUN distribution Standard						x																						D:FCX300-CONF-STD			210	
	SI COM LUN Configuration Context on Disk	Configuration for LUN distribution with Context on Disk						x																						D:FCX300-CONF-COD			1	
RAID Systems																																	
	RAID Ctrl 2-Kanal 128MB BBU LSI	LSI 320-2,TBBU, U320, PCI Controller, 128MB														x														D:FCNX-RAID			559	
	SX60/SX80/SX88 non FSC Server Connection	FibreCAT SX60/SX80/SX88 order position to connect non FSC Server.																		x		x		x						D:FCSX-ANNON			1	
	SX60/SX80 /SX88 Primergy Connection	FibreCAT SX60/SX80/SX88 order position to connect PRIMERGY Server.																		x		x		x						D:FCSX-ANPS			1	
	SX80/SX88 Primepower/SES Connection	FibreCAT SX80/SX88 order position to connect PRIMEPOWER / Sparc Enterprise Server.																				x		x						D:FCSX-ANPW			1	
Cables																																	
	FC CX3_xx CABLE HSSDC to HSSDC2 (5 m)-	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack´s, HSSDC -HSSDC2 5M		x																										D:FC1-HSSDC-5M			150	
	FC CX3_xx CABLE HSSDC2 to HSSDC2 (5 m)	Fibre channel cable , 5 m , Connecting cable FibreCAT CX Model between two Rack´s, HSSDC2 -HSSDC2 5M		x																										D:FC2-HSSDC-5M			164	
	FIBRECAT CX3_xx INTERLINK CABLE FOR RACK					x			x	x	x	x	x	x																D:FCSFP-HSSDC2-5M			150	
	Cascading Cable	FibreCAT SX Cascading Cable 0.5m																			x		x		x					D:FCSX-IO-CAB			49	
	S80 Shelf connector cable	FibreCAT S80 Cascading Cable 0.6m															x													D:S80-HSSDC			73	
Storage MTC																																	
	Quickstart Primergy Linux	Quickstart Primergy Linux																								x							
	Quickstart other Server	Quickstart other Server																								x				D:FCTX08-OS			6	
	Quickstart Primquest Linux	Quickstart Primquest Linux																								x				D:FCTX08-PL			6	Orderable from: 01/11/2007
	Quickstart Primquest Windows	Quickstart Primquest Windows																								x				D:FCTX08-PW			6	
	Quickstart Primpower/ SES Solaris	Quickstart Primpower/ SES Solaris																								x				D:FCTX08-S			6	
	Quickstart Primergy VMWare	Quickstart Primquest VMWare																								x				D:FCTX08-VMW			6	
	Quickstart Primergy Windows	Quickstart Primergy Windows																								x				D:FCTX08-W			6	
	Quickstart PRIMEQUEST Linux	Quickstart PRIMEQUEST Linux																											x	D:FCTX48-L			6	
	Quickstart PRIMERGY Linux	Quickstart PRIMERGY Linux																											x	D:FCTX48-LP			6	
	Quickstart Other Server	Quickstart Other Server																											x	D:FCTX48-OS			6	
	Quickstart PRIMEQUEST Windows	Quickstart PRIMEQUEST Windows																											x	D:FCTX48-PW			6	
	Quickstart PRIMEPOWER/SES Solaris	Quickstart PRIMEPOWER/SES Solaris																											x	D:FCTX48-S			6	
	Quickstart PRIMERGY Windows	Quickstart PRIMERGY Windows																											x	D:FCTX48-W			6	
	Quickstart PRIMERGY Linux	BS PRIMERGY Linux license																										x		D:FCTX-LIZL			6	
	Quickstart Other Server	BS Other Server license																										x		D:FCTX-LIZOS			6	
	Quickstart PRIMEQUEST Linux	BS PRIMEQUEST Linux license																										x		D:FCTX-LIZPL			6	
	Quickstart PRIMEQUEST Windows	BS PRIMEQUEST Windows license																										x		D:FCTX-LIZPW			6	
	Quickstart PRIMEPOWER/SES Solaris	Quickstart Guide Primepower/ SES Server																										x		D:FCTX-LIZS			6	
	Qickstart PRIMERGY Windows	BS PRIMERGY Windows license																										x		D:FCTX-LIZW			6	
Storage FibreCAT																																	
	FibreCAT CX single standby power supply	FibreCAT CX Single-SPS, One Accublock .					x																							D:FCCX-SPS-S			430	
	Single Disk 300GB/15k f FibreCAT CX3	Single Disk 300GB/15K for CX3-xx Model., Interface: FC with 4 GBit/s. (520BPS)			x																									D:FCX4D1-30015-E			1503	
	Single Disk 73GB/15k f FibreCAT CX3	Single Disk 73GB/15K for CX3-10 Model., Interface: FC with 4 GBit/s. (520BPS)			x																									D:FCX4D1-7315-E			622	
	Single Disk ATA 320GB/5k4 f FibreCAT CX	Single Disk 320GB/5400 for CX Model., ATA Harddisk only actuate for ATA Entry Shelf.	x																											D:FCXAD1-32054D			556	Phased out
	Single Disk ATA 500GB/7k2 f FibreCAT CX	Single Disk 500GB/7200 for CX Model., ATA Harddisk only actuate for ATA Entry Shelf.	x																											D:FCXAD1-50072D			780	
	Single Disk SATA II 500GB/7k2 FC CX3	Single Disk 500GB/7200 rpm for CX3-10 Model., SATA II Harddisk with converter to FC interface., (Model: Northstar)			x																									D:FCXAD1-50072N-E			909	
	EinzelPlatte SATA II 750GB/7k2 FC CX3	Single Disk 750GB/7200 rpm for CX3 Model., SATA II Harddisk with converter to FC interface., (Model: Northstar)			x																									D:FCXAD1-75072N-E			1154	
	Single Disk 146GB/15k f FibreCAT CX3	Single Disk 146GB/15K for CX3-10 Model., Interface: FC with 4 GBit/s. (520BPS)			x	x																								D:FCX4D1-14615-E			965	
	Single Disk 500GB/7,2K f FibreCAT CX3	Single Disk 500GB/7.2K for CX3-xx Model., Interface: FC with 2 GBit/s. (520BPS)			x																									D:FCX2D1-50072			993	
	Single Disk FC 300GB/10k f FibreCAT CX	Single Disk 300GB/10K for CX Model.		x	x		x																							D:FCXD1-30010D			1000	
	Single Disk FC 146GB/15k f FibreCAT CX	Single Disk 146GB/15K for CX Model.		x			x																							D:FCXD1-14615D			965	
	Single Disk 146GB/10k f FibreCAT CX	Single Disk 146GB/10K for CX Model.		x	x		x																							D:FCXD1-14610D			671	
	Single Disk 73GB/15k f FibreCAT CX	Single Disk 73GB/15K for CX Model.		x			x	x																						D:FCXD1-7315D			619	
	Single Disk 73GB/10k f FibreCAT CX	Single Disk 73GB/10K for CX Model.		x	x		x																							D:FCXD1-7310D			430	
FibreCAT TX devices																																	
	FibreCAT TX24 Licence 12 - 24 Slot	FibreCAT TX24 License 12 - 24 Slot, License for second changer magazine (slots 13 - 24), For all FibreCAT TX24 Models																										x		D:FCTX-24S-UPG			1056	Price change
	FibreCAT TX48 Licence Slot 13-24	FibreCAT TX48 license 13 - 24 Slot, License for second changer magazine (slots 13 - 24)																											x	D:FCTX48-24S-UPG			1664	
	FibreCAT TX48 Licence Slot 25-36	FibreCAT TX48 license 25 - 36 Slot, License for second changer magazine (slots 25 - 36)																											x	D:FCTX48-36S-UPG			1664	
	FibreCAT TX48 Licence Slot 37-48	FibreCAT TX48 license 37 - 48 Slot, License for second changer magazine (slots 37 - 48)																											x	D:FCTX48-48S-UPG			1664	

Category	Description	Details	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX3 Projects	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX3-10C	FibreCAT CX3 -20	FibreCAT CX3-20C	FibreCAT CX3 -40	FibreCAT CX3-40C	FibreCAT CX3 -80	FibreCAT NX20	FibreCAT NX40	FibreCAT S80 Extension	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Options matrix																																	
FibreCAT TX devices (Continued)																																	
	FibreCAT TX dr LTO2 SCSI Half-Height	FibreCAT TX24 drive LTO2 Half-Hight, LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges, Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable																										x	x	D:FCTX-U2L-HH			1592	
	FibreCAT TX dr FC LTO3 Full-Height	FibreCAT TX24 drive LTO3 FC Full-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Fibre Channel 4 GB interface, accessories, - Terminator, - daisy chain cable																										x	x	D:FCTX-U3F			2891	
	FibreCAT TX dr LTO3 SCSI Full-Height	FibreCAT TX24 drive LTO3 Full-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable																										x	x	D:FCTX-U3L			2520	
	FibreCAT TX dr LTO3 SCSI Half-Hight	FibreCAT TX24 drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable																										x		D:FCTX-U3L-HH			1613	
SW FibreCAT																																	
	FibreCat SwKit MirrorView/Async f CX3	FC SW Kit MirrorView/Async for CX3-xx , SW CD, Content:, CD for installation			x																									D:FCAMVA3-KIT			1	
	FibreCat SwKit MirrorView S/A f CX3	FC SW Kit MirrorView/Async for CX3-xx, SW CD, Content:, CD for installation			x																									D:FCAMVAL3-KIT			1	
	FibreCat SwKit MirrorView/Sync f CX3	FC SW Kit MirrorView/Sync for CX3-xx, SW CD, Content:, CD for installation			x																									D:FCAMVS3-KIT			1	
	FibreCat SwKit NaviAnalyzer	FC SW Kit NaviAnalyser f CX300 , SWCD, Content:, CD for installation			x																									D:FCANAVAYZ-KIT			1	
	FibreCat SwKit NaviMgmt DP	FC SW Kit NaviMgmt f CX DP (Departmental), SWCD, Content:, CD for installation			x																									D:FCANAV-DPKIT			1	
	FibreCat SwKit NaviMgmt EN	FC SW Kit NaviMgmt f CX EN (Enterprise), SWCD, Content:, CD for installation			x																									D:FCANAV-ENKIT			1	
	FibreCat SwKit NaviMgmt WG	FC SW Kit NaviMgmt f CX WG (Workgroup), SWCD, Content:, CD for installation			x																									D:FCANAV-WGKIT			1	
	FibreCat SwKit NQM f CX3	FC SW Kit NQM f CX , NQM = NAVISPHERE QOS MANAGER, SWCD, Content:, CD for installation			x																									D:FCANQM-KIT			1	
	FibreCat SwKit SanCopy f CX3	FC SW Kit SanCopy f CX3-xx, SW CD, Content:, CD for installation			x																									D:FCASC3-KIT			1	
	FibreCat SwKit SnapView f CX3	FC SW Kit SnapView f CX3-xx, SW CD, Content:, CD for installation			x																									D:FCASV3-KIT			1	
	FibreCat SwLic MirrorView /A f CX3-10	FC SL MirrorView/Async for CX3-10 , SW license , Content:, License Paper			x																									D:FCMVA31			3206	
	FibreCat SwLic MirrorView /A f CX3-80	FC SL MirrorView/Async for CX3-80 , SW license , Content:, License Paper			x																									D:FCMVA38			17752	
	FibreCat SwLic MirrorView A/S f CX3-10	FibreCat SwLic MV Async/Sync f CX3-10, SW license , Content:, License Paper			x																									D:FCMVAL31			5608	
	FibreCat SwLic MirrorView A/S f CX3-80	FibreCat SwLic MV Async/Sync f CX3-80, SW license , Content:, License Paper			x																									D:FCMVAL38			30986	
	FibreCat SwLic MirrorView /Sync f CX3-10	FC SL MirrorView/Sync for CX3-10 , SW license , Content:, License Paper			x																									D:FCMVS31			4273	
	FibreCat SwLic MirrorView /Sync f CX3-80	FC SL MirrorView/Sync for CX3-80 , SW license , Content:, License Paper			x																									D:FCMVS38			23535	
	Navisph.Agent Sw.Kit Solaris (NSN)	Navisphere Agent SW KIT for Solaris., Contents: CD				x		x																						D:FCN-AGSUN-KIT			1	
	FibreCat SwLic NaviMgmt f CX3-10 DP	FC SL NaviMgmt f CX3-10 DP (Departmental), SW license until 7 Hosts(Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking)			x																									D:FCNAV31-DP			3206	
	FibreCAT SwLic NAVI CX3-10 DP TO EN UPG	FC SL NaviMgmt f CX3-10 DP EN, SW Upgrade License from 7 on (8+) Hosts , Content:, License Paper			x																									D:FCNAV31-DP-EN			1605	
	FibreCat SwLic NaviMgmt f CX3-10 EN	FC SL NaviMgmt f CX3-10 EN (Enterprise), SW license until 8+ Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking / Analyzer)			x																									D:FCNAV31-EN			4808	
	FibreCat SwLic NaviMgmt f CX3-10 WG	FC SL NaviMgmt f CX3-10 WG (Workgroup), SW License until 2 Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking)			x																									D:FCNAV31-WG			1203	
	FibreCAT SwLic NAVI CX3-10 WG TO DP UPG	FC SL NaviMgmt f CX3-10 WG DP, SW Upgrade License from 2 on (3-7) Hosts , Content:, License Paper			x																									D:FCNAV31-WG-DP			2003	
	FibreCAT SwLic NAVI CX3-10 WG TO EN UPG	FC SL NaviMgmt f CX3-10 WG EN, SW Upgrade License from 2 on (8+) Hosts , Content:, License Paper			x																									D:FCNAV31-WG-EN			3605	
	Navisph.Agent Sw.Kit VMWARE (per site)	Navisphere Agent SW KIT for VMWARE., Contents: CD			x		x																							D:FCNAVAGT-VMWKIT			1	
	FibreCat SwLic Navi ANALYZER CX3-10	FC SL NaviAnalyser f CX3-10, SW license , Content:, License Paper			x																									D:FCNAVAYZ-31			1762	
	FibreCat SwLic Navi ANALYZER CX3-20	FC SL NaviAnalyser f CX3-20, SW license , Content:, License Paper			x																									D:FCNAVAYZ-32			8769	
	FibreCat SwLic Navi ANALYZER CX3-40	FC SL NaviAnalyser f CX3-40, SW license , Content:, License Paper			x																									D:FCNAVAYZ-34			17538	
	FibreCat SwLic Navi ANALYZER CX3-80	FC SL NaviAnalyser f CX3-80, SW license , Content:, License Paper			x																									D:FCNAVAYZ-38			21948	
	FC SwLic NaviMgmt f CX300 WG (NSN)	FC SL NaviMgmt f CX300 WG (Workgroup), SW License until 2 Hosts (Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking)						x																						D:FCN-NAV300-WG			1210	
	FC SwLic NaviMgmt f CX3-20 WG (NSN)	FC SL NaviMgmt f CX3-20 WG (Workgroup), SW License until 2 Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking)				x																								D:FCN-NAV32-WG			4035	New product
	FC SwKit NaviMgmt WG (NSN)	FC SW Kit NaviMgmt f CX WG (Workgroup), SWCD, Content:, CD for installation				x		x																						D:FCN-NAV-WGKIT			1	
	FibreCAT SwLic NAVI CX300 QOS Manager	FibreCAT SwLic NAVI CX300 Quality of Service Manager					x																							D:FCNQM300			4832	
	NAVISPHERE QOS MANAGER FOR CX3-10	FibreCAT SwLic NAVI CX3-10 Quality of Service Manager			x																									D:FCNQM31			4808	
	FibreCAT SwLic NAVI CX3-20 QOS Manager	FibreCAT SwLic NAVI CX3-20 Quality of Service Manager			x																									D:FCNQM32			5381	

Category	Description	Details	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX3 Projects	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX3-10C	FibreCAT CX3 -20	FibreCAT CX3-20C	FibreCAT CX3 -40	FibreCAT CX3-40C	FibreCAT CX3 -80	FibreCAT NX20	FibreCAT NX40	FibreCAT S80 Extension	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Options matrix																																	
SW FibreCAT (Continued)																																	
	FibreCAT SwLic NAVI CX3-40 QOS Manager	FibreCAT SwLic NAVI CX3-40 Quality of Service Manager			x																									D:FCNQM34			12374	
	FibreCAT SwLic NAVI CX3-80 QOS Manager	FibreCAT SwLic NAVI CX3-80 Quality of Service Manager			x																									D:FCNQM38			17752	
	FibreCat SwKit NQM f CX3	FC SW Kit NQM f CX , NQM = NAVISPHERE QOS MANAGER, SWCD, Content:, CD for installation			x		x																							D:FCNQM-KIT			1	
	FibreCat SwLic SAN Copy f CX3-10	FC SL SanCopy f CX3-10, SW license , Content:, License Paper			x																									D:FCSC31			3766	
	FibreCat SwLic SAN Copy f CX3-80	FC SL SanCopy f CX3-80, SW license , Content:, License Paper			x																									D:FCSC38			20846	
	FibreCat SwLic SnapView f CX3-10	FC SL SnapView f CX3-10, SW license , Content:, License Paper			x																									D:FCSV31			2671	
	FibreCat SwLic SnapView f CX3-80	FC SL SnapView f CX3-80, SW license , Content:, License Paper			x																									D:FCSV38			11699	
	Navisph.Agent Sw.Kit Solaris (per site)	Navisphere Agent SW KIT for Solaris., Contents: CD			x		x																							D:FCAGSUN-KIT			1	
	FibreCat SwLic MirrorView /A f CX3-20	FC SL MirrorView/Async for CX3-20 , SW license , Content:, License Paper			x																									D:FCMVA32			8070	
	FibreCat SwLic MirrorView /A f CX3-40	FC SL MirrorView/Async for CX3-40 , SW license , Content:, License Paper			x																									D:FCMVA34			14203	
	FibreCat SwLic NaviMgmt f CX300 WG	FC SL NaviMgmt f CX300 WG (Workgroup), SW License until 2 Hosts (Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking)					x																							D:FCNAV300-WG			1210	
	FibreCat SwLic NaviMgmt f CX3-20 WG	FC SL NaviMgmt f CX3-20 WG (Workgroup), SW License until 2 Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking)			x																									D:FCNAV32-WG			4035	
	FibreCat SwLic NaviMgmt f CX3-40 WG	FC SL NaviMgmt f CX3-40 WG (Workgroup), SW License until 2 Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking)			x																									D:FCNAV34-WG			11566	
	FibreCat SwLic NaviMgmt f CX3-80 WG	FC SL NaviMgmt f CX3-80 WG (Workgroup), SW License until 2 Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking)			x																									D:FCNAV38-WG			14472	
	FibreCat SwLic NaviAnalyzer f CX300/300I	FC SL NaviAnalyser f CX300, SW license , Content:, License Paper					x																							D:FCNAVAYZ300			1776	
	FC SW PowerPath Base Windows	PowerPath Base (CX300 only), Windows			x		x																							D:FCPPB-WN			671	
	FC SwLic PowerPath Win WG (per server)	FC SW PowerPath WIN Workgroup, Win (1-2 CPUs)			x		x																							D:FCPP-WN-WG			776	
	FibreCat SwLic SAN Copy f CX3-20	FC SL SanCopy f CX3-20, SW license , Content:, License Paper			x																									D:FCSC32			9416	
	FibreCat SwLic SAN Copy f CX3-40	FC SL SanCopy f CX3-40, SW license , Content:, License Paper			x																									D:FCSC34			16678	
	FibreCat SwLic SnapView f CX300/CX300I	FC SL SnapView f CX300/CX300I, SW license , Content:, License Paper					x																							D:FCSV300			2692	
	FibreCat SwLic SnapView f CX3-20	FC SL SnapView f CX3-20, SW license , Content:, License Paper			x																									D:FCSV32			5325	
	FibreCat SwLic SnapView f CX3-40	FC SL SnapView f CX3-40, SW license , Content:, License Paper			x																									D:FCSV34			9360	
	Navisph.Agent Sw.Kit Windows (per site)	Navisphere Agent SW KIT for Windows., Contents: CD			x		x																							D:FCAGWIN-KIT			1	
	FibreCat SwLic MirrorView /Sync f CX3-20	FC SL MirrorView/Sync for CX3-20 , SW license , Content:, License Paper			x																									D:FCMVS32			10706	
	FibreCat SwLic MirrorView /Sync f CX3-40	FC SL MirrorView/Sync for CX3-40 , SW license , Content:, License Paper			x																									D:FCMVS34			18829	
	FibreCat SwLic NaviMgmt f CX300 DP	FC SL NaviMgmt f CX300 DP (Departmental), SW license until 7 Hosts (Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking)					x																							D:FCNAV300-DP			3227	
	FibreCat SwLic NaviMgmt f CX3-20 DP	FC SL NaviMgmt f CX3-20 DP (Departmental), SW license until 7 Hosts(Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking)			x																									D:FCNAV32-DP			11084	
	FibreCat SwLic NaviMgmt f CX3-40 DP	FC SL NaviMgmt f CX3-40 DP (Departmental), SW license until 7 Hosts (Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking)			x																									D:FCNAV34-DP			23402	
	FibreCat SwLic NaviMgmt f CX3-80 DP	FC SL NaviMgmt f CX3-80 DP (Departmental), SW license until 7 Hosts (Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking)			x																									D:FCNAV38-DP			29266	
	FibreCat SwKit NaviAnalyzer	FC SW Kit NaviAnalyser f CX300 , SWCD, Content:, CD for installation			x		x																							D:FCNAVAYZ-KIT			1	
	FC SwLic PowerPath Win Dep. (per server)	FC SW PowerPath WIN Departmental , WIN (4 - 6 CPU)			x		x																							D:FCPP-WN-DP			1357	
	FibreCat SwKit SanCopy f CX3	FC SW Kit SanCopy f CX3-xx, SW CD, Content:, CD for installation			x																									D:FCSC3-KIT			1	
	FibreCat SwKit SnapView f CX300	FC SW Kit SnapView f CX300/CX300I, SW CD, Content:, CD for installation					x																							D:FCSV300-KIT			1	
	FibreCat SwKit SnapView f CX3	FC SW Kit SnapView f CX3-xx, SW CD, Content:, CD for installation			x																									D:FCSV3-KIT			1	
	Navisph.Agent Softw.Kit Linux (per site)	Navisphere Agent SW KIT for Linux., Contents: CD			x		x																							D:FCAGLNX-KIT			1	
	FibreCat SwLic MirrorView A/S f CX3-20	FibreCat SwLic MV Async/Sync f CX3-20, SW license , Content:, License Paper			x																									D:FCMVAL32			14094	
	FibreCat SwLic MirrorView A/S f CX3-40	FibreCat SwLic MV Async/Sync f CX3-40, SW license , Content:, License Paper			x																									D:FCMVAL34			24745	
	FibreCat SwLic NaviMgmt f CX300 EN	FC SL NaviMgmt f CX300 EN (Enterprise), SW license until 8+ Hosts (Blades), Content:, (NAVIMGR/Agents / CLI/ LUN Masking, Analyser)					x																							D:FCNAV300-EN			4843	
	FibreCat SwLic NaviMgmt f CX3-20 EN	FC SL NaviMgmt f CX3-20 EN (Enterprise), SW license until 8+ Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking / Analyzer)			x																									D:FCNAV32-EN			16678	
	FibreCat SwLic NaviMgmt f CX3-40 EN	FC SL NaviMgmt f CX3-40 EN (Enterprise), SW license until 8+ Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking / Analyzer)			x																									D:FCNAV34-EN			34696	
	FibreCat SwLic NaviMgmt f CX3-80 EN	FC SL NaviMgmt f CX3-80 EN (Enterprise), SW license until 8+ Hosts (Blades), Content:, (MGR/ Agents / CLI/ LUN Masking / Analyzer)			x																									D:FCNAV38-EN			43357	
	FC SwLic PowerPath Win Ent. (per server)	FC SW PowerPath WIN Enterprise, Win (>7 CPUs)			x		x																							D:FCPP-WN-EN			3836	

Options matrix

Category	Description	Details	FibreCAT CX ATA ExpansionShelf	FibreCAT CX ExpansionShelf	FibreCAT CX3 ExpansionShelf	FibreCAT CX3 Projects	FibreCAT CX300	FibreCAT CX300 Projects	FibreCAT CX3-10C	FibreCAT CX3 -20	FibreCAT CX3-20C	FibreCAT CX3 -40	FibreCAT CX3-40C	FibreCAT CX3-80	FibreCAT NX20	FibreCAT NX40	FibreCAT S80 Extension	FibreCAT SX30	FibreCAT SX40	FibreCAT SX60	FibreCAT SX60 Expansion	FibreCAT SX80	FibreCAT SX80 Expansion	FibreCAT SX88	FibreCAT SX88 Expansion	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
SW FibreCAT (Continued)																																		
	Navisph.Agent Sw.Kit Novell (per site)	Navisphere Agent SW KIT for Novell., Contents: CD			x		x																						D:FCAGNW-KIT			1	
	FibreCat SwKit NaviMgmt WG	FC SW Kit NaviMgmt f CX WG (Workgroup), SWCD, Content:, CD for installation			x		x																						D:FCNAV-WGKIT			1	
	FC SW PowerPath Kit Windows	FC SW PowerPath WIN Kit, Contens : CD and Document			x		x																						D:FCPP-WN-KIT			1	
	FibreCat SwKit MirrorView/Async f CX3	FC SW Kit MirrorView/Async for CX3-xx , SW CD, Content:, CD for installation			x																								D:FCMVA3-KIT			1	
	FibreCat SwKit MirrorView S/A f CX3	FC SW Kit MirrorView/Async for CX3-xx, SW CD, Content:, CD for installation			x																								D:FCMVAL3-KIT			1	
	FibreCat SwKit MirrorView/Sync f CX3	FC SW Kit MirrorView/Sync for CX3-xx, SW CD, Content:, CD for installation			x																								D:FCMVS3-KIT			1	
	FibreCat SwKit NaviMgmt DP	FC SW Kit NaviMgmt f CX DP (Departmental), SWCD, Content:, CD for installation			x		x																						D:FCNAV-DPKIT			1	
	FibreCat SwKit NaviMgmt EN	FC SW Kit NaviMgmt f CX EN (Enterprise), SWCD, Content:, CD for installation			x		x																						D:FCNAV-ENKIT			1	
	FibreCat SwLicUpg NaviMgmt f CX300 WG-DP	FC SL NaviMgmt f CX300 WG DP, SW Upgrade License from 2 on (3-7) Hosts , Content:, License Paper					x																						D:FCNAV300-WG-DP			2017	
	FibreCAT SwLic NAVI CX3-20 WG TO DP UPG	FC SL NaviMgmt f CX3-20 WG DP, SW Upgrade License from 2 on (3-7) Hosts , Content:, License Paper			x																								D:FCNAV32-WG-DP			7049	
	FibreCAT SwLic NAVI CX3-40 WG TO DP UPG	FC SL NaviMgmt f CX3-40 WG DP, SW Upgrade License from 2 on (3-7) Hosts , Content:, License Paper			x																								D:FCNAV34-WG-DP			11836	
	FibreCAT SwLic NAVI CX3-80 WG TO DP UPG	FC SL NaviMgmt f CX3-80 WG DP, SW Upgrade License from 2 on (3-7) Hosts , Content:, License Paper			x																								D:FCNAV38-WG-DP			14794	
	FibreCat SwLicUpg NaviMgmt f CX300 WG-EN	FC SL NaviMgmt f CX300 WG EN, SW Upgrade License from 2 on (8+) Hosts , Content:, License Paper					x																						D:FCNAV300-WG-EN			3633	
	FibreCAT SwLic NAVI CX3-20 WG TO EN UPG	FC SL NaviMgmt f CX3-20 WG EN, SW Upgrade License from 2 on (8+) Hosts , Content:, License Paper			x																								D:FCNAV32-WG-EN			12643	
	FibreCAT SwLic NAVI CX3-40 WG TO EN UPG	FC SL NaviMgmt f CX3-40 WG EN, SW Upgrade License from 2 on (8+) Hosts , Content:, License Paper			x																								D:FCNAV34-WG-EN			23133	
	FibreCAT SwLic NAVI CX3-80 WG TO EN UPG	FC SL NaviMgmt f CX3-80 WG EN, SW Upgrade License from 2 on (8+) Hosts , Content:, License Paper			x																								D:FCNAV38-WG-EN			28888	
	FibreCat SwLicUpg NaviMgmt f CX300 DP-EN	FC SL NaviMgmt f CX300 DP EN, SW Upgrade License from 7 on (8+) Hosts , Content:, License Paper					x																						D:FCNAV300-DP-EN			1615	
	FibreCAT SwLic NAVI CX3-20 DP TO EN UPG	FC SL NaviMgmt f CX3-20 DP EN, SW Upgrade License from 7 on (8+) Hosts , Content:, License Paper			x																								D:FCNAV32-DP-EN			5594	
	FibreCAT SwLic NAVI CX3-40 DP TO EN UPG	FC SL NaviMgmt f CX3-40 DP EN, SW Upgrade License from 7 on (8+) Hosts , Content:, License Paper			x																								D:FCNAV34-DP-EN			11297	
	FibreCAT SwLic NAVI CX3-80 DP TO EN UPG	FC SL NaviMgmt f CX3-80 DP EN, SW Upgrade License from 7 on (8+) Hosts , Content:, License Paper			x																								D:FCNAV38-DP-EN			14094	
	FC SW PowerPath Kit UNIX	FC SW PowerPath UNIX/SOLARIS Kit, Contens : CD and Document					x																						D:FCPP-UX-KIT			1	
	FC SwLic PowerPath Netw. WG (per server)	FC SW PowerPath Netware Workgruppe, Novell (1-2 CPUs)			x		x																						D:FCPP-NW-WG			776	
	FC SwLic PowerPath Netw. DP (per server)	FC SW PowerPath Netware Departmental, Novell (4-6 CPUs)			x		x																						D:FCPP-NW-DP			1357	
	FC SwLic PowerPath Netw. EN (per server)	FC SW PowerPath Netware Enterprise, Novell (>7 CPUs)			x		x																						D:FCPP-NW-EN			3836	
	FC SW PowerPath Kit Novell	FC SW PowerPath Novell Kit, Contens: CD and Document			x		x																						D:FCPP-NW-KIT			1	
	FC SwLic PwrPath Solaris WG (per server)	PowerPath Workgruppe, Solaris (VolMgr)			x		x																						D:FCPP-SUN-WG			1549	
	FC SwLic PwrPath Solaris DP (per server)	PowerPath Department, Solaris (VolMgr)			x		x																						D:FCPP-SUN-DP			3755	
	FC SwLic PwrPath Solaris EN (per server)	PowerPath Enterprise, Solaris (VolMgr)			x		x																						D:FCPP-SUN-EN			7748	
	FC SwLic PwrPath Solaris GB (per server)	PowerPath Global, Solaris (VolMgr)			x		x																						D:FCPP-SUN-GB			21304	
	FC SwKit PowerPath Solaris	FC SW PowerPath with Volume Manager , (SOLARIS) Kit, Contens : CD and Document			x		x																						D:FCPP-SUN-KIT			1	
	FC SwLic PowerPath Linux WG (per server)	FC SW PowerPath Linux Workgruppe, (1-2 CPUs)			x		x																						D:FCPP-LX-WG			776	
	FC SwLic PowerPath Linux DP (per server)	FC SW PowerPath Linux Departmental, (4-6 CPUs)			x		x																						D:FCPP-LX-DP			1357	
	FC SwLic PowerPath Linux EN (per server)	FC SW PowerPath Linux Enterprise, (>7 CPUs)			x		x																						D:FCPP-LX-EN			3836	
	FC SW PowerPath Kit Linux	FC SW PowerPath Linux Kit, Contens: CD and Document			x		x																						D:FCPP-LX-KIT			1	
	FibreCAT SW Utilities Windows	Utility kit for PowerPath Windows			x		x																						D:FCUTIL-WIN			24	
	FibreCAT SW Utilities Solaris	Utility kit for PowerPath Solaris			x		x																						D:FCUTIL-SUN			24	
	FibreCAT SW Utilities NovellNetware	Utility kit for PowerPath Netware			x		x																						D:FCUTIL-NW			24	
	FibreCAT SW Utilities Linux	Utility kit for PowerPath Linux			x		x																						D:FCUTIL-LNX			24	
Professional Services																																		
	FibreCAT CX Storage Expansion	System implementation support by service 'FibreCAT CX Storage Expansion'	x	x	x	x	x	x	x	x	x	x	x	x															CPS:ST-ONL-21016FX			360	
	FibreCAT CX Storage Extension, Advanced	System Implementation Service,FibreCAT CX Storage Extension, Advanced'	x	x	x	x	x	x	x	x	x	x	x	x															CPS:ST-ONL-21020FX			600	
SnapManager																																		
	FC SX60 16 Snapshots	Upgrade to 16 SnapShots for FibreCAT SX60																		x									D:FCSX60-SNAP			1196	
	FC SX80 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX80																				x							D:FCSX80-SNAP			2566	
	FC SX88 32 Snapshots	Upgrade to 32 SnapShots for FibreCAT SX88																						x					D:FCSX88-SNAP			2566	

Positioning Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

LTO Desktop

Available with one LTO-1 or LTO-2 drive for rapid data transfer. Because time is of the essence.

SL500

The rack-mounted library scales from 30 to 575 LTO cartridge slots and accommodates up to 18 tape drives.

SCALAR i500

Midrange Tape Library with modular design provides industry-leading scalability, performance, and reliability.

Positioning Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

FibreCAT TX24

The FibreCAT TX24 is an ultra compact tape library with up to 24 media slots and up to two LTO drives on two height units. It can be upgraded instantaneously.

FibreCAT TX48

The FibreCAT TX48 is an ultra compact tape library with up to 48 media slots and up to four LTO drives on four height units. It can be upgraded instantaneously.

VXA-2 Packet Tape Drive

Embedded intelligence for secure SAN backups with iPlatform architecture and 3,492 LTO cartridge capability.

VXA-2 PacketLoader

Embedded intelligence for secure SAN backups with iPlatform architecture and 3,492 LTO cartridge capability.

CentriStor Virtual Tape Appliance

Data Sheets: http://www.fujitsu-siemens.com/storage

CentricStor is a powerful virtual tape solution that provides fully integrated Disk to Disk to Tape (D2D2T) backup. It offers data protection for all types of enterprise data. CentricStor enables customers to consolidate their tape infrastructures, exploiting the best of both disk and tape.

CentricStor uses a powerful Grid Architecture (CGA) to provide unmatched scalability and unmatched disaster tolerance. Unlike Virtual Tape Libraries (VTL) that just emulates tape, CentricStor offers True Tape Virtualization (TTV). This provides unmatched connectivity and unmatched TCO (Total Cost of Ownership) reduction. This is the reason why CentricStor is the only virtual tape solution that makes tape fit for ILM (Information Lifecycle Management).

For pricing and configuration information please contact your Fujitsu Siemens Computers sales contact.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
VTA bundles							
	CentricStor VTA-500	CentricStor VTA-500 , CentricStor VTA 500, 170 MB/s, SW > V3.x	CS-500-V05			87413	
	CentricStor VTA 1000	CentricStor VTA 1000 170 MB/s V3.1 ,	CS-1000-V05			122378	
	CentricStor VTA-1500	CentricStor VTA-1500 , CentricStor VTA 1500, 340 MB/s, SW > V3.x, System for 1 Location, FC/Lan Cable already in the racks for Upgrade.	CS-1500-V05			209790	
	CentricStor VTA-1500 V06	CentricStor VTA-1500 V06 , System for 1 Location, FC/Lan Cable already in the rack. V06 with SAP Status 35 ist availabel only on specific request. System includes TX33 ISPs and RAIDs in 4GBit version.	CS-1500-V06			209790	
	CentricStor VTA 2000	CentricStor VTA 2000 340 MB/s V3.1 ,	CS-2000-V05			307692	
	CentricStor VTA 3000	CentricStor VTA 3000 420 MB/s V3.1 ,	CS-3000-V05			405594	
	CentricStor VTA 4000	CentricStor VTA 4000 680 MB/s V3.1 ,	CS-4000-V05			482517	
	CentricStor VTA 5000	CentricStor VTA 5000 840 MB/s V3.1 ,	CS-5000-V05			671329	
	CentricStor VTA-5000 V06	CentricStor VTA-5000 V06 , CentricStor VTA5000 (Pilot-System), System for 1 Location, FC/Lan Cable already in the rack. V06 with SAP Status 35 ist availabel only on specific request. System includes TX33 ISPs and RAIDs in 4GBit version.	CS-5000-V06			671329	
	CentricStor VTA-500 ET	CentricStor VTA-500 ET , CentricStor VTA 500, 170 MB/s, SW > V3.x	CS-500-V05E			87413	
	CentricStor VTA 1000 ET	CentricStor VTA 1000 ET 170 MB/s V3.1 with Fujitsu RAID,	CS-1000-V05E			122378	
	CentricStor VTA-1500 ET	CentricStor VTA-1500 ET , CentricStor VTA 1500, 340 MB/s, SW > V3.x, System for 1 Location, FC/Lan Cable already in the racks for Upgrade.	CS-1500-V05E			209790	
	CentricStor VTA 2000 ET	CentricStor VTA 2000 ET 340 MB/s V3.1 with Fujitsu RAID,	CS-2000-V05E			307692	
	CentricStor VTA 3000 ET	CentricStor VTA 3000 ET 420 MB/s V3.1 with Fujitsu RAID, CentricStor VTA 3000 ET, 420 MB/s, SW > V3.x with Fujitsu RAID	CS-3000-V05E			405594	
	CentricStor VTA 4000 ET	CentricStor VTA 4000 ET 680 MB/s V3.1 with Fujitsu RAID,	CS-4000-V05E			482517	
	CentricStor VTA 5000 ET	CentricStor VTA 5000 ET 840 MB/s V3.1 with Fujitsu RAID,	CS-5000-V05E			671329	
	CentricStor Upgrade ICP + IDP	CentricStor Upgrade ICP + IDP TX300-S2 , CentricStor Upgrade ICP + IDP TX300-S2	CS-UPG5			54545	

CentriStor Virtual Tape Appliance

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
VTA bundles (Continued)							
SBU bundles							
	CentricStor SBU without Library	CentricStor SBU without Library ,	CS-SBU-V05			48741	
VTCs							
	CS Virtual Tape Controller VTC32	Virtual Tape Controller (Standard Processor for SBU)	CS-VTC-V05			22028	
	CS Virtual Tape Controller VTC33	Virtual Tape Controller (Standard Processor for SBU)	CS-VTC-V06			22028	
Service Units (SAS&Robar)							
	CS SAS LINUX free of charge	CentricStor SAS Linux. Free option, only in combination with a VTA package.	CS-FSA-LNX4			1	
	CS SAS LINUX with charge	CentricStor SAS LINUX (extra charge)	CS-SA-LNX4			6839	
	CS SAS Solaris (FOC)	CentricStor SAS Solaris. Free option, only in combination with a package. Unit can be used as Robar Server.	CS-FSA-SLR			1	
	CS-ROBAR-Server/SAS Solaris	ROBAR Server incl Solaris OS	CS-SA-SLR			6839	
CS-Leading Racks							
	Leading rack VTA-500 38 U	VTA 500 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F05			3497	
	Leading Rack VTA 1000 38HU	VTA 1000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F1			3497	

CentriStor Virtual Tape Appliance

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
CS-Leading Racks (Continued)							
	Leading rack VTA 1500 38 U	VTA 1500 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F15			3497	
	Leading Rack VTA 2000 38HU	VTA 2000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F2			3497	
	Leading Rack VTA 3000 38HU	VTA 3000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F3			3497	

CentriStor Virtual Tape Appliance

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
CS-Leading Racks (Continued)							
	Leading Rack VTA 4000 38HU	VTA 4000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F4			3497	
	Leading Rack VTA 5000 38HU	VTA 5000 Leading Rack: (Not for single Order.) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-F5			3497	
	Leading Rack SBU		CS-BR5-FS			3497	
CS-Configuration Racks							
	Infrastructure Rack 38HU	VTA Main Rack: (Rack for Infrastructure) This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-R2			3497	

CentriStor Virtual Tape Appliance

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
CS-Configuration Racks (Continued)							
	Fill Up Rack 38HU	VTA Fill Rack: This 19" rack is a 38U basic cabinet (HxWxD 1825x700x1000mm) offering 38 units for installing standard 19" components. HU 0 is reserve for tilting unit access. The max. allowable weight is 1000 kg., The interior is divided into two areas. This allows the installation of 37U horizontally and 3x2U vertically (in accordance with delivery configuration). The cabinet is fitted with side panels and lockable doors to the front and rear. An anti-tilt device (1HU) is included in the package and must be fitted before initial operation.	CS-BR5-E			3497	
ICPs							
	CS Integrated Channel Processor ICP32	Integrated Channel Prozessor ICP	CS-ICP-TX32			33566	
	CS Integrated Channel Processor ICP33	Integrated Channel Prozessor ICP	CS-ICP-TX33			33566	
IDPs							
	CS Integrated Device Processor IDP32	Integrated Device Prozessor ICP	CS-IDP-TX32			28671	
	CS Integrated Device Processor IDP33	Integrated Device Prozessor ICP	CS-IDP-TX33			28671	
IUPs							
	CS Integrated Universal Processor IUP32	Integrated Universial Processor IUP	CS-ISP-TX32			34266	
	CS Integrated Universal Processor IUP33	Integrated Standard Prozessor ISP	CS-ISP-TX33			34266	
VLPs							
	CS Virtual Library Processor VLP32	Virtual Library Processor VLP	CS-VLP-TX32			23077	
	CS Virtual Library Processor VLP33	Virtual Library Processor VLP	CS-VLP-TX33			23077	
TVCs							
	Tape Volume Cache 2,7 TB	Tape Volume Cache FibreCAT 2,7 TB	CS-TVC-CX5E			43357	Phased out
	Tape Volume Cache 2,7 TB Extension	Tape Volume Cache 2,7 TB Extention for CX500	CS-TVCE-CX5E			25874	Phased out
	CS TVC 2.7 TB BASIS CX3-20 2GB	CS TVC 2.7 TB BASIS CX3-20 2GB Tape Volume Cache basic configuration based on CX3-20 2.7 TB, 2 GBit,	CS-TVC-CX32			43357	
	CS TVC 2.7 TB extension CX3-20 2GB	Tape Volume Cache Extention 2,7TB for CX3-20	CS-TVCE-CX32			25874	
	CS CX32 Processor	Tape Volume Cache CX3-20 (2GBit, 2.8TB) Processor and Power Supply, no single order possible	CS-CX32-SPE			699300699	
	CS CX32 Disc Shelf	Tape Volume Cache 2,8 TB Shelf, not for separate order	CS-CX32-BAS			699300699	
	CS TVC 2.7 TB BASIS CX3-20 4GB	CS TVC 2.7 TB BASIS CX3-20 4GB Tape Volume Cache basic configuration based on CX3-20 2.7 TB, 4 GBit,	CS-TVC-CX3F			43357	
	CS CX3F Disc Shelf	Tape Volume Cache 2,8 TB Shelf, not for separate order	CS-CX3F-BAS			699300699	
	CS CX3F Processor	Tape Volume Cache CX3-20 (4GBit, 2.8TB) Processor and Power Supply, no single order possible	CS-CX3F-SPE			699300699	
	CS TVC 2.7 TB extension CX3-20 4GB	Tape Volume Cache Extention 2,7 TB for CX3-20F	CS-TVCE-CX3F			25874	
TVCs Eternus							
	CS TVC ET Basis 2,7TB for VTA500 - 1000	Tape Volume Cache Eternus 2,7 TB Grundausbau (Basis for VTA1000)	CS-TVC1-ET			29860	
	CS TVC ET Basis 2,7TB for VTA2000 - 5000	Tape Volume Cache Eternus 2,7 TB Basic Shelf. (Basis for VTA2000 to VTA5000)	CS-TVC-ET			27832	

CentriStor Virtual Tape Appliance

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
TVCs Eternus (Continued)							
	CS TVC ET 2. Extension 2,7 TB	Tape Volume Cache Eternus Extention Shelf with 2,7 TB	CS-TVCE2-ET			15210	
	CS TVC ET 1. Extension 1,8 TB	Tape Volume Cache Eternus Extention 1,8 TB	CS-TVCE-ET			6364	
	CS TVC E4K Base for VTA-1500+ 2.7 TB	Tape Volume Cache E4000 with 2,7 TB Basic Shelf. (Basis for VTA1500 to VTA5000)	CS-TVC-ET4			27832	
	CS TVC E4K Base for VTA-1000 2.7 TB	Tape Volume Cache Eternus 2,7 TB Grundausbau (Basis for VTA1000)	CS-TVC1-ET4			29860	
	CS TVC E4K 2.Ext. for VTA-1000+ 2.7TB	Tape Volume Cache E4000 Extention Shelf with 2,7 TB	CS-TVCE2-ET4			15210	
	CS TVC E4K 1.Ext. for VTA-1000+ 1.8TB	Tape Volume Cache Eternus Extention 1,8 TB	CS-TVCE-ET4			6364	
MTC-Units							
	Scalar i500 for SBU with 2 drives FC		CS-SCI500-F			31741	
	Scalar i500 for SBU with 2 drives SCSI		CS-SCI500-S			26434	
FC Switches							
	CS FC Switch 32Port,16Port enab, 416	FC Switch 4GB/s, 32 Ports. With SW 3.1C and larger 32 Ports are supported. See Cfg Hints.	CS-FSW-416			15266	
LAN Switches							
	CS LAN Switch 24 Port incl. FC Uplink	CS LAN Switch 24Port with FC Uplink	CS-LSW-6224			469	
	CS Power Supply for 24 Port LAN Switch	LanSwitch 24 Ports incl. Uplink	CS-LSW-6224P			993	
Console							
	Konsole PS/2 Typ	CentricStor Console Panel	CS-BF5			1259	
Gateway Server							
	CS control processor for MTC-GW	CentricStor control processor for MTC-GW	CS-MTCHW			2336	

LTO Desktop

Data Sheets: http://www.fujitsu-siemens.com/storage

When time is of the essence

This desktop LTO tape drive is a powerful entry-level device for smaller servers. LTO Ultrium technology is particularly well-suited for backups and time-critical applications requiring rapid data transfer.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX24 LTO							
	FibreCAT TX24,1drHH,12 from 24 Slot SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum), - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L2H			3215	
	FibreCAT TX24,1drFH,12f24 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3			2634	
	FibreCAT TX24,1drFH,12from24Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3F			3700	Price change

LTO Desktop

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX24 LTO (Continued)							
	FibreCAT TX24,1drHH LTO3,12f24 Slot SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3H			3451	
	FibreCAT TX24, 2drHH, 24 Slot SCSI	Tape Library with 24 cartridge slots, integrated Barcode Reader and two LTO-2 Half Height (HH) drive , - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , At multichannel SCSI configuration is to order additive a SCSI terminator !!, - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-224-L2H			3815	
	FibreCAT TX24 LTO-2HH,12Slot,1MAG,1Case	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum), - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included, Incl. additiv 1x magazine and 1xmagazine-case	D:FCTX24-M112-L2H			2289	Price change
	FibreCAT TX24 LTO-3HH,12Slot,1MAG,1Case	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included, InCl. additive 1x magazine und 1x magazine case	D:FCTX24-M112-L3H			2449	Price change

LTO Desktop

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX24 LTO (Continued)							
	FibreCAT TX24,1dr,LTO3,12-24Slots CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack	D:FCTX24-S12-L3			5105	
FibreCAT TX48 LTO							
	FibreCAT TX48,1drHH,12f48 Slot LTO2 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L2H			2659	
	FibreCAT TX48,1drFH,12f48 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3			3499	Price change
	FibreCAT TX48,1drFH,12from48Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3F			3935	Price change

LTO Desktop

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX48 LTO (Continued)							
	FibreCAT TX48 APAK LTO-2 incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L2H			3321	
	FibreCAT TX48 APAK LTO-3 incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3			3951	
	FibreCAT TX48 APAK LTO-3FC incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3F			4361	
	FibreCAT TX48 APAK LTO-2 incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L2H			6929	

LTO Desktop

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX48 LTO (Continued)							
	FibreCAT TX48 APAK LTO-3 incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3			7944	
	FibreCAT TX48 APAK LTO-3FC incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3F			8607	
	FibreCAT TX48 APAK LTO-2 incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L2H			4645	
	FibreCAT TX48 APAK LTO-3 incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3			5275	

LTO Desktop

Data Sheets: http://www.fujitsu-siemens.com/storage

FibreCAT TX48 APAK LTO-3FC incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3F			5685	

FibreCAT TX10 PacketLoader

Data Sheets: http://www.fujitsu-siemens.com/storage

FibreCAT TX10 PacketLoader - Next generation Tape Automation with VXA-320 technology

The FibreCAT TX10 PacketLoader is the perfect solution for providing low-cost automated backup for small and midsized businesses or remote offices with limited IT staff. And it's fast: the FibreCAT TX10 provides 4 times the speed and capacity of a DAT-72 and DDS-5 tape! Thanks to its tapes long lifetime – they can be re-used at least 500 times - the FibreCAT TX10 PacketLoader has the lowest lifetime cost per Gigabyte.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX10 PacketLoader							
	FibreCAT TX10, VAX320, rem. Mgmt., CE	VXA-320 Packetloader with remote management , VXA-320-drive with a backup-performance of 43,2/86,4 GByte/h (native/ compr.), -Robotic incl. barcode-reader, -10 cartridge slots with 1,6/3,2 Tbyte capacity (native/ compr.), -power line, SCSI-terminator, -Cleaning Cassette	D:FCTX10-V3			1370	Phased out
	FibreCAT TX10, VXA320, CE	VXA-320-drive with a backup-performance of 43,2/86,4 GByte/h (native/ compr.), -Robotic incl. barcode-reader, -10 cartridge slots with 1,6/3,2 Tbyte capacity (native/ compr.), -power line, SCSI-terminator, -Cleaning Cassette	D:FCTX10-V3B			1313	Phased out
	FibreCAT TX10, VXA320, rem. Mgmt., EE	VXA-320 Packetloader with remote management , VXA-320-drive with a backup-performance of 43,2/86,4 GByte/h (native/ compr.), -Robotic incl. barcode-reader, -10 cartridge slots with 1,6/3,2 Tbyte capacity (native/ compr.), -Rack Mount Kit (1 U), -power line, SCSI-terminator, -data cartridge (160 GByte native), , -cleaning cartridge, barcode-label	D:VXA3-110-1U			2342	
	FibreCAT TX10, VXA320, EE	VXA-320-drive with a backup-performance of 43,2/86,4 GByte/h (native/ compr.), -Robotic incl. barcode-reader, -10 cartridge slots with 1,6/3,2 Tbyte capacity (native/ compr.), -Rack Mount Kit (1 U), -power line, SCSI-terminator, -data cartridge (160 GByte native), , -cleaning cartridge, barcode-label	D:VXA3-110B-1U			2245	

FibreCAT TX08

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT TX08 from Fujitsu Siemens Computers is a compact and extremely reliable tape automation system for small and midsized companies which enables the cost-effective entry into the FibreCAT TX family.

The FibreCAT TX08 is based on proven LTO technology, which provides large capacity, high speed and very small media costs. Depending on your individual requirements you can either order it with an LTO2 or LTO3 half height drive. It has 2 magazines with 4 slots and a mail slot for input and output of individual cartridges. The FibreCAT TX08 is only one U high whereas it offers up to 6.4 Terabyte compressed storage capacity when equipping it with eight LTO3 cartridges. This translates into 8 days of automated data backup.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX08							
	FibreCAT TX08,1dr LTO2HH, 8 Slot SCSI	Tape Library with 8 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 1,6/ 3,2 Tbyte (uncompr./compr.)., - Ultra3 SCSI wide (160 MByte/s) , - LTO2 HH drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX08-108-L2H			1755	Price change
	FibreCAT TX08,1dr LTO3HH, 8 Slot SCSI	Tape Library with 8 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.)., - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX08-108-L3H			1897	Price change
	FibreCAT TX08 LTO-2HH,8 Slot,CE, APACK	Tape Library with 8 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 1,6/ 3,2 Tbyte (uncompr./compr.)., - Ultra3 SCSI wide (160 MByte/s) , - LTO2 HH drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included, incl. 1x Quickstart Guide	D:FCTX08-S108-L2H			2618	
	FibreCAT TX08 LTO-3HH,8 Slot,CE, APACK	Tape Library with 8 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , -2 cartridge magazine per 4 cartridge already installed, - Memory capacity until to 3,2/ 6,4 Tbyte (uncompr./compr.)., - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a one height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included, incl. 1x Quickstart Guide	D:FCTX08-S108-L3H			2842	

FibreCAT TX24

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT TX24 is an ultra compact tape library with up to 24 media slots and up to two LTO drives on two height units. It can be upgraded instantaneously.

The FibreCAT TX24 is an ultra compact tape library with up to 24 media slots and up to two drives on two height units. It offers space for up to an impressive 19.2TB (LTO-3) respectively 9.6TB (LTO-2).

If ordered with 12 slots, only those will be operational. The remaining 12 can be activated via soft key license short term (instant upgrade).

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX24 LTO							
	FibreCAT TX24,1drHH,12 from 24 Slot SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum), - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L2H			3215	
	FibreCAT TX24,1drFH,12f24 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3			2802	Price change
	FibreCAT TX24,1drFH,12from24Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3F			3700	Price change

FibreCAT TX24

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX24 LTO (Continued)							
	FibreCAT TX24,1drHH LTO3,12f24 Slot SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-112-L3H			3451	
	FibreCAT TX24, 2drHH, 24 Slot SCSI	Tape Library with 24 cartridge slots, integrated Barcode Reader and two LTO-2 Half Height (HH) drive , - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , At multichannel SCSI configuration is to order additive a SCSI terminator !!, - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included	D:FCTX24-224-L2H			4059	Price change
	FibreCAT TX24 LTO-2HH,12Slot,1MAG,1Case	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-2 drive (2 drives maximum), - Memory capacity until to 2,4/ 9,6 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included, Incl. additiv 1x magazine and 1xmagazine-case	D:FCTX24-M112-L2H			2289	Price change
	FibreCAT TX24 LTO-3HH,12Slot,1MAG,1Case	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Half Height (HH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), Upgradeable up to 2 x HH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 HH drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges and 1x Terminator is already included, InCl. additive 1x magazine und 1x magazine case	D:FCTX24-M112-L3H			2449	Price change

FibreCAT TX24

Data Sheets: http://www.fujitsu-siemens.com/storage

FibreCAT TX24,1dr,LTO3,12-24Slots CE	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24 Slots (2 cartridge magazine per 12 cartridge already installed), - Memory capacity until to 4,8/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack	D:FCTX24-S12-L3			5105	



FibreCAT TX48

Data Sheets: http://www.fujitsu-siemens.com/storage

The FibreCAT TX48 is an ultra compact tape library with up to 48 media slots and up to four LTO drives on four height units. It can be upgraded instantaneously.

The FibreCAT TX48 is an ultra compact tape library with up to 48 media slots and up to four drives on four height units. It offers space for up to an impressive 38.4 TB (LTO-3, compressed) respectively 19.2 TB (LTO-2, compressed).
If ordered with 12 slots, only those will be operational. The remaining 36 slots can be activated via soft key license.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX48 LTO							
	FibreCAT TX48,1drHH,12f48 Slot LTO2 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L2H			2829	Price change
	FibreCAT TX48,1drFH,12f48 Slot LTO3 SCSI	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3			3499	Price change
	FibreCAT TX48,1drFH,12from48Slot LTO3 FC	Tape Library with 12 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 12 up to 24, 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-112-L3F			3935	Price change



FibreCAT TX48

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX48 LTO (Continued)							
	FibreCAT TX48 APAK LTO-2 incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L2H			3533	Price change
	FibreCAT TX48 APAK LTO-3 incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3			4203	Price change
	FibreCAT TX48 APAK LTO-3FC incl. 24Slot	Tape Library with 24 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 24 up to 36, 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P124-L3F			4639	Price change
	FibreCAT TX48 APAK LTO-2 incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L2H			6929	



FibreCAT TX48

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FibreCAT TX48 LTO (Continued)							
	FibreCAT TX48 APAK LTO-3 incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3			7944	
	FibreCAT TX48 APAK LTO-3FC incl. 36Slot	Tape Library with 36 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , License upgradeable from 36 up to 48 Slots (4 cartridge magazine per 12 cartridge already installed), Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P136-L3F			8607	
	FibreCAT TX48 APAK LTO-2 incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-2 Half Height (HH) drive , Upgradeable up to 3 x HH LTO-2 drive (4 drives maximum), - Memory capacity until to 2,4/ 19,2 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L2H			4941	Price change
	FibreCAT TX48 APAK LTO-3 incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) drive , Upgradeable with 1 x FH LTO-3 drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Ultra3 SCSI wide (160 MByte/s) , - LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3			5611	Price change
	FibreCAT TX48 APAK LTO-3FC incl. 48Slot	Tape Library with 48 cartridge slots, integrated Barcode Reader and one LTO-3 Full Height (FH) FC-drive , Upgradeable with 1 x FH LTO-3 FC-drive (2 drives maximum), - Memory capacity until to 4,8/ 38,4 Tbyte (uncompr./compr.), depending on slot release, - Device connection of changer and drive via Fibre Channel 4 GB , - LTO3 FC-drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Can be installed into a four height units rack, Rack Kit, 1x Data Cartridges, 1x Cleaning Cartridges, 1x Terminator and Ethernet Cable is already included	D:FCTX48-P148-L3F			6048	Price change

SL500

Data Sheets: http://www.fujitsu-siemens.com/storage

Economical building blocks

This modular tape library system is a flexibly scalable, rack-mounted and automated solution. Start with a cost-effective configuration that meets present backup requirements and then attach modules as necessary and without increasing administrative complexity or reducing reliability. Adding capacity is simple, with the added advantages of extended operating life and investment protection. The rack mounting and dense cartridge slot design make it ideal for environments where space is at a premium. The SL500 can be scaled from 30 to 575 LTO cartridge slots, accommodating up to 18 tape drives, while still using the same robotics and library automation architecture. A very flexible platform, it can be configured as a standalone tape rack or combined in a rack with servers and other disk storage systems.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
MBK SL500							
	SL500 SCSI base 30 slots without drives	SL500 base module with SCSI interface without drives, 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP), Two bays for LTO drives	D:SL500FSC-30-SC			8063	
	SL500 FC base 30 slots without drives	SL500 base module with FC interace without drives, 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP), Two bays for LTO drives	D:SL500FSC-30-FC			9448	
	SL500 base 30 slots 2 LTO 3 dr. SCSI IBM	SL500 base module with two LTO-3 SCSI drives (IBM), 30 activated slots for LTO cartridges, max. 50 slots, 5 slot cartridge access port (CAP)	D:SL500-30L3IBSC			17692	
	SL500 base 30 slots 2 LTO 3 dr. FC IBM	SL500 base module with two LTO-3 Fibre Channel drives, 30 activated slots for LTO cartridges, max. 50 slots, 5 slot cartridge access port (CAP)	D:SL500-30L3IBFC			22308	
	SL500 base 30 slots 2 LTO 3 dr. SCSI HP	SL500 base module with two LTO-3 SCSI drives (HP), 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP)	D:SL500FSC-30L3SC			17692	
	SL500 base 30 slots 2 LTO 3 dr. FC HP	SL500 base module with two LTO-3 Fibre Channel drives (HP), 30 activated slots for LTO cartridges, expandable to 50 slots, 5 slot cartridge access port (CAP)	D:SL500FSC-30L3FC			24825	
	SL500 base 30 slots 2 LTO 4 dr. FC IBM	SL500 base module with two LTO-4 Fibre Channel drives, 30 activated slots for LTO cartridges, max. 50 slots, 5 slot cartridge access port (CAP)	D:SL500-30L4IBFC			26643	
	SL500 upgrade 50 to 100 slots	Expansion module SL500 for 4 drives with 50 activated cartridge slots	D:XSL500-50-100			6909	
	SL500 drive expansion module	Expansion module SL500 for 4 drives and 93 cartridge slots	D:XSL500-LDRVEXP			12091	
	SL500 cartridge expansion module	Expansion module SL500 for 132 cartridge slots	D:XSL500-LCARTEX			8063	

SCALAR i500

Data Sheets: http://www.fujitsu-siemens.com/storage

The Scalar i500 Midrange Tape Library delivered by Fujitsu Siemens Computers is the intelligent library platform that gives growing midrange storage environments faster, easier, and more reliable data protection. The modular design provides industry-leading scalability, performance, and reliability.

Based on the iPlatform™-architecture the library integrates advanced backup functions to increase overall data protection, simplify management, reduce the need for external servers and software, and save users time and money over the life of their backup system.

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
MBK SCALAR i500							
	SCI500 5U 36 slots 1 drive LTO-3 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 SCSI-LVD LTO3 drive, - one empty drive-bay for an additional drive , - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L51S			12357	
	SCI500 5U 36 slots 2 drives LTO-3 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 SCSI-LVD LTO3 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L52S			18678	
	SCI500 5U 36 slots 1 drive LTO-3 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 native FC LTO3 drive, - second drive can be installed, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L51F			14280	
	SCI500 5U 36 slots 2 drives LTO-3 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 native FC LTO3 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L52F			22524	
	SCI500 5U 36 slots 1 drive LTO4 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 SCSI-LVD LTO4 drive, - one empty drive-bay for an additional drive , - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L451S			13794	
	SCI500 5U 36 slots 2 drives LTO4 SCSI	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 SCSI-LVD LTO34drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L452S			21535	
	SCI500 5U 36 slots 1 drive LTO4 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 1 native FC LTO4 drive, - second drive can be installed, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L451F			16626	
	SCI500 5U 36 slots 2 drives LTO4 FC	MTC-library Scalar i500 with 36, activated cartridge slots., - 5 U control unit with 2 native FC LTO4 drives, - 36 activated cartridge slots, - redundant power supply possible	D:SCI500-L452F			27199	
	SCI500 14U 36 slots without drives	Scalar i500 Tape Library, - 5 U control unit w/o drives, 2 drives possible, - 36 activated cartridge slots, - 9 U expansion unit with 2 x 46 additional slots, which can be activated by key, - 4 slots for additional drives, - redundant power supply possible	D:SCI500-L14			7329	
	SCI500 23U 36 slots without drives	Scalar i500 Tape Library, - 5 U control unit w/o drives, 2 drives possible, - 36 activated cartridge slots, - 2 x 9 U expansion unit with 4 x 46 additional slots, which can be activated by key, - 2 x 4 slots for additional drives, - redundant power supply possible	D:SCI500-L23			12780	
	SCI500 9U expansion module	Scalar i500 expansion unit, 9 U expansion unit with 2 x 46 slots which can be activated by key, 4 slots for drives, redundant power supply possible	D:SCI500-E9U			6895	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW											
	ARCserve r11.5 Media Kit	BrightStor ARCserve Backup r11.5 Media Kit, , 1 x BAB r11.5 CD f. Windows, 1 x BAB r11.5 CD f. Linux, 1 x BAB r11.5 Agent CD		x	x	x	U15355-C732			17	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C10			1754	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C20			1473	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA für Windows Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C40			2105	
	1Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C400U1			139	
	3Yr Mnt ARCserve WIN (Basic)	BrightStor ARCserve Backup for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C400U3			417	
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 10 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C426			346	
	ARCserve r11.5 for Windows 2000/2003	Basic component for backup/restore of one or more servers. BrightStor ARCserve Backup r11.5 is for Windows 2000/2003 certified and released! ARCserve r11.5 basic component for Windows supports tape libraries with one single tape drive and an unlimited number of slots. For every further Windows server will be needed a further ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C700			542	
	UP ARCserve r11.5 for Windows 2000/2003	ARCserve r11.5 for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C700-U			406	
	ARCserve r11.5 for MS SBS Standard	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Standard Edition (existing of basic, Exchange agent, Open File Agent, Volume Shadow Copy Service Agent and Share Point Portal Agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C750			346	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	ARCserve r11.5 for Linux	BrightStor ARCserve r11.5 for Linux! Basic component for backup/restore of one server or in consumption with clients of more servers, too. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C800			542	
	UP ARCserve r11.5 for Linux	ARCserve r11.5 for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C800-U			406	
	1Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C800U1			139	
	3Yr Mnt ARCserve LX (Basis)	BrightStor ARCserve Backup for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C800U3			417	
	BSRM for Windows incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) is a cross-platform data storage management solution that monitors, analyzes, schedules and automates networked storage resources across distributed and mainframe environments. Delivery of BrightStor Storage Resource Manager inclusive 1 Year CA Enterprise Maintenance. U15355-C900 is a prerequisite for all other BrightStor SRM products.		x	x	x	U15355-C900			2094	
	BrightStor SAN Manager incl 1yr Mnt	BrightStor SAN Manager is a business centric SAN Management solution, that simplifies monitoring and management of complex networked storage resources. With BrightStor SAN Manager you will cover, configure and administrate business centric complex SAN infrastructures. This BrightStor SAN Manager product includes 1 Year CA Enterprise Maintenance.		x	x	x	U15355-C920			4192	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 1 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C11			2455	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Oracle server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C21			2245	
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C41			3157	
	1Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C401U1			178	
	3Yr Mnt ARCserve WIN Tape Library Opt.	BrightStor ARCserve Backup for Windows Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C401U3			535	

Accessories Storage Tape Systems

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	BrightStor ARCserve Backup for Laptops	BrightStor ARCserve Backup for Laptops and Desktops Release 11.1 for 100 Users. Delivers transparent data protection of Windows based laptops and desktop computers. Server requirements: Windows NT Server SP 6a, Windows 2000 Server SP2 or SP3, Windows 2000 Advanced Server SP2 or SP3, Windows Server 2003. Client requirements: Windows 98 SE, Window ME, Windows NT 4.0 SP6a, Windows 2000 with SP2 or SP3, Windows XP Professional Edition Original or SP1, Windows Server 2003. Hardware and operating system dependent extract from the following link: CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C427			2094	
	ARCserve r11.5 WIN Tape Library Option	ARCserve r11.5 Tape Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Required for jukeboxes with several drives! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C701			696	
	UP ARCserve r11.5 Tape Library Option	ARCserve r11.5 for Windows Tape Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C701-U			522	
	ARCserve r11.5 for MS SBS Premium	BrightStor ARCserve Backup r11.5 for Microsoft Small Business Server Premium Edition (existing of basic, Exchange agent, Open File agent, SQL agent, Volume Shadow Copy Service agent and Share Point Portal agent). Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C751			486	
	ARCserve r11.5 LX Tape Library Option	BrightStor ARCserve r11.5 for Linux Tape Library Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C801			696	
	UP ARCserve r11.5 LX Tape Library Option	ARCserve r11.5 for Linux Upgrade Tape Library Option from ARCserve v9, r11.0 or r11.1 Tape Library Option for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C801-U			522	
	1Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C801U1			178	
	3Yr Mnt ARCserve LX Tape Library Opt.	BrightStor ARCserve Backup for Linux Tape Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C801U3			536	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	BSRM Managed Srv Windows incl.1yr CA Mr	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Windows inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	U15355-C901			415	
	Proxy for Windows incl 1yr Mnt	BrightStor SAN Manager Proxy for Windows inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Windows server!		x	x	x	U15355-C921			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C12			17538	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C22			2245	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C42			3157	
	1Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C402U1			232	
	3Yr Mnt ARCserve WIN Optical Library Opt	BrightStor ARCserve Backup for Windows Optical Library Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C402U3			697	
	1Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C426U1			89	
	ARCserve r11.5 WIN Optical Library Opt.	ARCserve r11.5 Optical Library Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C702			906	
	UP ARCserve r11.5 Optical Library Option	ARCserve r11.5 for Windows Optical Library Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C702-U			679	
	1Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C750U1			89	
	ARCserve r11.5 LX NAS Option	BrightStor ARCserve r11.5 for Linux NDMP NAS Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C802			696	

Accessories Storage Tape Systems

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	UP ARCserve r11.5 LX NAS Option	ARCserve r11.5 for Linux Upgrade NAS Option from ARCserve v9, r11.0 or r11.1 NAS Option for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C802-U			522	
	1Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C802U1			178	
	3Yr Mnt ARCserve LX NDMP NAS Opt.	BrightStor ARCserve Backup for Linux NDMP NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C802U3			536	
	BSRM Opt MS Exchange incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft Exchange inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	U15355-C902			835	
	Proxy for Linux incl 1yr Mnt	BrightStor SAN Manager Proxy for Linux inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Linux server!		x	x	x	U15355-C922			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 10 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C13			24554	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C23			2245	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C43			3157	
	1Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C403U1			286	
	3Yr Mnt ARCserve WIN SAN Opt.	BrightStor ARCserve Backup for Windows SAN Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C403U3			858	
	3Yr Mnt ARCserve WIN LAPD 10 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 10 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C426U3			266	
	ARCserve r11.5 WIN SAN Option	ARCserve r11.5 Storage Area Network (SAN) Option for Windows; works with ARCserve r11.5 basic! Includes one Tape Library Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C703			1115	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	UP ARCserve r11.5 SAN Option	ARCserve r11.5 for Windows Storage Area Network Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C703-U			836	
	3Yr Mnt ARCserve WIN SBS Standard	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Standard - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C750U3			266	
	ARCserve r11.5 LX Oracle Agent	BrightStor ARCserve r11.5 for Linux Agent for Oracle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C803			696	
	UP ARCserve r11.5 LX Oracle Agent	ARCserve r11.5 for Linux Upgrade Oracle Agent from ARCserve v9, r11.0 or r11.1 Oracle Agent for Linux! Hardware and operating system dependent extract from the following link: CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C803-U			522	
	1Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C803U1			178	
	3Yr Mnt ARCserve LX Oracle Agent	BrightStor ARCserve Backup for Linux Agent for Oracle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C803U3			536	
	BSRM Opt MS SQL Srv incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Microsoft SQL Server inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	U15355-C903			835	
	Proxy for Solaris incl 1yr Mnt	BrightStor SAN Manager Proxy for Solaris inlcusive 1 Year CA Enterprise Maintenance! For each further monitioring Solaris server!		x	x	x	U15355-C923			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C14			35077	
	CA XOsoftWANSyncDR	XOsoft WANSyncDR for Windows Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Windows Server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C30			2062	
	CA XOsoftWANSyncHA Windows	XOsoft WANSyncHA for Windows Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C60			2946	
	1Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C404U1			286	
	3Yr Mnt ARCserve WIN Serverless Backup	BrightStor ARCserve Backup for Windows Serverless Backup Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C404U3			858	

Accessories Storage Tape Systems

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	1Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C427U1			537	
	ARCserve r11.5 WIN Serverless BackupOpt	ARCserve r11.5 Serverless Backup Option for Windows; works with ARCserve r11.5 basic and ARCserve r11.5 SAN Option! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C704			1115	
	UP ARCserve r11.5 Serverless Backup Opt.	ARCserve r11.5 for Windows Serverless Backup Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C704-U			836	
	1Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 1 year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C751U1			124	
	ARCserve r11.5 LX SQL Agent	BrightStor ARCserve r11.5 for Linux Agent for MySQL! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C804			696	
	UP ARCserve r11.5 LX SQL Agent	ARCserve r11.5 for Linux Upgrade SQL Agent from ARCserve v9, r11.0 or r11.1 SQL Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C804-U			522	
	1Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C804U1			178	
	3Yr Mnt ARCserve LX mySQL Agent	BrightStor ARCserve Backup for Linux Agent for MySQL - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C804U3			536	
	BSRM Opt Oracle incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Option for Oracle inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	U15355-C904			835	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 50 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C15			49108	
	CA XOsoftWANSyncDR Oracle	XOsoft WANSyncDR for Oracle Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Oracle Server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C31			3143	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	CA XOsoftWANSyncHA Oracle	XOsoft WANSyncHA for Oracle Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C61			4420	
	1Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C405U1			124	
	3Yr Mnt ARCserve WIN Disaster Recovery	BrightStor ARCserve Backup for Windows Disaster Recovery Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C405U3			373	
	3Yr Mnt ARCserve WIN LAPD 100 User	BrightStor ARCserve Backup for Windows Laptops and Desktops 100 User - 3 Years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C427U3			1612	
	ARCserve r11.5 WIN Disaster Recovery Opt	ARCserve r11.5 Disaster Recovery Option for Windows; works with ARCserve r11.5 basic! Provides a fast and easy recovery of a downed server! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C705			486	
	UP ARCserve r11.5 Disaster Recovery Opt.	ARCserve r11.5 for Windows Disaster Recovery Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C705-U			364	
	3Yr Mnt ARCserve WIN SBS Premium	BrightStor ARCserve Backup for Windows for Microsoft Small Business Server Premium - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C751U3			373	
	ARCserve r11.5 LX Apache Web Server Agt.	BrightStor ARCserve r11.5 for Linux Agent for Apache Web Server! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C805			696	
	UP ARCserve r11.5 LX Apache Web Server	ARCserve r11.5 for Linux Upgrade Apache Web Server Agent from ARCserve v9, r11.0 or r11.1 Apache Web Server Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C805-U			522	
	1Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C805U1			178	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	3Yr Mnt ARCserve LX Apache Agent	BrightStor ARCserve Backup for Linux Agent for Apache Web Server - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C805U3			536	
	BSRM Managed Srv Linux incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for Linux inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	U15355-C905			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows- 200 server pack- includes 1 year CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C16			70154	
	CA XOsoftWANSyncDR Exchange	XOsoft WANSyncDR for Exchange Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for Exchange server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C32			3143	
	CA XOsoftWANSyncHA Exchange	XOsoft WANSyncHA for Exchange Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C62			4420	
	1Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C406U1			178	
	3Yr Mnt ARCserve WIN Image Opt.	BrightStor ARCserve Backup for Image Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C406U3			535	
	ARCserve r11.5 WIN Image Option	ARCserve r11.5 Image Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C706			696	
	UP ARCserve r11.5 Image Option	ARCserve r11.5 for Windows Image Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C706-U			522	
	ARCserve r11.5 LX Client Agent for UNIX	BrightStor ARCserve r11.5 Client Agent for UNIX!!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C806			276	
	UP ARCserve r11.5 LX Client Agent UNIX	ARCserve r11.5 for Linux Upgrade Client Agent for UNIX from ARCserve v9, r11.0 or r11.1 Client Agent for UNIX Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C806-U			207	

Accessories Storage Tape Systems

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	1Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C806U1			71	
	3Yr Mnt ARCserve LX Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C806U3			213	
	BSRM Managed Srv NW incl.1yr CA Mnt	BrightStor Storage Resource Manager (BrightStor SRM) Managed Server for NetWare inclusive 1 Year CA Enterprise Maintenance. Requires a BrightStor Storage Resource Manager application server, therefore only in connection with U15355-C900!		x	x	x	U15355-C906			415	
	CA XOsoft Enterprise Rewinder	XOsoft Enterprise Rewinder for Windows -200 server pack- includes 3 years CA Enterprise Maintenance offers continuous data protection of the organisation´s data (Continuous Data Protection = CDP).		x	x	x	U15260-C17			98215	
	CA XOsoftWANSyncDR SQL	XOsoft WANSyncDR for SQL Standard Server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication for SQL server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C33			3143	
	CA XOsoftWANSyncHA SQL	XOsoft WANSyncHA for SQL Standard Server - inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL Standard server. Product includes 1x media kit and 1x license for one server.		x	x	x	U15260-C63			4420	
	1Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C407U1			178	
	3Yr Mnt ARCserve WIN NAS Opt.	BrightStor ARCserve Backup for Windows NAS Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C407U3			535	
	ARCserve r11.5 WIN NAS Option	ARCserve r11.5 Network Attached Storage (NAS) Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Backups a NAS unit with NDMP on a locally connected tape library. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C707			696	
	UP ARCserve r11.5 NAS Option	ARCserve r11.5 for Windows NDMP Network Attached Storage (NAS) Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C707-U			522	
	ARCserve r11.5 LX Client Agent for Linux	BrightStor ARCserve r11.5 Client Agent for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C807			175	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	UP ARCserve r11.5 LX Client Agent Linux	ARCserve r11.5 for Linux Upgrade Client Agent for Linux from ARCserve v9, r11.0 or r11.1 Client Agent for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C807-U			131	
	1Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C807U1			45	
	3Yr Mnt ARCserve LX Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C807U3			134	
	CA XOsoftWANSyncDR	XOsoft WANSync DR as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.		x	x	x	U15260-C0189			699300	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Windows Server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C50			3367	
	1Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C408U1			178	
	3Yr Mnt ARCserve WIN RAID Opt.	BrightStor ARCserve Backup for Windows RAID Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C408U3			535	
	ARCserve r11.5 WIN Tape RAID Option	ARCserve r11.5 Tape RAID Option for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C708			696	
	UP ARCserve r11.5 Tape RAID Option	ARCserve r11.5 for Windows Tape RAID Option Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C708-U			522	
	ARCserve r11.5 LX Client Agent NetWare	BrightStor ARCserve r11.5 Client Agent for NetWare! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C808			276	
	UP ARCserve r11.5 LX Client AgentNetWare	ARCserve r11.5 for Linux Upgrade Client Agent for NetWare from ARCserve v9, r11.0 or r11.1 Client Agent for NetWare Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C808-U			207	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	1Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C808U1			71	
	3Yr Mnt ARCserve LX Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C808U3			213	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle Server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C51			5051	
	1Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C409U1			143	
	3Yr Mnt ARCserve WIN Open File Agent WIN	BrightStor ARCserve Backup for Windows Open File Agent on Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C409U3			428	
	ARCserve r11.5 WIN Open File Agent WIN	ARCserve r11.5 Agent for Open Files on Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C709			556	
	UP ARCserve r11.5 Open File Agent	ARCserve r11.5 for Windows Open File Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C709-U			417	
	ARCserve r11.5 Client Agent for Windows	BrightStor ARCserve r11.5 Client Agent for Windows! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C809			175	
	UP ARCserve r11.5 LX Client AgentWindows	ARCserve r11.5 for Linux Upgrade Client Agent for Windows from ARCserve v9, r11.0 or r11.1 Client Agent for Windows Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C809-U			131	
	1Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C809U1			45	
	3Yr Mnt ARCserve LX Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C809U3			134	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C52			5051	
	1Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C410U1			143	
	3Yr Mnt ARCserve WIN Open File Agent NW	BrightStor ARCserve Backup for Windows Open File Agent on NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C410U3			428	
	ARCserve r11.5 NetWare Open File Agent	ARCserve r11.5 Agent for Open Files on NetWare; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C710			556	
	UP ARCserve r11.5 Informix Agent	ARCserve r11.5 for Windows Informix Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C711-U			679	
	ARCserve r11.5 LX SAN Option	BrightStor ARCserve r11.5 für Linux Storage Area Network Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C810			1115	
	UP ARCserve r11.5 LX SAN Option	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C810-U			836	
	1Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C810U1			286	
	3Yr Mnt ARCserve LX SAN Option	BrightStor ARCserve Backup for Linux Storage Area Network Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C810U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 1 year CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C53			5051	
	1Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C411U1			232	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	3Yr Mnt ARCserve WIN Informix Agent	BrightStor ARCserve Backup for Windows Informix Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C411U3			697	
	ARCserve r11.5 WIN Informix Agent	ARCserve r11.5 Agent for Informix for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C711			906	
	UP ARCserve r11.5 MS Exchange Agent	ARCserve r11.5 for Windows Exchange Agent Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C712-U			522	
	ARCserve r11.5 LX SAN SecondarySrvBundl	BrightStor ARCserve r11.5 for Linux SAN Secondary Server Bundle! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C811			1115	
	UP ARCserve r11.5 LX SAN Sec. Srv.Bundle	ARCserve r11.5 for Linux Upgrade SAN Option from ARCserve v9, r11.0 or r11.1 SAN Option for Linux Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C811-U			836	
	1Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C811U1			286	
	3Yr Mnt ARCserve LX SAN Sec.Srv.Bundle	BrightStor ARCserve Backup for Linux SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C811U3			858	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Windows Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Windows server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C70			5051	
	1Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C412U1			178	
	3Yr Mnt ARCserve WIN Exchange Agent	BrightStor ARCserve Backup for Windows Exchange Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C412U3			535	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	ARCserve r11.5 WIN Exchange Agent	ARCserve r11.5 Agent for Microsoft Exchange for Windows; works with ARCserve r11.5 basic! Allows online databases or mailboxes on the Exchange Server to be selectively backed up or restored. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C712			696	
	UP ARCserve r11.5 MS Exch.Premium Bund	ARCserve r11.5 for Windows Exchange Premium Bundle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C713-U			836	
	ARCserve r11.5 LX Advantage IngresOption	BrightStor ARCserve r11.5 for Enterprise Option for Advantage Ingres for Linux! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C812			906	
	1Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C812U1			232	
	3Yr Mnt ARCserve LX Advantage Ingres Opt	BrightStor ARCserve Backup for Enterprise Option for Advantage Ingres for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C812U3			697	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Oracle Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Oracle server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C71			7577	
	1Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C413U1			286	
	3Yr Mnt ARCserve WIN Exchange Bundle	BrightStor ARCserve Backup for Windows Premium MS Exchange Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C413U3			858	
	ARCserve r11.5 WIN Exchange Prem.Bundle	ARCserve r11.5 MS Exchange Premium Bundle! Consisting of ARCserve r11.5 Exchange Agent and ARCserve r11.5 MS Exchange Premium Add-On! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C713			1115	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	UP ARCserve r11.5 Lotus/Domino Agent	ARCserve r11.5 for Windows Agent for Lotus/Domino Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C715-U			522	
	ARCserve r11.5 LX Disk Staging Option	BrightStor ARCserve r11.5 for Linux Disk Staging Option! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C813			346	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for Exchange Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for Exchange server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C72			7577	
	1Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C414U1			178	
	3Yr Mnt ARCserve WIN Exchange Add On	BrightStor ARCserve Backup for Windows MS Exchange Premium Add-On - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C414U3			535	
	ARCserve r11.5 WIN Exchange Prem.Add-O	ARCserve r11.5 MS Exchange Premium Add-On; works with ARCserve r11.5 basic and ARCserve r11.5 Exchange Agent! Allows the backup and restore on document section! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C714			696	
	UP ARCserve r11.5 Sybase Agent	ARCserve r11.5 for Windows Agent for Sybase Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C716-U			679	
	ARCserve r11.5 LX Lotus / Domino Agent	BrightStor ARCserve r11.5 for Linux Agent for Lotus / Domino Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C814			696	
	BrightStor High Availability Upgrade	BrightStor High Availability r11.1 Upgrade to 2 XOsoft WANSyncHA for SQL Standard server- inclusive 3 years CA Enterprise Maintenance. Offers Data replication with High Availability for SQL server. Product includes 1x media kit and 1x license for two servers.		x	x	x	U15260-C73			7577	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	ARCserve r11.1 LX FlexFrame Agent	Allows the backup of one online SAP/Oracle database under linux and the archive of Redo-log files! Licensing is made pro SID! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basblx115_cdl.asp, , CA Compatibility Matrix (Linux), https://supportconnectw.ca.com/public/storage/infodocs/basb115linux/basb115linux-compmatrix.asp		x	x	x	U15355-C356			1625	
	1Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C415U1			178	
	3Yr Mnt ARCserve WIN Lotus/Domino Agent	BrightStor ARCserve Backup for Windows Lotus/Domino Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C415U3			535	
	ARCserve r11.5 WIN Lotus/Domino Agent	ARCserve r11.5 Agent for Lotus Notes for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C715			696	
	UP ARCserve r11.5 Oracle Agent	ARCserve r11.5 for Windows Agent for Oracle Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C717-U			522	
	CA XOsoftWANSyncHA	XOsoft WANSync HA as configuration with alternatively 1 or 3 years CA Enterprise Maintenance.		x	x	x	U15260-C0288			699300	
	1Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C416U1			232	
	3Yr Mnt ARCserve WIN Sybase Agent	BrightStor ARCserve Backup for Windows Sybase Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C416U3			697	
	ARCserve r11.5 WIN Sybase Agent	ARCserve r11.5 Agent for Sybase for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C716			906	
	UP ARCserve r11.5 MS SQL Agent	ARCserve r11.5 for Windows Agent for SQL Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C718-U			522	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	1Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C417U1			178	
	3Yr Mnt ARCserve WIN Oracle Agent	BrightStor ARCserve Backup for Windows Oracle Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C417U3			535	
	ARCserve r11.5 WIN Oracle Agent	ARCserve r11.5 Agent for Oracle for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C717			696	
	UP ARCserve r11.5 Client Agent for UNIX	ARCserve r11.5 Client Agent for UNIX Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C720-U			207	
	1Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C418U1			178	
	3Yr Mnt ARCserve WIN SQL Agent	BrightStor ARCserve Backup for Windows SQL Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C418U3			535	
	ARCserve r11.5 WIN SQL Server Agent	ARCserve r11.5 Agent for Microsoft SQL for Windows; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C718			696	
	UP ARCserve r11.5 Client Agent Linux	ARCserve r11.5 Client Agent for Linux Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C721-U			131	
	1Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C419U1			280	
	3Yr Mnt ARCserve WIN SAP R/3 Agent	BrightStor ARCserve Backup for Windows SAP R/3 Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C419U3			839	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	ARCserve r11.5 SAP R/3 Agent for Oracle	ARCserve r11.5 Agent for SAP R/3 for Oracle; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C719			1871	
	UP ARCserve r11.5 Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!, Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C722-U			207	
	1Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C420U1			71	
	3Yr Mnt ARCserve WIN Client Agent UNIX	BrightStor ARCserve Backup Client Agent for UNIX - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C420U3			212	
	ARCserve r11.5 WIN Client Agent UNIX	ARCserve r11.5 Client Agent for UNIX; works with ARCserve r11.5 basic! Allows the backup of one further UNIX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C720			276	
	UP ARCserve r11.5 Client Agent Windows	ARCserve r11.5 Client Agent for Windows Upgrade from ARCserve v9, r11.0 or r11.1 for Windows!! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released!Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C723-U			131	
	1Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C421U1			45	
	3Yr Mnt ARCserve WIN Client Agent Linux	BrightStor ARCserve Backup Client Agent for Linux - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C421U3			134	
	ARCserve r11.5 WIN Client Agent Linux	ARCserve r11.5 Client Agent for Linux; works with ARCserve r11.5 basic! Allows the backup of one further LINUX servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p		x	x	x	U15355-C721			175	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	UP ARCserve r11.5 WIN Sngl Srv-Full Edt	ARCserve r11.5 for Windows Upgrade from ARCserve Single Server Edition to ARCserve r11.5 for Windows Standard Edition. BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C780-U			406	
	1Yr Mnt ARCserve WIN Client AgentNetware	BrightStor ARCserve Backup Client Agent for NetWare - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C422U1			71	
	3Yr Mnt ARCserve WIN Client Agent NW	BrightStor ARCserve Backup Client Agent for NetWare - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C422U3			212	
	ARCserve r11.5 WIN Client Agent NetWare	ARCserve r11.5 Client Agent for NetWare; works with ARCserve r11.5 basic! Allows the backup of one further NetWare servers! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.as, p		x	x	x	U15355-C722			276	
	1Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C423U1			45	
	3Yr Mnt ARCserve WIN Client Agent WIN	BrightStor ARCserve Backup Client Agent for Windows - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C423U3			134	
	ARCserve r11.5 WIN Client Agent Windows	ARCserve r11.5 Client Agent for Windows Servers; works with ARCserve r11.5 basic! Allows the backup of one further Windows servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C723			175	
	1Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C424U1			71	
	3Yr Mnt ARCserve WIN Clt Agt MAC OS X	BrightStor ARCserve Backup Client Agent for MAC OS X - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C424U3			212	
	ARCserve r11.5 WIN Client Agent MAC OS X	ARCserve r11.5 Client Agent for Mac OS X; works with ARCserve r11.5 basic! Allows the backup of one further Mac OS X servers! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C724			276	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	1Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C428U1			286	
	3Yr Mnt ARCserve WIN SAN Sec.Srv.Bundle	BrightStor ARCserve Backup SAN Secondary Server Bundle - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C428U3			858	
	ARCserve r11.5 WIN Special	ARCserve r11.5 Special! Consisting of ARCserve r11.5 basic and ARCserve r11.5 Disaster Recovery! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C725			1028	
	1Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C429U1			232	
	3Yr Mnt ARCserve WIN Clt VSS SnapShot	BrightStor ARCserve Backup for Windows Client VSS Software Snap Shot - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C429U3			697	
	ARCserve r11.5 WIN Secondary Srv Bundle	ARCserve r11.5 Secondary Server Bundle! Exists of ARCserve r11.5 basic license and ARCserve r11.5 SAN Option license! No media kit included! For further server which has access to the jukebox in a SAN! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C726			1115	
	1Yr Mnt ARCserve WIN Enterprise Module	BrightStor ARCserve Backup for Windows Enterprise Module - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C430U1			673	
	3Yr Mnt ARCserve WIN Enterprise Modul	BrightStor ARCserve Backup for Windows Enterprise Module - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C430U3			2018	
	ARCserve r11.5 WIN Clt VSS SW Snap Shot	ARCserve r11.5 Client for VSS (Volume Shadow Copy Service) Snap Shot! The integration with Microsoft VSS-ability applications allows backups to a specific time. In this process can be saved snapshot copies, when the processes are activ and open datas are working. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C727			906	
	1Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C431U1			89	
	3Yr Mnt ARCserve WIN DiskStaging Option	BrightStor ARCserve Backup for Windows Disk Staging Option - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C431U3			266	

Accessories Storage Tape Systems **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
OS/Application-SW (Continued)											
	ARCserve r11.5 WIN Disk Staging Option	ARCserve r11.5 Disk Staging Option Shrinks backup time by allowing backup data to be staged to fast disk drives before it is automatically moved to tape. Restore requests are redirected to disks automatically, reducing recovery time. The whole operation is policy driven, reducing cost and management overhead. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C728			346	
	1Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C432U1			178	
	3Yr Mnt ARCserve WIN SharePnt Portal Agt	BrightStor ARCserve Backup for Windows Share Point Portal Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C432U3			535	
	ARCserve r11.5 WIN Share Point Portal	ARCserve r11.5 für Windows Share Point Portal Agent With this agent Microsoft Share Point and all its components will be identify and efficiently backed up. Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C729			696	
	1Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 1 Year CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 1 year...!		x	x	x	U15355-C433U1			178	
	3Yr Mnt ARCserve WIN DPM Agent	BrightStor ARCserve Backup for Windows DPM Agent - 3 years CA Enterprise Maintenance Bestehend aus: 24x7 priority enterprise phone-based support; Unlimited access to SupportConnect, CA´s web-based support infrastructure; Download software and patches; Upgrade protection for 3 years...!		x	x	x	U15355-C433U3			535	
	ARCserve r11.5 Enterprise Modul	ARCserve r11.5 Enterprise Module; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C730			2951	
	ARCserve r11.5 WIN DPM Agent	ARCserve r11.5 for Windows DPM Agent; works with ARCserve r11.5 basic! BrightStor ARCserve Backup r11.5 is for Windows 2000 / 2003 certified and released! Hardware and operating system dependent extract from the following link:, CA Certified Device List (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win_cdl.asp, , CA Compatibility Matrix (Windows), https://supportconnectw.ca.com/public/storage/infodocs/basb115win/basb115win-compmatrix.asp		x	x	x	U15355-C731			696	
MTC Devices											
	SCSI Terminator LVD	SCSI differential terminator., Required for multichannel configurations.			x	x	D:TERM-SCSI-LVD			87	
	MTC ch. VXA-2, enclosure	VXA-2 PackageLoader enclosure., Enclosure for VXA2-110B-1U or VXA"-110-1U.		x			D:VXA2-110-COVER			192	
Media											
	LTO cleaning cartridge Fuji	Cleaning cartridge without label from Fuji for LTO-1, LTO-2 and LTO-3 drives	x		x	x	D:CL-LTO2-FJ-01			41	
	LTO cleaning cartridge with label	cleaning cartridge with label from Fuji for LTO-1, LTO-2 and LTO-3 drives	x		x	x	D:CL-LTO2-FJ-01L			41	

Accessories Storage Tape Systems

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Accessories & services matrix											
Media (Continued)											
	LTO cleaning cartridge IBM	Cleaning cartridge without label from IBM for LTO-1, LTO-2 and LTO-3 drives	x		x	x	D:CL-LTO2-IB-01			48	
	LTO cleaning cartridge with label	cleaning cartridge with label from IBM for LTO-1, LTO-2 and LTO3-drives	x		x	x	D:CL-LTO2-IB-01L			48	
	LTO cleaning cartridge Maxell	cleaning cartridge without label from Maxell for LTO-1 and LTO-2 drives			x	x	D:CL-LTO2-MX-01			38	
	LTO cleaning cartridge with label	cleaning cartridge with label from Maxell for LTO-1 and LTO-2 drives			x	x	D:CL-LTO2-MX-01L			38	
	LTO cleaning label	label for LTO cleaning cartridges	x		x	x	D:CL-LTO-LAB			1	
	VXA cleaning label	Label for VXA cleaning cartridge		x			D:CL-VXA2-LAB			1	
	VXA cleaning cartridge	VXA cleaning cartridge		x			D:CL-VXA2-X-01			16	
	VXA cleaning cartridge with label	VXA cleaning cartridge		x			D:CL-VXA2-X-01L			17	
	LTO 2 data cartridge Fuji	LTO-2 data cartridge without label from Fuji, 200 GB native capacity	x		x	x	D:CR-LTO2-FJ-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Fuji, 200 GB native capacity	x		x	x	D:CR-LTO2-FJ-01L			21	
	12 LTO 2 cartridges with label	12 LTO-2 data cartridges with random label from Fuji, 200 GB native capacity	x		x	x	D:CR-LTO2-FJ-12L			236	
	LTO 2 data cartridge IBM	LTO-2 data cartridge without label from IBM, 200 GB native capacity	x		x	x	D:CR-LTO2-IB-01			20	
	LTO 2 data cartridge with label	LTO 2 data cartridge with label from IBM, 200 GB native capacity	x		x	x	D:CR-LTO2-IB-01L			21	
	12 LTO2 cartridges IBM with random label	12 LTO-2 data cartridges with random label from IBM, 200 GB native capacity	x		x	x	D:CR-LTO2-IB-12L			241	
	LTO 2 barcode label	label for LTO-2 data cartridges	x		x	x	D:CR-LTO2-LAB			1	
	LTO 2 data cartridge Maxell	LTO-2 data cartridge without label from Maxell, 200 GB native capacity			x	x	D:CR-LTO2-MX-01			20	
	LTO 2 data cartridge with label	LTO-2 data cartridge with label from Maxell, 200 GB native capacity			x	x	D:CR-LTO2-MX-01L			21	
	LTO 3 data cartridge Fuji	LTO-3 data cartridge without label from Fuji, 400 GB native capacity	x		x	x	D:CR-LTO3-FJ-01			29	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Fuji, 400 GB native capacity	x		x	x	D:CR-LTO3-FJ-01L			29	
	LTO 3 WORM data cartridge	LTO-3 WORM data cartridge without label from Fuji, 400 GB native capacity	x		x	x	D:CR-LTO3-FJ-01W			57	
	LTO 3 WORM data cartridge with label	LTO-3 WORM data cartridge with label from Fuji, 400 GB native capacity	x		x	x	D:CR-LTO3-FJ-01WL			59	
	12 LTO3 cartridge Fuji with random label	12 LTO-3 data cartridges with random label from Fuji, 400 GB native capacity	x		x	x	D:CR-LTO3-FJ-12L			329	
	LTO 3 data cartridge IBM	LTO-3 data cartridge without label from IBM, 400 GB native capacity	x		x	x	D:CR-LTO3-IB-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from IBM, 400 GB native capacity	x		x	x	D:CR-LTO3-IB-01L			28	
	12 LTO3 cartridges IBM with random label	12 LTO-3 data cartridges with random label from IBM, 400 GB native capacity	x		x	x	D:CR-LTO3-IB-12L			324	
	LTO 3 barcode label	label for LTO-3 data cartridges	x		x	x	D:CR-LTO3-LAB			1	
	LTO 3 data cartridge Sony	LTO-3 data cartridge without label from Sony, 400 GB native capacity	x		x	x	D:CR-LTO3-SY-01			27	
	LTO 3 data cartridge with label	LTO-3 data cartridge with label from Sony, 400 GB native capacity	x		x	x	D:CR-LTO3-SY-01L			27	
	Transport case for magazines	cleaning cartridge with label from IBM for LTO-1, LTO-2 and LTO3-drives			x	x	D:CR-TX248-CASE			86	
	VXA barcode label	Label for VXA data cartridge		x			D:CR-VXA2-LAB			1	
	VXA-2/320 data cartridge 40/80GB	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x			D:CR-VXA2-X10-01			17	
	VXA-2/320 data cartr. 40/80GB with label	data capacity in VXA2 mode: 40 GB, data capacity in VXA320 mode: 80 GB		x			D:CR-VXA2-X10-01L			18	
	VXA-2/320 data cartridge 80/160GB	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x			D:CR-VXA2-X23-01			35	
	VXA-2/320 data cartr 80/160GB with label	data capacity in VXA2 mode: 80 GB, data capacity in VXA320 mode: 160 GB		x			D:CR-VXA2-X23-01L			36	
FibreCAT TX devices											
	magazine 12 slots	FibreCAT TX24/ TX48 Magazine 12 Slot (without mail slot), Magazine 12 slot for all FibreCAT TX24 and TX48 models.			x	x	D:FCTX-CM12			182	
	magazine 12 slots and mail slot	FibreCAT TX24/ TX48 Magazine 12 Slot (with mail slot), Magazine 12 slot for all FibreCAT TX24 and TX48 models.			x	x	D:FCTX-CM12M			259	

Options Storage Tape Systems

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FibreCAT TX08	FibreCAT TX10 PacketLoader	FibreCAT TX24 LTO	FibreCAT TX48 LTO	Code			End User Price (£)	Comments
Options matrix											
Rack-Infrastructure											
	Rackinstallation TX works Augsburg	Service for installation of a FibreCAT TX System into a PRIMERGY Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	D:FCTX-INPSR			80	
	PRIMERPOWER Rackinstallation TX ex work	Service for installation of a FibreCAT TX System into a PRIMEPOWER Rack ex works., With ordering this service, the FibreCAT TX will be premounted in a 12/24/38U Rack ex works.	x	x	x	x	D:FCTX-INPWR			80	
Storage MTC											
	Quickstart Primergy Linux	Quickstart Primergy Linux	x				D:FCTX08-L			6	
	Quickstart other Server	Quickstart other Server	x				D:FCTX08-OS			6	
	Quickstart Primquest Linux	Quickstart Primquest Linux	x				D:FCTX08-PL			6	Orderable from: 01/11/2007
	Quickstart Primquest Windows	Quickstart Primquest Windows	x				D:FCTX08-PW			6	
	Quickstart Primpower/ SES Solaris	Quickstart Primpower/ SES Solaris	x				D:FCTX08-S			6	
	Quickstart Primergy VMWare	Quickstart Primquest VMWare	x				D:FCTX08-VMW			6	
	Quickstart Primergy Windows	Quickstart Primergy Windows	x				D:FCTX08-W			6	
	Quickstart PRIMEQUEST Linux	Quickstart PRIMEQUEST Linux				x	D:FCTX48-L			6	
	Quickstart PRIMERGY Linux	Quickstart PRIMERGY Linux				x	D:FCTX48-LP			6	
	Quickstart Other Server	Quickstart Other Server				x	D:FCTX48-OS			6	
	Quickstart PRIMEQUEST Windows	Quickstart PRIMEQUEST Windows				x	D:FCTX48-PW			6	
	Quickstart PRIMEPOWER/SES Solaris	Quickstart PRIMEPOWER/SES Solaris				x	D:FCTX48-S			6	
	Quickstart PRIMERGY Windows	Quickstart PRIMERGY Windows				x	D:FCTX48-W			6	
	Quickstart PRIMERGY Linux	BS PRIMERGY Linux license			x		D:FCTX-LIZL			6	
	Quickstart Other Server	BS Other Server license			x		D:FCTX-LIZOS			6	
	Quickstart PRIMEQUEST Linux	BS PRIMEQUEST Linux license			x		D:FCTX-LIZPL			6	
	Quickstart PRIMEQUEST Windows	BS PRIMEQUEST WIndows license			x		D:FCTX-LIZPW			6	
	Quickstart PRIMEPOWER/SES Solaris	Quickstart Guide Primepower/ SES Server			x		D:FCTX-LIZS			6	
	Qickstart PRIMERGY Windows	BS PRIMERGY Windows license			x		D:FCTX-LIZW			6	
FibreCAT TX devices											
	FibreCAT TX24 Licence 12 - 24 Slot	FibreCAT TX24 License 12 - 24 Slot, License for second changer magazine (slots 13 - 24), For all FibreCAT TX24 Models			x		D:FCTX-24S-UPG			1056	Price change
	FibreCAT TX48 Licence Slot 13-24	FibreCAT TX48 license 13 - 24 Slot, License for second changer magazine (slots 13 - 24)				x	D:FCTX48-24S-UPG			1664	
	FibreCAT TX48 Licence Slot 25-36	FibreCAT TX48 license 25 - 36 Slot, License for second changer magazine (slots 25 - 36)				x	D:FCTX48-36S-UPG			1664	
	FibreCAT TX48 Licence Slot 37-48	FibreCAT TX48 license 37 - 48 Slot, License for second changer magazine (slots 37 - 48)				x	D:FCTX48-48S-UPG			1664	
	FibreCAT TX dr LTO2 SCSI Half-Height	FibreCAT TX24 drive LTO2 Half-Hight, LTO2 drive capable of reading and writing to LTO-1 and LTO-2 cartridges, Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable			x	x	D:FCTX-U2L-HH			1592	
	FibreCAT TX dr FC LTO3 Full-Height	FibreCAT TX24 drive LTO3 FC Full-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Fibre Channel 4 GB interface, accessories, - Terminator, - daisy chain cable			x	x	D:FCTX-U3F			2891	
	FibreCAT TX dr LTO3 SCSI Full-Height	FibreCAT TX24 drive LTO3 Full-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable			x	x	D:FCTX-U3L			2520	
	FibreCAT TX dr LTO3 SCSI Half-Hight	FibreCAT TX24 drive LTO3 Half-Hight, LTO3 drive capable of reading and writing to LTO-2 and LTO-3 cartridges, LTO-1 capable of reading., Ultra3 SCSI wide (160 MByte/s), accessories, - Terminator, - daisy chain cable			x		D:FCTX-U3L-HH			1613	

Positioning SAN components **Data Sheets: http://www.fujitsu-siemens.com/storage**

Switches and routers
The fibre channel switch is the key component of a SAN. It delivers high performance and throughput for the network. The Routers are the connection from SCSI tape devices to a Storage Area Network.

Fibre channel switches

Fibre channel switches
The SilkWorm family stand for high performance SAN concepts and high availability. 4 Gbit/s fibre channel is the latest and currently fastest technology for connecting the servers and storage devices. The 8-, 16-, 32- and 128-port, auto-sensing fibre channel switches significantly increases performance and functionality for Storage Area Networks (SANs).

Fibre channel routers

Fibre channel routers
The ideal product for connecting tape libraries to a fibre channel network. Supports a fast and secure backup via a Storage Area Network

Storage SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
FC-Switch 200E							
	FC-Switch 200E 8/16 Port WT ZO	Fibre Channel switch with 16 ports, 8 active ports, Web Tools, Zoning, upgrade to 12 or 16 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSWR-08P200EL			1671	
	FC-Switch 200E 8/16 Port WT ZO FF PP	Fibre Channel switch with 16 ports, 8 active ports, Web Tools, Zoning, Full Fabric, Fabric Watch, Performance Monitoring, Trunking, upgrade to 12 or 16 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSWR-08P200EE			4923	
	FC-Switch 200E 16/16 Port WT ZO	Fibre Channel switch with 16 ports, 16 active ports, Web Tools, Zoning, 1 year on site warranty incl right to use software updates	D:FCSWR-16P200EL			3140	
	FC-Switch 200E 16/16 Port WT ZO FF PP	Fibre Channel switch with 16 ports, 16 active ports, Web Tools, Zoning, Full Fabric, Fabric Watch, Performance Monitoring, Trunking, 1 year on site warranty incl right to use software updates	D:FCSWR-16P200EE			7126	
	FC-Switch 200E 8/16 Port WT ZO (for SX)	Fibre Channel switch with 16 ports for SX, 8 active ports, Web Tools, Zonin, upgrade to 12 or 16 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-SX			1671	
FC-Switch 4900							
	FC-Switch 4900 32/64 Port, WT ZO FF	Fibre Channel switch with 64 ports, 32 active ports, Web Tools, Zoning, Full Fabric, upgrade to 48 or 64 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-64P4932L			20839	
	FC-Switch 4900 32/64 Port, WT ZO FF PP	Fibre Channel switch with 64 ports, 32 active ports, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, upgrade to 48 or 64 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-64P4932E			24825	
FC-Switch 5000							
	FC-Switch 5000 16/32 Port, WT ZO FF	Fibre Channel switch with 32 ports, 16 active ports, Web Tools, Zoning, Full Fabric, upgrade to 24 or 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-32P5000L			6259	
	FC-Switch 5000 16/32 Port, WT ZO FF PP	Fibre Channel switch with 32 ports, 16 active ports, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, upgrade to 24 or 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-32P5000E			10350	
	FC-Switch 5000 24/32 Port, WT ZO FF	Fibre Channel switch with 32 ports, 24 active ports, Web Tools, Zoning, Full Fabric, upgrade to 24 or 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-24P5000L			6259	
	FC-Switch 5000 24/32 Port, WT ZO FF PP	Fibre Channel switch with 32 ports, 24 active ports, Web Tools, Zoning, Full Fabric, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, upgrade to 32 ports by activating the port license, 1 year on site warranty incl right to use software updates	D:FCSW-24P5000E			10350	
IP CISCO 3750G							
	Switch CISCO 3750 48xRJ45/4x opt. port	CISCO LAN Switch/Router 3750G-48TS-S ! An optional powercord with 'Schuko plug' is included. FOR FLEXFRAME PROJECTS ONLY	D:LSW-C3750G48TS			8376	

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
IP CISCO 3750G (Continued)							
	Switch CISCO 3750 24xRJ45	CISCO LAN Switch/Router 3750G-24T-S ! An optional powercord with 'Schuko plug' is included. FOR FLEXFRAME PROJECTS ONLY	D:LSW-C3750G24T			3874	
	Switch CISCO 3750 24xRJ45/4x opt. port	CISCO LAN Switch/Router 3750G-24TS-S ! An optional powercord with 'Schuko plug' is included. FOR FLEXFRAME PROJECTS ONLY	D:LSW-C3750G24TS			4524	

Accessories SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FC ROUTER/EXTENDER	FC SWITCH	FCSW 128P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	IP CISCO 3750G	Code			End User Price (£)	Comments
Accessories & services matrix																	
Rack-Infrastructure																	
	Adapter angle PC/DC-Rack, till 50Kg	Adapter angle 50 kg for PRIMECENTER and DataCenter rack		x									S26361-F2735-L10			14	
	Adapter angle PC/DC-Rack, till 150Kg	Adapter angle 150 kg for PRIMECENTER and DC rack		x									S26361-F2735-L15			16	
OS/Application-SW																	
	SANView license for up to 32 ports V5.x	SANView 5.x license for up to 32 ports!, SANView allows the monitoring, configuration and visualization of your SAN environment! Note: Licencing of Softek SANView takes place dependent of number of ports. Further Softek SANView is only released for 2GB Brocade switches.			x	x	x	x	x				U15355-C5000			8808	
FC/IP-Infrastructure																	
	SFP Multi Mode (max 500m) CISCO	SFP 1GB/s MMF for CISCO Switches										x	D:FCSFP-MM1G-C-L			360	
	SFP Single Mode (max 70km) CISCO	SFP 1GB/s SMF 70km for CISCO Switches										x	D:FCSFP-SM1G70-C-L			2769	
	SFP Single Mode (max 10km) CISCO	SFP 1GB/s SMF for CISCO Switches										x	D:FCSFP-SM1G-C-L			690	
	SFP Multi Mode Fibre, 2 GB/s, 300 m	SFP Multi Mode Fibre, 2 GB/s, 300 m						x	x	x			D:FCGBIC-MM2G-01-L			132	
	SFP Single Mode Fibre, 2 GB/s, 10 km	SFP Single Mode Fibre, 2 GB/s, 10 km						x	x	x			D:FCGBIC-SM2G-01-L			250	
	SFP Single Mode Fibre, 2 GB/s, 35km	SFP Single Mode Fibre, 2 GB/s, 35km						x	x	x			D:FCSFP-SM2G-35-L			992	
	SFP Multi Mode Fibre, 4 GB/s, 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m						x	x	x	x		D:FCSFP-MM4G-L			146	
	SFP Single Mode Fibre, 4 GB/s, 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km						x	x	x	x		D:FCSFP-SM4G-04-L			376	
	SFP Single Mode Fibre, 4 GB/s, 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km						x	x	x	x		D:FCSFP-SM4G-10-L			685	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km						x	x	x	x		D:FCSFP-SM4G-30-L			1267	
Cables																	
	FC cable MMF, 10m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)						x	x	x	x		D:FCKAB-MM-C10L			31	
	FC cable MMF, 20m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)		x									D:FCKAB-MM-C20L			42	
	FC cable MMF, 50m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)		x									D:FCKAB-MM-C50L			68	
	FC Kabel MMF 100m, Connector LC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)		x									D:FCKAB-MM-C100L			112	Phased out
	FC cable MMF, 10m, LC/SC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x	x									D:FCKAB-MM-B10L			31	
	FC cable MMF, 20m, LC/SC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x	x									D:FCKAB-MM-B20L			42	
	FC Kabel MMF 50m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x	x									D:FCKAB-MM-B50L			70	Phased out
	FC Kabel MMF 100m, Connector SC-LC	optical multimode cable (50 um) to connect device having Fibre Channel 1GBIT/s interface (DUPLEX SC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x	x	x	x	x						D:FCKAB-MM-B100L			112	Phased out

Accessories SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FC ROUTER/EXTENDER	FC SWITCH	FCSW 128P 24000	FCSW 16P 385x	FCSW 8P 325x	FC-Switch 200E	FC-Switch 4100	FC-Switch 4900	FC-Switch 5000	IP CISCO 3750G	Code			End User Price (£)	Comments
Accessories & services matrix																	
Cables (Continued)																	
	FC cable SMF, 10m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 10 m		x									D:FCKAB-SM-C10L			63	
	FC cable SMF, 20m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 20 m		x									D:FCKAB-SM-C20L			70	
	FC cable SMF, 50m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 50 m		x									D:FCKAB-SM-C50L			91	
	FC cable SMF, 100m, LC/LC	optical singlemode- cable (9um) having LC-LC-connector combination), length 100m		x									D:FCKAB-SM-C100L			133	
	FC Kabel SMF 10m, Connector SC-LC	optical singlemode- cable (9um) having SC-LC-connector combination), length 10 m		x									D:FCKAB-SM-B10L			56	Phased out
	FC Kabel SMF 20m, Connector SC-LC	optical singlemode- cable (9um) having SC-LC-connector combination), length 20 m		x									D:FCKAB-SM-B20L			63	Phased out
	FC Kabel SMF 50m, Connector SC-LC	optical singlemode- cable (9um) having SC-LC-connector combination), length 50 m		x									D:FCKAB-SM-B50L			84	Phased out

Options SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FC-Switch 200E	FC-Switch 4900	FC-Switch 5000	IP CISCO 3750G	Code			End User Price (£)	Comments
Options matrix											
Rack-Infrastructure											
	PRIMERGY Rackeinbau Switch ab Werk	Service for installation of a Brocade Switch 200E, 4100, 5000, 4900 into a PRIMERGY Rack ex works., With ordering this service, the Brocade Switch will be premounted in a 12/24/38U Rack ex works.	x	x	x		D:FCSW-INPSR			80	
	PRIMEPOWER rack install. switch ex work	Service for installation of a Brocade Switch 200E, 4100, 5000, 4900 into a PRIMEPOWER Rack ex works., With ordering this service, the Brocade Switch will be premounted in a 12/24/38U Rack ex works.	x	x	x		D:FCSW-INPWR			80	
FC/IP-Infrastructure											
	SFP Multi Mode (max 500m) CISCO	SFP 1GB/s MMF for CISCO Switches				x	D:FCSFP-MM1G-C			343	
	FC-Switch, 8-port upgrade	Brocade 5000 switch port license for upgrade to 24 or 32 ports			x		D:FCSW-32P-UP8P			3248	
	Service High Avail 3750T 12Mon D,A,NL	CISCO 3750T SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24T-HA			657	
	Service HA 3750T 12Mon CH,GB,IRE,RSA	CISCO 3750T SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24T-HA-I1			1490	
	Service HighAvail 3750T REG E2	CISCO 3750T SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24T-HA-I2			699	
	Service HigAvail 3750T REGION I3	CISCO 3750T SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24T-HA-I3			699	
	Service High Avail 3750TS 12mon D,A,NL	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24TS-HA			699	
	Service HA 3750TS 12Mon CH,GB,IRE,RSA	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24TS-HA-I1			1713	
	Service HighAvail 3750TS REG E2	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24TS-HA-I2			797	
	Service HighAvail 3750TS REGION I3	CISCO 3750TS SERVICE High Availability 12 months, 7x24, country specific				x	D:S-375G24TS-HA-I3			797	
	Service Standard 3750TS 12mon D,A,NL	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24TS-ST			643	
	Service Std 3750TS 12 Mon CH,GB,IRE,RSA	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24TS-ST-I1			1601	
	Service Standard 3750TS REG E2	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24TS-ST-I2			748	
	Service Standard 3750TS REGION I3	CISCO 3750TS SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24TS-ST-I3			748	
	Service Standard 3750T, 12 months D,A,NL	CISCO 3750T SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24T-ST			608	
	Service Std 3750T 12 Mon CH,GB,IRE,RSA	CISCO 3750T SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24T-ST-I1			1392	
	Service Standard 3750T REG E2	CISCO 3750T SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24T-ST-I2			657	
	Service Standard 3750T REGION I3	CISCO 3750T SERVICE STANDARD 12 months 5x9, country specific				x	D:S-375G24T-ST-I3			657	
	SFP Multi Mode Fibre, 2 GB/s, 300 m	SFP Multi Mode Fibre, 2 GB/s, 300 m	x	x			D:FCGBIC-MM2G-01			126	
	Extended Fabrics (5000/4100/3900)	Extended Fabrics for Brocade 5000, 4100 and 3900 switch, incl 1 year right to use software updates			x		D:FCSW-32P-EF			1846	
	FC-Switch, 16-port upgrade, 33/48	Brocade 4900 switch port license for upgrade from 33 to 48 ports		x			D:FCSW-64P49UP48			9650	
	FC-Switch, 4-port upgrade, 9/12	Brocade 200E switch port license for upgrade from 9 to 12 ports	x				D:FCSW-8P2108U12			937	
	Fabric Watch (200E)	Fabric Watch for Brocade 200E Switch, incl 1 year right to use software updates	x				D:FCSW-SW2100-FW			1352	

Options SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FC-Switch 200E	FC-Switch 4900	FC-Switch 5000	IP CISCO 3750G	Code			End User Price (£)	Comments
Options matrix											
FC/IP-Infrastructure (Continued)											
	Extended Fabrics (4900)	Extended Fabrics for Brocade 4900 switch, incl 1 year right to use software updates		x			D:FCSW-SW4900-EF			3490	
	FC-Switch 5000 SUS Back Level Supp Y1-3	FC-Switch 5000 Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment			x		D:SUP-5000-3			776	
	FC-Switch 200E SUS Back Level Supp Y1-3	FC-Switch 200E Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x				D:SUP-BR16P200EL-3			157	
	FC-Switch 4900 SUS Back Level Supp Y1-3	FC-Switch 4900 Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment		x			D:SUP-BR64P4932L-3			1853	
	SFP Single Mode Fibre, 2 GB/s, 10 km	SFP Single Mode Fibre, 2 GB/s, 10 km	x	x			D:FCGBIC-SM2G-01			238	
	Fabric Watch (5000/4100)	Fabric Watch for Brocade 5000 and 4100 Switch, incl 1 year right to use software updates			x		D:FCSW-32P-FW			1147	
	FC-Switch, 16-port upgrade, 49/64	Brocade 4900 switch port license for upgrade from 49 to 64 ports		x			D:FCSW-64P49UP64			9650	
	FC-Switch, 4-port upgrade, 13/16	Brocade 200E switch port license for upgrade from 13 to 16 ports	x				D:FCSW-8P2108U16			937	
	Performance Monitoring (200E)	Performance Monitoring for Brocade 200E Switch, incl 1 year right to use software updates	x				D:FCSW-SW2100-PM			1392	
	Fabric Watch (4900)	Fabric Watch for Brocade 4900 Switch, incl 1 year right to use software updates		x			D:FCSW-SW4900-FW			3147	
	FC-Switch 5000 SUS Back Level Supp +1Y	FC-Switch 5000 Back Level Support for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment			x		D:SUP-5000-1			388	
	FC-Switch 200E SUS Back Level Supp +1Y	FC-Switch 200E Back Level Support for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment	x				D:SUP-BR16P200EL-1			80	
	FC-Switch 4900 SUS Back Level Supp +1Y	FC-Switch 4900 Back Level Support for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment		x			D:SUP-BR64P4932L-1			930	
	SFP Single Mode Fibre, 2 GB/s, 35km	SFP Single Mode Fibre, 2 GB/s, 35km	x	x			D:FCSFP-SM2G-35			944	
	Performance Monitoring (5000/4100/3900)	Performance Monitoring for Brocade 5000, 4100 and 3900 switch, incl 1 year right to use software updates			x		D:FCSW-32P-PM			1427	
	FC-Switch, 32-port upgrade, 33/64	Brocade 4900 switch port license for upgrade from 33 to 64 ports		x			D:FCSW-64P49UPF			19301	
	FC-Switch, 8-port upgrade, 9/16	Brocade 200E switch port license for upgrade from 9 to 16 ports	x				D:FCSW-8P2108UF			1874	
	Trunking (200E)	Trunking for Brocade 200E Switch, incl 1 year right to use software updates	x				D:FCSW-SW2100-TR			2091	
	Performance Monitoring (4900)	Performance Monitoring for Brocade 4900 switch, incl 1 year right to use software updates		x			D:FCSW-SW4900-PM			3364	
	FC-Switch 5000 SUS Back Level Supp Y1-5	FC-Switch 5000 Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment			x		D:SUP-5000-5			1549	

Options SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FC-Switch 200E	FC-Switch 4900	FC-Switch 5000	IP CISCO 3750G	Code			End User Price (£)	Comments
Options matrix											
FC/IP-Infrastructure (Continued)											
	FC-Switch 200E SUS Back Level Supp Y1-5	FC-Switch 200E Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x				D:SUP-BR16P200EL-5			315	
	FC-Switch 4900 SUS Back Level Supp Y1-5	FC-Switch 4900 Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment		x			D:SUP-BR64P4932L-5			3706	
	SFP Multi Mode Fibre, 4 GB/s, 150 m	SFP Multi Mode Fibre, 4 GB/s, 150 m	x	x	x		D:FCSFP-MM4G			139	
	Trunking (5000/4100)	Trunking for Brocade 5000 and 4100 Switch, incl 1 year right to use software updates			x		D:FCSW-32P-TR			1636	
	Power Pack (200E)	Power Pack for Brocade 200E Switch includes: Fabric Watch, Performance Monitoring, Trunking, incl 1 year right to use software updates	x				D:FCSW-SW2100-PP			2122	
	Trunking (4900)	Trunking for Brocade 4900 Switch, incl 1 year right to use software updates		x			D:FCSW-SW4900-TR			4217	
	SFP Single Mode Fibre, 4 GB/s, 4 km	SFP Single Mode Fibre, 4 GB/s, 4 km	x	x	x		D:FCSFP-SM4G-04			357	
	Power Pack (5000/4100)	Power Pack for Brocade 5000 and 4100 Switch includes:, Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking. incl 1 year right to use software updates			x		D:FCSW-32P-PP			5552	
	Full Fabric (200E)	Full Fabric for Brocade 200E Switch, incl 1 year right to use software updates	x				D:FCSW-SW2100-FF16			797	
	Power Pack (4900)	Power Pack for Brocade 4900 Switch includes: Extended Fabrics, Fabric Watch, Performance Monitoring, Trunking, incl 1 year right to use software updates		x			D:FCSW-SW4900-PP			8105	
	SFP Single Mode Fibre, 4 GB/s, 10 km	SFP Single Mode Fibre, 4 GB/s, 10 km	x	x	x		D:FCSFP-SM4G-10			652	
	Secure Fabric OS (5000/4100/3900)	Secure Fabric OS for Brocade 5000, 4100 and 3900 Switch, incl 1 year right to use software updates			x		D:FCSW-32P-SO			4175	
	Extended Fabrics (200E/3250/3850)	Extended Fabrics for Brocade 200E, 3250, 3850 Switch, incl 1 year right to use software updates	x				D:FCSW-SW2100-EF			1776	
	Secure Fabric OS (4900)	Secure Fabric OS for Brocade 4900 Switch, incl 1 year right to use software updates		x			D:FCSW-SW4900-SO			5846	
	SFP Single Mode Fibre, 4 GB/s, 30 km	SFP Single Mode Fibre, 4 GB/s, 30 km	x	x	x		D:FCSFP-SM4G-30			1206	
	Fabric Manager Basic 4 domains	Fabric Manager 5.X - Base License - 1 Server up to 4 Domains, incl 1 year right to use software updates	x	x	x		D:FCSW-FM5-B			6566	
	SecFOS 5000/4100 SUS Back Level Sup Y1-3	Secure Fabric OS (5000/4100) Back Level Supp for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment			x		D:SUP-32P-SO-3			741	
	SecFOS 4900 SUS Back Level Supp Y1-3	Secure Fabric OS (4900) Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment		x			D:SUP-BRSWSO4900-3			2098	
	Fabric Manager Standard 10 domains	Fabric Manager 5.X - Standard License - 1 Server up to 10 Domains, incl 1 year right to use software updates	x	x	x		D:FCSW-FM5-S			13140	

Options SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FC-Switch 200E	FC-Switch 4900	FC-Switch 5000	IP CISCO 3750G	Code			End User Price (£)	Comments
Options matrix											
FC/IP-Infrastructure (Continued)											
	SecFOS 5000/4100 SUS Back Level Sup +1Y	Secure Fabric OS (5000/4100) Back Level Supp for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment			x		D:SUP-32P-SO-1			371	
	SecFOS 4900 SUS Back Level Supp +1Y	Secure Fabric OS (4900) Back Level Support for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment		x			D:SUP-BRSWSO4900-1			1063	
	Fabric Manager Enterprise unlim. domains	Fabric Manager 5.X - Enterprise License - 1 Server, Unlimited Domains, incl 1 year right to use software updates	x	x	x		D:FCSW-FM5-E			15308	
	SecFOS 5000/4100 SUS Back Level Sup Y1-5	Secure Fabric OS (5000/4100) Back Level Supp for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment			x		D:SUP-32P-SO-5			1479	
	SecFOS 4900 SUS Back Level Supp Y1-5	Secure Fabric OS (4900) Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment		x			D:SUP-BRSWSO4900-5			4196	
	SFP Single Mode (max 10km) CISCO	SFP 1GB/s SMF for CISCO Switches				x	D:FCSFP-SM1G-C			657	
	FabMan5 Basic SUS Back Level Supp Y1-3	Fabric Manager 5.X Basic Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-B04-3			853	
	SFP Single Mode (max 70km) CISCO	SFP 1GB/s SMF 70km for CISCO Switches				x	D:FCSFP-SM1G70-C			2636	
	FabMan5 Basic SUS Back Level Supp +1Y	Fabric Manager 5.X Basic Back Level Support for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-B04-1			427	
	FabMan5 Basic SUS Back Level Supp Y1-5	Fabric Manager 5.X Basic Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-B04-5			1692	
	FabMan5 Stand. SUS Back Level Supp Y1-3	Fabric Manager 5.X Standard Back Level Support for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-S10-3			1692	
	FabMan5 Stand. SUS Back Level Supp +1Y	Fabric Manager 5.X Standard Back Level Support for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-S10-1			860	
	FabMan5 Stand. SUS Back Level Supp Y1-5	Fabric Manager 5.X Standard Back Level Support for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-S10-5			3427	

Options SAN Components

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	FC-Switch 200E	FC-Switch 4900	FC-Switch 5000	IP CISCO 3750G	Code			End User Price (£)	Comments
Options matrix											
FC/IP-Infrastructure (Continued)											
	FabMan5 Enterp. SUS Back Level Supp Y1-3	Fabric Manager 5.X Enterprise Back Level Supp for authorized FSC service partners, year 1-3 software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-E99-3			2273	
	FabMan5 Enterp. SUS Back Level Supp +1Y	Fabric Manager 5.X Enterprise Back Level Supp for authorized FSC service partners, 1 year software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-E99-1			1147	
	FabMan5 Enterp. SUS Back Level Supp Y1-5	Fabric Manager 5.X Enterprise Back Level Supp for authorized FSC service partners, year 1-5 software update/3rd level support, interval starts with shipment	x	x	x		D:SUP-BRSWFM-E99-5			4545	
Cables											
	FC cable MMF, 5m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x	x	x	x	D:FCKAB-MM-C05L			29	
	FC cable MMF, 5m, LC/LC	optical multimode cable (50 um) to connect device having Fibre Channel 2GBIT/s interface (DUPLEX LC connector) to device with Fibre Channel 2Bit/s interface (DUPLEX LC connector)	x	x	x	x	D:FCKAB-MM-C05L-Z			78	

Positioning Unint. Power Supply **Data Sheets: http://www.fujitsu-siemens.com/storage**

Uninterrruptable Power Supply (UPS)
UPS systemes protect IT equipment against system drop outs triggered by power loss or bad power quality. They provide energy over a limited period of time (autonomy time) depending on the amount of battery capacity. Online technology provides highest quality power protection (VFI-SS-111) .

Masterguard ONLINE UPS
This UPS family provides Online functionality covering power requirements ranging from 0,5kW to several hundred kW. All devices use the same software which is available both for INTEL™ and SUN Sparc™ environments. Beside the standard software there is a high availability software which allows the safeguard of distributed solutions or large UPS farms.

Storage Uninterruptible Power Supply

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
MASTERGUARD Online UPS							
	UPS Rack 1kVA/7min, SER	Rack model incl. battery, Active power 700 W, Color: anthracite, Runtime: 7 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 4x IEC320 C13 (10A), , Distributor supplied:, 1x IEC320 C13 on 3x safety plug, Mains cable with safety plug, (CEE 7/7) plug; 1.8m	D:UPS-R1-PV1			577	
	UPS BP f. UPS Rack 1kVA/6min	UPS battery pack (BP) for 1 kVA rack UPS, Color: anthracite, incl. UPS connection cable,, Max 2 ext. batteries / UPSs, Runtime:, 1x ext. battery: 27 min (full load), 2x ext. battery: 51 min (full load)	D:UPS-R1-PA1			280	
	USV Rack 3kVA/0min, SER	Rack model without battery, Active power 2100 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 1x IEC320 C19 (16A), , Distributor supplied:, 1x IEC320 C19 on 3x safety plug, Mains cable with safety plug (CEE 7/7) plug; 1.8m	D:UPS-R3-PV1			1007	
	USV BP f. USV Rack 2-3kVA/6min	UPS battery pack (BP) for 3 kVA rack UPS, Color: anthracite, incl. UPS connection cable,, Max 5 ext. batteries / UPSs, Runtime:, 1x ext. battery: 5 min (full load), 2x ext. battery: 16 min (full load), 3x ext. battery: 23 min (full load), 4x ext. battery: 34 min (full load), 5x ext. battery: 43 min (full load)	D:UPS-R2R3-PA1			273	
	USV Rack 6kVA/0min, SER	Rack model without battery, Active power 4200 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor / cable supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R6-PV1			2168	
	UPS Rack 10kVA/0min, SER	Rack model without battery, Active power 7000 W, Color: anthracite, Runtime: 0 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), 1x permanent connection , Distributor supplied:, 1x CEE cable 32A (0.5m), 1-phase permanent connection required by electrician	D:UPS-R10-PV1			3636	
	USV BP f. USV Rack 6kVA-10kVA	UPS battery pack (BP) for 6 / 10 kVA rack UPS, Color: anthracite incl. UPS connection cable,, , Max. 3 ext. batteries 6kVA UPSs, Runtime:, 1x ext. battery: 12 min (full load), 2x ext. battery: 29 min (full load), 3x ext. battery: 45 min (full load), , Max. 4 ext. batteries/10kVA UPSs, Runtime:, 1x ext. battery: 5 min (full load), 2x ext. battery: 16 min (full load), 3x ext. battery: 25 min (full load), 4x ext. battery: 34 min (full load)	D:UPS-R6R10-PA1			909	
	UPS Tower ONLINE 1kVA/6min, SER	Tower modell incl. battery, Active power 700 W, Color: ergo gray, Runtime: 7 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software , and basic license for 3 servers, , comes with power outlet, 1x IEC320 C13 to 3x SCHUKO	D:UPS-T1-PV1			524	

Storage Uninterruptible Power Supply

Data Sheets: http://www.fujitsu-siemens.com/storage

Model	Description	Details	Code			End User Price (£)	Comments
Base unit configurations							
MASTERGUARD Online UPS (Continued)							
	UPS Tower ONLINE 3kVA/6min, SER	Tower modell incl. battery, Active power 2100 W, Color: ergo gray, Runtime: 6 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software , and basic license for 3 servers, Output side, 1-phase 2x IEC320 C19 (16A), , comes with power outlet 1x IEC320 C19 to 3x SCHUKO	D:UPS-T3-PV1			1189	
	USV Tower ONLINE 10kVA/6min, SER	Tower modell incl. battery, Active power 7000 W, Color: ergo gray; can be rolled, Runtime: 5 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection , No distributor supplied:, , 3-phase permanent connection, required by electrician	D:UPS31-T10-PV1			3427	
	USV BP f. Tower ONLINE 10kVA/6min, SER	External UPS battery pack (BP) for 10 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 23 min (full load), 2 ext. battery: 43 min (full load)	D:UPS31-T10-PA1			979	
	USV Tower ONLINE 20kVA/6min, SER	Tower modell incl. battery, Active power 14000 W, Color: ergo gray; can be rolled, Runtime: 10 min, Management: RS232/V.24, Connector: COM SubD-9, 1x slot for alternative adapter, 1x V24 cable (data cable), CD with management software and basic license for 3 servers, Output side, 1-phase, , 1x permanent connection, No distributor supplied:, , 3-phase permanent connection required by electrician	D:UPS31-T20-PV1			7622	
	USV BP f. Tower ONLINE 20kVA/6min, SER	External UPS battery pack (BP) for 20 kVA tower UPS, Color: ergo gray; rollable, incl. UPS connection cable,, max. 2 ext. batteries / UPSs, , Runtime: , 1 ext. battery: 41 min (full load), 2 ext. battery: 81 min (full load)	D:UPS31-T20-PA1			4189	

Accessories Unint. Power Supply

Data Sheets: http://www.fujitsu-siemens.com/storage

Category	Description	Details	APC Online UPS	MASTERGUARD Online UPS	Code			End User Price (£)	Comments
Accessories & services matrix									
UPS/Power supply									
	APC Online UPS RMK D/P/3rd P Racks	1 pair sliding rails, depth variable, for D/P/3rd P racks, for assembly of a floorstand APC online UPS into a rack, incl. adapter angle 150 kg	x		S26361-F2845-L1			75	
	sliding rails UPS for classic rack	for installation in 19" rack for USP, etc.	x		SNP:SY-F1331L51-P			27	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C19->C20		x	S26361-F3151-L300			20	

Options Unint. Power Supply **Data Sheets: http://www.fujitsu-siemens.com/storage**

Category	Description	Details	APC Online UPS	MASTERGUARD Online UPS	Code			End User Price (£)	Comments
Options matrix									
Rack-Infrastructure									
	Rack installation ex works, SX10, 1U Nod	Service for installation of a server or subsystem ex works., With ordering this service, the 12/24/38U rack will be delivered completely premounted and tested ex works. In case of the 46U rack, this service has to be ordered to get the mounting kits and the cables installed.	x		S26361-F1647-E302			44	
UPS/Power supply									
	Software UPS Cluster Client expansion	UPS- Management software MopUPS for redundant UPS (high available power- solutions); , License for 5 clients, closed from server via IP-SHUTDOWN command having the master-License installed. CD contains client software for Microsoft, LINUX und SOLARIS;, CLIENT-LIcense for 5 Clients;		x	D:90712-SWHA-CL5			160	
	Software UPS Cluster Master	--> for redundant UPS (high available power- solutions) only in combination with LAN Management, UPS has to be equipped with SC22 adapter. , Within Server clusters: every cluster member (NODE) needs one master-license (That master license has to be configured 1x per per cluster node, connected to the redundant UPS), The license can be extended , for clients attached to the server (using license D:90712-SWHA-CL5) , 5-client granularity and/or with , for 1 more UPS cluster consisting out of up to 5 ONLINE UPS (using license D:90712-SWHA-UC5) ; 1 License; CD contains drivers for Microsoft, LINUX und SOLARIS; MASTERLICENSE for one Server;		x	D:90712-SWHA-MAS			387	
	Software UPS Cluster UPS expansion	UPS- Management Software MopUPS for redundant UPS (high available Power- solutions); , License for one more UPS cluster having up to 5 UPS. Extension for MASTER-LICENSE.		x	D:90712-SWHA-UC5			148	
	start-up UPS 06/10kVA D	Installation inside Germany		x	D:9071-IBS-D			531	
	start-up UPS 06/10kVA EU	Installation inside Europe		x	D:9071-IBS-EU			752	
	Warranty for UPS 10kVA Tower 36Mon	SERVICE BASIC, life cycle: Month 00-36 includes:, - 36 Month of Service, - Service Call In, - Swap in D:<24h/EU:<48h, - shippment, not included:, - De-/Installation		x	D:9071-P103-SBAS			317	
	Service for UPS 10kVA Tower 36Mon			x	D:9071-P103-SERW			1825	
	Warranty for BP UPS 06kVA Rack 36Mon	Service Basic for 36 months, exchange service		x	D:9071R-A607-SBAS			273	
	Service for BP UPS 06kVA Rack 36Mon	Service Basic for 36 months, exchange service		x	D:9071R-A607-SERW			1549	
	Warranty for UPS 06kVA Rack 36Mon	Service Basic for 36 months, exchange service		x	D:9071R-P607-SBAS			135	
	Service for UPS 06kVA Rack 36Mon	Service Basic for 36 months, exchange service		x	D:9071R-P607-SERW			1076	
	Warranty for BP UPS 10kVA Tow 36Mon			x	D:9072-A103-SBAS			469	
	Service for BP UPS 10kVA Tow 36Mon			x	D:9072-A103-SERW			1615	
	Warranty for BP UPS 20kVA Tow 36Mon			x	D:9072-A203-SBAS			469	
	Service for BP UPS 20kVA Tow 36Mon			x	D:9072-A203-SERW			1958	
	start-up UPS 10/20kVA 3PH D	Installation inside Germany		x	D:9072-IBS-D			615	
	start-up UPS 10/20kVA 3PH EU	Installation inside Europe		x	D:9072-IBS-EU			944	
	Warranty for UPS 20kVA 3PH Tower 12Mon			x	D:9072-P203-SBAS			273	
	Service for UPS 20kVA 3PH Tower 12Mon			x	D:9072-P203-SERW			2290	
	RMK MG USV	ONLINE UPS rack mount kit (2 HU) for either ONLINE UPS or accumulator/battery pac		x	D:GPRAC-ZBMG061			84	
	Warranty for BP UPS 10kVA Rack 36Mon	Service Basic for 36 months, exchange service within 48h in europe		x	D:S-RA10K-BAS			280	
	USV LAN Controller SNMP, WEB browser	USV LAN controller, SNMP, WEB management 10 Mbit only for MGUA UPSs from this configurator (RoHS- compatible, D:UPS*) can be used., Software supplied with the UPS without LAN connection cable., Occupies optional adapter slot.		x	D:UPS-LAN2			196	
	UPS Cable3,5mLink BP-Rack 6kVA-10kVA	UPS cable, 3.5m, between BP + rack 6kVA-10kVA, to extend the battery connection cable , if the distance between the control unit and ext. , battery extension is too great, for example ext. battery , extension in the neighboring rack.		x	D:UPS-R10-RACKVKAB			56	
	UPS Man Software MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.		x	D:UPSSW-BASIS			203	
	UPS Man Software V31 MGUA BASIC 3-1-1-25	UPS management software MGUA BASIS 3-1-1-25, This license comes with the UPS. Up to three servers can be connected to a UPS (these servers do not work in a cluster) and are notified individually by the UPS if there is imminent danger of a power failure. The software can manage a UPS. The three servers can notify a total of up to 25 clients via LAN of the impending power failure and initiate shutdown. If a server fails or the client cannot be reached, the client learns nothing about the power failure.		x	D:UPSSW-BASIS-V31			203	
	UPS Man SW Option CLUSTER 2-3-5-50	This package can be ordered optionally and addresses a dual-node cluster application. The number of cluster nodes can be increased by adding further licenses in grids of 2 (a quad-node cluster requires 2 licenses). The license can manage up to 3 groups, each with up to 5 UPS systems. The package is aimed at distributed cluster applications in which a pool of parallel UPSs with up to 5 UPSs each is intended for servers, infrastructure (data transport) and consolidated storage hardware. The servers involved can address a total of 50 clients.		x	D:UPSSW-HA-CLUSTER			594	
	UPS Man SW Option ENTERPRISE 25-3-5-50	This package can be ordered optionally and is designed for power solutions with a powerful server that can be split into virtual machines (example: PRIMEPOWER). Configurations such as in the cluster version can be created for the distributed environment used by the virtual server.		x	D:UPSSW-HA-ENTERPR			804	
	UPS Man SW Option SERVER GRID 25-1-1-50	This package can be ordered optionally and addresses completely fitted blade servers. The power quality information must be passed to many systems that are accommodated in a chassis and supplied by a UPS. The UPSs can be managed from any desired server of the blade, with the result that there is also power management when individual blades are inactive or have failed.		x	D:UPSSW-SRVGRID			420	
	Power cord 16A IEC320 C19->C20	with connector IEC320 C20 ->plug IEC320 C20 for connection to UPS (connector 16A IEC320 C19)		x	S26361-F3151-E300			20	
Miscellaneous									
	Service fee for special orders in rack	Service fee for special orders in rack environments, has to be ordered n x depends on total effort of the order	x		S26361-F1647-E410			16	
Cables									
	power in cable CEE 16A / IEC 320 16A, 5m	power in cable CEE 16A / IEC 320 16A, 5m, for ONLINE USV 3KVA and RPS-Box, length 3m		x	D:90712-16AC			51	
	Adaptercable D-SUB9 to RJ45	Connection UPS to PW250x / PW450x, D-SUB9 to COM RJ45		x	D:UPS-V24-RJ45KAB			52	